



Chapter 7

References

Agbios (2001). Gene transfer to related plants. Outcrossing to cultivated Zea varieties.
WWW at [http:// www.agbiosafety.unl.edu/biosafety](http://www.agbiosafety.unl.edu/biosafety)

Agbios (2001). Definitions to frequently used biotech terminology.
WWW at [http:// www.agbiosafety.unl.edu/faq/saywhatfaq.htm](http://www.agbiosafety.unl.edu/faq/saywhatfaq.htm)

Agrichemical and Environmental News (2000). Cooperative extension Washington state university.
WWW at <http://www.tricity.wsu.edu/aenews/DECOOANews.htm>

Altieri MA (1999). The environmental risks of transgenic crops: An agro ecological assessment. *AgBiotechNews and Information 10*: 405-410.

Anandajayasekaram P, Martella, DR and Kukuni, M (1996). A training manual on R&D evaluation and impact assessment of investments in agricultural and natural resources research. SACCR, pp 63-258.

Andel JV, Derksen JWM, Vos de CH, Maas PJ, Voerenek CJ and Vreugenhil D (1997). A transgenic centers approach to the biosafety of transgenic plants. Overview of selection and reporter genes. *Acta Botanica Neerlandica 46*: 15-50.

Anderson P (1999). IFPRI statement on biotechnology.
WWW at [http://www.cgiar/ ifpri/themes/biotechy/102899.html](http://www.cgiar/ifpri/themes/biotechy/102899.html)



Annual Report (2001). Monsanto Company.

WWW at <http://www.monsanto.com>

Ano G, Fersing J and Lacape JL (1983). Comparative study of the performance of 12 F1 hybrids between *Gossypium hirsutum* L. and *Gossypium barbadense* with their parents. *Coton et fibres Tropicales* vol. XXXVIII, fasc. 2

Aroian RV (2001). Understanding Bt toxin action and resistance.

WWW at <http://www-biology.ucsd.edu/faculty/aroian.html>

Associated Press Philadelphia (2001). Genetically altered crops increasingly popular in Africa- October 31.

Banks JC (1998). Cotton: The crop and plant.

WWW at <http://pss.okstate.edu/personnel/faculty/banks/extension/chapter1.html>

BBC News (1999). Genetically-modified Q&A. In: Food under the microscope.

WWW at http://news.bbc.co.uk/2/hi/specialreport/1999/02/99/food_under_the_microscope/280868.stm

Biopesticides registration action document (2000). Preliminary risks and benefits sections. *Bacillus thuringiensis* plant pesticide. Insect resistance management.

WWW at <http://www.epa.gov>

Biotech basics (2001). USDA determination of non-regulated status of Roundup Ready cotton.

WWW at http://www.biotechknowledge.monsanto.com/biotech/bbasics.nsf/product_information

Bissekerm C (2001). Government has given the green light for the first genetically modified crops. *Financial Mail*, Dec 14.

Borouh AM, Chen K and Christakis AN (1980). Technology assessment: creative futures. Elsevier North Holland.

Boulter D (1997). Scientific and public perception of plant genetic manipulation - A critical review. *Plant Science 16*: 231-251.

Brink JA, Woodward BR and DaSilva EJ (1998). Plant biotechnology: a tool for development in Africa. *Electronic Journal of Biotechnology 1*: 1-11.

Brookes M (1998). Suicide switch. Living in a GM world. *New Scientist*.

WWW at www.newscientist.com

Bundell K (2000). Global advocacy department policy briefings. Christian aid.

Busse MD, Ratcliff AW, Shestak CJ, Powers RF (2001). Glyphosate toxicity and the effects of long-term vegetation control on soil microbial communities. *Soil Biology and Biochemistry 33*: 1777-1789.

Carpenter J, Felsot A, Goode T, Hamming M, Onstad D and Sankula S (2002). Comparative environmental impacts of biotechnology derived and traditional soybean, corn and cotton crops. Council of agricultural science and technology. Ames, Iowa, pp 1-200.

Clark BD (1983). Environmental impact assessment. Martinus Nijhoff Publishers. The Hauge, pp 149-164.

Colorado State university (1999). Transgenic crops currently on the market.

WWW at <http://www.colostate.edu/programmes/lifesciences/Transgeniccrops/current.html>

Council for Biotechnology information (2001). Gene flow to wild plant relatives.

WWW at www.whybiotech.com

Crawley MJ, Brown SL, Hails RS, Kohn DD and Rees M (2001). Transgenic crops in natural habitats. *Nature* 409: 682-683.

WWW at <http://www.biosciences.bham.ac.uk/labs/callowj/Crawley%202001.pdf>

Cropbiotechnet (2002). Pocket K No. 6, Bt insect resistant technology.

WWW at www.issa.org/kc/services/pocketk/html/pk6.htm

CSIRO, Australia (2000). Biotechnology - an overview. In: Gene technology in Australia.

WWW at <http://genetech.Csiro.au/what.htm>

Cummins R (2002). Frankencorn fight. *Sentient times*.

WWW at http://www.sentienttimes.com/02/feb_mar/fightT.html

Dale PJ (1992). Spread of engineered genes to wild relatives. *Plant Physiology* 100: 13-15.

Dale PJ (2000). Public concern over transgenic crops.

WWW at <http://www.biotech.info.net/publicconcerns.html>

Daniell H (1999). The next generation of genetically engineered crops for herbicide and insect resistance: containment of gene pollution and resistant insects. *Agbiotechnet* 1: 1-7.

Designer seeds (1998). Taming the crown gall and Limits of traditional breeding. National Academy of Science. Washington DC.

WWW at www.beyonddiscovery.com



Doebley J (1990). Molecular evidence for gene flow among *Zea* species. *Bioscience* 40: 443-448.

Duke SO, Scheffler BE, Dayan FE and Dyer WE (2002). Genetic engineering crops for improved weed management traits in genetic engineering to improve attributes of crop plants, K Rajasekaran, T Jacks and J Finley (Eds). American Chemical Society Symposium Series, in press.

Dunwell JM (1998). Novel food products from genetically modified crop plant: methods and future prospects. *International Journal of Food Science and Technology* 33: 205-213.

Ellstrand NC (1988). Pollen as a vehicle for the escape of engineered genes? In *Planned Release of Genetically Engineered Organisms* J Hodgson, AM Sugden (Eds.). Elsevier, Cambridge, UK S30-S32.

Ellstrand NC and Hoffman CA (1990). Hybridization as an avenue of escape for engineered genes. *Bioscience* 40: 438-441.

Erickson PA (1994). A practical guide to environmental impact assessment. Academic Press, SanDiego, Newyork, Boston, London, Sydney, Tokyo, Toronto, pp 1-7.

Eubanks MW (1997). Further evidence for two progenitors in the origin of maize. *Maize Newsletter* 71: 35.

FAO conference (2002). Gene flow from GM to non-GM populations in the crop foresting, animal and fishery sectors. Gene flow from GM to non-GM populations. WWW at <http://www.fao.org/biotech/c7doc.htm>

Feed magazine (2000). The DNA issue, altered states.

WWW at <http://www.feedmag.com/dna/states.html>



Felsot A (2000). Herbicide Tolerant Genes. Part1: Squaring up Round Up Ready Crops. WWW at <http://www.health.gov.au/tga/gene/genetech/herbicide.htm/>

Ferreira E (2002). SA harvests first GM maize. WWW at <http://cooltech.iafrica.com/>

Flavell R (1999). Biotechnology and food and nutrition needs. In Biotechnology for developing - country Agriculture: problems and opportunities. IFPRI: 2020 Focus 2. WW at <http://www.cgiar.org/ifpri/2020/focus/tacus02/brief02.html>

Fryxell PA (1980). The natural history of the cotton tribe (Malvaceae, Tribe Gossypieae). College station and London: Texas A&M University Press.

Fryxell PA, Craven LA and Stewart MJ (1991). A revision of *Gossypium* sect. *Grandicalyx* Malvaceae, including the description of six new species. *Systematic Botany* 17: 91-114.

Galiant WC (1984). The origin of maize. *Science* 225: 1093-1094.

Galun E and Breiman A (1997). Transgenic plants (with an appendix on intellectual properties and commercialization of transgenic plants by John Barton). Imperial College Press, London.

Ghatnekar MS and Ghatnekar DS (2000). Transgenic crops raise hopes as well as environmental concerns. *Indian Express Newspapers (Bombay) Ltd.*

Goodman RM (1987). Future potential, problems and practicalities of herbicide-tolerant crops from Genetic Engineering. *Weed Science* 35: 28-31.

Gould F (1994). Potential and problems with high-dose strategies for pesticidal-engineered crops. *Biocontrol Science and Technology* 4: 451-461.

Govila OP, Rao CH (1969). Studies on the *in vitro* germination and storage of cotton pollen. *Journal of Palynology* 5: 37-41.

Hansen MK (2000). Genetic engineering is not an extension of conventional plant breeding. How genetic engineering differs from conventional breeding, hybridization, wide crosses and horizontal gene transfer.

WWW at <http://www.biotech.infonet/widecrosses.html>

Hansen LC and Obrycki JJ (2000). Field deposition of Bt transgenic corn pollen: Lethal effects on monarch butterfly. *Oecologia* 125: 241-248.

Harland, SC (1936). The genetical conception of the species. *Biological Reviews* 11:82

Hartzler B (1998). Roundup resistant rigid ryegrass. Iowa State University Weed Science online.

WWW at <http://www.weeds.iastate.edu/weednews/rigidryegrass.htm>

Hilbeck A, Baumgartner M, Fried PM and Bigler F (1998). Effects of transgenic *Bacillus thuringiensis* corn-fed prey on mortality and development time of immature *Chrysoperla carnea* (Neuroptera: Chrysopidae). *Environmental Entomology* 27: 480-487.

Hutchinson JB (1940). The application of genetics to plant breeding. The genetic interpretation of plant breeding problem. *Journal of Genetics* 40: 271-82.

ISAAA news (2002). The Makhatini Story, Bt cotton and sustainable development, South Africa.

WWW at www.africabio.com/pdf/bt.pdf

Ismael Y, Bennett R and Morse S (2001). Farm level impact of Bt cotton in South Africa. *Biotechnology and Development Monitor* 48: 15-19.

Ismael Y, Bennett R and Morse S (2002). Benefit from Bt cotton Used by Smallholder farmers in South Africa. *Agbioforum* 5:1

James C and Krattiger AF (1996). Global review of the field-testing and commercialization of transgenic plants: ISAAA Briefs No.1. Ithaca, NY: International service for the acquisition of agri-biotech applications.

James C (2000). Global status of commercialized transgenic crops. ISAAA briefs, no.21.

WWW at <http://www.isaaa.org/briefs>

Jorgensen RB, Hauser TB, Mikkelsen TR and Ostergard H (1996). Transfer of engineered genes from crops to wild plants. *Trends in Plant Science* 1: 356-358.

Kapteijns AJAN (1993). Risk assessment of genetically modified crops. Potential of four arable crops to hybridize with the wild flora. *Euphytica* 66:145-149.

Keshun L (1999). Biotech crops: products, properties and prospects. *Food Technology* 53: 42-49.

Kirsten J and Gouse M (2002). Bt Cotton in South Africa: Adoption and impact on the farm incomes amongst small- and large- scale farmers.

WWW at <http://www.isb.vt.edu/news/2002/news02.oct.html>

Kjellsson G (1997). Principles and procedures for ecological risk assessment of transgenic plants. In: *Methods for risk assessment of transgenic plants* G Kjellsson, V Simonsen and K. Ammann (eds). Birkhauser Verlag, Basel, Switzerland. pp 221-236.

- LaSota LR (1996). Evaluation by the United States environmental protection agency of pesticidal substances produced in plants. *Field Crops Research* 45:181-186.
- Le Baron HM (1987). Genetic engineering for herbicide resistance. Proceedings of a symposium of the weed science society of America. *Weed Science* 5: 2-3.
- Lee JA (1984). Cotton as a world crop In: Cotton RJ Kohel and CF Lewis (eds). American society of agronomy, Inc., Crop science society of America, Inc., Soil science society of America, Inc. Madison, Wisconsin, USA, pp 1-8.
- Levidow L, Carr S, Wield D (1999). Market stage precautions: managing regulatory disharmonies for transgenic crops in Europe. *Agbiotechnet 1*: ABN 014
- Liu Q, Brubaker LC, Green AG, Marshall DR, Sharp PJ and Singh PS (2001). Evolution of the FAD2-1 Fattyacid Desaturase 5' UTR intron and the molecular systematics of *Gossypium Malvaceae*. *American journal of Botany* 88: 92-102.
- Losey JE, Rayor LS and Carter ME (1999). Transgenic pollen harms monarch larvae. *Nature* 399: 214.
- Luna SV, Figuerora M, Baltazar M, Gomez RL, Townsend R and Schoper JB (2001). Maize pollen longevity and distance isolation requirements for effective pollen control. *Crop Science* 41: 1551-1557.
- Marshall G (1997). Herbicide-tolerant crops - real farmer opportunity or potential environmental problem? *Pesticide Science* 52: 394-402.
- McGinley S (2000). Bt cotton and pink bollworm. A cooperative research and education program. The University of Arizona College of Agriculture and Life Sciences. WWW at http://ag.arizona.edu/pubs/general/resrpt_200/pinkbollworm.pdf

- Miflin BJ (1999). Crop biotechnology where now? *Plant Physiology* 123: 17-27.
- Mikkelsen TR, Anderson B and Jörgensen RB (1996). The risk of crop transgene spread. *Nature* 380: 31.
- Milloy JS (1999). Biotech reporting mimics Hollywood rumor mill. WWW at <http://www.junkscience.com/oct99/rumor.htm>
- Moffat AS (1998). Biotechnology: toting up the early harvest of transgenic plants. *Science* 282: 2176-2178.
- Munn RE (1975). Environmental impact assessment. Principles and procedures. Scientific committee on problems of the environment. Second edition. John Wiley and Sons. Chichester, New York, Brisbane, Toronto, p 1.
- Murray E (1997). Gene transfer and expression protocols. Human Press, Clifton, New Jersey, pp 3-9.
- Munro JM (1987). Cotton second Edition. Longman Scientific and Technical, pp 34-40.
- Nelson GC and Pinto AD (2001). GMO adoption and non-market effects. In: Genetically modified organisms in agriculture: economics and politics. GC Nelson (ed.) San Diego, Calif: Academic Press, pp 59-75.
- Ogden EC, Raynor GS, Hayes JV, Lewis DM and Haines JH (1974). Manual for sampling airborne pollen. Hafner, New York.
- OSTP (2001). Bt maize case study no.II CEQ/OSTP assessment. Case studies of environment regulation for biotechnology, pp 1-70.

Pesticide action network updates service (PANUPS) (2001). Stop registration of Bt crops. WWW at http://www.panna.org/resources/panups/panup_20010806.dv.html

Porter AL, Rossini, FA, Carpenter RS and Roper AT (1980). A guidebook for technology assessment and impact analysis. Elsevier, North Holland.

Raamsdonk LWD and Van Schouten HJ (1997). Gene flow and establishment of transgenes in natural plant populations. *Acta Botanica Neerlandica* 46: 69-84.

Rautenberg O (1998). Summary of the “workshop on transgenic plant resistance to insects”. WWW at <http://www.bio-scope.com/case19e.htm>

Ray TB (1989). Herbicides as inhibitors of aminoacid biosynthesis. In: Target sites of Herbicide action, P Boger and G Sandmann (eds.). Boca Raton, FL: CRC Press, pp 112-114.

Raybould AF and Gray AJ (1994). Will hybrids of genetically modified crops invade natural communities? *Tree* 9: 85-89.

Real L (1983). Pollination biology. Academic Press Inc. Orlando, San Diego, New York, Austin, Boston, London, Sydney, Tokyo, Toronto, pp 164-175.

Reboud X, Gasquez J and Darmency H (1998). A multisite-cooperative research programme on risk assessment of transgenic crops. Conference on risks and prospects of transgenic plants. Bern, pp 29-31.

Regal PJ (1994). Scientific principles for ecologically based risk assessment of transgenic organisms. *Molecular Ecology* 3: 5-13.

Rieger MA, Preston C and Powels SB (1999). Risk of gene flow from transgenic herbicide-resistant canola to weedy relatives in Southern Australian cropping system. *Australian Journal of Agricultural Research* 50: 115-28.

Rissler J and Mellon M (1993). Perils amidst the promise: ecological risks of transgenic crops in a global market. Union of concerned scientists. Cambridge, MA, USA.

Rogers HJ and Parkes HC (1995). Transgenic plant and the environment. *Journal of Experimental Botany* 46: 467-488.

Rognli AO and Nilsson NO (2000). Effects of distance and pollen competition on gene flow in the wind-pollinated grass *Festuca pratensis* Huds. *Heredity* 85: 550-560.

Saunders JH (1958). Studies in wild species of cotton. Variation within *Gossypium anomalum*. Empire cotton growing corporation and research division. Sudan Ministry of Division, pp 249-259.

Saunders JH (1961). The wild species of *Gossypium* and their evolutionary history. Empire Cotton Growing Corporation, pp 52-59.

Scandizzo S (2002). Briefing notes in economics. International trade and the labelling of genetically modified organisms.

WWW at <http://www.richmond.ac.uk/bne>

Schwendiman J and Lefort PL (1974). Qualities and defects of various combinations of the F1 from crosses between *G.hirsutum* and *G. barbadense*. *Coton et fibres Tropicales* vol.XXIX, fasc. 2.

Shandro JL (2000). Biotechnology, exploring the science of GMO's. *Greenwich Journal of Science and Technology* 1: 64-73.

Simonsen V and Jorgensen B (1997). Genetic engineering techniques. In Methods for risk assessment of transgenic plants. G Kjellson, V Simonson and K Ammann (eds.). Birkhauser Verlag, Bern, Switzerland, pp 195-202.

Skerritt JH (2000). Genetically modified plants: developing countries and the public acceptance debate. *Agbiotechnews and Information* 2: 3-8.

Soriano M, Kleveza L and Ricardo PJ (2000). Maize: gift of the Gods or slave of mortals. *Agbioview special: Corn in Mexico: biotech maize, gene flow, land races, teosinte*.

WWW at <http://www.Agbioworld.org/listarchive/view.php?id=1281>

Squire GR, Wilson NJ, Robertson A and O'Brien ET (1997). Response to MAFF consultation paper, September. Dundee: Scottish Crop Research Institute.

Stalker DM (1989). Producing herbicide resistant plants by gene transfer technology. In Target sites of herbicide action, P Böger and G Sandmann (eds.). Boca Raton, FL: CRC Press, pp 148-163.

Stewart CNJR, Halfill MD and Warwick Suzanne (2002). Gene flow and its consequences: *Brassica napus* (canola, oilseed rape) to wild relatives. Gene flow workshop, The Ohio State University.

Sumida S (1995). OECD's biosafety work on large-scale release of transgenic plants. *Field Crop Research* 45: 184.

Syngenta (2002). Herbicides.

WWW at <http://www.syngenta.com/en/customer/herbicides.asp>

Timmons AM, Charters YM, Crawford JW, Burn D, Scott SE, Dubbels SJ, Wilson NJ, Robertson A, O'Brien ET, Squire GR and Wilkinson MJ (1996). Risks from transgenic crops. *Nature* 380: 487.

University of Minnesota (1997). Bt corn and European Corn Borer. Long-term success through resistance management.

WWW at <http://www.extension.umn.edu/distribution/cropsystems/DC7055.html>

Valicek P (1978). Wild and cultivated cotton. *Coton et Fibres Tropicales* 33: 363-388.

Viall J (2001). Labelling of modified food is essential. *The Star*, Thursday October 25.

Virginia Cooperative Extension (2001). Outlook for transgenic corn. National Academy of Science.

WWW at <http://filebox.vt.edu/cals/cses/chagedor/com97.htm/>

Virtue JG (1996). Improving the assessment of new weed threats: developing techniques with cruciferous weeds of cropping. In: proceedings of the eleventh Australian weeds conference, Melbourne, Australia, pp 85-88.

Vogt DU and Parish M (1999). Food Biotechnology in the United States: Science, Regulation, and Issues. Congressional research service, report for congress.

WWW at www.cnie.org/nle/st-41.html

Vollesen K (1986). The native species of *Gossypium* (Malvaceae) in Africa, Arabia and Pakistan. *Kew Bulletin* 42: 337-352.

Wambugu F (1999). Why Africa needs agricultural biotech. *Nature* 400: 15-16.

Wang RL, Stec A, Jody H, Lukens L and Dobbly J (1999). The limits of selection during maize domestication. *Nature*. 398: 236-239.

Wendel JF, Brubaker CL and Pericaval AD (1992). Genetic diversity in *Gossypium hirsutum* and the origin of Upland Cotton. *American Journal of Botany* 79: 1291-1310.

Wilkinson JQ (1997). Biotech plants: From lab bench to supermarket shelf. *Food Technology*. 51: 37-42.

Wolfenbarger LL and Phifer PR (2000). The ecological risks and benefits of genetically engineered plants. *Science* 290: 2088-2094.

Woodward B, Brink J and Berger D (1999). Can agricultural biotechnology make a difference in Africa? *Agbioforum* 2: 175-181.

World Watch Institute (2000). Crop gene diversity declining. *Trends in Plant Science* 5: 7

Wozniak CA (2002). Gene flow assessment for plant-incorporated protectants by the biopesticide and pollution prevention division, U.S. EPA. Gene flow workshop, The Ohio State University.

Wynberg R (2002). A decade of biodiversity conservation and use in South Africa: tracking progress from the Rio Earth Summit to the Johannesburg World Summit on sustainable development. *South African Journal of Science* 98: 234-243.