

## REFERENCES

- ABU JAFER, M. Z. & C. HAYS-SHAHIN, 1988. Reintroduction of the Arabian oryx into Jordan. Pp.35-40. In: A. Dixon & D. Jones (eds.), *Conservation and Biology of desert antelopes*. Christopher Helm, London.
- ALLABY, M., 1988. *MacMillan dictionary of the environment*. Third edition. The MacMillan Press, London and Basingstoke.
- ALLABY, M., 1991. *The concise Oxford dictionary of zoology*. Oxford University Press, Oxford.
- ALTMANN, J., 1974. Observational study of behaviour: Sampling methods. *Behaviour* 49:227-268.
- ANCRENAZ, M., 1994. *Proposal for the translocation of Arabian oryx to 'Uruq Bani Ma'arid*. National Wildlife Research Centre. Unpublished Report.
- ANCRENAZ, M., A. DELHOMME, S. ANAGARIYAH & A. R. KHOJA, 1994. Translocation of Arabian oryx. Pp:4-8 In: *Proposal for the translocation of Arabian oryx to 'Uruq Bani Ma'arid*. National Wildlife Research Centre. Unpublished Report.
- ANCRENAZ, M., S. OSTROWSKI & A. DELHOMME, 1995. The return of the Arabian oryx *Oryx leucoryx* to the Saudi Arabian Empty Quarter: Disease monitoring for the reintroduction process. Pp.79-86. *Proceedings of a joint conference AAZV / WDA / AAWV*.
- ANCRENAZ, M., S. OSTROWSKI, A. DELHOMME & A. GRETH, 1995. Latest developments in translocation techniques of the Arabian oryx *Oryx leucoryx*. Pp.184-190. *Proceedings of a joint conference AAZV / WDA / AAWV*.
- ANDEREGG, R., H. FREY & H. U. MULLER, 1983. Reintroduction of the bearded vulture or lammergeier *Gypateus barbatus*, to the Alps. *International Zoo Yearbook* 23:35-41.
- ANDERSON, D. J., 1982. The home-range: A new non-parametric estimation technique. *Ecology* 63 (1):103-112.
- ANSELL, W. F. H., 1972. Part 2, Family Artiodactyla. Pp:1-84. In: J. Meester & H. W. Setzer (eds.), *The Mammals of Africa: an identification manual*. Smithsonian Institution Press, Washington D. C.
- ARMBRUSTER, P. & R. LANDE, 1993. A population viability analysis for African elephant (*Loxodonta africana*): How big should reserves be? *Conservation Biology* 7(3):602-610.
- ARMSTRONG, J. T., 1965. Breeding home-range in the nighthawk and other birds; its evolutionary significance. *Ecology* 46: 619-629.

- ASMODÉ, J. F., 1990. Food choice and digging behaviour of naive Arabian oryx reintroduced in their natural environment. *Revue D Ecologie-La Terre et la vie* 45:295-301.
- BÜTTIKER, W. & J. GRAINGER, 1989. Possible sites for the protection and reintroduction of some wildlife species in Saudi Arabia. Pp.287-297. In: A. H. Abu Zinada, P. D. Goriup & I. Nader (eds.), *Wildlife Conservation and Development in Saudi Arabia. Proceedings of the first symposium*. NCWCD, Riyadh.
- BAHARAV, D. & M. L. ROSENWEIG, 1985. Optimal foraging in Dorcas gazelle. *Journal of Arid Environments* 9:167-171.
- BAHARAV, D., 1980. Habitat utilisation of the Dorcas gazelle in a desert saline area. *Journal of Arid Environments* 3:161-167.
- BAHARAV, D., 1982. Food habitats of the mountain gazelle in semi-arid habitats of eastern lower Galilee, Israel. *Journal of Arid Environments* 4:63-69.
- BEARDALL, G. M., S. C. J. JOUBERT & P. F. RETIEF, 1984. An evaluation of the use of correspondence analysis for the analysis of herbivore-habitat selection. *South African Journal of Wildlife Research* 14:79-88.
- BEARDER, S. K. & R. D. MARTIN, 1980. The social organisation of a nocturnal primate revealed by radio-tracking. In: C. J. Amlaner & D. W. Macdonald (eds.), *A Handbook on Biotelemetry and Radio-tracking*. Pergamon Press, Oxford.
- BECK, B. B., L. G. RAPAPORT, M. R. STANLEY-PRICE & A. C. WILSON, 1994. Reintroduction of captive born animals. Pp.265-386. In: P. J. S. Olney, G. M. Mace & A. T. C. Feistener (eds.), *Creative conservation: interactive management of wild and captive animals*. Chapman & Hall, New York.
- BEISSINGER, S. R., & M. I. WESTPHAL, 1998. On the use of demographic models of population viability in endangered species management. *Journal of Wildlife Management* 62(3):821-841.
- BELOVSKY, G. E., J. A. BISSONETTE, R. D. DUESER, T. C. EDWARDS, C. M. LUECKE, M. E. RITCHIE, J. B. SLADE & F. H. WAGNER, 1994. Management of small populations: concepts affecting the recovery of endangered species. *Wildlife Society Bulletin* 22:307-316.
- BELSKY, A. J., S. M. MWONGA, R. G. AMUNDSON, J. M. DUXBURY & A. R. ALI, 1993. Comparative effects of isolated trees on their undercanopy environments in high- and low-rainfall savannas. *Journal of Applied Ecology* 30:143-155.
- BEN-SHAHAR, R. & J. D. SKINNER, 1988. Habitat preferences of African ungulates derived by uni- and multivariate analysis. *Ecology* 69(5):1479-1485.
- BEN-SHAHAR, R., 1986. *The conservation of endangered ungulates in the Waterberg, Transvaal*. MSc. (Zoology) thesis, University of Pretoria, Pretoria.

- BERGER, J., 1991. Pregnancy incentives, predation constraints and habitat shifts: experimental and field evidence for bighorn sheep. *Animal Behaviour* 41:61-77.
- BERGERUD, A. T., H. E. BUTLER & D. R. MILLER, 1984. Anti-predator tactics of calving caribou: dispersion in mountains. *Canadian Journal of Zoology* 62:1566-1575.
- BERRY, H. H., 1980. *Behavioural and eco-physiological studies on blue wildebeest (Connochaetes taurinus) at the Etosha National Park*. Ph.D. dissertation, University of Cape Town.
- BEUDELS, R. C., S. M. DURANT & J. HARWOOD, 1992. Assessing the risks of extinction for local populations of roan antelope *Hippotragus equinus*. *Biological Conservation* 61:107-116.
- BLEICH, V. C., 1999. Mountain sheep and coyotes: patterns of predator evasion in a mountain ungulate. *Journal of Mammalogy* 80:283-289.
- BLUMSTEIN, D. T., 1998. Female preferences and effective population size. *Animal Conservation* 1: 173-177.
- BOTHMA, J. DU P. & M. STRAUSS, 1995. *Monitoring of reintroduced Arabian oryx (Oryx leucoryx) and sand gazelle (Gazella subgutturosa marica) in the 'Uruq Bani Ma'arid Protected Area of the Kingdom of Saudi Arabia. Interim report for the period January to December 1995*. Centre for Wildlife Management, University of Pretoria. Unpublished Report.
- BOTHMA, J. DU P. & W. M. STRAUSS, 1996. *Management plan for the 'Uruq Bani Ma'arid Protected Area of the Kingdom of Saudi Arabia*. Centre for Wildlife Management, University of Pretoria. Unpublished Report.
- BOTHMA, J. DU P., 1980. Die witgatboom as ekologies faktor. *Journal of the South African Biological Society* 21: 9-21.
- BOTHMA, J. DU P., 1996. Game Ranch Management, J. L. Van Schaik, Pretoria.
- BOWYER, R. T., V. VAN BALLEMBERGHE & J. G. KIE, 1998. Timing and synchrony of parturition in Alaskan moose: long-term versus proximal effects of climate. *Journal of Mammalogy* 79:1332-1344.
- BOWYER, R. T., V. VAN BALLEMBERGHE, J. G. KIE & J. A. K. MAIER, 1999. Birth-site selection by Alaskan moose: maternal strategies for coping with a risky environment. *Journal of Mammalogy* 80(4):1070-1083.
- BOYCE, M. S., 1992. Population Viability Analysis. *Annual Review of Ecology and Systematics* 23:481-506.
- BRONSON, F. H., 1985. Mammalian reproduction: An ecological perspective. *Biology of Reproduction* 32:1-26.



- BROOK, B. W., J. R. CANNON, R. C. LACY, C. MIRANDE & R. FRANKHAM, 1999. Comparison of the population viability analysis packages GAPPS, INMAT, RAMAS and VORTEX for the whooping crane *Grus americana*. *Animal Conservation* 2:23-31.
- BROWN, J. L., 1964. The evolution of diversity in avian territorial systems. *Wilson Bulletin* 76:160-169
- BROWN, J. L., 1975. *The evolution of behaviour*. W. W. Norton, New York.
- BUNNELL, F. L. & M. P. GILLINGHAM, 1985. Foraging behaviour: the dynamics of dining out. Pp: 53-80. In: R. J. Hudson & R. G. White (eds.), *Bioenergetics of wild herbivores*. CRC Press, Boca Raton, Florida.
- BURT, W. H., 1943. Territoriality and home-range concepts as applied to mammals. *Journal of Mammalogy* 24:346-352.
- CACOULOS, T., 1966. Estimation of a multivariate density. *Annals of the Institute of Statistical Mathematics* 18:179-189.
- CADE, T. J. & S. A. TEMPLE, 1995. Management of threatened species: an evaluation of the hands-on approach. *Ibis* 137(supplement 1): 161-172.
- CALHOUN, J. B. & J. U. CASBY, 1958. Calculations of home-range and density of small mammals. *United States Public Health Monograph* 55:1-24.
- CARRUTHERS, D., 1935. *Arabian Adventure. To the Great Nafud in quest of the oryx*. H. F. & G. Whitherby, London.
- CASWELL, H., 1989. *Matrix population models*. Sinauer Associates, Sunderland, Massachusetts.
- CAUGHLEY, G. & C. J. KREBBS, 1983. Are big mammals simply small mammals writ large? *Oecologia* 59:7-17.
- CAUGHLEY, G., 1966. Mortality patterns in mammals. *Ecology* 47(6):906-917.
- CAUGHLEY, G., 1977. *Analysis of vertebrate populations*. John Wiley & Sons, New York.
- CAUGHLEY, G., 1994. Directions in conservation biology. *Journal of Animal Ecology* 63:215-244.
- CHAPMAN, R. W., 1978a. General information on the Arabian Peninsula. 1.1. Geology. In: Saad al Sayari & J. Zolt (eds.), *Quaternary Period in Saudi Arabia*. Springer Verlag, New York.
- CHAPMAN, R. W., 1978b. General information on the Arabian Peninsula. 1.2. Geomorphology. In: Saad al Sayari & J. Zolt (eds.), *Quaternary Period in Saudi Arabia*. Springer Verlag, New York.
- CHILD, G. & J. GRAINGER, 1990. *A system plan for protected areas for wildlife conservation and sustainable rural development in Saudi Arabia*. NCWCD, Riyadh.

- CLARY, W. P. & D. A. JAMESON, 1981. Herbage production following tree and shrub removal in the pinyon-juniper type of Arizona. *Journal of Range Management* 34:109-112.
- CLOUGH, G. & A. G. HASSAM, 1970. A quantitative study of the daily activity of the warthog in the Queen Elizabeth National Park, Uganda. *East African Wildlife Journal* 8:19-24.
- CLUTTON-BROCK, T. H. & P. H. HARVEY, 1977a. Primate ecology and social organisation. *Journal of Zoology* 183:1-39.
- CLUTTON-BROCK, T. H. & P. H. HARVEY, 1977b. Species differences in feeding and ranging behaviour in primates. In: T. H. Clutton-Brock (ed.), *Primate ecology: studies on feeding and ranging behaviour in lemurs, monkeys and apes*. Academic Press, London.
- CLUTTON-BROCK, T. H., 1984. Reproductive effort and terminal investment in iteroparous animals. *American Naturalist* 123(2):212-229.
- COE, M. & C. COE, 1987. Large herbivores, Acacia trees bruchid beetles. *South African Journal of Science* 83:624-635.
- COE, M. J., D. H. CUMMING & J. PHILLIPSON, 1976. Biomass and production of large African herbivores in relation to rainfall and primary production. *Oecologia* 22:314-354.
- COLLONETTE, S., 1985. *An illustrated guide to the flowers of Saudi Arabia*. Meteorology and Environmental Protection Administration, Flora publication No. 1. Scorpion Publishing, Ltd., London.
- COOPER, S. M. & N. OWEN-SMITH, 1985. Condensed tannins deter feeding by browsing ungulates in a South African savanna. *Oecologia* 67:142-146.
- COOPER, W. E. Jnr., 1978. Home-range size and population dynamics. *Journal of Theoretical Biology* 75:327-337.
- CORNELIS, J., J. CASAER & M. HERMY, 1999. Impact of season, habitat and research technique on the diet composition of roe deer (*Capreolus capreolus*): a review. *Journal of Zoology (London)* 248:195-207.
- CORP, N., J. A. SPALTON & M. L. GORMAN, 1998. The influence of rainfall on range in a female desert ungulate: the Arabian oryx in the Sultanate of Oman. *Journal of Zoology (London)* 246:369-377.
- COVICH, A. P., 1976. Analysing shapes of foraging areas: Some ecological and economic theories. *Annual Review of Ecology and Systematics* 7:235-257.
- CRIBIU, E. P., J. F. ASMUDI, V. DURANT, A. GRETH & S. ANAGARIYAH, 1990. Robertsonian chromosome polymorphism in the Arabian oryx *Oryx leucoryx*. *Cytogenetics and Cell genetics* 54:161-163

- CROOKS, K. R., M. A. SANJAYAN & D. F. DOAK, 1998. New insights on cheetah conservation through demographic modelling. *Conservation Biology* 12(4):889-895.
- CUNNINGHAM, A. A., 1996. Disease risks of wildlife translocations. *Conservation Biology* 10:349-353.
- DAGG, A. I. & J. B. FOSTER, 1976. *The giraffe, its biology, behaviour and ecology*. Reinhold, New York.
- DE SOLLA, S. R., R. BONDURIANSKY & R. J. BROOKS, 1999. Eliminating autocorrelation reduces biological relevance of home range estimates. *Journal of Applied Ecology* 68:221-234.
- DENSMORE, M. A. & D. C. KRAEMER, 1986. Analysis of reproductive data on the addax. *International Zoo Yearbook* 24/25:303-306.
- DIECKMANN, R. C., 1980. *Ecology and Breeding Biology of the Gemsbok Oryx gazella gazella (Linnaeus 1758) in the Hester Malan Nature Reserve*. MSc thesis, University of Pretoria, Pretoria.
- DIXON, A. & D. JONES, 1988. *Conservation and biology of desert antelopes*. Christopher Helm, London.
- DIXON, A. M., G. M. MACE, J. E. NEWBY & P. J. S. OLNEY, 1991. Planning the reintroduction of scimitar-horned oryx (*Oryx damah*) and addax (*Addax nasomaculatus*) into Niger. *Symposia of the Zoological Society of London* 62:201-216.
- DIXON, K. R. & J. A. CHAPMAN, 1980. Harmonic mean measure of animal activity areas. *Ecology* 61:1040-1044.
- DOAK, D., P. KAREIVA & B. KLEPETKA, 1994. Modelling population viability for the desert tortoise in the western Mojave Desert. *Ecological Applications* 4:446-460.
- DODD, C. K. & R. A. SIEGELL, 1990. Relocation, repatriation and translocation of amphibians and reptiles: are they conservation strategies that work? *Herpetologica* 47:336-350.
- DOLAN, J. M., 1975. The Arabian oryx *Oryx leucoryx* - its destruction, captive history and propagation. *International Zoo Yearbook* 16:230-239.
- DOLAN, J. M., 1987. Conservation of the Arabian oryx and the role of its studbook. Pp:303-309. In: A. H. Abuzinada, P. D. Goriup, & I. Nader (eds.), *Wildlife Conservation and Development in Saudi Arabia. Proceedings of the first symposium*. Riyadh.
- DON, B. A. & K. RENNOLLS. 1983. A home-range model incorporating biological attraction points. *Journal of Animal Ecology* 52:69-81.
- DUNHAM, K., F. ROBERSTON & T. WACHER, 1995. *Proposed reintroduction site of mountain gazelle in the 'Uruq Bani Ma'arid Protected Area*. King Khalid Wildlife Research Centre. Unpublished report.



- DUNN, J. E. & P. S. GIPSON, 1977. Analysis of radio telemetry data in studies of home-range. *Biometrics* 33:85-101.
- DUSEK, G. L., R. J. MACKIE, J. D. HERRIGES (Jnr.) & B. B. COMPTON, 1989. Population ecology of white-tailed deer along the lower Yellowstone river. *Wildlife Monographs* 104:1-68.
- EBEDES, H., 1993. The use of long-acting tranquillisers in captive wild animals. Pp: 71-99. In: A. A. McKenzie (ed.), *The Capture and Care Manual*. Wildlife Decision Support Services CC, Pretoria, South Africa.
- EBEDES, H., 1996. Condition of game. Pp. 167-170. In: J. du P. Bothma (ed.), *Game Ranch management*. J. L. van Schaik, Pretoria.
- EBERHARDT, L. L., 1985. Assessing the dynamics of wild populations. *Journal of Wildlife Management* 49(4): 997-1012.
- EDGE, W. D. & C. L. MARCUM, 1985. Movements of elk in relation to logging disturbances. *Journal of Wildlife Management* 49:926-930.
- EISENBERG, J. F., 1966. The social organisation of mammals. *Handbook of Zoology* 10:1-92.
- ELOFF, F. C., 1959. Observations on the migration and habits of the antelopes of the Kalahari Gemsbok Park. *Koedoe* 2:30-51.
- EMLEN, J. M. & E. K. PIKITCH, 1989. Animal population dynamics: identification of critical components. *Ecological Modelling* 44:253-273.
- ENGELBRECHT, J. S., 1986. *Ekologiese skeiding van die rooibok Aepyceros melampus (Lichtenstein), waterbok Kobus ellipsiprymnus (Ogilby) en die koedoe Tragelaphus strepsiceros (Pallas) in die sentrale gebied van die Kruger Wildtuin*. M.Sc. (Wildlife Management) thesis, University of Pretoria, Pretoria.
- FABRICIUS, C., 1989. *Habitat suitability assessment for indigenous browsing ungulates in the northern Cape*. MSc. Thesis, University of Witwatersrand, Johannesburg.
- FERRAR, A. A. & B. J. WALKER, 1974. Analysis of herbivore/habitat relationships in Kyle National Park, Rhodesia. *Journal of the South African Wildlife Management Association* 4:137-147.
- FIELD, C. R., 1975. Climate and the food habits of ungulates on Galana Ranch. *East African Wildlife Journal* 13:203-220.
- FITTER, R., 1982. Arabian oryx returns to the wild. *Oryx* 16:407-410.
- FLAMAND, J. R. B., A. DELHOMME & M. ANCRENAZ, 1994. The hand rearing of Arabian oryx *Oryx leucoryx*. *International Zoo Yearbook* 33:269-274.
- FORD, R. G. & D. W. KRUMME, 1979. The analysis of space use patterns. *Journal of Theoretical Biology* 76:125-155.

- FORD, R. G., 1983. Home-range in a patchy environment: optimal foraging predictions. *American Zoologist* 23:315-326.
- FORYS, E. A., & S. R. HUMPHREY, 1999. Use of population viability analysis to evaluate management options for the endangered lower keys marsh rabbit. *Journal of Wildlife Management* 63(1):251-260.
- FRANCISCI, F., S. FOCARDI & L. BOITANI, 1985. Male and female Alpine ibex: phenology of space use and herd size. Pp.134-147. In: S. Lovari (ed.), *The biology and management of mountain ungulates*. Croom Helm, London.
- FRANZMANN, A. W., 1988. A review of Alaskan wildlife translocations. Pp:210-229. In: L. Nielsen & R. D. Brown (eds.), *Translocation of wild animals*. Winsconsin Humane Society, Inc. and Caeser Kleberg Wildlife Research Institute, Kingsville, Texas.
- FREE, J. C., R. M. HANSEN & P. L. SIMS, 1970. Estimating dry weights of food plants in faeces of herbivores. *Journal of Range Management* 23:300-302.
- FREUND, J. E. & G. A. SIMON, 1991. *Statistics: a first course*. Fifth edition. Prentice Hall, New Jersey.
- FRYXELL, J. M., 1987. Food limitation and demography of a migratory antelope, the white-eared kob. *Oecologia* 73:83-91.
- GEIST, V. & R. G. PETOCZ, 1977. Bighorn sheep in winter: do rams maximise reproductive fitness by spatial and habitat segregation from ewes? *Canadian Journal of Zoology* 55:1802-1810.
- GEIST, V., 1971. Mountain sheep: a study in behaviour and evolution. Wildlife Behaviour and ecology series. Schaller, G. B. (ed.), The University of Chicago Press, Chicago.
- GENTRY A. W., 1978. Bovidae. Pp:540-572. In: V. J. Maglio & H. B. S. Cooke (eds.), *Evolution of African Mammals*. Harvard University Press, Cambridge.
- GESE, E. M., O. J. RONGSTAD & W. R. MYTTON, 1988. Home-range and habitat use of coyotes in south-eastern Colorado. *Journal of Wildlife Management* 52:640-646.
- GIDDINGS, S. R., 1990. *Water metabolism in the gemsbok Oryx gazella* (Linnaeus). MSc thesis, University of Pretoria, Pretoria.
- GILL, J. P. & A. CAVE-BROWN, 1988. Scimitar-horned oryx *Oryx damah* at Edinburgh Zoo. Pp. 119-135. In: A. Dixon & D. Jones (eds.), *Conservation and Biology of Desert Antelopes*. Helm Publishers, London.
- GILLET, H., 1965. L'oryx algazelle et l'addax au Tchad. *Terre et la vie* 3:257-272.
- GILLET, H., 1988. The diet of the Arabian oryx (*Oryx leucoryx*) at the National Wildlife Research Centre, Taif. Pp: 327-334. In: A. H. Abuzinada, P. D. Goriup & I. Nader (eds.), *Wildlife Conservation and Development in Saudi Arabia, Proceedings of the first symposium*. NCWCD, Riyadh.



- GILLINGHAM, M. P. & D. R. KLEIN, 1992. Late-winter activity patterns of moose (*Alces alces gigas*) in western Alaska. *Canadian Journal of Zoology-Revue* 70:293-299.
- GILPIN, M. E. & M. E. SOULI, 1986. Minimum viable populations: the process of population extinction. Pp.13-34. In: M. E. Soulé (ed.), *Conservation biology: the science of scarcity and diversity*. Sinauer & Associates, Sunderland, Massachusetts.
- GIROUX, J. F. & J. BÉDARD, 1990. Activity budgets of greater snow geese in fall. *Canadian Journal of Zoology-Revue* 68:2 700-2 702
- GOGAN, P. J. P. & R. H. BARRETT, 1987. Comparative dynamics of introduced tule elk populations. *Journal of Wildlife Management* 51(1):20-27.
- GORDON, I., 1983. *Controlled breeding of farm animals*. Pergamon Press, Oxford.
- GOYAL, S. P., H. C. BOHRA, P. K. GHOSH & I. PRAKASH, 1988. Role of *Prosopis cineraria* pods in the diet of two Indian desert antelopes. *Journal of Arid Environments* 14:185-290.
- GREEN, A. G., 1986. Status of large mammals of northern Saudi Arabia. *Mammalia* 50(4):483-493.
- GREEN, C. H., 1990. Reproductive effort and associated costs in bison (*Bison bison*): do older mothers try harder? *Behavioural Ecology* 1(2):148-160.
- GREEN, W. C. H. & A. ROTHSTEIN, 1998. Translocation, hybridisation and the endangered Black-faced impala. *Conservation Biology* 12(2):475-480.
- GREENACRE, M. J. & L. G. UNDERHILL, 1982. Scaling a data matrix in a low-dimensional Euclidian Space. Pp.183-266. In: D. M. Hawkins (ed.), *Topics in applied multivariate analysis*. Cambridge University Press, Cambridge, United Kingdom.
- GREENACRE, M. J., 1981. Practical correspondence analysis. In: V. Barrett (ed.), *Interpreting multivariate data*. V. Wiley, Chichester.
- GRENOT, C. J., 1992. Ecophysiological characteristics of large herbivorous mammals in arid Africa and the Middle East. *Journal of Arid Environments* 23:125-155.
- GRETH, A. & G. SCHWEDE, 1993. The reintroduction programme for Arabian oryx in Saudi Arabia. *International Zoo Yearbook* 32:73-80.
- GRETH, A., J. R. B. FLAMAND & A. DELHOMME, 1994. An outbreak of tuberculosis in a captive herd of Arabian oryx *Oryx leucoryx*. *Veterinary Record* 134(7):165-167.
- GRETH, A., P. SUNNUCKS, M. VASSART & H. STANLEY, 1992. Genetic management of an Arabian oryx *Oryx leucoryx* population without known pedigree. Pp: 77-83. In: F. Spitz, G. Janeau, G. Gonzalez & S. Aulagnier (eds.), *Proceedings of the International Symposium "Ongulés / Ungulates '91"*. S. F. E. P. M. / I. R. G. M. Toulouse, France.
- GRIFFITH, B., J. M. SCOTT, J. W. CARPENTER & C. REED, 1989. Translocation as a species conservation tool: status and strategy. *Science* 245:477-480.

- GRIMWOOD, I. R., 1962. Operation Oryx. *Oryx* 6:308-334.
- GRIPPS, J. H. W. (ed.), 1991. Beyond captive breeding: reintroducing endangered mammals to the wild. *Symposium 62. Zoological Society of London, London*
- GROBLER, J. H., 1981. Feeding behaviour of the sable *Hippotragus niger niger* (Harris 1838) in the Rhodes Matopos National Park, Zimbabwe. *South African Journal of Zoology* 16:50-58.
- GRUBB, P., 1993. Artiodactyla. Pp:377-414. In: *Mammal Species of the World: A Taxonomic and Geographic Reference*. Wilson, D. E. & D. M. Reeder (eds.). Smithsonian Institution Press, Washington and London.
- HALEVY, G., 1974. Effects of gazelles and seed beetles (Bruchidae) on germination and establishment of Acacia species. *Israel Journal of Botany* 23:120-126.
- HAMILTON, W. J., R. BUSKIRK & W. H. BUSKIRK, 1977. Intersexual dominance and differential mortality of gemsbok *Oryx gazella* at Namib Desert waterholes. *Madoqua* 10(1):5-19.
- HANWELL, A. & M. PEAKER, 1977. Physiological effects of lactation on the mother. *Symposia of the Zoological Society of London* 41:297-311.
- HARESTAD, A. S. & F. L. BUNNELL, 1979. Home-range and body weight: a re-evaluation. *Ecology* 60 (2):389-402.
- HARKER, K. W., D. H. L. ROLLINSON, J. I. TAYLOR, R. N. GOURLAY & W. R. NUNN, 1954. Studies on the habits of zebu cattle. I. Preliminary observations on grazing habits. *Journal of Agricultural Science, Cambridge* 47:44-49.
- HARMAN, H. H., 1976. *Modern factor analysis*. The University of Chicago Press, Chicago and London.
- HARRIS, S., W. J. CRESSWELL, P. G. FORDE, W. J. TREWHELLA, T. WOOLLARD, & S. WRAY, 1990. Home-range analysis using radio-tracking data. A review of problems and techniques particularly as applied to the study of mammals. *Mammal Review* 20(2/3):97-123.
- HARRISON, D. L. & P. J. J. BATES, 1991. *The Mammals of Arabia*. Second edition. Harrison Zoological Museum, Kent.
- HAWES, M. L., 1977. Home-range, territoriality and ecological separation in sympatric shrews, *Sorex vagrans* and *Sorex obscurus*. *Journal of Mammalogy* 58:354-367.
- HAYNE, D. W., 1949. Calculation of size of home-range. *Journal of Mammalogy* 50(1):1-18.
- HEDRICK, P. W., R. C. LACY, F. W. ALLENDORF & M. E. SOULÉ, 1996. Directions in conservation biology: comments on Caughley. *Conservation Biology* 10(5):1312-1320.

- HEPPELL, S. S., J. R. WALTERS & L. B. CROWDER, 1994. Evaluating management alternatives for Red-cockaded Woodpeckers: a modelling approach. *Journal of Wildlife Management* 58:479-487.
- HILL, M. O., 1974. Correspondence analysis: a neglected multivariate method. *Applied statistics* 23:340-354.
- HIRST, S. M., 1975. Ungulate habitat relationships in a South African woodland/savanna ecosystem. *Wildlife Monographs* 44:1-60.
- HOBBS, N. T., BAKER, D. L., ELLIS, J. E. & SWIFT, D. M., 1979. Composition and quality of elk diets during winter and summer: a preliminary analysis. Pp:47-53. In: M. S. Boyce, Hayden-Wing, L. D. (eds.), *North American elk: ecology, behaviour and management*. University of Wyoming, Wyoming.
- HOFMANN, R. R., 1989. Evolutionary steps of ecophysiological adaptation and diversification of ruminants: a comparative view of their digestive system. *Oecologia* 78:443-457.
- HOFMEYR, J. M., 1974. Developments in the capture and air lifting of roan *Hippotragus equinus equinus* under narcosis to the Etosha National Park. *Madoqua* 8:37- 48.
- HOLECHEK, J. L., M. VAVRA & R. C. PIEPER, 1982. Botanical composition determination of range herbivore diets: a review. *Journal of Range Management* 35:309-315.
- HOLM, D. A., 1960. Desert geomorphology in the Arabian Peninsula. *Science* 132 (3437):1369-1379
- HUDSON, R. J., 1985. Body size, energetics and adaptive radiation. Pp.1-24. In: R. J. Hudson & R. G. White (eds.), *Bioenergetics of wild herbivores*. CRC Press, Boca Raton, Florida.
- INNIS, A. C., 1958. The behaviour of the giraffe, *Giraffa camelopardalis* in the eastern Transvaal. *Proceedings of the Zoological Society of London* 131(2):245-278.
- IUCN, 1987. *The IUCN position statement on translocation of living organisms: Introduction, reintroductions and restocking*. IUCN, Gland Switzerland
- IUCN, 2000. IUCN position statement on translocation of living organisms. Pp.751-760. In: *Conservation Assessment and Management Plan (CAMP) for Arabian carnivores and Population Habitat and Viability Assessment (PHVA) for the Arabian leopard and Tahr*. United Arab Emirates, 5-11 February 2000.
- JAREMOVIC, R. V. & D. B. CROFT, 1987. Comparison of techniques to determine eastern grey kangaroo home-range. *Journal of Wildlife Management* 51:921-930.
- JARMAN, P. J. & M. V. JARMAN, 1973. Social behaviour, population structure and reproductive potential in impala. *East African Wildlife Journal* 11:329-338.
- JENNRICH, R. I., & F. B. TURNER, 1969. Measurement of non-circular home-range. *Journal of Theoretical Biology* 22:227-237.



- JOHNSON, D. H., 1980. The comparison of usage and availability measurements for evaluations of resource preference. *Ecology* 61(1):65-71.
- JOUBERT, E., 1972. The social organisation and associated behaviour of the Hartmann zebra *Equus zebra hartmannae*. *Madoqua* 1(6):17-56.
- JOUBERT, E., 1994. *Captive breeding and reintroduction of native wildlife species in the Kingdom of Saudi Arabia: The story of the return of the Kingdom's flagship species to the wild*. NCWCD, Riyadh. Unpublished report.
- JOUBERT, S. C. J., 1976. *The population ecology of the roan antelope Hippotragus equinus equinus (Desmarest 1804) in the Kruger National Park*. PhD. thesis, University of Pretoria.
- JOUBERT, S. C. J., 1996. Animal behaviour. Pp.160-166. In: J. du P. Bothma (ed.), *Game Ranch Management*. J. L. van Schaik, Pretoria.
- JUNGIUS, H., 1982. The return of the white oryx. *Wildlife* 24:170-173.
- JUNGIUS, H., 1985. The Arabian oryx: its distribution and former habitat in Oman and the possibility of its reintroduction. *Journal of Oman Studies* 8:49-64.
- KAUL, R. N. & D. C. P. THALEN, 1979. South West Asia. Pp: In: D. W. Goodall & R. A. Perry (eds.), *Arid land ecosystems*, Vol. 1. Cambridge University Press, Cambridge.
- KENWARD, R. E. & HOLDER, K. H., 1996. *Ranges V. An analysis system for biological location data*. Wareham Institute of Terrestrial Ecology.
- KIE, J. G., 1999. Optimal foraging and risk of predation: effects on behaviour and social structure in ungulates. *Journal of Mammalogy* 80:1114-1129.
- KINGDON, J., 1982. *East African Mammals. An atlas of evolution* Vol. III, Part D Bovids. Academic Press Inc., London.
- KIRKWOOD, J. K., C. D. GASKIN & J. MARKHAM, 1987. Perinatal mortality and season of birth in captive wild ungulates. *Veterinary Record* 120:386-390.
- KLEIMAN, D. G., B. B. BECK, J. M. DIETZ & L. A. DIETZ, 1991. Costs of a reintroduction and criteria for success: accounting and accountability in the Golden Lion Tamarin Conservation Programme. *Symposia of the Zoological Society of London* 62:125-142.
- KNIGHT, M. H., 1991. *Ecology of the gemsbok Oryx gazella gazella (Linnaeus) and the blue wildebeest Connochaetes taurinus (Burchell) in the southern Kalahari*. PhD. dissertation, University of Pretoria.
- KNIGHT, R. R. & L. L. EBERHARDT, 1985. Population dynamics of Yellowstone grizzly bears. *Ecology* 66:323-334.
- KOEPPL, J. W., N. A. SLADE, & R. S. HOFFMANN, 1975. A bivariate home-range model with possible application to ethological data analysis. *Journal of Mammalogy* 56(1):81-90.

- KOK, O. B., & D. P. J. OPPERMAN, 1985. Habitatsvoorkeure, tropsamestelling en territoriale status van rooihartbeeste in die Willem Pretorius Wildtuin. *Journal of the South African Wildlife Management Association* 5:103-110.
- KRUGER, J. W., 1994. *The feeding ecology and behaviour of reintroduced giraffe (Giraffa camelopardalis) in the Kalahari Gemsbok National Park*. Unpublished MSc thesis, University of Pretoria, Pretoria.
- LACY, R. C., 1993. VORTEX: A computer simulation model for population viability analysis. *Wildlife Research* 20:45-65.
- LAMPREY, H. F., 1963. Ecological separation of the large mammal species in the Tarangire Game Reserve, Tanganyika. *East African Wildlife Journal* 2:63-92.
- LANDE, R., 1991. Population dynamics and extinction in heterogenous environments: the Northern Spotted Owl. Pp.566-580. In: C. M. Perrins, J. D. Lebreton & G. J. M. Hirons (eds.), *Bird population studies: their relevance to conservation and management*. Oxford University Press, Oxford.
- LAUNAY, F. & C. LAUNAY, 1991. Daily activity and social organisation of the goitred gazelle *Gazella subgutturosa marica*. Pp.373-377. In: F. Spitz, G. Janeau, G. Gonzalez & A. Aulagnier (eds.), *Proceedings of the International Symposium "Ongulés / Ungulates '91"*. Toulouse: I.R.G.M. & I.N.R.A.
- LAWRENCE, E., 1995. *Henderson's dictionary of biological terms*. Eleventh edition. Longman Scientific and Technical, England.
- LEISTNER, O. A., 1959. Notes on the vegetation of the Kalahari Gemsbok National Park with special reference to its influence on the distribution of antelopes. *Koedoe* 2:128-151.
- LEISTNER, O. A., 1967. The plant ecology of the southern Kalahari. *Memoirs of the Botanical Survey of South Africa* 38:1-172.
- LEWIS, J. G., 1977. Game domestication for animal production in Kenya: activity patterns of eland, oryx, buffalo and zebu cattle. *Journal of Agricultural Sciences, Cambridge* 89:551-563.
- LIEBERMAN, A., J. V. RODRIGUEZ, J. M. PAEZ & J. WILEY, 1993. The reintroduction of the Andean condor into Colombia, South America. *Oryx* 27:83-90.
- LINCOLN, R., G. BOXSHALL & P. CLARK, 1998. *A dictionary of ecology, evolution and systematics*. Cambridge University Press, Cambridge.
- LINGJAERDE, O., 1973. Some pharmacological aspects of depot tranquillisers. *Aca Psychiatrica Scandinavica* (supplement) 246:9-14.
- LOUDON, A. S. I., 1985. Lactation and neonatal survival in mammals. *Symposia of the Zoological Society of London* 54:183-207.
- LOYD, M., 1964. In search of Arabian oryx. *Geographical Magazine* 37:898-906.

- LUDWIG, D., 1999. Is it meaningful to estimate a probability of extinction? *Ecology* 80(1):298-310.
- MACE, G. M. & E. J. HUDSON, 1999. Attitudes towards sustainability and extinction. *Conservation Biology* 13(2):242-246.
- MACE, G. M. & R. LANDE, 1991. Assessing extinction threats: towards a re-evaluation of IUCN threatened species categories. *Conservation Biology* 5:148-157.
- MACE, G. M., P. H. HARVEY, & T. H. CLUTTON-BROCK, 1983. Vertebrate home-range size and energetic requirements. Pp.33-53. In: I. R. Swingland & P. J. Greenwood (eds.), *The ecology of animal movement*. Clarendon Press, Oxford.
- MAGIN, C. & R. KOCK, 1997. Roan antelope recovery plan. *Gnusletter* 16 (2):8-21.
- MANDAVILLE, J. P., 1986. Plant life in the 'Rub al Khali (the Empty Quarter), south-central Arabia. *Proceedings of the Royal Society of Edinburgh* 89 (B):147-157.
- MANDAVILLE, J. P., 1990. *Flora of eastern Saudi Arabia*. Kegan Paul International, London.
- Mc GINNIES, W. G., 1967. Inventory of research (1967) on vegetation of desert environments. *Inventory of geographical research on desert environments Vol. 6, No. 5*. University of Arizona Press, Tucson.
- McNAB, B. K., 1963. Bio-energetics and the determinants of home-range size. *American Naturalist* 97:133-140.
- MENTIS, M. T. & R. F. H. COLLINSON, 1979. Management goals for wildlife reserves in grassveld and bushveld. *Proceedings of the Grassland Society of South Africa*.14: 71-74.
- MENTIS, M. T., 1981. Evaluation of the wheel-point and step-point methods of veld condition assessment. *Proceedings of the Grassland Society of South Africa* 16:89-94.
- METEOROLOGICAL AND ENVIRONMENTAL PROTECTION ADMINISTRATION (MEPA), 1986. *Proposed Hima al'Arid*. Report on field visit to proposed Terrestrial Reserve sites. Unpublished report.
- MILLER, M. F. & M. COE, 1993. Is it advantageous for Acacia seeds to be eaten by ungulates? *Oikos* 66:364-368.
- MILLER, P. S. & R. C. LACY, 1999. *VORTEX: a stochastic simulation of the extinction process. Version 8, User's manual*. Conservation Breeding Specialist Group (SSC/IUCN), Apple Valley, Minnesota
- MILLS, M. G. L. & P. F. RETIEF, 1984. The response of ungulates to rainfall along the riverbeds of the southern Kalahari 1972-1982. *Koedoe (supplement)*: 129-141.
- MILTON, K. & M. L. MAY, 1976. Bodyweight, diet and home-range in primates. *Nature* 259:459-462.



- MILTON, S. J. & W. R. J. DEAN, 1995. How useful is the keystone species concept, and can it be applied to *Acacia erioloba* in the Kalahari Desert? *Zeitschrift fuer Oekologie und Naturschutz* 4:147-156.
- MOHR, C. O., 1947. Table of equivalent populations of North American small mammals. *American Midland Naturalist* 37:223-249.
- MORKEL, P., vdB., 1992. Depot tranquillisers in roan antelope. Pp:58-59. In: H. Ebedes (ed.), *The use of tranquillisers in wildlife*. Department of Agricultural Development, Pretoria.
- MORRISON, K. L., 1998. *Habitat utilisation and the population ecology of cranes in the Dullstroom area of the Mpumalanga Province*. MSc thesis (Wildlife Management), University of Pretoria, Pretoria.
- MORROW, C. J., D. E. WILDT & S. L. MONFORT, 1999. Reproductive seasonality in the female scimitar-horned (*Oryx damah*). *Animal Conservation* 2:261-268.
- NATIONAL COMMISSION FOR WILDLIFE CONSERVATION AND DEVELOPMENT (NCWCD), 1987. *Report on the NCWCD extensive field survey of the al' Arid /'Uruq Bani Ma'arid*, Thumamah Research Centre, Third Quarter Report (unpublished).
- NATIONAL COMMISSION FOR WILDLIFE CONSERVATION AND DEVELOPMENT (NCWCD), 1990. *The reintroduction potential of al' Arid. A Preliminary assessment*. Unpublished report.
- NEWBY, J., 1984. Large mammals. Pp:277-290. In: J. L. Cloudsley-Thompson (ed.), *Sahara Desert*. Pergamon, Oxford.
- NORTON, P. M., 1981. Activity patterns of klipspringers in two areas of the Cape Province. *South African Journal of Wildlife Research* 11(4):126-134.
- NOVELLIE, P. A. & M. KNIGHT, 1994. Repatriation and translocation of ungulates into South African national parks: an assessment of past attempts. *Koedoe* 37(1):115-119.
- NOVELLIE, P. A., 1983. Feeding ecology of the kudu *Tragelaphus strepsiceros* (Pallas) in the Kruger National Park. D.Sc. (Zoology) thesis. University of Pretoria, Pretoria.
- NOVELLIE, P. A., P. S. MILLER & P. H. LLOYD, 1996. The use of VORTEX simulation models in a long-term programme of reintroduction of an endangered large mammal, the Cape mountain zebra *Equus zebra zebra*. *Acta Oecologica* 17(6):657-671.
- NOVELLIE, P. A., 1986. Relationships between rainfall, population density and the size of the bontebok lamb crop in the Bontebok National Park. *South African Journal of Wildlife Research* 16(2): 39-46.
- NOY-MEIR, L., 1973. Desert ecosystems: environment and producers. *Annual Review of Ecology and Systematics* 4:25-51.
- ODUM, E. P., 1983. *Basic Ecology*. Saunders College Publishing.

- OSTERMANN, S. D., R. D. DEFORGE & W. D. EDGE, 2001. Captive breeding and reintroduction evaluation criteria. A case study of peninsular bighorn sheep. *Conservation Biology* 15(3):749-760.
- OWEN-SMITH, N. & S. M. Cooper, 1989. Nutritional ecology of a browsing ruminant, the kudu *Tragelaphus strepsiceros* through the seasonal cycle. *Journal of Zoology (London)* 219:29-43.
- OWEN-SMITH, N., 1982. Factors influencing the consumption of plant products by large herbivores. Pp:359-404. In: B. J. Huntley & B. H. Walker (eds.), *The Ecology of Tropical Savannas*. Springer Verlag, Berlin.
- OWEN-SMITH, N., 1990. Demography of a large herbivore the greater kudu *Tragelaphus strepsiceros* in relation to rainfall. *Journal of Animal Ecology* 59:893-913.
- OWEN-SMITH, N., 1994. Foraging responses of kudu to seasonal changes in food resources: elasticity in constraints. *Ecology* 75:1050-1062.
- PELLEW, R. A., 1983. The feeding ecology of a selective browser, the giraffe (*Giraffa camelopardalis tippelskirchi*). *Journal of Zoology (London)* 202:57-81.
- PELLEW, R. A., 1983. The giraffe and its food resource in the Serengeti. I. Composition, biomass and production of available browse. *African Journal of Ecology* 21:241-267.
- PENZHORN, B. L., 1982. Habitat selection by Cape mountain zebra in the Mountain Zebra National Park. *South African Journal of Wildlife Research* 12:48-54.
- PETIT, T., A. POILANE, J. F. POILANE, J. SEITRE, R. SEITRE & D. GRAHAM, 1987. *Diurnal activity patterns of the Arabian oryx (Oryx leucoryx) in the National Wildlife Research Centre*. National Wildlife Research Centre. Unpublished report.
- PHILLIPSON, J., 1975. Rainfall, primary production and carrying capacity of Tsavo National Park (East), Kenya. *East African Wildlife Journal* 13:171-201.
- PIENAAR, U. DE V., 1963. The large mammals of the Kruger National Park, their distribution and present day status. *Koedoe* 6:1-37.
- PIENAAR, U. de V., 1974. Habitat preference in South African antelope species and its significance in natural and artificial distribution patterns. *Koedoe* 17:185-195.
- POPOV, G. B. & W. ZELLER, 1963. *Ecological survey report on the 1963 survey in the Arabian Peninsula*. F. A. O. Progress report, UNSF/DL/ES/6.
- PRIMACK, R. B., 1998. *Essentials of conservation biology, 2<sup>nd</sup> edition*. Sinauer Associates, Sunderland, Massachusetts.
- RALLS, K. & B. L. TAYLOR, 1997. How viable is population viability analysis? Pp228-235. In: S. T. A. Pickett, R. S. Ostfeld, M. Shachak & G. E. Likens (eds.), *The Ecological basis of conservation*. Chapman & Hall, New York.
- RAVEN, P., J. NOKES & N. MAC NEILL, 1965. Binsola: desert prize. *Animals* 6:467-470.

- REED, J. M., D. D. MURPHY & P. F. BRUSSARD, 1998. Efficacy of population viability analysis. *Wildlife Society Bulletin* 26(2):244-251.
- RENECKER, L. A. & R. J. HUDSON, 1989. Seasonal activity budgets of moose in aspen-dominated boreal forests. *Journal of Wildlife Management* 53:296-302.
- RICHARDS, M. P. M., 1966. Activity measured by running wheels and observation during the estrous cycle, pregnancy and pseudo-pregnancy in the golden hamster. *Animal Behaviour* 14:450-458.
- RINEY, T., 1960. A field technique for assessing physical condition of some ungulates. *Journal of Wildlife Management* 24(1):92-94.
- RINEY, T., 1982. *Study management of large mammals*. John Wiley, New York.
- RIPA, J. & P. LUNDBERG, 2000. The route to extinction in variable environments. *Oikos* 90:89-96.
- ROBERTS, A., 1951. Hippotraginae. Pp.295-303. In: R. Bigalke, V. Fitzsimmons & D. E. Malan (eds.), *The Mammals of South Africa*. "The Mammals of South Africa" Book Fund.
- ROOT, A., 1972. Fringe-eared oryx digging for tubers in Tsavo National Park, Kenya. *East African Wildlife Journal* 10:155-157.
- ROSENBLATT, M., 1956. Remarks on some non-parametric estimates of a density function. *The Annals of Mathematical Statistics* 27:832-837.
- ROSENZWEIG, M. L., 1968. Net primary productivity of terrestrial communities: predication from climatological data. *American Naturalist* 102:74-76.
- SAIZ, R. B., 1975. *Ecology and Behaviour of the gemsbok at White Sands Missile Range, New Mexico*. MSc Thesis, Colorado State University, Fort Collins, Colorado.
- SALTZ, D., 1996. Minimising extinction probability due to demographic stochasticity in a reintroduced herd of Persian fallow deer *Dama dama mesopotamica*. *Biological Conservation* 75:27-33.
- SALTZ, D., 1998. A long term systematic approach to planning reintroductions: the Persian fallow deer and the Arabian oryx in Israel. *Animal Conservation* 1: 245-252.
- SAMUEL, M. D. & M. R. FULLER, 1996. Wildlife Radiotelemetry. In: T. A. Bookhout (ed.) *Research and Management Techniques for Wildlife and Habitats*. Allen Press Inc., Kansas.
- SANDOKA, M., 1996. *Disease survey in domestic livestock around the 'Uruq Bani Ma'arid Protected Area*. King Khalid Wildlife Research Centre. Unpublished report.
- SARRAZIN, F. & R. BARBAULT, 1996. Reintroduction: challenges and lessons for basic ecology. *Trends in Ecology and Systematics* 11:474-478.
- SAS/STAT®, 1999. *SAS/STAT® Users guide, Version 8*. SAS Institute Inc., Cary NC.



- SAUER, J. J. C., G. K. THERON & J. D. SKINNER, 1977. Food preferences of giraffe *Giraffa camelopardalis* in the arid bushveld of the Western Transvaal. *South African Journal of Wildlife Research* 47:53-59.
- SCHNEIDER, K. M., 1931. Das Flehmen, II. *Teil. Zool. Garten.* 4:349-364.
- SCHOENER, T. W., 1968. Sizes of feeding territories among birds. *Ecology* 49:123-141.
- SCHOLES, R. J. & B. H. WALKER, 1993. *An African savanna: Synthesis of the Nylsvlei study.* Cambridge University Press, Cambridge.
- SCHYFSMA, E., 1978. General information on the Arabian Peninsula. 1.3. Climate. Pp: In: Saad al Sayari & J. Zolt (eds.), *Quaternary Period in Saudi Arabia.* Springer Verlag, New York.
- SCOGINGS, P. F., G. K. THERON & J. DU P. BOTHMA, 1990. Two quantitative methods of analysing ungulate habitat data. *South African Journal of Wildlife Research* 20(1):9-13.
- SEDDON, P. J., 2000. *Mahazat as Sayd Ungulate Survey (9 May 2000).* Pp. 235-256. In: National Wildlife Research Centre Annual Report (unpublished).
- SEDDON, P., M. ANCRENAZ, S. OSTROWSKI & C. MAGIN, 1995. *Species Conservation Strategy for the Arabian oryx Oryx leucoryx in Saudi Arabia.* National Wildlife Research Centre. Unpublished report.
- SEELY, M. K. & G. N. LOUW, 1980. First approximation of the effects of rainfall on the ecology and energetics of a Namib desert dune ecosystem. *Journal of Arid Environments* 3:25-54.
- SEMPÉRÉ, A. J., M. ANCRENAZ, A. DELHOMME, A. GRETH, C. BLANVILLAIN, 1996. Length of oestrus cycle and gestation in the Arabian oryx *Oryx leucoryx* and the importance of the male presence for induction of post-partum oestrus. *General and Comparative Endocrinology* 101:235-241.
- SHAFFER, M. L., 1981. Minimum population sizes for species conservation. *Bioscience* 31(2):131-134.
- SHAFFER, M. L., 1987. Minimum viable populations: coping with uncertainty. Pp.69-86. In: M. E. Soulé (ed.), *Viable populations for conservation.* Cambridge University Press, Cambridge.
- SHEPHERD, A., 1966. *The flight of the unicorns.* Abelard-Schuman, New York.
- SHOESMITH, M. W., 1979. Seasonal movements and social behaviour of elk on Mirror Lake Plateau, Yellowstone National Park. Pp.166-176. In: S. M. Boyce & L. D. Harden-Wing (eds.), *North American elk: ecology, behaviour and management. Proceedings of a symposium on elk ecology and management.* University of Wyoming, Laramie, Wyoming, USA.

- SHORTRIDGE G. C., 1934. *The Mammals of South West Africa. A bibliographical account of the forms that occur in that region.* Vol. II. William Heineman, London.
- SILVERMAN, B. W., 1986. *Density estimation for statistics and data analysis.* Chapman & Hall, London.
- SINCLAIR, A. R. E., 1977. *The African buffalo: a study of resource limitation of populations.* University of Chicago Press, Chicago.
- SKINNER, J. D. & R. H. N. SMITHERS, 1990. *The Mammals of the Southern African subregion.* University of Pretoria, Pretoria.
- SKINNER, J. D., & A. S. VAN JAARSVELD, 1987. Adaptive significance of restricted breeding in Southern African ruminants. *South African Journal of Science* 83:657-663.
- SKOGLAND, T., 1985. The effects of density-dependent resource limitations on the demography of wild reindeer. *Journal of Animal Ecology* 54:359-374.
- SLOTOW, R., VAN DYK, G., POOLE, J. H., PAGE, B. & KLOCKE, A., 2000. Older bull elephants control young males. *Nature* 408: 425-426.
- SMITH, C. C., 1968. The adaptive nature of social organisation in the genus of tree squirrels *Tamiasciurus*. *Ecological Monographs* 38:31-63.
- SMUTS, G. L., 1982. *Lion.* McMillan, Johannesburg.
- SOMERS, M. J., 1997. The sustainability of harvesting a warthog population: assessment of management options using simulation modelling. *South African Journal of Wildlife Research* 27(2): 37-43.
- SOULI, M. E., 1987. *Viable populations for conservation.* Cambridge University Press, Cambridge.
- SPALTON, J. A., 1992. The Arabian oryx *Oryx leucoryx* reintroduction project in Oman: 10 years on. In: F. Spitz, G. Janeau, G. Gonzalez & S. Aulagnier (eds.), *Ungulates '91 Proceedings of the International Symposium.* S.F.E.P.M. – I.R.G.M., France.
- SPALTON, J. A., 1993. A brief history of the reintroduction of the Arabian oryx (*Oryx leucoryx*) into Oman 1980-1992. *International Zoo Yearbook* 32:81-90.
- SPALTON, J. A., 1995. *Effects of rainfall on the reproduction and mortality of the Arabian oryx (Oryx leucoryx Pallas) in the Sultanate of Oman.* PhD thesis, University of Aberdeen.
- SPALTON, J. A., M. W. LAWRENCE & S. A. BREND, 1999. Arabian oryx reintroduction in Oman: successes and setbacks. *Oryx* 33(2): 168-175.
- SPINAGE, C. A., 1968. A quantitative study of the daily activity of the Uganda defassa waterbuck. *East African Wildlife Journal* 6:89-93.
- SPINAGE, C. A., 1986. *The Natural History of Antelopes.* Croom Helm, London.

- STANLEY-PRICE, M. R., 1986. The reintroduction of the Arabian oryx *Oryx leucoryx* into Oman. *International Zoo Yearbook* 24/25:179-188.
- STEWART, D. R. M., 1963. The Arabian oryx (*Oryx leucoryx* Pallas). *East African Wildlife Journal* Vol. 1(August):103-118.
- STICKEL, L. F., 1954. A comparison of certain methods of measuring ranges of small mammals. *Journal of Mammalogy* 35:1-15.
- STRAUSS, W. M. In press. Towards the effective management of the Arabian oryx *Oryx leucoryx* in the Kingdom of Saudi Arabia. *Proceedings of the 25<sup>th</sup> conference of the International Union of Game Biologists (IUGB)*.
- STRAUSS, W. M., A. AL-KHALDI & M. AL-GHAMIDI, 2000. *Assessment of the current situation in the 'Uruq Bani Ma'arid Protected Area and outline of possible actions to be taken. Report to the Drought Relief Task Force*. King Khalid Wildlife Research Centre. Unpublished report
- SWIHART, R. K. & N. A. SLADE, 1985. Testing for independence of observations in animal movements. *Ecology* 66 (4):1176-1184.
- TAHA, M. F., S. A HARB, M. K. NAGIB & A. H. TARTAUNY, 1981. Climates of the near East. Pp:215-220. In: C. C. Wallén (ed.), *World Survey of Climatology, Vol. VI, Climates of South and West Asia*. Elsevier Scientific Publishing Company, Amsterdam.
- TALBOT, L., 1960. A look at threatened species: a report on some animals of the Middle East and Southern Asia, which are threatened with extinction. *Oryx* 5:155-306.
- TAYLOR, C. R., 1968. Hygroscopic food: a source of water for desert antelopes. *Nature* 219:181-182.
- TAYLOR, C. R., 1968. The minimum water requirements of some East African bovids. *Symposia of the Zoological Society of London*, 21:195-206.
- TAYLOR, C. R., 1969. The eland and the oryx. *Scientific American* 220:88-95.
- TEAR, T. H. 1994. *Foraging strategies, social system and viability analysis: the development of a reintroduced Arabian oryx population*. Unpublished Ph.D. thesis, University of Idaho.
- TEAR, T. H., 1992. *Range use patterns and the development of a natural grazing system in reintroduced Arabian oryx (Oryx leucoryx) in the Sultanate of Oman*. M. S. thesis, University of Idaho.
- TEAR, T. H., 1995. The development of a natural grazing system in reintroduced Arabian oryx in Oman. Pp.684-688. In: J. A. Bisonette & P. R. Kraussman (eds.), *Integrating people and wildlife in sustainable for a sustainable future*. The Wildlife Society, Bethesda, Maryland.



- TEAR, T. H., J. C. MOSLEY & E. D. ABLES, 1997. Landscape scale foraging decisions of reintroduced Arabian oryx. *Journal of Wildlife Management* 61(4): 1142-1154.
- THESIGER, W., 1948. Across the Empty Quarter. *The Geographical Journal* 111(1-3):1-21.
- THESIGER, W., 1949. A further journey across the Empty Quarter. *The Geographical Journal Vol.* 113:21-46.
- THOMSON, R., 1992. *The Wildlife Game*. The Nyala Wildlife Publications Trust, Westville.
- TREYDTE, A. C., J. B. WILLIAMS, E. BEDIN, S. OSTROWSKI, P. J. SEDDON, E. A. MARSHALL, T. A. WAITE & K. ISMAIL, 2001. In search of the optimal management strategy for Arabian oryx. *Animal Conservation* 4:239-249.
- TURKOWSKI, F. J. & G. C. MOHNEY, 1971. History, management and behaviour of the Phoenix Zoo Arabian oryx herd, 1964 to 1971. *The Arizona Zoological Society, Special Bulletin No. 2*.
- UNESCO-FAO, 1969. Ecological study of the Mediterranean zone, explanatory notes. *Arid Zone Research* 30, 90.
- VAN DER WALT, P. T., P. F. RETIEF, E. A. N. LE RICHE, M. G. L. MILLS & G. DE GRAAFF, 1984. Features of habitat selection by larger herbivorous mammals and the ostrich in the southern Kalahari conservation areas. *Koedoe supplement* 119-128.
- VAN HEESNIK, Y. & K. ISMAIL, 2000. *Home ranges and movements of reintroduced Arabian oryx in a fenced reserve in central Saudi Arabia*. Pp.206-220. In: National Wildlife Research Centre Annual Report (unpublished).
- VAN WINKLE, W., 1975. Comparison of several probabilistic home-range models. *Journal of Wildlife Management* 39:118-123.
- VASSART, M., L. GRANJON, A. GRETH, J. F. ASMODE & E. P. CRIBIU, 1991. Genetic research on captive Arabian oryx in Saudi Arabia. Pp: 595-598. In: F. Spitz, G. Janeau, G. Gonzalez & S. Aulagnier (eds.), *Proceedings of the International Symposium "Ongulés / Ungulates'91"*. S. F. E. P. M. / I. R. G.M. Toulouse, France.
- VERMAAK, R., 1996. *The ecology and management of wildlife on the Roodeplaat Dam Nature Reserve*. MSc (Wildlife management) thesis. University of Pretoria, Pretoria.
- VESEY-FITZGERALD, D. F., 1955. The vegetation of the Red Sea Coast south of Jeddah, Saudi Arabia. *Journal of Ecology* 43:477-489.
- VESEY-FITZGERALD, D. F., 1957 a. The vegetation of the Red Sea Coast north of Jeddah, Saudi Arabia. *Journal of Ecology* 45:547-562.
- VESEY-FITZGERALD, D. F., 1957 b. The vegetation of central and eastern Arabia. *Journal of Ecology* 45:779-798.
- VIÉ, J., 1996. Reproductive biology of captive Arabian oryx *Oryx leucoryx* in Saudi Arabia. *Zoo Biology* 15:371-381.

- VOIGT, D. R. & R. R. TINLINE, 1980. Strategies for analysing radio-tracking data. Pp.387-404. In: C. J. Amlaner & D. W. Macdonald (eds.), *A Handbook on Biotelemetry and Radio-tracking*. Pergamon Press, Oxford.
- VON HOLDT, A., L., 1999. *Ecological separation by browsers on the Lewa Wildlife Conservancy, Kenya*. MSc (Wildlife Management) thesis, University of Pretoria, Pretoria.
- VUCETICH, J. A. & S. CREEL, 1999. Ecological interactions, social organisation and extinction risk in African wild dogs. *Conservation Biology* 13(5):1172-1182.
- WACHER, T. J., 1986. *The ecology and social organisation of fringe-eared oryx, on the Galana Ranch, Kenya*. PhD. thesis, Oxford University.
- WACHER, T. J., 1997. Wildlife Biologist's report. King Khalid Wildlife Research Centre Annual report (unpublished).
- WALKER, B. H., 1979. Game Ranching in Africa, pp. 55-81. In: B. H. Walker (ed.), *Management of semi-arid ecosystems*. Elsevier, Amsterdam.
- WALLÉN, C. C., 1966. Arid zone meteorology. Pp: In: E. S. Hills (ed.), *Arid lands: a geographical appraisal*. Methuen, London.
- WALTER, F. R., 1973. Round the clock activity of the Thomson's gazelle *Gazella thomsoni* (Günther) in the Serengeti National Park. *Zeitschrift für Tierpsychologie* 32:75-105.
- WALTER, F. R., 1978. Behavioural observations on oryx antelope (*Oryx beisa*) invading Serengeti National Park, Tanzania. *Journal of Mammalogy* 59(2):243-260.
- WALTHER, F. R., 1958. Zum Kampf und Paarungsverhalten einiger Antilopen. *Zeitschrift für Tierpsychologie* 15:340-380.
- WALTHER, H., 1979. *Vegetation of the earth and ecological systems of the geo-biosphere*. Second edition, Springer-Verlag, New York.
- WEAVER, S. M., 1995. *Habitat utilisation by selected herbivores in the Klaserie Private Nature Reserve, South Africa*. MSc (Wildlife Management) thesis. University of Pretoria, Pretoria.
- WELTZIN, J. F. & M. B. COUGHENOUR, 1990. Savanna tree influence on understory vegetation and soil nutrients in northwestern Kenya. *Journal of Vegetation Science* 1:325-334.
- WENTZEL, J. J., J. DU P. BOTHMA & N. VAN ROOYEN, 1991. Characteristics of the herbaceous layer in preferred grazing areas of six herbivore species in the south-eastern Kruger National Park. *Koedoe* 34(1): 51-59.
- WHITE, G. C. & R. A. GARROT, 1990. *Analysis of wildlife radio-tracking data*. Academic Press.

- WHITE, R. G. & J. R. LUICK, 1984. Plasticity and constraints in the locational strategy of reindeer and caribou. *Symposia of the Zoological Society of London* 51:215-232.
- WIEGAND, T., J. NAVES, T. STEPHAN & A. FERNANDEZ, 1998. Assessing the risk of extinction for the brown bear *Ursus arctos* in the Cordillera Cantabrica, Spain. *Ecological Applications* 68(4):539-570.
- WILLIAMSON, D. & J. WILLIAMSON, 1988. Habitat use and ranging behaviour of Kalahari Gemsbok. Pp.114-118. In: A. Dixon & D. Jones (eds.), *Conservation and Biology of Desert antelopes*. Christopher Helm, London.
- WILLIAMSON, D. T., 1991. Condition, growth and reproduction in female red lechwe (*Kobus leche leche* Gray 1850). *African Journal of Ecology* 29:105-117.
- WILLIAMSON, D. T., H. TATWANY, F. E. RIETKERK, E. DELIMA & N. LINDSAY, 1991. Temperature liability in the Arabian sand gazelle. Pp: 349-352. In: F. Spitz, G. Janeau, G. Gonzalez, A. Aulagnier (eds.), *Proceedings of the International Symposium "Ongulés / Ungulates '91"*. Toulouse: I.R.G.M. & I.N.R.A.
- WILLIAMSON, D., 1987. Plant underground storage organs as a source of moisture for Kalahari wildlife. *African Journal of Ecology* 5:63-64.
- WILSON, R. T., 1989. *Ecophysiology of the Camelidae and Desert Ruminants*. Springer Verlag, New York.
- WORTON, B. J., 1987. A review of models of home-range for animal movement. *Ecological Modelling* 38:277-298.
- WORTON, B. J., 1989. Kernel methods for estimating the utilisation distribution in home-range studies. *Ecology* 70 (1):164-168.
- WYATT, J. R. & S. K. ELTRINGHAM, 1974. The daily activity of the elephant in the Rwenzori National Park, Uganda. *East African Wildlife Journal* 12:273-289.
- ZAR, J. H., 1974. *Biostatistical analysis*. Prentice-Hall, Englewood Cliffs, New Jersey.
- ZOHARY, M., 1973. *Geobotanical foundation of the Middle East*. Vol. I & II. Gustav Fischer, Stuttgart.