

References

- Adams, G. J. & Evans, R. J. 1994, "Neural networks for frequency line tracking", *IEEE Transactions on Signal Processing*, vol. 42, no. 4, pp. 936-941.
- Ahmadi, S. & Spanias, A. S. 1999, "Cepstrum-based pitch detection using a new statistical V/UV classification algorithm", *IEEE Transactions on Speech and Audio Processing*, vol. 7, no. 3, pp. 333-338.
- Barros, A. K., Rutkowski, T., Itakura, F., & Ohnishi, N. 2002, "Estimation of speech embedded in a reverberant and noisy environment by independent component analysis and wavelets", *IEEE Transactions on Neural Networks*, vol. 13, no. 4, pp. 888-893.
- Bradbury, J. W. & Vehrencamp, S. L. 1998, *Principles of animal communication*, Sunderland: Sinauer Associates.
- Chang, J. H., Kim, N. S., & Mitra, S. K. 2006, "Voice activity detection based on multiple statistical models", *IEEE Transactions on Signal Processing*, vol. 54, no. 6 I, pp. 1965-1976.
- Chang, J. H., Shin, J. W., & Kim, N. S. 2004, "Voice activity detector employing generalised Gaussian distribution", *Electronics Letters*, vol. 40, no. 24, pp. 1561-1563.
- Clemins, P. J. & Johnson, M. T. 2003, "Application of speech recognition to African elephant (*Loxodonta Africana*) vocalizations", Proceedings of the *IEEE International Conference on Acoustics, Speech and Signal Processing, 6-10 April*, Hong Kong, Volume 1, pp. 484-487.
- Clemins, P. J. & Johnson, M. T. 2006, "Generalized perceptual linear prediction features for animal vocalization analysis", *Journal of the Acoustical Society of America*, vol. 120, no. 1, pp. 527-534.
- Clemins, P. J., Johnson, M. T., Leong, K. M., & Savage, A. 2005, "Automatic classification and speaker identification of African elephant (*Loxodonta africana*) vocalizations", *Journal of the Acoustical Society of America*, vol. 117, no. 2, pp. 956-963.
- Davis, A., Nordholm, S., & Togneri, R. 2006, "Statistical voice activity detection using low-variance spectrum estimation and an adaptive threshold", *IEEE Transactions on Audio, Speech and Language Processing*, vol. 14, no. 2, pp. 412-423.
- Garstang, M. 2004, "Long-distance, low-frequency elephant communication", *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology*, vol. 190, no. 10, pp. 791-805.

- Hartmann, W. M. 1997, *Signals, sound and sensation*, New York: Springer.
- Heffner, R. S. & Heffner, H. E. 1982, "Hearing in the elephant (*Elephas maximus*): absolute sensitivity, frequency discrimination, and sound localization.", *Journal of Comparative and Physiological Psychology*, vol. 96, no. 6, pp. 926-944.
- Hung, W. W. 2002, "Use of fuzzy weighted autocorrelation function for pitch extraction from noisy speech", *Electronics Letters*, vol. 38, no. 19, pp. 1148-1150.
- Katsiamis A. G., Drakakis E. M. & Lyon R. F. 2007, "Practical gammatone-like filters for auditory processing", *Eurasip Journal on Audio, Speech, and Music Processing*, vol. 2007 article no. 63685.
- Kim, Y. J. & Chung, J. H. 2004, "Pitch synchronous cepstrum for robust speaker recognition over telephone channels", *Electronics Letters*, vol. 40, no. 3, pp. 207-209.
- Kunieda, N., Shimamura, T., & Suzuki, J. 2000, "Pitch extraction by using autocorrelation function on the log spectrum", *Electronics and Communications in Japan, Part III: Fundamental Electronic Science (English translation of Denshi Tsushin Gakkai Ronbunshi)*, vol. 83, no. 1, pp. 90-98.
- Langbauer Jr, W. R., Payne, K. B., Charif, R. A., & Thomas, E. M. 1989, "Responses of captive African elephants to playback of low-frequency calls", *Canadian Journal of Zoology*, vol. 67, no. 10, pp. 2604-2607.
- Langbauer, J. 2000, "Elephant communication", *Zoo Biology*, vol. 19, no. 5, pp. 425-445.
- Larom, D., Garstang, M., Payne, K., Raspet, R., & Lindeque, M. 1997, "The influence of surface atmospheric conditions on the range and area reached by animal vocalization", *Journal of Experimental Biology*, vol. 200, no. 3, pp. 421-431.
- Lee, K. & Ellis, D. P. W. 2006, "Voice activity detection in personal audio recordings using autocorrelogram compensation", *Proceedings of the 9th International Conference on Spoken Language Processing, September 17-21, Pittsburgh, USA, Interspeech-2006*, p. 1753.
- Leighty, K. A., Soltis, J., Leong, K., & Savage, A. 2008, "Antiphonal exchanges in African elephants (*Loxodonta africana*): Collective response to a shared stimulus, social facilitation, or true communicative event?", *Behaviour*, vol. 145, no. 3, pp. 297-312.
- Leong, K. M., Burks, K., Rizkalla, C. E., & Savage, A. 2005, "Effects of reproductive and social context on vocal communication in captive female African elephants (*Loxodonta africana*)", *Zoo Biology*, vol. 24, no. 4, pp. 331-347.
- Leong, K. M., Ortolani, A., Burks, K. D., Mellen, J. D., & Savage, A. 2002, "Quantifying acoustic and temporal characteristics of vocalizations for a group of captive African elephants (*Loxodonta africana*)", *Bioacoustics*, vol. 13, no. 3, pp. 213-231.

- Leong, K. M., Ortolani, A., Graham, L. H., & Savage, A. 2003, "The use of low-frequency vocalizations in African elephant (*Loxodonta africana*) reproductive strategies", *Hormones and Behavior*, vol. 43, no. 4, pp. 433-443.
- Li, Y., Zhang, R., Cui, H., & Tang, K. 2005, "Voice activity detection algorithm with low signal-to-noise ratios based on the spectrum entropy", *Qinghua Daxue Xuebao/Journal of Tsinghua University*, vol. 45, no. 10, pp. 1397-1400.
- McComb, K., Reby, D., Baker, L., Moss, C., & Sayialel, S. 2003, "Long-distance communication of acoustic cues to social identity in African elephants", *Animal Behaviour*, vol. 65, no. 2, pp. 317-329.
- Nadeu, C., Pascual, J., & Hernando, J. 1991, "Pitch determination using the cepstrum of the one-sided autocorrelation sequence", Piscataway, IEEE Press, pp. 3677-3680.
- Noll, A. M. 1967, "Cepstrum pitch determination", *Journal of the Acoustical Society of America*, vol. 41, no. 2, pp. 293-309.
- O'Connell-Rodwell, C. E., Arnason, B. T., & Hart, L. A. 2000, "Seismic properties of Asian elephant (*Elephas maximus*) vocalizations and locomotion", *Journal of the Acoustical Society of America*, vol. 108, no. 6, pp. 3066-3072.
- Ogada, D. L., Gadd, M. E., Ostfeld, R. S., Young, T. P., & Keesing, F. 2008, "Impacts of large herbivorous mammals on bird diversity and abundance in an African savanna", *Oecologia*, vol. 156, no. 2, pp. 387-397.
- Paris, S. & Jauffret, C. 2003, "Frequency line tracking using HMM-based schemes", *IEEE Transactions on Aerospace and Electronic Systems*, vol. 39, no. 2, pp. 439-449.
- Payne, K. B., Thompson, M., & Kramer, L. 2003, "Elephant calling patterns as indicators of group size and composition: The basis for an acoustic monitoring system", *African Journal of Ecology*, vol. 41, no. 1, pp. 99-107.
- Poole, J. H. 1999, "Signals and assessment in African elephants: Evidence from playback experiments", *Animal Behaviour*, vol. 58, no. 1, pp. 185-193.
- Poole, J. H. & Moss, C. J. 1981, "Musth in the African elephant, *Loxodonta africana*", *Nature*, vol. 292, no. 5826, pp. 830-831.
- Poole, J. H., Payne, K., Langbauer, J., & Moss, C. J. 1988, "The social contexts of some very low frequency calls of African elephants", *Behavioral Ecology and Sociobiology*, vol. 22, no. 6, pp. 385-392.
- Poole, J. H., Tyack, P. L., Stoeger-Horwath, A. S., & Watwood, S. 2005, "Elephants are capable of vocal learning", *Nature*, vol. 434, no. 7032, pp. 455-456.
- Ramirez, J., Gorri, J. M., & Segura, J. C. 2007, "Statistical voice activity detection based on integrated bispectrum likelihood ratio tests for robust speech recognition", *Journal of*

the Acoustical Society of America, vol. 121, no. 5, pp. 2946-2958.

Ramirez, J., Segura, J. C., Benitez, C., Garcia, L., & Rubio, A. 2005, "Statistical voice activity detection using a multiple observation likelihood ratio test", *IEEE Signal Processing Letters*, vol. 12, no. 10, pp. 689-692.

Rasmussen LEL. 1988, "Chemosensory responses in two species of elephants to constituents of temporal gland secretion and musth urine.", *Journal of Chemical Ecology*, vol. 16, pp. 687-711.

Sankaran, M., Ratnam, J., & Hanan, N. 2008, "Woody cover in African savannas: The role of resources, fire and herbivory", *Global Ecology and Biogeography*, vol. 17, no. 2, pp. 236-245.

Seiyama, N., Tohru, T., Tetsuo, U., & Eiichi, M. 1992, "New method of pitch modification by complex cepstrum analysis-synthesis", *Electronics and Communications in Japan, Part III: Fundamental Electronic Science (English translation of Denshi Tsushin Gakkai Ronbunshi)*, vol. 75, no. 11, pp. 102-113.

Shimamura, T. & Kobayashi, H. 2001, "Weighted autocorrelation for pitch extraction of noisy speech", *IEEE Transactions on Speech and Audio Processing*, vol. 9, no. 7, pp. 727-730.

Sohn, J. 1999, "A statistical model-based voice activity detection", *IEEE Signal Processing Letters*, vol. 6, no. 1, pp. 1-3.

Soltis, J., Leong, K., & Savage, A. 2005a, "African elephant vocal communication I: Antiphonal calling behaviour among affiliated females", *Animal Behaviour*, vol. 70, no. 3, pp. 579-587.

Soltis, J., Leong, K., & Savage, A. 2005b, "African elephant vocal communication II: Rumble variation reflects the individual identity and emotional state of callers", *Animal Behaviour*, vol. 70, no. 3, pp. 589-599.

Takagi, T., Seiyama, N., & Miyasaka, E. 2000, "Method for pitch extraction of speech signals using autocorrelation functions through multiple window lengths", *Electronics and Communications in Japan, Part III: Fundamental Electronic Science (English translation of Denshi Tsushin Gakkai Ronbunshi)*, vol. 83, no. 2, pp. 67-79.

Titze, I. R. 1994, *Principles of voice communication*, Englewood-Cliffs: Prentice-Hall.

Viljoen, P. J. & Bothma, J. D. P. 1990, "Daily movements of desert-dwelling elephants in the northern Namib Desert", *South African Journal of Wildlife Research*, vol. 20, no. 2, pp. 69-72.

Wang, Z. & Willett, P. 2003, "Two algorithms to segment white Gaussian data with

piecewise constant variances", *IEEE Transactions on Signal Processing*, vol. 51, no. 2, pp. 373-385.

Woo, K. H., Yang, T. Y., Park, K. J., & Lee, C. 2000, "Robust voice activity detection algorithm for estimating noise spectrum", *Electronics Letters*, vol. 36, no. 2, pp. 180-181.

Wood, J. D., McCowan, B., Langbauer, J., Viljoen, J. J., & Hart, L. A. 2005, "Classification of African elephant *Loxodonta africana* rumbles using acoustic parameters and cluster analysis", *Bioacoustics*, vol. 15, no. 2, pp. 143-161.

Wu, M., Wang, D. L., & Brown, G. J. 2003, "A multipitch tracking algorithm for noisy speech", *IEEE Transactions on Speech and Audio Processing*, vol. 11, no. 3, pp. 229-241.

Xie, X. & Evans, R. J. 1993, "Multiple frequency line tracking with hidden Markov models - further results", *IEEE Transactions on Signal Processing*, vol. 41, no. 1, pp. 334-343.

Zhang, T., Zhang, Z., Lin, X., & Quan, J. 2006, "Power spectrum reprocessing algorithm for pitch detection of speech", *Jisuanji Gongcheng/Computer Engineering*, vol. 32, no. 1, pp. 1-3.

Zhao, W. W. & Ogunfunmi, T. 1999, "Formant and pitch detection using time-frequency distribution", *International Journal of Speech Technology*, vol. 3, no. 1, pp. 35-49.