Bibliography

[1] A. Azarbayejani et al., "Visually Controlled Graphics", IEEE Trans. Pattern Analysis and Machine Intelligence, Vol. 15, No. 6, 1993, pp.902-905.

[2] Brooke, N.M. & Scott, S.D. "Computer graphics animations of talking faces based on stochastic models", IEEE (Proceedings of the International Symposium on Speech, Image-processing and Neural Networks), Hong Kong, 1994, pp. 73-76.

[3] F. Lavagetto, "Converting Speech into Lip Movements: A multimedia Telephone for Hard of Hearing People." IEEE Trans. On Rehabilitation Engineering, Vol. 3, No. 1, 1995, pp. 90-102.

[4] D. Thalmann, "A New Generation of Synethetic Actors: the Interactive Perceptive Actors", Proc. Pacific Graphics 96, National Chiao Tung University Press, Hsinchu, Taiwan, 1996, pp.200-219.

[5] D. Terzopoulos and K. Waters, "Techniques for Realistic Facial Modeling and Animation", Proc. Computer Animation 91, Springer-Verlag, New York, 1991, pp.59-74.

[6] D. Thalmann, "Using Virtual Reality Techniques in the Animation Process", Virtual Reality Systems, Academic Press, San Diego, 1993, pp.143-159.

[7] F. I. Parke, "Computer Generated Animation of Faces." In Proceedings ACM annual conference, August 1972.

[8] E.M. Caldognetto et al., "Automatic Analysis of Lips and Jaw Kinematics in VCV Sequences", Proc. Eurospeech '89 Conf. 2, European Speech Communication Assoc. (EXCA), Grenoble, France, 1989, pp.453-456.

[9] E.C. Patterson, P.C. Litwinowich, and N. Greene, "Facial Animation by Spacial Mapping", Proc. Computer Animation 91, Springer-Verlag, New York, pp. 31-44, 1991.

[10] G.Sannier, N.Magnenat-Thalmann, "A User-Friendly Texture-Fitting Methodology for Virtual Humans", Computer Graphics International'97, 1997.

[11]   H. Li, P. Roivainen, and R. Forchheimer, "3D Motion Estimation in Model-Based Facial Image Coding", IEEE Trans. Pattern Analysis and Machine Intelligence, Vol. 15, No. 6, 1993, pp. 545-555.

[12]   I.S. Pandzic et al., "Real-Time Facial Interaction", Displays, Vol. 15, No. 3, 1994, pp.157-163.

[13]   I. Essan and A. Pentland, "Facial Expression Recognition using Visually Extracted Facial Action Parameters", Proc. Int'l Workshop on Automatic Face and Gesture Recognition, Zurich, Switzerland, 1995.

[14]   J. P. Granieri et al., "Behavioral Control for Real-Time Simulated Human Agents", *Proc. ACM Symposium on Interactive 3D Graphics*, ACM Press, 1995, pp 173-180.

[15]   K. Mase and A. Pentland, "Automatic Lipreading by Computer", Trans. Inst. Elect. Information and Communication Eng., Vol. J73-D-II, No. 6, 1990, pp. 796-803.

[16]   K. Waters, "A Muscle Model for Animating Three-dimension Facial Expression", In SIGGRAPH'87, volume 21 of Computer Graphics Annual Conference series, July 1987, pp.17-24.

[17]   K. Waters and D. Terzopoulos, "Modeling and Animating Faces using Scanned Data", J.Visualization and Computer Animation, Vol. 2,No 4, 1991, pp.123-128.

[18]   L. Emering, R. Boulic, and D. Thalmann, "Interacting with Virtual Humans through Body Actions", IEEE CG&A, Vol.18, No. 1, Jan./Feb. 1998, pp.8-11.

[19]   M. Cavazza, R. Earnshaw, N. Magnenat-Thalmann, D. Magnenat-Thalmann, "Motion Control of Virtual Humans", IEEE Computer Society, September/October, pp. 24-31, 1998.

[20]   M. Escher, N. Magnenat-Thalmann, "Facial Deformation from MPEG-4", Proc. Computer Animation'98, 1998.

[21]   M. Escher, N. Magnenat-Thalmann, "Automatic 3D Cloning and Real-Time Animation of a Human Face", Proc. Computer Animation, IEEE Computer Society, pp. 58-66, 1997.

[22]   M.J. Black, Y. Yacoob, "Tracking and Recognizing Rigid and Non-Rigid Facial Motions using Local Parametric Models of Image Motions", ICCV 1995.

[23]   N. Jennings, and M. Wooldridge (1996) "Software Agents." IEEE Review, January 1996, P. 17-20.

[24] N. Magnenat-Thalmann, E. Primeau, and D. Thalmann, "Abstract Muscle Action Procedures for Human Face Animation", Visual Computer, 1988, 3 , P.290-297.

[25] N.Magnenat-Thalmann, D.Thalmann, "Animating Virtual Actors in Real Environments", ACMMS'97, Switzerland, Springer, Vol.5, No2, 1997, pp.113-125.

[26] N.Magnenat-Thalmann, D.Thalmann, "Complex Models for Visualizing Synthetic Actors", IEEE CG&A, Vol. 11, No. 5, September 1991, pp. 32-44.

[27] N.Magnenat-Thalmann, I.S.Pandzic, J-C.Moussaly, "The Making of the Terra-Cotta Xian Soldiers", Digital97, Geneva, Switzerland, Digital Creativity, 8(2), July 1997, pp.66-73.

[28] Nahas M., Huitric H., Rioux M., and Domey J., "Facial Image Synthesis Using Skin Texture Recording", Visual Computer, December 1990.

[29] O. Renault, N. Magnenat-Thalmann, and D. Thalmann, "A Vision-Based Approach to Behavioral Animation," J. Visualization and Computer Animation, Vol. 1, No. 1, 1990, pp.18-21.

[30] P. Eisert, B. Girod, "Analyzing Facial Expressions for Virtual Conferencing", IEEE Computer Graphics & Application, September/October, 1998, pp.70-78.

[31] Parke, F.I "Techniques for facial animation". In N. Magnenat-Thalmann and D. Thalmann (Eds.) New Trends in Animation and Visualization. John Wiley, Chichester, 1991, pp.229-241.

[32] P. Maes et al. "The ALIVE system: Full-body interaction with Autonomous Agents", Proceedings of the Computer Animation '95 Conference, Geneva, Switzerland, IEEE-Press, April 1995.

[33] P. Karp and Steven Feiner. "Issues in the automated generation of animated presentations". In Proceedings of Graphics Interface '90, May 1990, pp. 39-48.

[34] S. Balcisoy et al. "An Interactive Interface for Directing Virtual Humans". In Proc. ISCIS 98, IOS Press, 1998.

[35] S. M. Drucker et al. "CINEMA: A system for procedural camera movements". In David Zeltzer, editor, Computer Graphics (1992 Symposium on Interactive 3D Graphics), volume 25, pages 67-70, March 1992.

[36] S. M. Drucker and D. Zeltzer. "CamDroid: A system for implementing intelligent camera control". In Mychael Zyda, editor, Computer Graphics (1995 Symposium on Interactive 3D Graphics), volume 28, pages 139-144, April 1995.

[37] S. Valente, J. Dugelay, "Face Tracking and Realistic Animations for Telecommunicant Clones", Eurecom Institute, IEEE MultiMedia, January - March 2000), pp.34 - 43.

[38] S. K. Semwal, R. Hightower, and S. Stansfield, "Closed Form and Geometric Algorithms for Real-Time Control of an Avatar", Proc. IEEE VRAIS 96, IEEE Computer Society Press, Los Alamitos, Calif., 1996, pp. 177-184.

[39] Takaaki Akimoto, Yasuhito Suenaga and R. Wallace, "Automatic Creation of 3D Facial Models", IEEE Computer Graphics & Application, September, 1993, pp.16-22.

[40] T. Molet, R. Boulic, and D. Thalmann, "A Real-Time Anatomical Converter for Human Motion Capture", Proc. Eurographics Workshop on Computer Animation and Simulation, R. Boulic, ed., Springer, Wien, Austria, 1996, pp.79-94.

[41] T.K.Capin, I.S.Pandzic, D.Thalmann, N.Magnenat-Thalmann, "A Dead-Reckoning Algorithm for Virtual Human Figures", Proc.VRAIS'97 (IEEE Press), Albuquerque, USA, 1997, pp.161-168.

[42] T.K.Capin, I.S.Pandzic, H.Noser, N.Magnenat-Thalmann, D.Thalmann, "Virtual Human Representation and Communication in VLNET Networked Virtual Environments", IEEE Computer Graphics and Applications, Special Issue on Multimedia Highways ,Vol.17, No.2, March/April, 1997, pp.42-53.

[43] W.S Lee, P.Kalra, N.Magnenat-Thalmann, "Model Based Face Reconstruction for Animation", Proc. MMM'97 (World Scientific Press), Singapore, 1997, pp.323-338.

[44] Yanghee Nam et Kwangyun Wohn, "Recognition of hand gestures with 3D, nonlinear arm movements", Pattern Recognition Letters, vol. 18/01, 1997, pp105-113.

[45] Y. Lee, D. Terzopoulos, K. Waters, "Realistic modeling for facial animation", In Computer Graphics Annual Conferences series (Proc. SIGGRAPH'96), 1996, pp. 55-62.

[46]   M. Hirose, T. Ogi, T. Yamada, K. Tamagawa, "Development of Stereo Video Avatar in Networked Immersive Projection Environment", IEEE International Conference on Image Processing (ICIP'99), 1999.

[47]   T. Kanade, P.W. Rander, "Virtualized Reality: Being Mobile in a Visual Scene", Proceeding of ICAT/VRST'95, 1995, pp.133-142.

[48]   S. Moezzi, A. Katkere, D. Kuramura, R. Jain, "Reality Modeling and Visualization from Multiple Video Sequences", IEEE Computer Graphics & Application, November, 1996, pp.58-63.

[49]   N. Magnenat-Thalmann, D. Thalmann, "Complex Models for Animating Synthetic Actors", IEEE Computer Graphics & Application, September, 1991, pp.32-44.

[50]   D. Terzopoulos and K. Waters, "Physically-Based Facial Modeling, Analysis and Animation" , Journal of Visualization and Computer Animation, March, 1990, pp.73-80.

[51]   D. Terzopoulos and K. Waters, "Analysis and synthesis of Facial Image Sequences using Physical and Anatomical Models", IEEE Trans, Pattern Analysis and Machine Intelligence, June, 1993, pp.569-579.

[52]   B. Guenter, C. Grimm, D. Wood, H. Malvar, and F. Pighin. "Making Faces." In SIGGRAPH 98, Computer Graphics Annual Conference series, Addison Wesley, July, 1998, pp.55-66.

[53]   P. Bergeron and P. Lachapelle. "Controlling Facial Expressions and Body Movements in the Computer-Generated Animated Short 'Tony De Peltrie' ". In SIGGRAPH 85, Computer Graphics Annual Conference series. Addison Wesley, July, 1985.

[54]   I. Essa, S. Basu, T. Darrell, and A. Pentland. "Modeling, Tracking, and Interactive Animation of Faces and Heads Using Input from Video." In Computer Animation Conference, Computer Graphics Annual Conference series, June, 1996, pp.68-79.

[55]   L. Williams. "Performance-Driven Facial Animation." In SIGGRAPH 90, volume 24 of Computer Graphics Annual Conference series, Addison Wesley, August, 1990, pp.235-242.

[56]   N. Magnenat-Thalmann, H. Minh, M. de Angelis, and D. Thalmann. "Design, Transformation and Animation of Human faces. The Visual Computer, March, 1989, pp.32-39.

[57] Tsuneya Kurihara and Kiyoshi Arai, "A Transformation Method for Modeling and Animation of the Human Face from Photographs", Computer Animation, Springer-Verlag Tokyo, 1991, pp.45-58.

[58] P. J. Burt and E. H. Andelson, "A Multoresolution Spline With Application to Image Mosaics", ACM Transactions on Graphics, October 1983, pp.217-236.

[59] G. Sannier, N. Magnenat-Thalmann, "A flexible texture fitting model for virtual clones", Proceedings of Computer Graphics International, IEEE Computer Society, 1997, pp.167-176.

[60] P. Kalra, A. Mangili, N. Magnenat Thalmann, D. Thalmann, "Simulation of Facial Muscle Actions Based on Rational Free Form Deformations", Computer Graphics Forum (Proceedings of Eurographics'92), Blackwell Publishers, Oxford, 1992, pp.59-69.

[61] R. Boulic et al. "The HUMANOID environment for Interactive Animation of Multiple Deformable Human Characters", Computer Graphics Forum (Proceedings of Eurographics'95), Blackwell Publishers, Oxford, 1995, Vol. 14, No.3.

[62] M. Carignan, Y. Yang, N. Magnenat-Thalmann, D. Thalmann, "Dressing Animated Synthetic Actors with Complex Deformable Clothes", Computer Graphics (SIGGRAPH proceedings 1992), 26(2), 1992, pp.99-104.

[63] P. Volino, N. Magnenat-Thalmann, J. Shen, D. Thalmann, "An Evolving System for Simulating Clothes on Virtual Actors", Computer Graphics in Textiles and Apparel (IEEE Computer Graphics and Applications), September 1996,pp 42-51.

[64] M. Roussos, A. E. Johnson, J. Leigh, C. A. Vasilakis, and T. G. Moher, "The NICE project: Narrtive, Immersive, Constructionist/Collaborative Environment for Learning in Virtual Reality" ,ED-MEDIA/ED-TELECOM Proceedings 1997,pp.917-922.

[65] J. Tromp, A. Bullock, Anthony Steed, A. Sadagic, M. Slater, E. Frécon, "Small Group Behavior Experiments in the Coven Project", IEEE Computer Graphics & Application, November-December 1998, pp.53-63.

[66] D. J. Sturman, "Computer Puppetry", IEEE Computer Graphics & Application, January/February 1998, pp.38-45.

[67]   T. Noma, L.Zhao and N. I. Badler, "Design of a Virtual Human Presenter", IEEE Computer Graphics & Application, July/August 2000, pp.79-85.

[68]   M. Kass, A. Witkin, and D. Terzopoulos, "Snakes: Active Contour Models", International Journal of Computer Vision, 1988, pp.321-331.

[69]   N. Magnenat-Thalmann, D. Thalmann, "The direction of Synthetic Actors in the film Rendez-vous à Montrèal, IEEE Computer Graphics and Applications, 7 (12), 1997, pp.9-19.

[70]   M. Proesmans, L. Van Gool, "Reading between the lines – a method for extracting dynamic 3D texture. In Proceedings of VRST, 1997, pp.95-102.

[71]   E. N. Coleman, R. Jain , "Obtaining 3-Dimensional Shape of Textured and Specular Surfaces Using Four-Source Photometry", IEEE Computer Graphics and Image Processing, no. 18, 1982, pp.309-328.

[72]   H. Saji, H. Hioki, Y. Shinagawa, K. Yoshida and T. L. Kunii, "Extracting of 3D Shapes from the moving human face using lighting Switch Photometry", Creating and Animating the virtual world, Springer-Verlag, Tokyo, 1992, pp.69-86.

[73]   P. Fua and Y. G. Leclerc, "Taking Advantage of Image-Based Constraints to Recover 3D surfaces", ComputerVision and Image Understanding, 64(1), July, 1996, pp.111-127.

[74]   H. H. S. Ip, L. Yin, "Constructing a 3D individual head model from two orthogonal views. The Visual Computer, Springer-Verlag, no. 12, 1996, pp.254-266.

[75]   M. M. Cohen and D. W. Massaro, "Modeling coarticulation in synthetic visual speech. In N. Magenenat-Thalmann and D. Thalmann (Eds.) Models and Techniques in Computer Animation. Tokyo: Springer-Verlag, 1993, pp.139-156.

[76]   M. M. Cohen and D. W. Massaro, "Auditory/visual speech synthesis for lifelike computer characters." Lifelike Computer Characters '95, Snowbird Utah, September 26-29, 1995.

[77]   D. Burford and E. Blake, "Real-Time Facial Animation for avatars in Collaborative Virtual Environments" , CS00-16-00.

[78]   M. Hirose, T. Ogi, S. Ishiwata, T. Yamada, "Development and Evalution of the CABIN Immersive Multi-screen Display, Systems and Computers in Japan", vol. 30, no.1, 1999, pp.13-22.

[79]   Kinetix Division of Autodesk Inc. Character studio. Computer Program, 1997.

[80]   P. C. Litwinowicz. Inkwell, "A 2 ½ D animation system." In Thomas W. Sederberg, editor Computer Graphics (SIGGRAPH 91Proceedings), volume 25, July 1991, pp. 113-122.

[81]   J. Hodgins and N. Pollard. "Adapting simulated behaviours for new characters" In Turner Whitted, editor, SIGGRAPH 97 Conference Proceedings, August 1997, pp.153-162.

[82]   K. Perlin, "Real time responsive animation with personality." IEEE Transactions on Visualisation and Computer Graphics, March 1997, 1(1) pp.5-15.

[83]   M. Gleicher, "Retargetting Motion to New Characters", SIGGRAPH 98 Computer Graphics Proceedings, July 19-24, 1998, pp. 33-42.

[84]   C. Kervrann, F .Davoine, P. Perez, R. Forchheimer and C. Labit. "Generalised likelihood ratio-based face detection and extraction of mouth features", Pattern Recognition Letters, 1997, (18), pp.899-912.

[85]   P. Pigazzini, F. Pedersini, A. Sarti, S. Tubaro: "3D Area Matching with Arbitrary Multi-view Geometry". EURASIP Signal Processing: Image Communications, special issue on 3D Video Technology, edited by S.A. Benton, B. Choquet, R. ter Horst, K.N. Ngan and M. Tanimoto. Vol. 14, Nos. 1-2, 1998, pp.71-94.

[86]   F. Pedersini, A. Sarti, S. Tubaro: "Multi-resolution 3D reconstruction through texture matching". EUSIPCO 2000. Tampere, Finland, Sept. 5-8, 2000. Vol. 4, pp.2093-2096.

[87]   F. I. Parke, K. Waters, "Computer Facial Animation", A. K. Peters, Wellesley, MA, 1996.

[88]   K. Karpouzis, N. Tsapatsoulis, S. Kollias, "Moving to continuous facial expression space using the MPEG-4 facial definition parameter set", SPIE Electronic Imaging 2000, January 2000, San Jose, CA, USA.

[89]   W. S. Lee, M. Escher, G. Sannier, N. Magnenat-Thalmann, "MPEG-4 Compatible Faces from Orthogonal Photos", Computer Animation 1999, Geneva, Switzerland, 1999.

[90]   Bright Star Technologies Inc. Beginning Reading Software. Sierra Online, Inc 1993.

[91]   T. Beier and S. Neely, "Feature-based Image Metamorphosis", In SIGGRAPH 92 Conference Proceedings, ACM SIGGRAPH, July 1992, pp.35-42.

[92] F. Pighin, J. Hecker, D. Lischinski, R. Szeliski, D. H. Salesin, "Synthesizing Realistic Facial Expressions from Photographs", In SIGGRAPH 98 Conference Proceedings, ACM SIGGRAPH, 19-24 July 1998, pp.75-84.

[93] P. E. Debevec, C. J. Taylor, and J. Malik, "Modeling and Rendering Architecture from Photographs: A Hybrid Geometry and Image Based Approach." In SIGGRAPH 96 Conference Proceedings, ACM SIGGRAPH, August 1996, pp.11-20.

[94] J. Gemmell, K.Toyama, C. L. Zitnick, T. Kang, S. Seitz, "Gaze Awareness for Video conferencing: A software Approach.", IEEE Multimedia, Oct-Dec, 2000, pp.26-35.

[95] Nissho Electronic Corporation, Dataglove, Virtual Reality Device, 1995

[96] VPL Research Inc, Data suit, Motion Capture Device, 1988

[97] Motion Analysis Corporation, Ortho Trak, Virtual Reality Device, 1993

[98] Motion Analysis Corporation, Eagle, Virtual Reality Device, 2001

[99] Polhemus, Star Trak, Virtual Reality Devices, 2001

[100] J. Raynes, "A Step by Step Guide to Drawing the Figure", Art Instructions, Collins & Brown limited, North Light Books, August 1997.

[101] P. Ekman and W. V. Friesen. "Manual for the Facial Action Coding System." Consulting Psychologists Press, Inc, Palo Alto, California, 1978.

[102] B. Damer, "Avatars! - Exploring and Building Virtual Worlds on the Internet." Peachpit Press, October 1997.

[103] S. Wilcox, "Web Developer.Com - Guide to 3d Avatars." John Wiley & Sons, June 1998.

[104] T. Capin et al, "Avatars in Networked Virtual Environments." John Wiley and Sons, May 1999.