

## 9. ACKNOWLEDGEMENTS

---

I am indebted to CERMOD, at the University of Pretoria, for their funding of this project. I would also like to thank Nkomati Mine of Anglovaal for the material support, and their provision of the core material.

My sincerest appreciation to Professor Wolfgang Maier for his supervision and guidance during the duration of this project, I learned a great deal. I would also like to thank Dr. Chusi Li for assisting with the difficult job of crushing, and explaining the olivine geochemistry. Thank you to Professor S-J Barnes (University of Quebec), Professor Reid (University of Cape Town), Dr. S. Prevec (University of the Witswatersrand), and Maggi Loubser (University of Pretoria) for their analysis on my samples and Marko and Peter in the rock lab at the University of Pretoria for making the thin sections. I am grateful to Professor Roland Merkle for the use of his digital camera and microscope, Sabine Verryn for use of her computer hardware, and scanner and to Dr. Ian Graham for his help with the metamorphic petrography. Gratitude in great measure goes to Lori Tuovila for her proof reading and constructive comments.

Special thanks to my friends for having the confidence in me and who gave me the moral support needed to finish this project. I am forever grateful of my parent's love, faith and confidence in me.

## 10. REFERENCES

---

- Agranier, A. (1999). *Etude pétrologique et géochimique de bordures figées de l'intrusion d'Uitkmost, Afrique du Sud.* Maîtrise de Sciences de la Terre. Univ. Joseph Fourier, Grenoble 32pp.
- Allen, I. (1990). *The Geology and Geochemistry of the Uitkomst Layered Complex, Eastern Transvaal.* B.Sc. Hons. thesis (unpubl.) Univ. Witwatersrand, Johannesburg, 47pp.
- Anhaeusser, C.R., Robb, L.J. & Botha, J.M.(jr) (1981). Provisional Geological map of the Barberton Greenstone Belt and surrounding granitic terrane, Eastern Transvaal and Swaziland. In: Contributions to the Geology of the Barberton Mountain Land, Sec. Publ. Geol. Soc. S. Afr., 9.
- Barnes, S.-J. and Francis, D. (1995). The distribution of platinum-group elements, Nickel, Copper and Gold in the Muskox layered intrusion, Northwest territories, Canada. *Econ. Geol.* **90**, 133-154.
- Barnes, S.-J., Makovicky, E., Karup-Møller, S., Makovicky, M. & Rose-Hansen, J., (1997). Partition coefficients for Ni, Cu, Pd, Pt, Rh and Ir between Monosulphide Solid solution and sulphide liquid and the implications for the formation of compositionally zoned Ni-Cu sulphide bodies by fractional crystallization of sulphide liquid. *Can. J. Earth Sci.* **34**, 366-374.
- Barnes, S.-J. & Maier, W.D., (1999). The fractionation of Ni, Cu and the noble metals in silicate and sulphide liquids. In: Keays, R.R., Lesher, C.M., Lightfoot, P.C. & Farrow, C.E.G. (eds), *Dynamic Processes in Magmatic Ore Deposits and their application in mineral exploration.* Geological Association of Canada, Short Course Volume **13**, 69-106.
- Bennett, H. & Oliver, G. (1992). *XRF Analysis of Ceramics, Minerals and Applied Materials.* John Wiley & Son. p 67-93.

Brenan, J.M. & Andrews, D. (2001). High temperature stability of Laurite and Ru-Os-Ir alloy and their role in PGE fractionation in mafic magmas. *Can. Mineral.* **39**, 341-360.

Burger, A.J. & Coertze, F.J. (1976). Age determinations – April 1972 to March 1994. *Ann. Geol. Surv. S. Afr.* **10**, 135-141.

Bürgmann, G.E., Arndt, N.T., Hofmann, A.W. & Tobischall, H.J. (1987). Noble metal abundances in komatiite suites from Alexo, Ontario and Gorgona Island, Columbia. *Geochim. Chosmochim. Acta*, **51**, 2159-2169.

Button, A. (1973). *A regional study of the stratigraphy and development of the Transvaal Basin in the eastern and northeastern Transvaal*. PhD thesis (unpubl.), Univ. Witwatersrand, Johannesburg, S. A.

Button, A. (1986) The Transvaal Sub-basin of the Transvaal Sequence. In: Anhaeusser, C.R. & Maske, S. (ed) *Mineral Deposits of S. Afr* 811-817. Geol. Soc. S. A. Johannesburg.

Capobianco, C.J., Hervig, R.L. & Drake, M.J. (1994). Experiments on crystal/liquid partitioning of Ru, Rh and Pd for magnetite and hematite solid solutions crystallized from silicate melt. *Chem. Geol.* **113**, 23-43.

Curl, E.A. (2001). *Parental magmas of the Bushveld Complex, South Africa*. Ph.D. thesis (unpubl.), Monash Univ. Australia. 140pp.

Davies, G. & Tredoux, M. (1985). The Platinum-Group Element and Gold Contents of the Marginal Rocks and Sills of the Bushveld Complex. *Econ. Geol.* **80**, 838-848.

Deer, W.A., Howie, R.A. & Zussman, J. (1992). *An introduction to the rock forming minerals*. Longman Scientific and Technical England. 696pp.

DePaolo, D.J. (1988) *Neodymium Isotope geochemistry: An introduction*. Springer-Verlag Berlin Heidelberg. 187pp.

De Waal, S.A. & Gauert, C.D.K. (1997). The Basal Gabbro Unit and the identity of the parental magma of the Uitkomst Complex, Badplaas, South Africa. *S. Afr. J. Geol.* **100**(4), 349-361.

De Waal, S.A. & Armstrong, R.A. (2000). The age of the Marble Hall diorite, its relationship to the Uitkomst Complex, and evidence for a new magma type associated with the Bushveld event. *S. Afr. J. Geol.* **103**(2), 128-140.

De Waal, S.A., Maier, W.D., Armstrong, R.A. & Gauert, C.D.K. (2001) Parental Magma and emplacement of the stratiform Uitkomst Complex, South Africa. *Can. Mineral.* **39**, 557-572.

Eales, H.V., Maier, W.D. & Teigler, B. (1991). The significance of corroded feldspar inclusions in pyroxenites and norites of the Lower and Critical Zones, Western Bushveld Complex. *Mineralogical Magazine*. **55**, 479-486.

Eriksson, K.A. (1973). The Timeball Hill Formation - a fossil delta. *J. Sedim. Petrol.* **43**, 1046 - 1053.

Eriksson, P.G. (1988) The sedimentology of the Rooihoopte Formation Transvaal Sequence. *S. Afr. J. Geol.* **91**, 477 - 489.

Eriksson, P.G., Schweitzer, J.K, Bosch, P.J.A., Schereiber, U.M., Van Deventer, J.L., & Hatton, C.J. (1993). The Transvaal Sequence: and overview. *J. Afr. Earth Sci.* **16** 1/2, 25-51.

Figueiredo de Heredia, M.C. (1980). *Geochemistry of High-Grade metamorphic Rocks North East Bahia Brazil*. PhD thesis (unpubl.), Univ. W. Ontario, Canada. 220pp.

Gauert, C.D.K., de Waal, S.A. & Wallmach, T. (1995) Geology of the ultrabasic to basic Uitkomst complex, eastern Transvaal, South Africa: an overview. *J. Afr. Earth Sci.* **21**:4, 553-570.

Gauert, C.D.K. (1998) *The petrogenesis of the Uitkomst Complex, Mpumalanga Province, South Africa*. PhD thesis (unpubl.), Univ. Pretoria, South Africa. 315pp.

Hanson, G.N. (1989). An approach to trace element modelling using a simple igneous system as an example. In: Ribbe, P.H., (ed) *Geochemistry and mineralogy of rare earth elements: Reviews in mineralogy*, Mineral. Soc. Am. **21**, 79-97.

Harmer, R.E. & Armstrong, R.A. (2000) Duration of Bushveld Complex (*sensu lato*) magmatism: Constraints from new SHRIMP zircon chronology. In: *Workshop on the Bushveld Complex – Abstracts and Programs*, Gethlane Lodge, Burgersfort, 18-21 November 2000.

Henry, G., Clendenin, C.W. & Charlesworth, E.G. (1990). *Depositional facies of the Black Reef Quartzite Formation in the eastern Transvaal*. Geocongress 1990 (Cape Town, South Africa): Abstracts 230 – 233.

Hornsey, A.R. (1999). *The genesis and evolution of the Nkomati Mine Ni-sulphide deposit, Mpumalanga Province, South Africa*. MSc thesis (unpubl.) Univ. Natal (Durban), 224pp.

Kenyon, A.K., Attridge, R.L. & Coetzee, G.L. (1986). The Uitkomst nickel-copper deposits eastern Transvaal In Mineral Deposits of South Africa (C.R. Anhaeuser, S. Maske, (eds)) *Geol. Soc. S. Afr.* 1009-1019.

Kullerud, G., Yund, R.A. & Moh, G.H. (1969). Phase relations in the Cu-Fe-S, Cu-Ni-S and Fe-Ni-S systems. *Econ. Geol., Monograph* **4**, 323-349.

Li, C., Barnes, S.-J., Makovicky, E., Rose-Hansen, J & Makovicky, M. (1996). Partitioning of Nickel, Copper, Iridium, Rhodium, Platinum and Palladium between monosulphide solid solution and sulphide liquids: effects of composition and temperature. *Geochim. Cosmochim. Acta*, **60**, 1231-1238.

Li, C., Ripley, M., Maier, W.D., & Gomwe, T.E.S. (2002). Olivine and sulfur isotopic compositions of the Uitkomst sulfide-bearing intrusion, South Africa: records for multiple flows of magmas and their roles in ore formation in a magma conduit. *Chem. Geol.* in press.

Le Maitre, R.W. (Ed.) (1989). *A Classification of Igneous Rocks and Glossary of Terms. Recommendations of the International Union of Geological Sciences Subcommission on the Systematics of Igneous Rocks.* Blackwell Scientific Publications, Oxford, UK., 193pp.

Maier, W.D., Barnes. S.-J., & de Waal S.A (1998). Exploration for magmatic Ni-Cu-PGE sulphide deposits: a review of recent advances in the use of geochemical tools and their application to some South African ores. *S. Afr. J. Geol.* **101** (3), 237-253.

Maier, W.D. & Barnes. S.-J. (1999). Platinum-Group Elements in Silicate Rocks of the Lower, Critical and Main Zones at Union Section, Western Bushveld Complex. *J. Petro.* **40**, 1647-1671.

Maier, W.D., Arndt, N.T. & Curl, E.A. (2000) Progressive crustal contamination of the Bushveld Complex: evidence from isotopic analyses of the cumulate rocks. *Contrib. Mineral Petrol.* **140**, 316-327.

McDonough W.F. & Sun S.-s. (1995). The composition of the Earth. *Chem. Geol.* **120**, 223-253.

Möller, P. (1988). The dependence of partition coefficients on differences of ionic volumes in crustal-melt systems. *Contr. Mineral. Petrol.* **99**, 62-69.

**University of Pretoria etd – Gomwe, T E S (2006)**

Naldrett, A.J. (1997). Key factors in the genesis of Noril'sk, Sudbury, Jinchuan, Voisey's Bay and other world class Ni-Cu-PGE deposits: Implications for exploration. *Austr. J. Earth Sci.* **44**, 283-315.

Nixon, N., Eriksson, P.G., Jacobs, R. & Snijman, C.P. (1988). Early Proterozoic micro-algal structures in carbonaceous shales of the Pretoria Group, southwest of Potchefstroom. *S. Afr. J. Geology*. **84**, 592-595.

Reczko, B.F.F., (1994). *The geochemistry of the Transvaal Supergroup*. Ph.D. thesis (unpubl.) Univ. Pretoria, 700pp.

Richard, L.R. (1988-1997). *Mineralogical and Petrological data processing System (ver. 2.02)*.

Ripley, E.M. & Alawi, J.A. (1988). Petrogenesis of pelitic xenoliths at Babbitt Cu-Ni deposit, Duluth Complex Minnesota, USA. *Lithos* **21**, 143-159.

Rollinson, D. (1993). *Using geochemical: evaluation, presentation, interpretation*. London: Longman Scintific & Technical. 352pp

Ramdohr, P., (1980). *The ore minerals and their intergrowths – 2<sup>nd</sup> edition*. Pergamon Press Ltd., Oxford, England. 1205p.

Sharpe, M.R., Bahat, D., & Von Gruenewaldt, G. (1981). The concentric elliptical structure of the feeder sites to the Bushveld Complex and possible economic implications. *Trans. Geol. Soc. S. Afr.*, **84**, 239-244.

Strauss, T.A.L. (1995). Petrography and geochemistry of the Basal Gabbro, Unit Uitkomst Complex. M.Sc. thesis (unpubl.), Rhodes Univ. 103pp

Sun, S-s. & McDonough, W.F. (1989). Chemical and isotopic systematics of oceanic basalts: implications or mantle composition and processes. In: Saunders, A.D. & Norry

M.J. (eds) *Magmatism in the ocean basins*. Spec. Publ. 42, Geol. Soc., Oxford, 313-345.

Theart, H.F.L. & De Nooy, C.D. (2001). The platinum-group minerals in two parts of the massive sulphide body of the Uitkomst Complex, Mpumalanga, South Africa. *S. Afr. J. Geol.*, in press.

Tischler, S.E., Cawthorn, R.G., Kingston, G.A. & Maske, S. (1981). Magmatic Cu-Ni-PGE mineralization at Waterfall Gorge Insizwa, Pondoland, Transkei. *Can. Mineral.* 19, 607-618.

Tredoux, M., Lindsay, N.M., Davies, G. & McDonald, I. (1995). The fractionation of platinum-group elements in magmatic systems, with the suggestion of a novel casual mechanism. *S. Afr. J. Geol.*, 98, 157-167.

Ulmer, P. (1989). The dependence of the  $\text{Fe}^{2+}$ -Mg cation-partitioning between olivine and basaltic liquid on pressure, temperature composition. An experimental study to 30 kbars. *Contr. Mineral. Petrol.* 101, 261-273.

Van Zyl, A.M. (1996). *The sulphides of the Uitkomst Complex, Badplaas, South Africa*. MSc thesis (unpubl.), Univ. Pretoria 122pp.

Von Scheibler, W.H.T.M., Cawthorn, R.G., Kenyon, A.K. & Allen, I.V.M. (1995). Ni-Cu sulphide mineralization in the Uitkomst intrusion. *Geol. Soc. S. Afr. Centennial Geocongress '95 Ext. Abstr.* 1, 133-136.

Wagner, P.A. (1929). *The platinum deposits and mines of South Africa*. Oliver and Boyd, Edinburgh and London. 326pp.

Walraven, F. & Martini, J. (1995). Zircon Pb-evaporation age determination of the Oak Tree Formation, Chuniespoort Group, Transvaal Sequence: Implications for Transvaal-Griqualand West basin correlations. *S. Afr. J. Geol.* 98(1), 58-67.