

CHAPTER 7

REFERENCES

ABBEY, L.N, RANDALL, K.P., RIEMANN, J.M., KOTROLA, J.S., WILSON, R.C., BOYER, J.E. & BROWN, T.L., 1998. Steam pasteurization of commercially slaughtered beef carcasses: Evaluation of bacterial populations at five anatomical locations. *Journal of Food Protection* 61(5), 571-577.

ALISA, M., 1996. Mad cow disease why Americans should be worried. Charlotte Observer, http://www.cyber.dyne.com/~tom/heifers.htm pp.1-2.

AYRES, J.C., 1955. Microbiological implications in the handling, slaughtering and dressing of meat animals. *Journal of Applied Bacteriology* 109-161.

BEAN, N.H. & GRIFFIN, P.M., 1990. Food-borne disease outbreaks in the United States, 1973-1987: Pathogens, Vehicles and Trends. *Journal of Food Protection* 53, 804-817.

BEAN, N.H, GRIFFIN, P.M., GOULDING, J.S. & IVEY, C.B., 1990. Food-borne disease outbreaks, 5 year summary, 1983-1987. *Journal of Food Protection* 53, 711-728.

BELL, R.G., 1997. Distribution and sources of microbial contamination on beef carcasses. *Journal of Applied Microbiology* 82, 292-300.

BENITO, Y., PIN.C., MARIN, I., GARCIA, I.L., SELGAS, M.D. & CASAS, C., 1997. Cell surface hydrophobicity and attachment of pathogenic and spoilage bacteria to meat surfaces. *Meat Science* 45(4), 419-425.

BERNARD, D., 1998. Developing and implementing HACCP in the USA. *Food Control* 9(2/3), 91-95.



BOLTON, D.J., OSER, A.H., COCOMA, G.J, PALUMBO, S.A. & MILLER, A.J., 1999. Integrating HACCP & TQM Reduces Pork Carcass Contamination. *Food Technology* 53(4), 40-43.

BROWN, M.H., 1982. Meat Microbiology. London: Applied Science Publishers Ltd.

BROWN, M.H. & BAIRD PARKER, A.C., 1982. The microbiological examination of meat. In: BROWN, M.H. (Ed). *Meat Microbiology.* London: Applied Science publishers Ltd pp. 423-520.

BRYAN, F.L., 1980. Food-borne diseases in the United States associated with meat and poultry. *Journal of Food Protection* 43, 140-150.

BRYAN, F.L., GUZEWICH, J.J. & TODD, E.C.D., 1997. Surveillance of food-borne diseases iii. Summary and presentation of data on vehicles and contributory factors; their value and limitations. *Journal of Food Protection* 60(5) 701-714.

BUCHANAN, R.L. & WHITING, R.C., 1998. Risk assessment: A means for linking HACCP plans and public health. *Journal of Food Protection* 61(11) 1531-1534.

CASTILLO, A., LUCIA, L.M., GOODSON, K.J., SAVELL, J.W. & ACUFF, G.R., 1998. Use of hot water for beef carcass decontamination. *Journal of Food Protection* 61(1) 19-25.

CHURCH, P.N. & WOOD, J.M., 1992. The manual of manufacturing meat quality. Compiled at the Leatherhead Food Research Association. London: Elsevier Applied Science.

COX, L.J., 1989. A perspective on listeriosis. Food Technology 43(12), 52-58.

CRAVEN, S.E., 1980. Growth and sporulation of *Clostridium perfringens*, in foods. *Food Technology* 34(4), 80-87



CRAY, Jr., CASEY, W.C., BOSWATH, B.T. & RASMUSSEN, M.A, 1998. Effect of dietary stress on feacal shedding of *Escherichia coli* 0157:H7 in calves. *Applied Environmental Microbiology* 64, 1975-1979.

CROSS, R.H., 1996. HACCP: Pivotal change for meat industry. *Food Technology* 50(8), 236.

CULLOR, J.S., 1997. HACCP (Hazard Analysis Critical Control Point): Is it coming to the industry? *Journal of Dairy Science* 80, 3449-3452.

DEAN, K., 1991. HACCP and food safety in Canada. Food Technology 45(6), 172, 178.

DELAZARI, I., IARIA, T.S., RIEMANN, H.P., CLIVER, D.O. & MORI, T., 1998. Decontaminating beef for *Escherichia coli* 0157: H7. *Journal of Food Protection* 61(5), 547-550.

DEPARTMENT OF NATIONAL HEALTH AND POPULATION DEVELOPMENT, 1989. Declaration of Medical conditions in terms of section 45 of the Health act, 1977 (Act No. 63 of 1977). Government Notice No. R 2708, 15 December 1989. *Government Gazette Republic of South Africa*, 12216, 44.

DEWIT, J.C. & KAMPELMACHER, E.H., 1982. Microbiological aspects of washing hands in slaughterhouses. *Zentralblat fur Bakteriologie Originalel*. B176, 553-561.

DICKSON, J.E. & ANDERSON, M.E., 1992. Microbial decontamination of food animal carcasses by washing and sanitizing systems: a review. *Journal of Food Protection* 55, 133-140.

DORSA, W.J., CUTTER, C.N., SIRAGUSA, G.R. & KOOHMARAIE, M., 1995. Microbial decontamination of beef and sheep carcasses by steam, hot water spray washes and steam-vacuum sanitizer. *Journal of Food Protection* 59(2), 127-135.



DORSA, W.J., CUTTER, C.N. & SIRAGUSA, G.R., 1996. Evaluation of six sampling methods for recovery of bacteria from beef carcass surface. *Letters in Applied Microbiology* 22, 39-41.

DOYLE, M.P. & SHOENI, J.L., 1987. Isolation of *Escherichia coli* 0157:H7 from retail fresh meats and poultry. *Applied Environmental Microbiology* 53, 2394-2396.

EASTER, M.C. & GIBSON, D.M., 1985. Rapid and automated detection of *Salmonella* by electrical measurements. *Journal of Hygiene 94*, 245-262.

FARBER, J.M., 1991. Listeria monocytogenes. Journal of the Association of Official Analytical Chemistry 74(4), 701-704.

FDA/CFSAN, 1999. Food Safety from Farm to Table: A National Food Safety Initiative. http://www.foodsafety.gov/~dms/fsreport.html, pp1-40.

FOOD AND AGRICULTURAL ORGANIZATION, 1997. Production. Year book No.142 vol. 51 pp 201.

FOOD AND DRUG ADMINISTRATION, 1999. http://www.fda.gov.

GARDNER, I.A., 1997. Testing to fulfill HACCP (Hazard Analysis Critical Control Points) Requirements: Principles and Examples. *Journal of Dairy Science* 80, 3453-3457.

GIBSON, D.M., 1987. Some modification to the media for rapid automated detection of salmonellas by conductance. *Journal of Applied Bacteriology* 63, 299-304.

GILL, C.O. & PENNEY, 1979. Survival of bacteria in carcasses. *Applied and Environmental Microbiology* 37, 667-669.

GILL, C.O. & JONES, T., 1998. Comparison of methods for sampling and enumerating *Escherichia coli* on pig carcasses. *Food Microbiology* 15, 617-623.



GILL, C.O., MCGINNIS, J.C. & BADONI, M., 1996. Use of total or *Escherichia counts* to assess the hygienic characteristics of a beef carcass dressing process. *International Journal of Food Microbiology* 31, 181-196.

GILL, C.O., MCGINNIS, J.C. & BRYANT, J., 1998. Microbial contamination of meat during the skinning of beef carcass hindquarters at three slaughtering plants. *International Journal of Food Microbiology* 42, 175-184.

GILL, C.O., BADONI, M. & MCGINNIS, J.C. 1999. Assessment of the adequacy of cleaning of equipment used for breaking beef carcasses. *International Journal of Food Microbiology* 46, 1-8.

GORMAN, B.M., MORGAN, B.J., SOFOS, J.N. & SMITH, G.C., 1995. Microbiological and visual effects of trimming and/or spray washing for the removal of fecal material from beef. *Journal of Food Protection* 58(9), 984-989.

GORMAN, B.M., SOFOS, J.N., MORGAN, B.J., SCHMIDT, G.R. & SMITH, G.C., 1995. Evaluation of hand trimming, various sanitizing agents, and hot water spraying as decontamination interventions for beef brisket adipose tissue. *Journal of Food Protection* 58(8) 899-907.

GREGORY, N.G., 1996. Welfare and hygiene during pre-slaughter handling. *Meat Science* 43, suppl. S35-S46.

GRIJSPAARDT-VINK, C., 1996. Health and convenience top food trends in Europe. Food Technology 50(7), 11.

HANCOCK, D.D., RICE, D.H., THOMAS, L.A., DARGATZ, D.A. & BESSER, T.E., 1997. Epidemiology of *Escherichia coli* 0157:H7 in feedlot cattle. *Journal of Food Protection* 60, 462-465.

HARRIGAN, W.F., 1998. Incidents of food poisoning and food-borne diseases from 'new' and unexpected causes: can they be prevented? *International Journal of Food Science and Technology* 33, 171-189.



HECHELMANN, H., 1995a. The slaughtering and cutting sector. Determining critical control points. *Fleishwirtschaft* 75(9) 1117-1120.

HECHELMANN, H., 1995b. The slaughtering and cutting sector. Determining critical control points. *Fleishwirtschaft* 75(8), 1004-1006.

HERRIOT, D.E., HANCOCK, D.D, EBEL, E.D., CARPENTER, L.V., RICE, D.H. & BESSER, T.E., 1998. Association of herd management factors with colonization of dairy cattle by Shiga toxin-positive *Escherichia coli* 0157:H7. *Journal of Food Protection* 61, 802-807.

HINTON, M.E., HUDSON, W.R. & MEAD, G.C., 1998. Bacteriological quality of British beef 1. Carcass sampled prior to chilling. *Meat Science*, 50(2) 265-271.

HOGUE, A.T., DREESEN, D.W., GREEN, S.S., RAGLAND, R.D, JAMES, W.O., BERGERON, E.A., COOK, V.L., PRATT, M.D. & MARTIN, D.R., 1993. Bacteria on beef briskets and ground beef: Correlation with slaughter volume and antemortem condemnation. *Journal of Food Protection*, 56 (2), 110-113,119.

INTERNATIONAL COMMISION FOR MICROBIOLOGICAL SAFETY OF FOODS, 1986. Microorganisms in Foods. 2. Sampling for Microbiological Analysis: Principles and Specific applications. 2nd ed. Oxford: Blackwell Scientific Publications.

INTERNATIONAL COMMISION FOR MICROBIOLOGICAL SAFETY OF FOODS, 1988. Microorganisms in Foods. 4. Application of the Hazard Analysis Critical Control Point (HACCP) to ensure microbiological safety and quality. 1st ed. Boston: Blackwell Scientific Publications.

JACKSON, J.G., 1990. Public health and research perspectives on the microbial contamination of foods. *Journal of Animal Science* 68, 884-891.

JAY, J.M., 1992. Modern food microbiology. 4th ed. London: Chapmann and Hall.



JERICHO, W.F., BRADLEY, J.A., GANNON, P.J. & KOZUB, G.C., 1993. Visual demerit and microbiological evaluation of beef carcasses: Methodology. *Journal of Food Protection* 56(2), 114-119.

JOUVE, J.L., 1998. Principles of food safety and legislation. Food Control 9(2/3), 75-81.

KAPSROWIAK, R. & HECHELMANN, H., 1992. Weak points in the hygiene of slaughtering, cutting and processing firms. *Fleischwirtschaft* 72(3), 287-292.

KARR, K.J., MARETZKI, A.N. & KNABEL, J.S., 1994. Meat and poultry companies assess USDA's HACCP. Food Technology 48(2), 117-122.

KILSBY, D.C. & PUGH, M.E., 1981. The relevance of the distribution of microorganisms within batches of food to the control of microbiological hazards from foods. *Letters of Applied Bacteriology* 51, 345-354.

KORSAK, N., DAUBE, G., GHAFIR, Y., CHAHED, A., JOLLY, S. & VINDEVOGEL, H., 1998. An efficient sampling technique used to detect four food-borne pathogens on pork and beef carcasses in nine Belgian abattoirs. *Journal of Food Protection* 61(5) 535-541.

LEE, J.A. & HATHAWAY, S.C., 1998. The challenge of designing valid HACCP plans for raw food commodities. *Food Control* 9(2/3) 111-117.

LETELLIER, A., MESSIER, S. & QUESSY, S., 1999. Prevalence of *Salmonella* species and *Yersinia enterocolitica* in finishing swine at Canadian abattoirs. *Journal of Food Protection* 62, 22-25.

MACKAY, B.M. & DERRICK, C.M., 1979. Contamination of the deep tissues of carcasses by bacteria present on the slaughter instruments or in the gut. *Journal of Applied Bacteriology* 46, 355-366.

NATIONAL ADVISORY COMMITTEE ON MICROBIOLOGICAL CRITERIA FOR FOODS, US DEPARTMENT FOR AGRICULTURE, 1993. Generic HACCP for raw beef. *Food Microbiology* 10, 449-488.



NORTJÉ, G.L., 1987. Microbial ecology of fresh meat with reference to the abattoir, wholesale and retail situations. Ph.D. thesis University of Pretoria.

NORTJé, G.L. & NAUDE, 1981. Microbiology of beef carcass surface. *Journal of Food Protection* 44, 1016-1017.

Nortjé, G.L. & VAN HOLY, A., 1985. Manual of guidelines to sanitation in the meat industry. *Department of Agriculture and Water Supply*. Pretoria: Government printers.

NORTJÉ, G.L., NEL, L., JORDAAN, E., NAUDE, R.T., GOEDHART, G., HOLZAPFEL, W.H. & GRIMBEEEK, R.J., 1989. A microbiological survey of fresh meat in the supermarket trade. Part 1: Carcasses and contact surfaces. *Meat Science* 25, 81-97.

Nortjé, G.L., NEL, L., JORDAAN, E., BADENHORST, K., GOEDHART, G., HOLZAPFEL, W.H. & GRIMBEEEK, R.J., 1990a. A quantitative survey of a meat production chain to determine the microbial profile of the final product. *Journal of Food Protection* 53(5), 411-417.

NORTJé, G.L., NEL, L., JORDAAN, E., BADENHORST, K. GOEDHART, G., HOLZAPFEL, W.H. & GRIMBEEEK, R.J., 1990b. The influence of incubation temperature on bacterial counts in a meat production system. *Journal of Food Protection* 53(5), 418-422.

NORTJé, G.L., VOSTER, S.M., GREEBE, R.P. & STEYN, P.L., 1999. Occurrence of *Bacillus cereus* and *Yersinia enterocolitica* in South African retail meats. *Food Microbiology* 16, 213-217.

NOTTINGHAM, P.M., 1982. Microbiology of carcass meats. In: BROWN, M.H. (Ed.). *Meat Microbiology.* London: Applied Science publishers Ltd pp. 13-65.

OGDEN, I.D. & CANN, D.C., 1987. A modified conductance medium for the detection of Salmonella spp. Journal of Applied Bacteriology 63, 459-464.



PALUMBO, S.A., 1986. Is refrigeration enough to restrain food-borne pathogens? *Journal of Food Protection* 49(12), 1003-1008.

PATTERSON, T.E. & JACKSON, H., 1979. Loss of viability and metabolic injury of *Staphylococcus aureus* resulting from storage at 1 °C, 3 °C, 5 °C and 7 °C. *Journal of Applied Bacteriology* 37, 59-64.

PETERS, R.E., 1998. The broader application of HACCP concepts to food quality in Australia. *Food Control* 9(2/3), 83-89.

PLESS, P. & KOFER, J., 1999. Process control on the slaughter line for reducing the microbial load on the surface of pig carcasses. *Proceedings of the 45th ICoMST Yokohama* pp.566 -567.

PRASAI, R., ACUFF, G., LUCIA, L., HALE, D., SAVELL, J., MORGAN, J., 1991. Microbiological effects of acid decontamination of beef carcasses at various locations in processing. *Journal of Food Protection* 54, 868-872.

RIDELL, J. & KORKELLA, H., 1993. Special treatment during slaughtering in Finland of cattle carrying an excessive load of dung; meat hygienic aspects. *Meat Science* 35, 223-228.

RIEMANN, H., 1973. Means and Methods. In: BETTY, C.H. & CHRISTIAN, J.H.B. (Ed). The Microbiological Safety of Food. London: Academic Press pp121-125.

ROBERTS, T.A., HUDSON, W.R., WHELEHAN, P.O., SIMONSEN, B., OLGAARD, K., LABOTS, H., SNIJDERS, J.M.A., VAN HOOF, J., DEBEVERE, J., DEMPSTER, J.F., DEVEREUX, J., LEISTNER, L., GEHRA, H., GLEDEL, J. & FOURNAUD, J., 1984. Number and distribution of bacteria on some beef carcasses at selected abattoirs in some member states of the European communities. *Meat Science* 11, 191-205.

ROSSET, R., 1982. Chilling freezing and thawing. In: BROWN, M.H. (Ed). *Meat Microbiology*. London: Applied Science Publishers Ltd pp. 265-318.



SAMARCO, ML, RIPABELLI, G., RUBERTO, A., IANNITTO, G. & GRASSO, G.M., 1997. Prevalence of salmonellae, Listeria and Yersinia in the slaughterhouse environment and on the work surfaces, equipment and workers. *Journal of Food Protection* 60(4), 367-371.

SCARLETT, T., 1991. An HACCP approach to product liability. *Food Technology* 45(6) 128-134.

SELGAS, D., MARIN, M.L., PIN, C., & CASAS, 1993. Attachment of bacteria to meat surfaces: A review. *Meat Science* 34, 265-273.

SIERRA, M.L., GONZALEZ-FANDOS, E., GARCIA-LOPEZ, M.L., FERNANDEZ, M.C.G. & PRIETO, M., 1995. Prevalence of *Salmonella, Yersinia, Aeromonas, Campylobacter* and cold growing *Escherichia coli* on freshly dressed lamb carcasses. *Journal of Food Protection* 58(11), 1183-1185.

SIRAGUSA, G.R., CUTTER, C.N., DORSA, W.J. KOOHMARAIE, M., 1995. Use of rapid microbial ATP bioluminescence assay to detect contamination on beef and pork carcasses. *Journal of Food Protection* 58(7), 770-775.

SMART, J.L., ROBERTS, T.A., STRINGER, M.F. & SHAH, N., 1979. The Incidence and Serotypes of *Clostridium perfringens*, on Beef, Pork and lamb Carcasses. *Journal of Applied Bacteriology* 46, 377-383.

SMULDERS, F.J.M., 1995. Preservation by microbial decontamination; the surface treatment of meats by organic acids. In: GOULD, G.W. (Ed.). *New Methods of Food Preservation*. London: Blackie Academic & Professional pp. 253-282.

SMULDERS, F.J.M. & GREER, G.G., 1998. Integrating microbial decontamination with organic acids in HACCP programmes for muscle foods: prospects and controversies. *International Journal of Food Microbiology* 44, 149-169.

SOFOS, J.N. & SMITH, G.C., 1998. Nonacid meat decontamination technologies: Model studies and commercial applications. *International Journal of Food Microbiology* 44, 171-188.



SOFOS, J.N. KOCHEVAR, S.L., BELLINGER, G.R., BUEGE, D.R., HANCOCK, D.D., INGHAM, S.C., MORGAN, J.B., REAGAN, J.O. & SMITH, G.C., 1999a. Sources and Extent of Microbiological Contamination of Beef Carcasses in Seven United States Slaughtering Plants. *Journal of Food Protection* 62(2), 140-145.

SOFOS, J.N., BELK, K.E. & SMITH, G.C., 1999b. Processes to reduce contamination with pathogenic microorganisms in meat. *Proceedings of the 45th ICoMST Yokohama* pp.596-605.

SOUTH AFRICAN BUREAU OF STANDARDS 049, 1989. Code of Practice for Food Hygiene Management. Pretoria.

SPERBER, W.H., 1991. The modern HACCP system. Food Technology 46(6), 116-118, 120.

SPRENGER, R.A., 1995. Hygiene for Management. 7th ed. Highfield Publications.

STEINMCEBLJ, J., 1995. Food for thought: Approaches for steering successful meat business into the next century. *Die Fleischerei* (6) vii-xi.

STOLLE, F.A., 1981. Spreading of *Salmonella* during cattle slaughtering. *Journal of Applied Bacteriology* 50, 239-245.

STIER, R.F. & BLUMENTHAL, M.M., 1995. Will HACCP be carrot or stick? *Dairy, Food and Environmental Sanitation* 15(10), 616-620.

SYNDER, P.O., 1992. HACCP - An industry food safety self control program - part 11. Dairy, Food and Environmental Sanitation 12(2), 84-86.

TARRANT, P.V., 1998. Some recent advances and future priorities in research for the meat industry. *Meat Science* (49) suppl. 1 S1-S16.



THORNTON, H., 1981. Meat hygiene practice. In:. GRACEY, J.F. *Thorton's Meat Hygiene*, 7th Ed. Baillière Tindall, ch.9.

TODD, E.C.D., 1989. Preliminary estimates of costs of food-borne disease in the United States. *Journal of Food Protection* 52, 595-601.

TODD, E.C.D., 1992. Food-borne diseases in Canada - a 10 year summary from 1975 to 1984. *Journal of Food Protection* 55(2), 123-132.

TOMPKIN, R.B., 1990. The use of HACCP in the production of meat and poultry products. *Journal of Food Protection* 53(9), 795-803.

TROLLER, J.A., 1976. Staphylococcal growth and enterotoxin production-factors for control. *Journal of Milk and Food Technology* 39(7), 499-503.

UNTERMANN, F., STEPHAN, R., DURA, R., HOFER, M. & HEIMANN, P., 1997. Reliability and practicability of bacteriological monitoring of beef carcass contamination and their rating within a hygiene quality control programme of abattoirs. *International Journal of Food Microbiology* 34, 67-77.

VANDERLINDE, P.B., SHAY, B. & MURRAY, J., 1998. Microbiological quality of Australian beef carcass meat and frozen bulk packed beef. *Journal of Food Protection* 61(4), 437-443.

VAN NETTEN, P., VALENTIJN, A., MOSSEL, D.A.A. & HUIS IN 'T VELD, J.H.J., 1997. Fate of low temperature and acid adapted *Yersinia enterocolitica and Listeria monocytogenes* that contaminate lactic acid decontaminated meat during chill storage. *Journal of Applied Microbiology* 82, 769-779.

VORSTER, S.M., 1994. Occurrence and control of bacterial human pathogens in meat and meat products in South Africa. Ph.D. thesis University of Pretoria.



VORSTER, S.M., GREEBE, R.P. & NORTJé, G.L., 1994. The incidence of *Staphylococcus aureus* and *Escherichia coli* in ground beef, broilers and processed meats in Pretoria area. South Africa. *Journal of Food Protection* 57, 305-310.

WOOD, J.D., HOLDER, J.S. & MAIN, D.C.J., 1998. Quality assurance schemes. *Meat Science* 49, suppl. S191-s203.

WORLD HEALTH ORGANIZATION/FOOD AND AGRICULTURAL ORGANISATION, 1983. Manual on meat inspection for developing countries. Animal production and health paper. FAO technical paper 119, Rome.

WORLD HEALTH ORGANIZATION, 1999. http://www.who.gov.

YATARO K., YUTAKA, S., KIMIKAZU, I. & TSUTOMU, M., 1999. Application of HACCP concepts to meat products in Japan. *Proceedings of the 45th ICoMST Yokohama pp.* 622-623.