

ADDENDUM A

EVALUATION OF FUNCTIONAL OCCLUSION

Date:

1. Patient information

Surname: Initials:

Date of Birth:

Age: Y M

Date of Debanding:

Retention protocol: Maxilla:

Mandible:

2. Occlusal Analysis

Overjet:

Overbite:

RC-IC difference:

Protrusive interferences:

Lateral interferences: Left: Right:

Functional occlusal type:

ANTERIOR GUIDANCE	PATIENT NUMBER:
YES / NO	

ADDENDUM B

CONSENT

UNIVERSITY OF PRETORIA
UNIVERSITEIT VAN PRETORIA

DEPARTMENT OF ORTHODONTICS
DEPARTEMENT ORTODONSIE

CONSENT (Research)
TOESTEMMING (Navorsing)

I herewith give my consent for all examination materials (x-rays, photo's, models, etc) and examination reports of myself/my wife/my child, to be used for research and publication, with the understanding that names will remain anonymous and that all material will be handled in the strictest confidence.

Hiermee gee ek toestemming dat alle ondersoek materiaal (röntgenbeeld, fotos, modelle, ens) en ondersoekverslae van myself/my vrou/my kind, gebruik mag word vir navorsings- en publikasiedoeleindes, met dien verstande dat name anoniem gehou sal word en dat alles streng vertroulik hanteer sal word.

.....
Date / Datum

.....
Signature / Handtekening

ADDENDUM C

RAW DATA FOR MEASUREMENT OF THE CURVE OF SPEE															
Subject	Number	L2	L3	L4	L5	L6	Sum L	R 2	R 3	R 4	R 5	R 6	Sum R	Total L+R	Mean
1	T01-1	-0.88	-1.00	-0.03	0.45	0.45	-1.01	-0.17	-0.31	0.02	0.02	0.12	-0.32	-1.33	-0.67
	T01-2	-0.39	-0.74	0.00	-0.60	0.30	-1.43	-0.48	-0.66	0.00	-0.91	0.06	-1.99	-3.42	-1.71
	T01-3	-0.39	-0.59	0.00	0.05	0.41	-0.52	-0.31	-0.63	0.00	-0.59	0.16	-1.37	-1.89	-0.95
2	T02-1	-0.78	-1.06	-0.18	0.27	0.55	-1.2	0.38	0.49	0.47	0.3	0.45	2.09	0.89	0.45
	T02-2	-0.30	-0.90	-0.60	-0.30	0.07	-2.03	-0.36	-0.65	-0.36	-0.11	-0.11	-1.59	-3.62	-1.81
	T02-3	-0.04	-0.33	-0.10	0.18	0.22	-0.07	-0.53	-0.13	0.1	0.21	0.21	-0.14	-0.21	-0.11
3	T03-1	-0.73	-1.05	0.31	0.87	0.87	0.27	-0.46	-0.78	0.31	0.6	0.81	0.48	0.75	0.38
	T03-2	-0.31	-0.21	0.17	0.21	-0.10	-0.24	-0.21	-0.17	0.03	0.21	0.21	0.07	-0.17	-0.09
	T03-3	-0.18	-0.01	0.08	0.18	0.08	0.15	-0.29	0.25	-0.14	0.43	0.25	0.5	0.65	0.33
4	T04-1	-0.13	-0.82	0.13	0.27	0.45	-0.1	-0.46	-1.61	-0.14	0.18	0.46	-1.57	-1.67	-0.84
	T04-2	0.10	-0.35	-0.06	-0.24	0.03	-0.52	-0.14	-0.22	0.04	-0.28	-0.14	-0.74	-1.26	-0.63
	T04-3	0.35	-0.53	-0.14	-0.14	0.14	-0.32	0.15	-0.47	-0.19	-0.11	0.22	-0.40	-0.72	-0.36
5	T05-1	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	T05-2	-0.14	-0.71	-0.28	-0.53	0.21	-1.45	-0.17	-0.61	-0.36	-0.14	-0.14	-1.42	-2.87	-1.44
	T05-3	-0.21	-0.74	-0.28	-0.32	0.21	-1.34	0.10	-0.39	-0.39	-0.14	-0.07	-0.89	-2.23	-1.12
6	T06-1	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	T06-2	-0.53	-0.96	0.00	-0.25	0.50	-1.24	-0.85	-0.71	0.00	-0.64	1.06	-1.14	-2.38	-1.19
	T06-3	-0.18	-0.39	0.00	-0.07	0.39	-0.25	-0.25	-0.57	0.00	-0.36	0.21	-0.97	-1.22	-0.61
7	T07-1	0.13	0.32	-0.25	0.53	0.82	1.55	-0.21	-0.56	-0.13	0.46	0.17	-0.27	1.28	0.64
	T07-2	0.00	-0.68	-0.53	0.14	0.21	-0.86	-0.5	-0.85	0.00	0.17	-0.14	-1.32	-2.18	-1.09
	T07-3	-0.15	-0.48	-0.45	0.13	0.15	-0.8	0.07	-0.21	0.00	0.32	0.21	0.39	-0.41	-0.21
8	T08-1	-0.36	-0.50	-0.45	-0.22	0.32	-1.21	-0.25	-0.53	-0.35	-0.25	0.14	-1.24	-2.45	-1.23
	T08-2	0.25	-0.03	-0.25	-0.71	0.10	-0.64	-0.21	-0.71	-0.79	-0.93	0.00	-2.64	-3.28	-1.64
	T08-3	0.14	-0.14	-0.57	-0.60	0.07	-1.1	-0.22	-0.54	-0.65	-0.65	0.04	-2.02	-3.12	-1.56
9	T09-1	-0.43	-1.01	-0.36	0.64	0.79	-0.37	-0.54	0.97	0.79	0.64	0.54	2.40	2.03	1.02
	T09-2	-0.14	-0.57	0.00	0.60	0.46	0.35	-0.67	-1.00	0.00	-0.50	0.21	-1.96	-1.61	-0.81
	T09-3	-0.28	-0.82	0.00	0.00	0.39	-0.71	-0.10	-0.39	0.00	0.14	0.35	0.00	-0.71	-0.36
10	T10-1	-0.18	-0.18	-0.31	0.22	0.59	0.14	-0.32	0.07	-0.75	0.11	0.71	-0.18	-0.04	-0.02
	T10-2	-0.67	-0.89	0.00	-0.35	0.39	-1.52	-0.35	-0.67	0.00	-0.28	0.64	-0.66	-2.18	-1.09
	T10-3	-0.17	-0.71	0.00	0.25	0.14	-0.49	-0.21	-0.43	0.00	0.21	0.25	-0.18	-0.67	-0.34

University of Pretoria etd – Hattingh, J (2003)

	T11-1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
11	T11-2	-0.22	-1.00	-0.75	-0.68	0.04	-2.61	-0.18	-0.47	-0.5	-0.47	0.29	-1.33	-3.94	-1.97	
	T11-3	-0.14	-0.86	-0.71	-0.39	0.18	-1.92	-0.24	-0.42	-0.63	-0.38	0.38	-1.29	-3.21	-1.61	
	T12-1	0.59	0.08	0.82	1.42	1.70	4.61	-0.07	-0.43	0.29	1.18	0.75	1.72	6.33	3.17	
12	T12-2	-0.17	-0.07	-0.53	0.14	0.32	-0.31	-0.17	-0.42	-0.13	0.21	0.71	0.2	-0.11	-0.06	
	T12-3	-0.03	-0.53	-0.85	-0.17	0.46	-1.12	0.11	-0.25	0.14	0.36	0.75	1.11	-0.01	-0.01	
	T13-1	0.17	-0.82	-0.96	-0.08	0.40	-1.29	0.18	-0.39	-0.46	0.03	0.46	-0.18	-1.47	-0.74	
13	T13-2	-0.03	-0.21	-0.39	0.01	0.10	-0.52	-0.17	-0.71	-0.64	-0.49	0.28	-1.73	-2.25	-1.13	
	T13-3	-0.10	-0.24	-0.17	-0.07	0.17	-0.41	0.1	-0.6	-0.46	-0.57	0.35	-1.18	-1.59	-0.80	
	T14-1	-0.41	-0.59	0.09	0.41	0.36	-0.14	-0.18	-0.36	0.07	0.61	0.46	0.6	0.46	0.23	
14	T14-2	-0.42	-0.42	0.02	0.13	0.13	-0.56	-0.35	-0.1	-0.21	-0.14	0.21	-0.59	-1.15	-0.58	
	T14-3	-0.25	-0.21	-0.10	0.14	0.10	-0.32	-0.18	0.07	0.5	0.25	0.1	0.74	0.42	0.21	
	T15-1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
15	T15-2	-0.10	-0.46	0.00	-0.18	0.36	-0.38	-0.32	-0.57	0.00	0.1	0.28	-0.51	-0.89	-0.45	
	T15-3	-0.14	-0.21	0.00	0.21	0.21	0.07	-0.13	0.42	0.00	0.67	0.74	1.7	1.77	0.89	
	T16-1	0.13	0.18	1.51	1.56	0.73	4.11	0.13	0.04	0.87	0.87	0.6	2.51	6.62	3.31	
16	T16-2	-0.04	-0.55	-0.14	0.00	0.09	-0.64	-0.19	-0.51	-0.09	0.09	0.05	-0.65	-1.29	-0.65	
	T16-3	0.00	0.04	0.69	0.46	0.14	1.33	0.05	0.00	0.23	0.28	0.05	0.61	1.94	0.97	
	F01-1	-0.18	-0.18	1.06	0.97	0.55	2.22	0.05	0.09	1.02	1.43	0.97	3.56	5.78	2.89	
17	F01-2	-0.19	-0.23	0.28	0.09	0.37	0.32	-0.18	-0.23	-0.6	-0.46	-0.28	-1.75	-1.43	-0.72	
	F01-3	-0.32	-0.60	0.18	0.23	0.41	-0.1	0.05	-0.37	-0.14	0.55	0.28	0.37	0.27	0.14	
	F02-1	0.50	-0.13	0.59	-0.01	0.32	1.27	0.98	-0.19	-0.47	-0.19	0.05	0.18	1.45	0.73	
18	F02-2	-0.09	-0.69	0.00	-0.32	0.36	-0.74	-0.42	-0.84	0.00	-0.51	0.28	-1.49	-2.23	-1.12	
	F02-3	-0.19	-0.47	0.00	-0.37	0.47	-0.56	-0.19	-0.61	0.00	-0.24	0.24	-0.8	-1.36	-0.68	
	F03-1	0.22	-0.09	-0.13	-0.04	0.22	0.18	-0.09	-0.09	-0.18	0.32	0.41	0.37	0.55	0.28	
19	F03-2	-0.41	-1.37	0.00	0.22	0.27	-1.29	-0.04	-0.41	0.00	0.5	0.27	0.32	-0.97	-0.49	
	F03-3	-0.09	-0.87	0.00	0.09	0.27	-0.6	-0.04	-0.32	0.00	0.04	0.14	-0.18	-0.78	-0.39	
	F04-1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
20	F04-2	-0.32	-0.82	-0.26	-0.03	-0.08	-1.51	-0.04	-0.55	-0.09	-0.23	0.23	-0.68	-2.19	-1.10	
	F04-3	-0.32	-0.22	0.22	0.55	0.13	0.36	-0.16	-0.51	0.23	0.23	0.23	0.02	0.38	0.19	
	F05-1	0.55	1.01	2.16	1.24	0.73	5.69	0.28	0.28	1.47	1.01	0.74	3.78	9.47	4.74	
21	F05-2	-0.18	-1.10	0.00	-0.50	-0.45	-2.23	-0.46	-1.15	0.00	-0.6	-0.23	-2.44	-4.67	-2.34	
	F05-3	-0.14	-0.60	0.00	-0.37	-0.14	-1.25	-0.41	-0.88	0.00	0.18	0.23	-0.88	-2.13	-1.07	

University of Pretoria etd – Hattingh, J (2003)

	F06-1	0.18	0.22	0.18	0.32	0.27	1.17	-0.09	0.41	-0.18	0.46	0.23	0.83	2.00	1.00
22	F06-2	-0.18	-1.19	0.00	-0.18	0.13	-1.42	-0.27	-0.69	0.00	0.27	0.23	-0.46	-1.88	-0.94
	F06-3	-0.55	-0.87	0.00	0.27	0.36	-0.79	-0.23	-0.23	0.00	0.27	0.41	0.22	-0.57	-0.29
	F07-1	-0.11	-0.02	0.80	0.66	0.48	1.81	0.02	-0.2	0.66	0.57	0.16	1.21	3.02	1.51
23	F07-2	-0.16	-0.80	0.00	0.20	0.11	-0.65	-0.85	-1.35	0.00	-0.2	0.48	-1.92	-2.57	-1.29
	F07-3	-0.07	-0.48	0.00	-0.11	0.48	-0.18	-0.16	-0.89	0.00	-0.2	0.16	-1.09	-1.27	-0.64
	F08-1	0.57	0.80	0.99	0.71	0.11	3.18	0.71	0.99	1.17	2.04	0.2	5.11	8.29	4.15
24	F08-2	-0.02	-0.48	-0.71	-0.53	0.11	-1.63	-0.39	-1.26	-1.4	-0.62	0.02	-3.65	-5.28	-2.64
	F08-3	0.00	0.16	-0.30	-0.02	0.25	0.09	-0.11	-0.76	-0.99	-0.39	0.2	-2.05	-1.96	-0.98
	F09-1	-0.04	-0.04	-0.22	0.78	0.45	0.93	0.01	-0.18	0.41	0.5	0.55	1.29	2.22	1.11
25	F09-2	-0.22	-0.87	-0.78	-0.41	0.22	-2.06	-0.04	-0.55	-0.41	0.13	0.22	-0.65	-2.71	-1.36
	F09-3	-0.31	-1.05	-0.96	0.04	0.31	-1.97	-0.31	-0.87	-0.59	0.22	0.18	-1.37	-3.34	-1.67
	F10-1	-0.73	1.47	1.33	0.87	0.31	3.25	-0.82	1.47	1.24	0.78	0.27	2.94	6.19	3.10
26	F10-2	-0.41	-1.14	0.00	0.08	0.31	-1.16	-0.13	-0.91	0.00	-0.41	0.08	-1.37	-2.53	-1.27
	F10-3	-0.64	-0.73	0.00	0.09	0.46	-0.82	-0.74	-0.74	0.00	0.04	0.09	-1.35	-2.17	-1.09
	F11-1	-0.18	0.41	0.69	0.41	0.13	1.46	-0.01	0.45	-0.22	-0.04	0.13	0.31	1.77	0.89
27	F11-2	0.19	-0.80	0.00	-0.30	0.43	-0.48	0.18	-0.5	0.00	0.13	0.46	0.27	-0.21	-0.11
	F11-3	-0.09	-0.69	0.00	-0.13	0.27	-0.64	0.36	-0.22	0.00	0.37	0.41	0.92	0.28	0.14
	S01-1	0.20	-0.16	0.99	0.57	0.48	2.08	0.37	0	1.02	1.02	0.46	2.87	4.95	2.48
28	S01-2	0.19	-0.18	-0.40	-0.33	0.19	-0.53	0.14	-0.18	0.23	0	0.23	0.42	-0.11	-0.06
	S01-3	0.23	-0.46	-0.32	-0.27	0.18	-0.64	0.14	-0.14	0.18	0.09	0.18	0.45	-0.19	-0.10
	S02-1	0.46	0.32	0.60	0.88	0.60	2.86	-0.09	-0.37	0	0.28	0.32	0.14	3.00	1.50
29	S02-2	-0.18	-1.15	-0.97	-0.55	0.14	-2.71	-0.23	-0.87	-0.32	-0.04	0.18	-1.28	-3.99	-2.00
	S02-3	-0.13	-0.64	-0.37	-0.09	0.23	-1	-0.18	-0.51	-0.28	0.14	0.32	-0.51	-1.51	-0.76
	S03-1	*	*	*	*	*	*	*	*	*	*	*	*	*	*
30	S03-2	-0.18	-0.64	-0.92	-0.32	-0.13	-2.19	-0.27	-0.6	-0.27	-0.05	0.09	-1.1	-3.29	-1.65
	S03-3	-0.18	-0.41	-0.36	-0.13	0.09	-0.99	-0.23	0.19	0.19	0.23	0.05	0.43	-0.56	-0.28
	S04-1	-0.64	-0.32	1.38	2.72	1.15	4.29	0	0.6	2.12	2.72	1.93	7.37	11.66	5.83
31	S04-2	-0.18	-0.13	0.87	0.46	0.50	1.52	-0.32	-0.42	0	-0.28	0.46	-0.56	0.96	0.48
	S04-3	0.37	0.23	0.83	1.15	0.46	3.04	-0.55	-0.6	0	-0.18	0.23	-1.1	1.94	0.97
	S05-1	*	*	*	*	*	*	*	*	*	*	*	*	*	*
32	S05-2	0.14	0.04	0.23	0.60	-0.23	0.78	-0.32	-0.78	-0.46	0.14	-0.18	-1.6	-0.82	-0.41
	S05-3	-0.23	0.05	0.23	0.55	-0.09	0.51	-0.23	-0.5	-0.46	0.09	-0.04	-1.14	-0.63	-0.32

33	S06-1	-0.20	-0.53	0.62	0.85	0.48	1.22	0.07	0.89	0.8	0.57	0.3	2.63	3.85	1.93
	S06-2	-0.25	-0.80	-0.66	-0.39	0.11	-1.99	-0.11	-0.53	0.3	-0.16	-0.11	-0.61	-2.60	-1.30
	S06-3	-0.30	-1.17	0.07	0.11	0.11	-1.18	-0.11	-0.66	0.43	0.16	-0.07	-0.25	-1.43	-0.72
34	S07-1	-0.50	-0.46	0.32	0.46	0.64	0.46	0.13	-0.36	0.09	0.32	0.69	0.87	1.33	0.67
	S07-2	-0.09	-0.73	0.00	-0.73	0.09	-1.46	-0.23	-0.55	0.00	-0.51	0.41	-0.88	-2.34	-1.17
	S07-3	-0.09	0.09	0.00	-0.01	0.18	0.17	-0.09	-0.83	0.00	0.09	0.55	-0.28	-0.11	-0.06
35	S08-1	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	S08-2	0.12	-0.07	-0.17	-0.12	0.07	-0.17	-0.21	-0.9	-0.58	-0.29	0.09	-1.89	-2.06	-1.03
	S08-3	0.21	-0.06	-0.17	-0.12	0.12	-0.02	-0.17	-0.78	-0.45	-0.25	0.05	-1.6	-1.62	-0.81
36	S09-1	-0.08	-0.17	-0.45	-0.50	-0.22	-1.42	-0.15	-0.68	-1.01	-1.10	0.18	-2.76	-4.18	-2.09
	S09-2	-0.06	-0.31	-0.50	-0.01	0.13	-0.75	0.08	-1.1	-1.01	-0.5	-0.01	-2.54	-3.29	-1.65
	S09-3	0.04	-0.04	-0.27	0.13	0.17	0.03	-0.04	-1.05	-0.96	-0.55	-0.05	-2.65	-2.62	-1.31
37	S10-1	0.04	-0.82	0.18	0.13	0.31	-0.16	-0.41	-0.36	0.41	0.32	0.08	0.04	-0.12	-0.06
	S10-2	0.05	-0.22	-0.73	-0.50	0.13	-1.27	-0.13	-0.36	-1.01	-0.5	-0.13	-2.13	-3.40	-1.70
	S10-3	0.08	-0.27	-0.41	-0.27	0.17	-0.7	-0.05	-0.14	-0.46	-0.18	-0.09	-0.92	-1.62	-0.81
38	S11-1	-0.14	0.28	0.83	1.29	-0.05	2.21	-0.04	0.5	0.87	1.06	-0.05	2.34	4.55	2.28
	S11-2	-0.18	-0.91	0.00	-0.01	-0.13	-1.23	-0.04	-0.59	0.00	0.04	0.08	-0.51	-1.74	-0.87
	S11-3	-0.13	-0.41	0.00	0.06	0.06	-0.42	-0.08	-0.87	0.00	-0.36	-0.22	-1.53	-1.95	-0.98
39	S12-1	0.18	0.32	-0.09	0.13	0.59	1.13	0.13	0.09	0.18	0.36	0.5	1.26	2.39	1.20
	S12-2	0.08	-0.23	-0.31	-0.68	0.08	-1.06	-0.13	-0.78	-0.36	-0.04	0.18	-1.13	-2.19	-1.10
	S12-3	0.13	-0.22	-0.04	-0.36	0.05	-0.44	0.04	-0.64	-0.18	0.01	0.18	-0.59	-1.03	-0.52
40	S13-1	-0.13	-1.10	-0.87	-0.04	0.18	-1.96	-0.18	-0.18	-0.32	0.09	0.23	-0.36	-2.32	-1.16
	S13-2	-0.23	-0.87	-1.10	-0.64	0.36	-2.48	-0.27	-0.96	-0.82	-0.59	0.27	-2.37	-4.85	-2.43
	S13-3	-0.13	-0.64	-0.82	-0.45	0.45	-1.59	-0.22	-0.59	-0.54	-0.31	0.22	-1.44	-3.03	-1.52

ADDENDUM D

**RAW DATA FOR DETERMINATION OF
INTRA-EXAMINER REPEATABILITY AND
INTER-EXAMINER RELIABILITY**

Subject	Examiner	L2	L3	L4	L5	L6	Sum L
1	Measure1	-0.73	-1.05	0.31	0.87	0.87	0.27
	Measure2	-0.73	-1.05	0.36	0.82	0.87	0.27
	Examiner1	-0.77	-1.05	0.31	0.82	0.87	0.18
	Examiner2	-0.73	-1.07	0.33	0.87	0.89	0.29
	Examiner3	-0.73	-1.07	0.31	0.82	0.87	0.2
	Examiner4	-0.73	-1.05	0.31	0.82	0.87	0.22
	Examiner5	-0.73	-1.05	0.31	0.78	0.82	0.13
2	Measure1	0.59	0.08	0.82	1.42	1.70	4.61
	Measure2	0.59	0.08	0.78	1.42	1.74	4.61
	Examiner1	0.64	0.08	0.82	1.42	1.72	4.68
	Examiner2	0.59	0.08	0.78	1.42	1.70	4.57
	Examiner3	0.55	0.08	0.78	1.42	1.74	4.57
	Examiner4	0.55	0.08	0.82	1.42	1.74	4.61
	Examiner5	0.55	0.13	0.78	1.42	1.74	4.62
3	Measure1	-0.41	-0.59	0.09	0.41	0.36	-0.14
	Measure2	-0.41	-0.59	0.09	0.46	0.36	-0.09
	Examiner1	-0.41	-0.59	0.13	0.41	0.41	-0.05
	Examiner2	-0.41	-0.64	0.09	0.41	0.36	-0.19
	Examiner3	-0.41	-0.59	0.04	0.41	0.36	-0.19
	Examiner4	-0.41	-0.64	0.09	0.41	0.36	-0.19
	Examiner5	-0.41	-0.64	0.09	0.41	0.41	-0.14
4	Measure1	-0.18	-0.18	1.06	0.97	0.55	2.22
	Measure2	-0.22	-0.18	1.06	0.97	0.55	2.18
	Examiner1	-0.23	-0.21	1.13	0.97	0.58	2.24
	Examiner2	-0.23	-0.18	1.06	0.97	0.55	2.17
	Examiner3	-0.23	-0.14	1.06	1.01	0.55	2.25
	Examiner4	-0.23	-0.14	1.06	1.01	0.50	2.2
	Examiner5	-0.23	-0.18	1.06	0.97	0.50	2.12
5	Measure1	0.55	1.01	2.16	1.24	0.73	5.69
	Measure2	0.55	1.06	2.16	1.24	0.73	5.74
	Examiner1	0.55	1.04	2.20	1.21	0.73	5.73
	Examiner2	0.55	1.06	2.16	1.24	0.73	5.74
	Examiner3	0.55	1.01	2.21	1.24	0.73	5.74
	Examiner4	0.50	1.01	2.21	1.29	0.78	5.79
	Examiner5	0.55	1.01	2.16	1.24	0.78	5.74
6	Measure1	-0.20	-0.53	0.62	0.85	0.48	1.22
	Measure2	-0.22	-0.55	0.64	0.82	0.50	1.19
	Examiner1	-0.22	-0.55	0.59	0.87	0.50	1.19
	Examiner2	-0.22	-0.55	0.59	0.87	0.50	1.19
	Examiner3	-0.22	-0.59	0.59	0.87	0.50	1.15
	Examiner4	-0.22	-0.55	0.64	0.87	0.50	1.24
	Examiner5	-0.22	-0.55	0.59	0.82	0.50	1.14

7	Measure1	0.46	0.32	0.60	0.88	0.60	2.86
	Measure2	0.42	0.32	0.60	0.88	0.65	2.87
	Examiner1	0.46	0.34	0.57	0.90	0.65	2.92
	Examiner2	0.42	0.32	0.60	0.88	0.65	2.87
	Examiner3	0.46	0.32	0.60	0.79	0.65	2.82
	Examiner4	0.42	0.32	0.65	0.83	0.65	2.87
	Examiner5	0.42	0.32	0.60	0.79	0.69	2.82
8	Measure1	-0.14	0.28	0.83	1.29	-0.05	2.21
	Measure2	-0.14	0.32	0.83	1.34	-0.09	2.26
	Examiner1	-0.14	0.28	0.83	1.29	-0.07	2.19
	Examiner2	-0.18	0.28	0.83	1.29	-0.05	2.17
	Examiner3	-0.14	0.32	0.88	1.29	-0.05	2.3
	Examiner4	-0.18	0.32	0.83	1.29	-0.05	2.21
	Examiner5	-0.14	0.32	0.83	1.29	-0.09	2.21
9	Measure1	-0.50	-0.46	0.32	0.46	0.64	0.46
	Measure2	-0.50	-0.46	0.32	0.46	0.64	0.46
	Examiner1	-0.53	-0.49	0.32	0.49	0.64	0.43
	Examiner2	-0.50	-0.46	0.36	0.46	0.64	0.5
	Examiner3	-0.50	-0.46	0.36	0.46	0.64	0.5
	Examiner4	-0.50	-0.46	0.36	0.46	0.64	0.5
	Examiner5	-0.50	-0.46	0.41	0.46	0.59	0.5
10	Measure1	-0.11	-0.02	0.80	0.66	0.48	1.81
	Measure2	-0.12	-0.03	0.76	0.67	0.49	1.77
	Examiner1	-0.12	-0.05	0.78	0.70	0.47	1.78
	Examiner2	-0.12	-0.03	0.76	0.67	0.49	1.77
	Examiner3	-0.12	-0.02	0.76	0.67	0.49	1.78
	Examiner4	-0.12	-0.03	0.76	0.72	0.49	1.82
	Examiner5	-0.12	-0.02	0.76	0.67	0.44	1.73

- Measure 1 refers to the original measurement by the author
- Measure 2 refers to the re-measurement by the author
- Examiner 1 – 5 represent the measurements of 5 different operators