

BIBLIOGRAPHY

Abu-Salih, M., Anakesh, N. N. and Ahmed, M.S. (1990) Confidence limits for system steady state availability. *Pakistan Journal of Statistics*, 6(2), 189-196.

Agarwal, M., Kumar, A. and Garg, S.C (1986) Stochastic Behaviour of a repairable system operating under fluctuating weather. *Microelectronics & Reliability*, Vol. 26(3), 557-567.

Arora, J. A (1976) Reliability of a 2-unit priority standby redundant system with preventative maintenance. *IEEE Transactions on Reliability*, Vol. R-25, 205-207

Ascher, H. E (1968) Evaluation of repairable system reliability using 'bad-as-old' concept. *IEEE Transactions on Reliability*, Vol. R-17, 103-110

Aven, T. (1996) Availability analysis of monotone systems. Reliability and maintenance of complex systems; NATO ASI series, Series F: computer and system sciences. Springer, Berlin, 154, 206-223.

Barlow, R. E. (1962) Repairman problems: Studies in Applied Probability and Management Science. Stanford University Press, Stanford.

Barlow, R. E. (1984) Mathematical theory of reliability: a historical perspective. *IEEE Transactions on Reliability*, Vol. R-33, 16-20.

Barlow, R. E. & Proschan, F. (1965) Statistical theory of Reliability and life testing: probability models. Holt, Rinehart & Winston, Inc.

Bartlett, M. S. (1954) Processus stochastiques ponctuels. Ann. Inst H Poinccare, 14, 36-60.

Beichelt, F. E. (1997) Stochastische Prozesse fur Ingenieure. B. G. Teubner, Stuttgart.

Beichelt, F. E. & Fischer, K. (1980) General failure model applied to preventive maintenance policies. *IEEE Transactions on Reliability*, Vol. R-29, 39-41.

Birolini, A. (1985) Lecture notes in Economics and Mathematics systems. No. 252, Springer-Verlag, Berlin.

Botha, M. (2000) Some General Measures of Repairable Systems. Ph.D. thesis, UNISA, South Africa.

Branson, M. H & Shah, B (1971) Reliability analysis of a system comprised of units with arbitrary distribution. *IEEE Transactions on Reliability*, Vol. R-20, 271-223.

Buzzacott, J. A. (1970) Markov approach to finding failure times of repairable systems. *IEEE Transactions on Reliability*, Vol. R-20, 60-63.

Chandrasekhar, P. & Natarajan, R. (1994a) Confidence limits for steady state availability of a two-unit standby system. *Microelectronics & Reliability*, Vol. 34(7), 1249-1251.

Chandrasekhar & Natarajan, R. (1994b) Confidence limits for steady state availability of a parallel system. *Microelectronics & Reliability*, Vol. 34(11), 1847-1851.

Chandrasekhar, P & Natarajan, R. (1997) Confidence limits for steady state availability of a system with lognormal operating time and inverse Gaussian repair time.
Microelectronics & Reliability, Vol.37 (6), 969-971

Chandrasekhar, P., Natarajan, R & Yadavalli, V. S. S. (2004) A study on a two unit standby system with Erlangian repair time. *Asia-Pacific Journal of Operational research*, Vol.21, no. 3, 271-277.

Chow, David, K. (1971) Reliability of two items in sequences with sensing and switching, *IEEE Trans. Rel.*, R-20, 254-256.

Cinlar, E (1995) Markov Renewal theory: A survey; management Science; Vol.21, 729-752.

Cinlar, E. (1975a) Introduction to Stochastic Processes. Englewood Cliffs: Prentice-Hall.

Cox, D. R. (1962) renewal Theory. London: Methuen.

Cox, D. R. & Lewis, P. A. W. (1970) Multivariate point processes. Proc.6th Berkeley Symp. Math. Statist. and Prob.

Erasmus, G (2005)

Feller, W. (1949) Fluctuating theory of recurrent events. Trans. Amer. Math. Soc., Vol. 67, 98-119.

Finkelstein, M. S (1993a) A scale model of general repair. *Microelectronics and Reliability*, Vol. 33, no. 5, 663-666.

Finkelstein, M. S. (1998) A point process stochastic model with application to safety at sea. *Reliability Engineering & System safety*, 60 N3, 227-234.

Finkelstein, M. S. (1999a) Multiple availability on stochastic demand. *IEEE Transactions on Reliability*. Vol. 48, No. 1, 19-24.

Finkelstein, M. S. (1999b) wearing-out of components in a variable environment. *Reliability Engineering and System Safety*, Vol.66, No. 3, 235-242.

Finkelstein, M. S. (1999c) A point process model for software reliability. *Reliability Engineering and System safety*, 63 N1, 67-71.

Gaver, D. P. (1964) A probability problem arising in reliability of parallel systems with repair. *IEEE Transactions on Reliability*, R-12, 30-38.

Gaver, D.P. (1963) Time to failure and availability of parallel systems with repair, *IEEE Trans on Reliability*, R-12, 30-38.

Gertsbakh, I. B. (1989) Statistical Reliability Theory. New York & Basel: Marcel Dekker.

Gnedenko, B. V. & Ushakov, I (1995) Probabilistic Reliability Engineering. Wiley & Sons, New York.

Gnedenko, B.V., Belyayev, YU. K & Solovyev, A.D (1969) Mathematical methods of Reliability theory, Academic Press, New York.

Goel, L. R. & Gupta, R. (1984) Analysis of a two unit standby system with three modes and imperfect switching device. *Microelectronics and Reliability*, 24, 419-423.

Goel, L. R., Gupta, R. & Singh, S. K. (1985) Cost analysis of two-unit priority standby system with imperfect switch and arbitrary distribution. *Microelectronics and Reliability*, Vol. 25(1), 65-69.

Gopalan, M. N. (1975) Probabilistic analysis of a single server n-unit system with (n-1) warm standbys. *Operations Research*, Vol. 23, 591-595.

Huamin, L. (1998) Reliability of a Load-Sharing k-out-of-n: G system: Non-i.i.d. Components with Arbitrary Distributions. *IEEE Transactions on Reliability*, Vol.47, No. 3, 279-284.

Kapur, P. K. & Kapoor, K. R. (1978) Intermittently used redundant system. *Microelectronics and Reliability*, Vol.17, 593-596.

Kapoor, K. R. & Kapur, P. K. (1980) First uptime and disappointment time for the joint distribution of an intermittently used system, *Microelectronics and Reliability*, Vol.20, 891-893.

Kovalenko, I. N., Kuzentsov, N. Yu and Pegg, Ph. A. (1997) mathematical theory in reliability theory of time dependent systems with practical applications. John wiley & sons, New York.

Kumagi, M. (1971) Reliability analysis for systems with repair. J. Oper. Re. Soc., Vol.14, 53-71, Japan.

Kumar, A. & Agarwal, M. L. (1980) A review of standby systems. *IEEE Transactions on Reliability*, R-29, 290-294.

Kumar, A., Agarwal, M. L. and Garg, S. C. (1986) Reliability analysis of a two-unit redundant system with critical human error, *Microelectronics and Reliability*. Vol. 26, 867-871.

Kumar, D., Pandey, P. C. and Singh, J. (1991) Process Design for a Crystallization System in the Urea Fertilizer Industry, *Microelectronics and Reliability*. Vol.31, 855-859.

Kumar et al (1986)

Lie, C. H., Hwang, C. L. & Tillman, F. A. (1977) Availability of Maintained systems: A state-of-art-survey. *AIEE Transitions*, Vol.9 (3), 247-259.

Liu, H. (1998) Reliability of a load-sharing k-out-of-n: G system: non-i.i.d. components with arbitrary distributions. *IEEE Transactions on Reliability*, vol.47, No. 3, 279-284.

Lloyd, D. K. & Lipow, M. (1962) Reliability: Management, Methods and Mathematics.

Prentice-Hall, Englewood Cliffs, NJ.

Moyal, J. E. (1962) The general theory of Stochastic population processes. *Act. Math.*, 108, 1-31.

Murari, K & Goel, L. R. (1984) Comparison of two unit cold standby reliability models with three types of repair facilities. *Microelectronics and Reliability*, Vol. 24, 35-49.

Murari, K. & Muruthachalan, C. (1981) Two-unit parallel system with periods of working and rest. *IEEE Transactions on Reliability*, R-3091), 187-190.

Muller, M.A.E. (2005) Probabilistic analysis of repairable redundant systems; Ph D thesis, Univ. of Pretoria, South Africa.

Nakagawa, T. (1974) The expected number of visits to state k before a total system failure of complex system with repair maintenance. *Operations Research*, 22, 108-116.

Nakagawa, T. & Osaki, S. (1974) Stochastic behaviour of a 2-unit priority standby redundant system. *INFOR*, 12, 66-70.

Nakagawa, T. & Osaki, S. (1976) Markov renewal processes with some non-regeneration points and their applications to renewal theory. *Microelectronics and Reliability*, Vol. 15, 633-636.

Nakagawa, T., Goel, A. L. and Osaki, S. (1976) Stochastic behaviour of an intermittently used system. *R.A.I.R.O.*, Vol. 2, 101.

Natarajan, R. (1980) Stochastic models of standby redundant systems, *Ph D thesis*, Dept. Mathematics, I.I.T., India.

Osaki, S. (1969) System reliability and signal flow graphs, presented at the meeting of the Operations Research Society of Japan, May 21-22, Tokyo, Japan.

Osaki, S. (1970a) System reliability analysis by markov renewal processes. *J. Oper. Res. Soc. Japan*, Vol. 12, 127-188.

Osaki, S. (1970b) Reliability analysis of a two-unit standby redundant system with priority. *CORSJ*, Vol. R-25, 284-287.

Osaki, S. and Nakagawa, T. (1976) Bibliography for reliability of stochastic systems. *IEEE Transactions on Reliability*, Vol. R-25, 284-287.

Ozekici, S. (1996) Complex systems in random environments. Reliability and maintenance of complex systems; NATO ASI series F: computer and system sciences, Springer, Berlin, 154, 137-157.

Pierskalla, P & Voelker, A. (1976) A survey of maintenance models: the control of surveillance of deteriorating systems. *Naval Research Logistics Quarterly*, Vol.23, No. 3, 353-388.

Pyke, R. (1961a) Markov-renewal processes, definition and preliminary properties. *Annals of Mathematical Statistics*, 32, 1231-1242.

Pyke, R. (1961b) Markov-renewal processes with finitely many states, *Annals of Mathematical Statistics*, 32, 1243-1259.

Ramakrishnan, A. (1954) Counters with random dead time. *Phil. Mag. Ser. 7*, 45, 1050-1052.

Ramakrishnan, A. & Matthews, P. M. (1953) On a stochastic problem relating to counters. *Phil. Mag. Ser. 7*, 44, 1122-1128.

Rao, C. R. (1973) *Linear Statistical Inference and its Applications*. New York: John Wiley & Sons.

Rau, J. G. (1964) *Optimization and probability in systems engineering*. Princeton, Von Norstrand.

Ravichandran, N. (1979) *Reliability analysis of redundant repairable systems*. Ph D. thesis in Mathematics, I.I.T., Madras, India.

Ross, S. M. (1970) *Applied probability models with optimization applications*. San Francisco: Holden-Day.

Rubenstein, R. (1981) *Simulation and Monte Carlo method*. Wiley, New York.

Sander, G.H. (1963) *System reliability Engineering* ; Englewood Cliffs, New Jersey, Prentice Hall.

Sarma, Y.V.S. (1982) *Stochastic models of redundant repairable systems*, Ph d thesis, I.I.T, MADRAS, INDIA.

Scheuer, E. M. (1988) Reliability of a m-out-of-n system when component failure induces higher failures rates in survivors. *IEEE Transactions on Reliability*, Vol.37, 3-74

Sfakianakis, M. E. & Papastavridis, S. G. (1993) Reliability of a general consecutive k-out-of-n: F system, *IEEE Transactions on Reliability*, Vol.40, 491-495.

Shao, J. and Lamberson, L. R. (1991) Modelling a shared-load k-out-of-n: G system.

IEEE Transactions on Reliability, Vol.40, 205-209.

Shooman, M. L. (1968) Probabilistic reliability- An engineering approach. New York, Mcgraw-Hill.

Smith, W. L.(1955) Regenerative stochastic processes. Proc. Roy. Soc. London Ser., A 232, 6-31.

Srinivasan, V. S. (1966) The effect of standby redundancy in systems failure with repair maintenance. *Operations Research*, 14, 1024-1036.

Srinivasan, S. K. (1971) Stochastic point processes and statistical physics. *J. Math. Psy. Sci.*, 5, 291-316.

Srinivasan, S. K (1974) Stochastic point processes and their applications. London: Griffen & Co. Ltd.

Srinivasan, S. K & Bhaskar, D. (1979a) Probabilistic analysis of intermittently used systems. *J. Math. Psy. Sci.*, 13, 91-105.

Srinivasan, S. K. & Bhaskar, D. (1979b) Analysis of intermittently used redundant systems with a single repair facility. *J. Math. Psy. Sci.*, 13, 351-366.

Srinivasan, S. K. & Bhaskar, D.(1979c) Analysis of intermittently used two dissimilar unit system with single repair facility. *Microelectronics and Reliability*, Vol. 19, 247-252.

Srinivasan, S. K. and Subramanian, R. (1980) Probabilistic analysis of redundant systems, *Lecture notes in Economics and Mathematical Systems*, no. 175, Springer-Verlag, Berlin.

Subramanian, R. & Sarma, Y. V. S. (1987) Stochastic model of multiple unit system. *Microelectronics and Reliability*, Vol.27 (25), 351-359.

Subramanian, R., Venkatakrishnan, K. S. and Kisterner, K. P. (1976) Reliability of repairable systems with standby failure, *Operations Research*, 24, 169-176.

Venkatakrishnan, K. (1975) probabilistic analysis of repair redundant systems. Ph D thesis in Mathematics, I.I.T., Madras, India.

Van Schoor, C.de.W. (2005) SUPPLY CHAIN MANAGEMENT- A STUDY OF INVENTORY MODELLING; Ph D thesis, Univ. of Pretoria, south Africa.

Villermeur, A. (1992) Reliability, Availability, Maintainability and Safety Assessment, Chichester: John Wiley & Sons.

Watson, H. W. & Galton, F. (1874) On the probability of extinction of families, *J. Anthropol. Inst. Great Britain and Ireland*, 4, 138-144.

Yadavalli, V, S. S. & Bekker, A. (2005) Bayesian study of a two-component system with common-cause shock failures. *Asia-Pacific Journal of Operational Research*, 22(1), 105-119.

Yadavalli, V. S. S & Hines, H. P.(1991) Joint distribution of uptime and disappointment time of an intermittently used parallel systems, *International Journal of Systems Science*, 21, (12), 2613-1620.

Yadavalli V. S. S., Bekker, A., Mostert, P. J. and Botha. M. (2001) Bayesian estimation of the stationary rate of disappointment of a model of a two unit intermittently used system. *Pakistan Journal of Statistics*, Vol.17 (2), 117-125.

Yadavalli, V. S. S., Botha, M. & Bekker, A. (2002a) A symptotic confidence limits for the steady state availability of a two-unit parallel system with 'preparation time' for the repair facility. *Asia-Pacific Journal of Operational Research*, Vol. 19(2), 249-256.

Yadavalli, V. S. S., Botha, M. & Bekker, A. (2002b) Confidence limits for the steady state availability of a system with 'rest period' for the repair facility. *Electronic Modelling*, 24(5), 99-103.

Yadavalli, V. S. S., Bekker, A. & Pauw, J. (2005) Bayesian study of a two-component system with common-cause shock failures. *Asia-Pacific Journal of Operational Research*. Vol.22 (1). 105-119.

Zacks, S. (1992) Introduction to Reliability Analysis, Berlin: Springer-Verlag.

Zhang, Y. L. & Lam, Y. (1998) Reliability of consecutive k-out-of-n: G repairable system. *International Journal of Systems Science*, Vol. 29(12), 1375-1379.

Doyan, L. R. & Berssenbrugge, M. W. (1968) Solving complex reliability models by computer. *Proc. IEEE Annu. Symp.Rel*, 431-438.

Parzen, E. (1962) *Stochastic Processes*. Holden-Day, U.S.A.

Kingman, J.F.C. (1964) The stochastic theory of regenerative events, *Z. Wahrscheinlichkeitstheorie*, 2, 180-224.

Branson, M.H and Shah, B. (1971) Reliability analysis of a system comprised of units with arbitrary distribution, *IEEE Trans. Rel.*, Vol.20, 217-223.

Khalil, Z.S. (1977) On the reliability of a two-unit redundant system with random switchover and two-types of repair, *Micro.Rel.*, Vol.16, 159-160.

Gopalan, M.N and Marathe, K.Y. (1978) Availability analysis of 1-server n-unit system with (n-1) warm standbys, *Oper. Res.*, Vol.23, 591-595.

Kalpakam, S. and Shahul Hameed, M.A (1980) General two-unit redundant system with random delays, *IEEE Trans.Rel.*, Vol.R-29, 86-87.

Prakash, S and Kumar, S. (1970) Stochastic behaviour of a standby redundant complex system with imperfect switching over devices, *Computing*, 5, 136-143.

Harris, T. E. (1936) The theory of branching processes, Springer-Verlag, Berlin.

Bellman, R. E and Harris, T. E. (1948) On the theory of age dependent stochastic branching processes, *Proc. Nat. Acad.Sci. (USA)*, Vol. 34, 601-604.

Khintchine, A. Y. (1955) Mathematical methods in the theory of queuing, Griffin, London.