

CHAPTER SEVEN: REFERENCES

- Abee, T., Kröckel, L. & Hill, C. 1995. Bacteriocins: Modes of action and potentials in food preservation and control of food poisoning. *International Journal of Food Microbiology* 28, 169–185.
- Abong'o, B.O. & Momba, M.N.B. 2009. Prevalence and characterization of *Escherichia coli* O157:H7 isolates from meat and meat products sold in Amathole District, Eastern Cape Province of South Africa. *Food Microbiology* 26, 173–176.
- Adeyemi, I.G. & Adeyemo, O.K. 2007. Waste management practices at the Bodija abattoir, Nigeria. *International Journal of Environmental Studies* 64 (1), 71–82.
- Agbola, F.W. 2003. Estimation of food demand patterns in South Africa based on a survey of households. *Journal of Agricultural and Applied Economics* 35, 663–670.
- Alakomi, H.L., Skyttä, E., Saarela, M., Mattila-Sandholm, T., Latva-Kala, K. & Helander, I.M. 2000. Lactic acid permeabilizes Gram-negative bacteria by disrupting the outer membrane. *Applied and Environmental Microbiology* 66, 2001–2005.
- Amêzquita, A. & Brashears, M.M. 2002. Competitive inhibition of *Listeria monocytogenes* in ready-to-eat meat products by lactic acid bacteria. *Journal of Food Protection* 65, 316–325.

- Ammor, S., Tauveron, G., Dufour, E. & Chevallier, I. 2006. Antibacterial activity of lactic acid bacteria against spoilage and pathogenic bacteria isolated from the same meat small-scale facility: Behaviour of pathogenic and spoilage bacteria in dual species biofilms including a bacteriocin-like-producing lactic acid bacteria. *Food Control* 17, 454–461.
- Anderssen, E.L., Diep, D.B., Nes, I.F. Eijsink, V.G.H. & Nissen-Meyer, J. 1998. Antagonistic activity of *Lactobacillus plantarum* C11: Two new two-peptide bacteriocins, plantarum EF and JK and the induction factor plantaricin A. *Applied and Environmental Microbiology* 64, 2269–2272.
- Anonymous, 2007. The Australian standard for the hygienic production and transportation of meat and meat products for human consumption. (AS 4696:2007). In: Trenton, S., Tamplin, M.L., Lorimer, M., Jenson, I. & Sumner, J. 2010. How effective is sponge sampling for removing bacteria from beef carcasses? *Food Protection Trends* 30 (6), 336–339.
- Armstrong, G.L., Hollingsworth, J. & Morris, J.J.G. 1996. Emerging foodborne pathogens: *Escherichia coli* O157:H7 as a model of entry of a new pathogen into the food supply of the developed world. *Epidemiological Reviews* 18, 29–51.
- Arnold, K.W. & Kasper, C.W. 1995. Starvation- and stationary-phase induced acid tolerance in *Escherichia coli*. *Applied and Environmental Microbiology* 61 (5), 2037–2039.
- Arthur, T.M., Barkocy-Gallagher, G.A., Betancourt, M.R. & Koohmaraie, M. 2002. Prevalence and characterization of Non-O157:H7 shiga toxin-producing *Escherichia coli* on carcasses in commercial beef cattle processing plants. *Applied and Environmental Microbiology* 68 (10), 487–4852.

- Arvanitidou, M., Kanellou, K., Katsouyannopoulos, V. & Tsakris, A. 2002. Occurrence and densities of fungi from northern Greek coastal bathing waters and their relation with faecal pollution indicators, *Water Research* 36, 5127–5131.
- Ateba, C.N., Mbewe, M. & Bezuidenhout, C.C. 2008. The prevalence of *Escherichia coli* O157:H7 strains in cattle, pigs and humans in the North West Province, South Africa. *South African Journal of Science* 104, 7–8.
- Augustin, J.C., Delattre, A.B. Rosso, L. & Carlier, V. 2000. Significance of inoculum size in the lag time of *Listeria monocytogenes*. *Applied and Environmental Microbiology* 66, 1706–1710.
- Avery, S.M., Small, A., Reid, C.A. & Buncic, S. 2002. Pulsed-field gel electrophoresis characterization of Shiga toxin-producing *Escherichia coli* O157 from hides of cattle at slaughter. *Journal of Food Protection* 64 (7), 1172–1176.
- Avery, S.M., Williams, A.P., Killham, K. & Jones, D.L. 2009. Heat and lime treatment as effective control methods for *E. coli* O157:H7 in organic waste. *Bioresource Technology* 100, 2692–2698.
- Axelsson, L. 2004. Lactic acid bacteria: Classification and physiology. In: Salminen, S., von Wright, A. & Ouwehand, A. 2004. *Lactic acid bacteria microbiological and functional aspects*. 3rd rev. ed. New York: Marcel Dekker.
- Axelsson, L.T., Chung, C., Dobrogosz, W.J., Lindgren, S.E. 1989. Production of broad-spectrum antimicrobial substances by *Lactobacillus reuteri*. *Microbial Ecology in Health and Disease* 2, 131–136.

- Ayres, J.C. 1960. The relationship of organisms of genus *Pseudomonas* to the spoilage of meat, poultry and eggs. *Journal of Applied Bacteriology* 23, 471–486.
- Babji, Y. & Murthy, T.R.K. 2000. Effect of inoculation of mesophilic lactic acid bacteria on microbial and sensory changes of minced goat meat during storage under vacuum and subsequent aerobic storage. *Meat Science* 54 (2), 197–202.
- Bacon, R., Belk, K.E., Sofos, J.N., Clayton, R.P., Regan, J.O. & Smith, G.C. 2000. Microbial populations on animal hides and beef carcasses at different stages of slaughter in plants employing multiple-sequential interventions for decontamination. *Journal of Food Protection* 63, 1080–1086.
- Bárcena, J.M.B., Siñríz, F., De Llano, D.G., Rodríguez, A. & Suárez, J.E. 1998. Chemostat production of plantaricin by *Lactobacillus plantarum* LL441. *Journal of Applied and Environmental Microbiology* 64 (9), 3512–3514.
- Barefoot, S.F., Chen, Y.R, Hughes, T.A., Bodine, A.B., Shearer, M.Y. & Hughes, M.D. 1994. Identification and purification of a protein that induces production of *Lactobacillus acidophilus* bacteriocin Lactacin B. *Applied and Environmental Microbiology* 60, 3522–3528.
- Beerens, H. 1998. Bifidobacteria as indicators of faecal contamination in meat and meat products: detection, determination of origin and comparison with *Escherichia coli*. *International Journal of Microbiology* 40, 203–207.
- Bell, R.G. 1997. Distribution of microbial contamination on carcasses. *Journal of Applied Microbiology* 82 (3), 292–300.
- Benito, Y., Pin, C., Fernández, M.F., Marín, M.L., Selgas, M.D., García, M.L. & Casas, C. 1996. Attachment of lactic acid bacteria to beef-muscle surfaces. *Folia Microbiology* 41 (3), 333–338.

- Besser, R.E., Lett, S.M., Weber, J.T., Doyle, M.P., Barrett, T.J., Wells, J.G. & Griffith, P.M. 1993. An outbreak of diarrhoea and haemolytic uremic syndrome from *Escherichia coli* O157:H7 in fresh-pressed apple cider. *Journal of the American Medical Association* 269, 2217–2220.
- Biswas, S.R., Ray, P., Johnson, M.C. & Ray, B. 1991. Influence of growth conditions on the production of bacteriocin, Pediocin AcH, by *Pediococcus acidilactici* H. *Applied and Environmental Microbiology* 57, 1265–1267.
- Blom, H. & Mörvedt, C. 1991. Antimicrobial substances produced by food-associated microorganisms. *Biochemical Society Transactions* 19, 694–698
- Bolder, N.M. 2007. Microbial challenges of poultry meat production. *World's Poultry Science Journal* 63, 401–411.
- Bolton, D. J. 2003. The EC Decision of 8 June 2001 (EC/471/2001): Excision versus swabbing. *Food Control* 14, 207–209.
- Bolton, D.J., Doherty, A.M. & Sheridan, J.J. 2001. Beef HACCP: Intervention and non-intervention. *International Journal of Food Microbiology* 66 (1–2), 119–129.
- Borch, E.M., Muermans, K. & Blixt, Y. 1996. Bacterial spoilage of meat and cured meat products. *International Journal of Food Microbiology* 33, 103–120.
- Bouttier, S., Han, K.G., Ntsama, C., Bellon-Fontaine, M.N. & Fourmat, J. 1994. Role of electrostatic interactions in the adhesion of *Pseudomonas fragi* and *Brochothrix thermosphacta* to meat. *Colloids and Surfaces Biointerfaces* 2, 57–65.
- Boyle, T.G., Swerdlom, D.L. & Griffith, P.M. 1995. *Escherichia coli* O157:H7 and haemolytic uremic syndrome. *The New England Journal of Medicine* 333, 364–368.

- Brashears, M.M., Galyean, M.L., Loneragan, G.H., Mann, J.E. & Killinger-Mann, K. 2003. Prevalence of *Escherichia coli* O157:H7 and performance by beef feedlot cattle given *Lactobacillus* direct-fed microbials. *Journal of Food Protection* 66, 748–754.
- Bredholt, S., Nesbakken, T. & Holck, A. 1999. Protective cultures inhibit growth of *Listeria monocytogenes* and *Escherichia coli* O157:H7 in cooked, sliced, vacuum-packaged meat. *International Journal of Food Microbiology* 53, 43–52.
- Bresee, J.S., Widdowson, M.A., Monroe, S.S. & Glass, R.I. 2002. Foodborne viral gastroenteritis: challenges and opportunities. *Clinical Infectious Diseases* 35 (6), 748–753.
- Brown, V.J. 2006. Biogas: A bright idea for Africa. *Environmental Health Perspective* 114 (5), A300–A303.
- Browning, N.G., Botha, J., Sacho, H. & Moore, P.J. 1990. *Escherichia coli* O157:H7 haemorrhagic colitis. Report of the first South African case. *South African Surgical Journal* 28, 28–29.
- Bryant, J., Brereton, D.A & Gill, C.O. 2003. Implementation of a validated HACCP system for the control of microbiological contamination of pig carcasses at a small abattoir. *Canadian Veterinary Journal* 44 (1) 51–55.
- Buege, D. & Ingham, S. 2003. Small plant intervention treatments to reduce bacteria on beef carcasses at slaughter. *Research Report*. University of Wisconsin, Madison. <http://www.docstoc.com>. Accessed November 10, 2009.
- Buncic, S., McKinstry, J., Reid, A.C. & Anil, M.H. 2002. Spread of microbial contamination associated with penetrative captive stunning of food animals. *Food Control* 13 (6–7), 425–430.

- Butler, F., Duffy, G., Engeljohn, D., Lammerding, A.M. & Tompkin, R.B. 2006. *Escherichia coli* O157:H7 in fresh raw ground beef. Background paper for the joint FAO/WHO expert consultation on development of practical risk management strategies based on microbiological risk assessment outputs. Kiel, Germany. <http://www.fao.org/ag/agn/agns/jemra/E.coli.pdf>. Accessed September 06, 2010.
- Callaway, T.R., Anderson, R.C., Edrington, T.S., Genovese, K.J., Bischoff, K.M., Poole, T.L., Jung, Y.S., Harvey, R.B. & Nisbet, D.J. 2004. What are we doing about *Escherichia coli* O157:H7 in cattle? *Journal of Animal Science* 82, E93–E99.
- Carney, E., O’Brien, S.B., Sheridan, J.J. McDowell, D.A., Blair, I.S. & Duffy, G. 2006. Prevalence and levels of *Escherichia coli* O157:H7 on beef trimmings, carcasses and boned head meat at a beef slaughter plant. *Food Microbiology* 23 (1), 52–59.
- Castillo, A., Lucia, L. M., Goodson, K. J., Savell, J. W. & Acuff, G. R. 1998. Use of hot water for beef carcass decontamination. *Journal of Food Protection*, 61, 19–25.
- Chang, J.Y., Lee, H.J. & Chang, H.C. 2007. Identification of the agent from *Lactobacillus plantarum* KFR1464 that enhances bacteriocin production by *Leuconostoc citreum* GJ7. *Journal of Applied Microbiology* 103, 2504–2515.
- Chapman, P.A. & Siddons, C.A. 1996. Evaluation of a commercial enzyme immunoassay (EHEK-Tek) for detecting *Escherichia coli* O157:H7 in beef and beef products. *Food Microbiology* 13, 175–182.
- Chapman, P.A. 1994. Isolation, identification and typing of verotoxin producing *Escherichia coli* O157:H7. *PHLS Microbiology Digest* 11, 13–27.

- Chen, J., Rossman, M.L. & Pawar, D.M. 2007. Attachment of enterohemorrhagic *Escherichia coli* to the surface of beef and a culture medium. *LWT-Food Science and Technology* 40 (2), 249–254.
- Cheng, C.M., Doyle, M.P. & Luchansky, J.B. 1995. Identification of *Pseudomonas fluorescens* strains isolated from raw pork and chicken that produce siderophores antagonistic towards foodborne pathogens. *Journal of Food Protection* 58, 1340–1344.
- Chenoll, E., Macián, M.C., Elizaquível, P. & Aznar, R. 2007. Lactic acid bacteria associated with vacuum-packed cooked meat product spoilage: population analysis by rDNA-based methods. *Journal of Applied Microbiology* 102, 498–508.
- Church, D.C., 1979. In: Tkalcic, S., Brown, C.A., Harmon, B.G., Jain, A.V., Mueller, E.P.O., Parks, A., Jacobsen, K.L., Martin, S.A., Zhao, T. & Doyle, M.P. 2000. Effects of diet on rumen proliferation and faecal shedding of *Escherichia coli* O157:H7 in calves. *Journal of Food Protection* 63 (12), 1630–1636.
- Cleveland, J., Montville, T.J., Nes, I.F. & Chikindas, M.L. 2001. Bacteriocins: Safe, natural antimicrobials for food preservation. *International Journal of Food Microbiology* 71, 1–20.
- Codex Alimentarius Commission, 1997. Hazard Analysis and Critical Control Point (HACCP) system and guidelines for its application. Annexure to CAC /RCP 1–1969, Revision 3. <http://www.haccphelp.com/Documents/Codex.pdf>. pp36–48.
- Collins, M.D., Samelis, J., Metaxopoulos, J. & Wallbanks, S. 1993. Taxonomic studies on some leuconostoc-like organisms from fermented sausages: Description of a genus *Weissella* for the *Leuconostoc paramesenteroides* group of species. *Journal of Applied Bacteriology* 75, 595–603.

- Cousin, M.A. & Martha, E.H. 1977. Lactic acid production by *Streptococcus thermophilus* and *Lactobacillus bulgaricus* in milk cultures precultured with psychrotrophic bacteria. *Journal of Food Protection* 40, 475–479.
- Crittenden, R.G. 1999. Prebiotics. In: Callaway, T.R., Anderson, R.C., Edrington, T.S., Genovese, K.J., Bischoff, K.M., Poole, T.L., Jung, Y.S., Harvey, R.B. & Nisbet, D.J. 2004. What are we doing about *Escherichia coli* O157:H7 in cattle? *Journal of Animal Science* 82, E93–E99.
- Crossland, W.J. 1997. HACCP and factory auditing. In: Chesworth, N. 1997. *Food hygiene auditing*. London: Chapman & Hall.
- Dadie, A., Karou, T., Adom, N., Kette, A. & Dosso, M. 2000. Isolation of enteric pathogenic agents in Côte d'Ivoire. *Escherichia coli* O157:H7 and enteroaggregative *E. coli*. *Bulletin de la Societe de Pathologie Exotique* 93, 95–96.
- Dainty, R.H. & Mackey, B.M. 1992. The relationship between the phenotypic properties of bacteria from chill-stored meat and spoilage processes. *Journal of Applied Bacteriology* 73, 103–114.
- Davies, D.G. & Geesey, G.G. 1995. Regulation of alginate biosynthesis genes algC in *Pseudomonas aeruginosa* during biofilm development in continuous culture. *Applied and Environmental Microbiology* 61 (3), 860–867.
- Deliquis, P.S.B. & Dinu, L.D. 2007. Behaviour of *Escherichia coli* O157:H7 in leafy vegetables. *Journal of Food Protection* 70, 1966–1974.
- De Jesus, A.E. 1998. Surveillance programme of the safety and hygiene in the North West Province. Animal Nutrition and Animal Products Institute, Irene. Agricultural Research Council. *Internal Report*:1–49.

- Derbyshire, W. 2003. In: Roberts, H., de Jager, L. & Blight, G. 2009. Waste-handling practices at red meat abattoirs in South Africa. *Waste Management Research* 27 (1), 25–30.
- Desmarchelier, P.M., Higgs, G.M., Mills, L., Sullivan, A.M. & Vanderlinde, P.B. 1999. Incidences of Coagulase-Positive *Staphylococcus* on beef. *International Journal of Food Microbiology* 47 (3), 221–229.
- De Vuyst, L., Callewaert, R. & Crabbé, K. 1996. Primary metabolite kinetics of bacteriocin biosynthesis by *Lactobacillus amylovorus* and evidence for stimulation of bacteriocin production under unfavourable conditions. *Microbiology* 142, 817–827.
- Diez-Gonzalez, F., Callaway, T.R., Kizoulis, M.J. & Russell, J.B. 1998. Grain feeding and the dissemination of acid-resistant *Escherichia coli* from cattle. *Science* 281, 1666–1668.
- Dittmer, N. 1998. The Meat Board “carve-up”. The Free Market Foundation. Sandton, South Africa. pp 1–24.
<http://www.freemarketfoundation.com/htmupload/PUBDoc394.doc>. Accessed March 02, 2010.
- Dorsa, W.J., Cutter, C.N. & Siragusa, G.R. 1996. Effectiveness of a steam-vacuum sanitizer for reducing *Escherichia coli* O157:H7 inoculated to beef carcass surface tissue. *Letters in Applied Microbiology* 23, 61–63.
- Dorsa, W.J., Cutter, C.N., Siragusa, G.R. & Koohmaraie, M. 1996. Microbial decontamination of beef and sheep carcasses by steam vacuum sanitizer. *Journal of Food Protection* 59, 127–135.
- Doyle, M.E. 2002. Survival and growth of bacterial pathogens on raw meat during chilling. Food Research Institute. University of Wisconsin, Madison. pp 1–4.

- Drosinos, E.H. & Board, R.G. 1994. Metabolic activities of pseudomonads in batch cultures in extract of mince lamb. *Journal of Applied Bacteriology* 77, 613–620.
- Duffy, G., Whiting, R.C., Sheridan, J.J. 1999. The effect of a competitive microflora, pH and temperature on the growth kinetics of *Escherichia coli* O157:H7. *Food Microbiology* 16, 299–307.
- Du Preez, J. 2009. NARS-HAS01-Redmeat-HT-V1–3_1. Veterinary Public Health. Department of Agriculture. Pretoria: South Africa. pp 1–5.
- Dykes, G.A., Moorhead, S.M. & Roberts, S.L. 2001. Survival of *Escherichia coli* O157:H7 and *Salmonella* on chill-stored vacuum or carbon dioxide packaged primal beef cuts. *International Journal of Food Microbiology* 64 (3), 401–405.
- Effler, P., Isaäcson, M., Arntzen, L., Heenan, R., Canter, P., Barret, T., Lee, L., Mambo, C., Levine, W., Zaidi, A. & Griffith, P.M. 2001. Factors contributing to the emergence of *Escherichia coli* O157:H7 in Africa. *Emerging Infectious Diseases* 7 (5), 812–819.
- Egan, A.F. 1983. Lactic acid bacteria of meat and meat products. In: Jones, R.J. 2004. Observations on the succession dynamics of lactic acid bacteria populations in chill-stored vacuum-packaged beef. *International Journal of Food Microbiology* 90 (3), 273–282.
- Elder, R.O., Keen, J.E., Siragusa, G.R., Barkocy-Gallagher, G.A. Koohmaraie, M. & Lagreid, W.W. 2000. Correlation of enterohemorrhagic *Escherichia coli* O157 prevalence in faeces, hides, and carcasses of beef cattle during processing. *Proceeding of National Academy of Science* 97, 2999–30003.

- Enan, G., Alalyan, S., Abdel-Salam, H.A. & Debevere, J. 2002. Inhibition of *Listeria monocytogenes* LMG10470 by plantaricin UG1 *in vitro* and in beef meat. *Hahrung* 46 (6), 411–414.
- Ercolini, D., Russo, F., Torrieri, E., Masi, P. & Villian, F. 2006. Changes in spoilage-related microbiota of beef during refrigerated storage under different packaging conditions. *Applied and Environmental Microbiology* 72 (7), 4663–4671.
- Erlinger, T.P. & Appel, L.J. 2003. The relationship between meat intake and cardiovascular disease. Review paper. pp1–26.
<http://www.jhsph.edu/bin/k/y/FINALerlingerFINAL.pdf>. Accessed February 10, 2010.
- Ethelberg, S., Olsen, K.E.P., Scheutz, F., Jensen, C., Schiellerup, P., Engberg, J., Petersen, A.M., Olesen, B., Gerner-Smidt, P. & Mølbak, K. 2004. Virulence factors for hemolytic uremic syndrome, Denmark. *Emerging Infectious Diseases* 10, 842–847.
- Ethelberg, S., Smith, B., Torpdalh, M., Lisby, M., Boel, J., Jensen, T., Nielsea, E. & Mølbak, K. 2009. Outbreak of Non-O157 shiga toxin producing *E. coli* infection from consumption of beef sausages. *Clinical Infectious Diseases* 48, 78–81.
- European Union. 2001. Commission Decision of 8 June. *Official Journal of the European Communities* 165, 48–63.
- Eustace, I. & Vanderlinde, P. 1999. Intervention treatments for meat-borne contamination: some international perspectives.
<http://www.foodscience.csiro.au/fshbull/fshbull16a.htm>. Accessed February 10, 2010.

- Federation of International Trade Associations (FITA), 2010. Country profiles.
http://fita.org/countries/safrica.html?ma_rubrique=links. Accessed January 10, 2010.
- Federation of International Trade Associations. South Africa.
<http://www.fita.org/countries/safrica.html>. Accessed March 07, 2010.
- Fernandez, T.F. 2008. *E. coli* O157:H7. *Veterinary World* 1 (3), 83–87.
- Food and Drug Administration. 2006. Managing food safety: a manual for the voluntary use of HACCP principles for operators of food services and retail establishments. Division of cooperative programs (HFS-625). Centre for food services and applied nutrition. pp 1–86.
- Food Science Australia. 2003. Vacuum-packed meat: storage life and spoilage. pp 1–2. <http://www.redmeatinnovation.com.au/...areas/.../vpmeat-spoilage-storage>. Accessed June 08, 2011.
- Franz, C.M., Stiles, M.E. & Belkum, M.J. 2000. Simple method to identify bacteriocin production at low cell density. *FEMS Microbiology Letters* 186 (2), 181–185.
- Fratamico, P.M., Schultz, F.J., Benedict, R.C., Buchanan, R.L. & Cooke, P.H. 1996. Factors influencing attachment of *Escherichia coli* O157:H7 to beef tissues and removal using selected sanitizing rinses. *Journal of Food Protection* 59 (5), 453–452.
- Fredrickson, A.G. & Stephanopoulos, G. 1981. Microbial competition. *Science* 213, 972–979.

- Fricourt, B.V., Barefoot, S.F., Testin, R.F. & Hayasaka, S.S. 1994. Detection and activity of plantaricin F an antibacterial substance from *Lactobacillus plantarum* BF001 isolated from processed channel catfish. *Journal of Food Protection* 57 (8), 698–702.
- Fuller, R. 1989. Probiotics in man and animals. *Journal of Applied Bacteriology* 66, 365–378.
- Galane, P.M. & Le Roux, M. 2001. Molecular epidemiology of *Escherichia coli* isolated from young South African children with diarrhoeal diseases. *Journal of Health Population and Nutrition* 19 (1), 31–37.
- Galland, J.C., Hyatt, D.R., Crupper, S.S. & Acheson, D.W. 2001. Prevalence, antibiotic susceptibility and diversity of *Escherichia coli* isolates from a longitudinal study of beef cattle feedlots. *Applied and Environmental Microbiology* 67, 1619–1627.
- Gálvez, A., Abriouel, H., López, R.L. & Ben, O.N. 2007. Bacteriocin-based strategies for food biopreservation. *International Journal of Food Microbiology* 120 (1–2).
- Gänzle, M.G., Weber, S. & Hammes, W.P. 1999. Effect of ecological factors on the inhibitory spectrum and activity of bacteriocins. *International Journal of Food Microbiology* 48, 207–217.
- García-López, M.L., Prieto, M. & Otero, A. 1998. The physiological attributes of gram-negative bacteria associated with spoilage of meat and meat products. In: Davies, A., Board, R. (eds). *The Microbiology of Meat and Poultry*. London: Blackie. pp 1–19.

- Gauteng Provincial Department of Agriculture: Veterinary Public Health. 2004. Prevalence of *Escherichia coli* O157:H7 in animals slaughtered at Gauteng abattoirs. *Internal Report*. pp 1–2.
- Gennari, M. & Dragotto, F. 1992. A study of the incidence of different fluorescent *Pseudomonas* species and biovars in the microflora of fresh and spoiled meat and fish, raw milk, cheese, soil and water. *Journal of Applied Microbiology* 72, 281–288.
- Germanii, Y., Soro, B., Vohito, M., Morel, O. & Morvan, J. 1997. Enterohaemorrhagic *Escherichia coli* in the Central African Republic. *Lancet* 349, 1670.
- Gershman, M.D., Kennedy, D.J., Noble-Wang, J., Kim, C., Gullion, J., Kacica, M., Jensen, B., Pascoe, N., Saiman, L., McHale, J., Wilkins, M., Schoonmaker-Bopp, D., Clayton, J., Arduino, M. & Srinivasan, A. 2008. Multistate outbreak of *Pseudomonas fluorescens* bloodstream infection after exposure to contaminated heparinised saline flush prepared by a compounding pharmacy. *Clinical Infectious Diseases* 47 (11), 1372–1379.
- Geyer, A.H., Crewe-Brown, H.H, Greeff, A.S., Fripp, P.J., Steele, A.D., Van Schalkwyk, T.V.V. & Clay, C.G. 1993. The microbial aetiology of summer paediatric gastroenteritis at Ga-Rankuwa Hospital in South Africa. *East African Medical Journal*, 70, 78–81.
- Gill, C.O. 1976. Substrate limitation of bacterial growth at meat surfaces. *Journal of Applied Bacteriology* 41, 401–410.
- Gill, C.O. 1996. Extending the storage life of raw chilled meats. *Meat Science* 43, s99–s109.

- Gill, C.O. & Jones, T. 1999. The microbiological effects of breaking operation on the hanging beef carcass sides. *Food Research International* 32, 453–459.
- Gill, C.O. & Jones, T. 2000. Microbiological sampling of carcasses by excision or swabbing. *Journal of Food Protection* 62, 167–173.
- Gill, C.O. & Landers, C. 2004. Microbiological conditions of detained beef carcasses before and after removal of visible contamination. *Meat Science* 66 (2), 335–342.
- Gill, C.O. & McGinnis, J.C. 2004. Microbiological conditions of air knives before and after maintenance at a beef packing plant. *Meat Science* 68 (2), 333–337.
- Gill, C.O. & Newton, K.G. 1978. The development of aerobic spoilage flora on meat stored at chill temperatures. *Journal of Applied Bacteriology* 44, 91–95.
- Glitsch, K. 2000. Consumer perceptions of fresh meat quality: cross-national comparison. *British Food Journal* 102 (3), 177–194.
- Gong, H.S., Meng, X.C. & Wang, H. 2010. Plantaricin MG active against Gram-negative bacteria produced by *Lactobacillus plantarum* KLDS1.0391 isolated from “jiaoke”, a traditional fermented cream from China. *Food Control* 21 (1), 89–96.
- Gonthier, A., Guérin-Faubleé, V., Tilly, B. & Delignette-Muller, M.L. 2001. Optimal growth temperature of O157 and non-O157 *Escherichia coli* strains. *Letters in Applied Microbiology* 33, 352–356.
- González, B., Arca, P., Mayo, B. & Suárez, J.E. 1994. Detection, purification and partial characterisation of plantaricin C, a bacteriocin produced by a *Lactobacillus plantar* strain of dairy origin. *Applied and Environmental Microbiology* 60, 2158–2163.

- Gradin, T. 2006. Progress and challenges in animal handling and slaughter in the United States of America. *Applied Animal Behavioural Science* 100, 129–139.
- Gragg, S.E., Brooks, J.C. & Brashears, M.M. 2010. Reduction of *Escherichia coli* O157:H7 in fresh spinach using bovine meat cultures as a post-harvest intervention and its impact on sensory properties. *Food Protection Trends* 30 (2), 72–77.
- Gram, L. 1993. Inhibitory effect against pathogenic and spoilage bacteria of *Pseudomonas* strains isolated from spoiled and fresh fish. *Applied and Environmental Microbiology* 59 (7), 2197–2203.
- Greer, G.G. & Jeremiah, L.E. 1980. Effect of retail sanitation on the bacterial load and shelf-life of beef. *Journal of Food Protection* 43, 277–287.
- Gregory, N.G., Jacobson, L.H., Nagle, T.A., Muirhead, R.W. & Le Roux, G.J. 2000. Effect of pre-slaughter feeding systems on weight loss, gut bacteria and the physico-chemical properties of digesta in cattle. *New Zealand Journal of Agricultural Science* 43, 351–361.
- Griffith, P.M. & Tauxe, R.V. 1991. The epidemiology of infections caused by and the associated haemolytic uremic syndrome. *Epidemiologic Reviews* 13, 60–98.
- Hammes, W.P. 1986. Starterkulture in der Fleischwirtschaft. In: Schillinger, U. & Lücke, F. 1989. Antimicrobial activity of *Lactobacillus sake* isolated from meat. *Applied and Environmental Microbiology* 55 (8), 1901–1906.
- Hara-Kudo, Y., Ikedo, M., Kodaka, H., Nakagawa, H., Goto, K., Masuda, T., Konuma, H., Kojima, T. & Kumagai, S. 2000. Selective enrichment with a resuscitation step for isolation of freeze-injured *Escherichia coli* O157:H7 from foods. *Applied and Environmental Microbiology* 66, 2866–2872.

- Héchar, Y. & Sahl, H.G. 2002. Mode of action of modified and unmodified bacteriocins from Gram-positive bacteria. *Biochimie* 84, 545–557.
- Hedgecock, L.W. & Costello, R.L. 1962. Utilization of nitrate by pathogenic and saprophytic mycobacteria. *Journal of Bacteriology* 84, 195–205.
- Henry, M.B., Lynch, J.M. & Femor, T.R. 1991. Role of siderophores in the biocontrol of *Pseudomonas tolaasii* by fluorescent Pseudomonad antagonism. *Journal of Applied Microbiology* 70, 104–106.
- Hepburn, N.F., McRae, M. & Ogden, I.D. 2002. Survival of *Escherichia coli* O157:H7 in abattoir waste products. *Letters in Applied Microbiology* 35, 233–236.
- Herbert, R.A. 1990. Methods for enumerating micro-organisms and determining biomass in natural environments. In: Grigorova, R. & Norris, J.R. *Methods of microbiology* 22, 1–39.
- Heymann, D.L. & Rodier, G. 1997. Re-emerging pathogens and diseases out of control. *Lancet* 349 (supplement III), 8–10.
- Hogue, A.T., Dreesen, D.W., Green, S.S., Ragland, R.D., James, W.O., Bergeron, E.A., Cook, V.L., Pratt, M.D. & Martins, D.R. 1993. Bacteria on beef briskets and ground beef: Correlation with slaughter volume and ante-mortem condemnation. *Journal of Food Protection* 56 (2), 110–119.
- Holzappel, W.H. 1998. The Gram-positive bacteria associated with meat and meat products. In: Davies, A. & Board, R. (eds). *The microbiology of meat and poultry*. London: Blackie Academic & Professional.
- Hovde, C.J., Austin, P.R., Cloud, K.A., Williams, C.J. & Hunt, C.W. 1999. Effect of Cattle diet on *Escherichia coli* O157:H7 acid resistance. *Applied and Environmental Microbiology* 65, 3233–3235.

- Hrudey, S. & Hrudey, E. 2000. Prevention is painfully easy in hindsight: Fatal *E. coli* O157:H7 and *Campylobacter* outbreak in Walkerton, Canada, 2000. <http://www.ncbi.gov>. Accessed December 18, 2009.
- Hudson, W.R., Mead, G.C. & Hinton, M. 1998. Assessing abattoir hygiene with a marker organism. *The Veterinary Record* 142, 542–547.
- Hugas, M. & Tsigarida, E. 2008. Pros and cons of carcass decontamination: The role of the European Food Safety Authority. *Meat Science* 78 (1–2), 43–52.
- Humphrey, T. & Jørgensen, F. 2006. Pathogens on meat and infection in animals: Establishing a relationship using *Campylobacter* and *Salmonella* as examples. *Meat Science* 74, 89–97.
- Hungate, R.E. 1966. The rumen and its microbes. In: Thran, B. H., Hussein, H. S., Redelman, D. & Fernandez, G. C. J. 2003. Influence of pH treatment on survival of *Escherichia coli* O157:H7 in continuous cultures of rumen contents. *Experimental Biology and Medicine* 228, 365–369.
- Huntington, G.B. 1997. Starch utilization by ruminants: From basics to the bunk. . In: Callaway, T.R., Anderson, R.C., Edrington, T.S., Genovese, K.J., Bischoff, K.M., Poole, T.L., Jung, Y.S., Harvey, R.B. & Nisbet, D.J. 2004. What are we doing about *Escherichia coli* O157:H7 in cattle? *Journal of Animal Science* 82, E93–E99.
- Isaacson, M., Canter, P.H., Effler, P., Arntzen, L., Bomans, P. & Heenan, R. 1993. Haemorrhagic colitis epidemic in Africa. *Lancet* 341, 961.
- Jack, R.W., Tagg, J.R. & Ray, B. 1995. Bacteriocins of Gram-positive bacteria. *Microbiological Reviews* 42, 33–345.
- Jackson, L. 2006. Towards a South African model for food safety auditor registration. *British Food Journal* 108 (1), 16–26.

- Jay, J.M. 1996. Microorganisms in fresh ground meats: The relative safety of products with low versus high numbers. *Meat Science* 43, s59–s66.
- Jay, J.M. 1997. Do background microorganisms play a role in the safety of fresh foods? *Trends in Food Science and Technology* 8, 421–424.
- Jay, J.M., Vilai, J.P. & Hughes, M.E. 2003. Profile and activity of the bacterial biota of ground beef held from freshness to spoilage at 5–7 °C. *International Journal of Food Microbiology* 81, 105–111.
- Jaykus, L., Woolridge, M., Frank, J.M., Miraglia, M., Mcquatters-Gollop, A., Tirado, C., Clarke, R. & Friel, M. 2008. Climate change: Implication for food safety. Agriculture and Consumer Protection. Food and Agriculture Organization. . <ftp://ftp.fao.org/docrep/fao/010/i0195e/io195e00.pdf>. Accessed January 10, 2009.
- Jericho, K.W.F., Bradley, J.A. & Kozub, G.C. 1995. Microbiological evaluation of carcasses before and after washing in a beef slaughter plant. *Journal of the American Veterinary Medical Association* 206 (10), 452–455.
- Jones, R.J. 2004. Observations on the succession dynamics of lactic acid bacteria populations in chill-stored vacuum-packaged beef. *International Journal of Microbiology* 90, 273–282.
- Jones, R.J., Hussein, H.M., Zagorec, M., Brightwell, G. & Tagg, R. 2008. Isolation of lactic acid bacteria with inhibitory activity against pathogens and spoilage organisms associated with fresh meat. *Food Microbiology* 25 (2), 228–234.
- Jooste, A & van Schalkwyk, H.P. 1996. The impact of different price policies on the optimal distributional pattern of beef in the Southern African Custom Union. *Agrekon* 35 (4), 276–282.

- Josling, T.E. 2004. Food regulation and trade: Toward a safe and open global system. In: Pinillos, R.G. & Jukes, D.J. 2008. Hygiene Assessment System (HAS) scores analysis of the available data from English slaughterhouses. *Food Control* 19, 806–816.
- Jurkevitch, E., Hadar, Y. & Chen, Y. 1992. Differential siderophore utilization and iron uptake by soil and rhizosphere bacteria. *Applied and Environmental Microbiology* 58°, 119–124.
- Kalalou, I, Zerdani, I. & Faid, M. 2010. Antagonistic action of biopreservative *Lactobacillus plantarum* strain on pathogenic *E. coli* O157:H7 in fresh camel meat stored at 10 C. *World Journal of Dairy & Food Science* 5 (1), 07–13.
- Kang, D.H. & Fung, D.Y.C. 2000. Application of thin agar layer method for recovery of injured *Salmonella typhimurium*. *International Journal of Food Microbiology* 54 (1–2), 127–132.
- Keen, W.E., Uhlich, G.A. & Elder, R.O. 1999. Effects of hay and grain-based diets on faecal shedding in naturally-acquired enterohemorrhagic *E. coli* (EHEC) O157 in beef feedlot cattle. In: Van Baale, M.J., Sargeant, J.M., Gnad, D.P., DeBey, B.M., Lechtenberg, K.F. & Nagaraja, T.G. 2004. Effect of forage and grain diets with and without monensin on ruminal persistence and faecal *Escherichia coli* O157:H7 in cattle. *Applied and Environmental Microbiology* 70 (9), 5336–5342.
- Kertesz, D. 2009. 18th Session of Food and Agriculture Organization (FAO) and World Health Organization (WHO) of the Codex Coordinating Committee for Africa, Accra, Ghana. <http://www.regionalnews.safefoodinternational.org>. Accessed October 15, 2009.
- Khan, M.A. & Steiner, T.S. 2002. Mechanism of emerging diarrheagenic *Escherichia coli* infections. *Current Infectious Disease Reports* 4 (2), 112–117.

- Kinsella, K.J., Sheridan, J.J. & Rowe, T. 2006. A study on the use of chilling as a critical control point in a beef HACCP plan. National Development Plan. Teargas Oak, Park Carlow, Dublin, Ireland. pp 1–19.
- Klaenhammer, T.R. 1988. Bacteriocins in lactic acid bacteria. *Biochimie* 70, 337–349.
- Klaenhammer, T.R. 1993. Genetics of bacteriocins produced by lactic acid bacteria. In: Abee, T., Kröckel, L. & Hill, C. 1995. Bacteriocins: modes of action and potentials in food preservation and control of food poisoning. *International Journal of Food Microbiology* 28, 169–185.
- Kochevar, S.L., Sofos, J.N., Bolin, R.R., Reagan, J.O. & Smith, G.C. 1997. Steam vacuuming as a pre-evisceration intervention to decontaminate beef carcasses. *Journal of Food Protection* 60 (2), 107–113.
- Kodama, R. 1952. Studies on lactic acid bacteria. Part 11. Lactolin, a new antibiotic substance produced by lactic acid bacteria. *Journal of Antibiotics* 5, 72–74.
- Kramer, N.E., Smid, E.J., Kok, J., de Kruijff, B., Kuipers, O.P. & Breeukink, E. 2004. Resistance of Gram-positive bacteria to nisin is not determined by Lipid II levels. *FEMS Microbiology Letters* 239, 157–161
- Kristoffer, K., Binnewies, T.T., Willenbrock, H., Hansen, S.K., Yang, L., Jelsback, L., Ussery, D.W. & Friis, C. 2008. Comparative genomics of *Pseudomonas* spp.. http://bilder.buecher.de/zusatz/23/23152/23152184_lese_1.pdf. Accessed November 10, 2009.
- Kussendrager, K.D. & Van Hooijdank, A.M.C. 2000. Lactoperoxidase: physico-chemical properties, occurrence, mechanism of action and applications. *British Journal of Nutrition* 84 (supplement1), 19–25.

- Labadie, J. 1999. Consequences of packaging on bacterial growth: Meat as an ecological niche. *Meat Science* 52, 299–305.
- Laine, M.H., Karwoski, M.T., Raaska, L.B. & Sandholm, T.M.M. 1996. Antimicrobial activity of *Pseudomonas* spp. against food poisoning bacteria and moulds. *Letters in Applied Microbiology* 22, 214–218.
- Lash, B.W., Mysliwiec, T.H. & Gourama, H. 2005. Detection and partial characterization of a broad-range bacteriocin produced by *Lactobacillus plantarum* (ATCC 8014). *Food Microbiology* 22, 199–204.
- Lawrence, R., Frampton, E.W. & Spitz, H. 2001. Repair and growth of heat- and freeze-injured *Escherichia coli* O157:H7 in selective enrichment broths. *Food Microbiology* 18 (6), 617–629.
- Leong, J. 1986. Siderophores: Their biochemistry and possible role in the biocontrol of plant pathogens. *Annual Review of Phytopathology* 24, 187–209.
- Lewus, C B., A. Kaiser, A. & Montville, T.J. 1991. Inhibition of food-borne pathogens by bacteriocins from lactic acid bacteria isolated from meat. *Microbiology* 57, 1683-1688.
- Liepe, H.U. 1983. Starter cultures in meat productions. In: Schillinger, U. & Lücke, F. 1989. Antimicrobial activity of *Lactobacillus sake* isolated from meat. *Applied and Environmental Microbiology* 55 (8), 1901–1906.
- MacRae, M.T., Rebate, M.J. Johnston, M. & Ogden, I.D. 1997. The sensitivity of *Escherichia coli* O157 to some antimicrobials by conventional and conductance assays. *Letters in Applied Microbiology* 25, 135–137.

- Makana Municipality. 2004. Makana Municipality Local Environmental Action Plan Comprehensive Audit Report. Executive Summary.
<http://www.ru.ac.za/documents/environment/a%20comprehensive%20audit%20report%20executive%20audit%20report%20executive%20summary.pdf>. Accessed March 10, 2010.
- Maldonado, A., Ruiz-Barba, J.L. & Jiménez-Díaz, R. 2003. Purification and genetic characterization of plantaricin NC8, a novel coculture-inducible two peptide bacteriocin from *Lactobacillus plantarum* NC8. *Applied and Environmental Microbiology* 69, 383–389.
- Marlony, B., Löfström, C., Wagner, M., Krämer, S. & Hoorfar, J. 2008. Enumeration of *Salmonella* bacteria in food and feed samples by Real-Time PCR for quantitative microbial risk assessment. *Applied and Environmental Microbiology* 74 (5), 1299–1304.
- Martínez, B., Celda, M.F., Anastasio, B., García, I. & López-Mendoza, M.C. 2010. Microbiological sampling of carcasses by excision or swabbing with three types of sponge or gauze. *Journal of Food Protection* 73 (1), 81–87.
- Mayr, D., Margesin, R., Klingbichel, E., Hartungen, E., Jenewein, D., Schinner, F. & Märk, T.D. 2003. Rapid detection of meat spoilage by measuring volatile organic compounds by using proton transfer mass spectrometry. *Applied and Environmental Microbiology* 69 (8), 4697–4705.
- McAuliffe, O., Ross, R.P. & Hill, C. 2001. Lantibiotics produced by lactic acid bacteria: structure, biosynthesis and mode of action. *FEMS Microbiology Reviews* 25, 285–308.

- McEvoy, M., Doherty, A.M., Sheridan, J.J., Thomson-Carter, F.M., Garvey, P., McGuire, L., Blair, I.S. & McDowell, D.A. 2003. The prevalence and spread of *Escherichia coli* O157:H7 at a commercial beef abattoir. *Journal of Applied Microbiology* 95, 256–266.
- McEvoy, J.M., Sheridan, J.J. & McDowell, D.A. 2010. Major pathogens associated with the processing of beef.
<http://www.sullivanfiles.net/324/visitors/mcevoy/Review-paper.pdf>. Accessed August 04, 2010.
- McMichael, A.J. 2001. Human culture, ecological change and infectious disease: Are we experiencing history's fourth great transition? *Ecosystem Health* 7 (2), 107–115.
- Mead, G.C. 1994. Microbiological hazards from red meat and their control. *British Food Journal* 96 (8), 33–36.
- Mead, P.S. & Griffith, P.M. 1998. *Escherichia coli* O157:H7. *Lancet* 352, 1207–1212.
- Meat Industry Services, 2006. Steam vacuum.
<http://www.meatupdate.csiro.au/new/Steam%20Vacuum.pdf>. Accessed January 01, 2010.
- Messi, P., Bondi, M., Sabia, C., Battini, R. & Manicardi, G. 2001. Detection and preliminary characterization of a bacteriocin (plantaricin 35d) produced by a *Lactobacillus plantarum* strain. *International Journal of Microbiology* 64, 193–198.
- Meyer, J.M., Geoffroy, V.A. & Baida, N. 2002. Siderophore typing, a powerful tool for the identification of fluorescent and nonfluorescent pseudomonads. *Applied and Environmental Microbiology* 68 (6), 2745–2753.

- Miller, L.G. & Kasper, C.W. 1994. *Escherichia coli* O157:H7 acid tolerance and survival in apple cider. *Journal of Food Protection* 57 (6), 460–464.
- Miñambres, R., Rodrigo, A., Carvajal, M.V., Reverter, J.G. & Tomás, D. 2007. Molecular characterization and recuperation of bacteriocins produced by lactic acid isolated from dry cured-meat products. *Journal of Biotechnology* 131, s235.
- Morgan, D., Newman, C.P., Hutchinson, D.N., Walker, A.M., Rowe, B. & Majid, F. 1993. Verotoxin producing *Escherichia coli* O157:H7 infections associated with the consumption of yoghurt. *Epidemiology and Infection* 111, 181–188.
- Mothershaw, A.S., Consolacion, F., Kadim, I.T. & Ahmed, N.R. 2006. The role of education and training levels of slaughterhouses workers in the cross-contamination of carcasses. *International Journal of Postharvest Technology and Innovation* 1 (2), 142–154.
- Muthukumarasamy, P., Han, J.H. & Holley, R.A. 2003. Bactericidal effects of *Lactobacillus reuteri* on allyl isothiocyanate on *Escherichia coli* O157:H7 in refrigerated ground beef. *Journal of Food Protection* 66 (11), 2038–2044.
- Nataro, J.P. & Kaper, J.B. 1996. Diarrheagenic *Escherichia coli*. *Clinical Microbiology Reviews* 11, 142–201.
- Newton, K.G., Harrison, J.C.L. & Wauters, A.M. 1978. Sources of psychrotrophic bacteria on meat at the abattoir. *Journal of Applied Bacteriology* 45, 75–82.

- Nicholson, F., Hutchison, M., Chambers, B., Moore, A. & Smith, K. 2000. *Pathogens in farm manures-management techniques to minimise the risk of transfer to food crops: Proceedings of the 19th workshop of the Food and Agricultural Organization (FAO) European Cooperative Research Network on Recycling of Agricultural, Municipal and Industrial Residues in Agriculture (RAMIRAN) held in Italy, 2000.* pp 427–429.
- Nottingham, P.M., Penny, N. & Harrison, J.C.L. 1974. Microbiology of beef processing I Beef dressing hygiene. *New Zealand Journal of Agricultural Research* 17, 104.
- Nurmi, E., Nuotio L. & Schncitz, C. 1992. The competitive exclusion concept: Development and future. *International Journal of Food Microbiology* 15, 237–240.
- Nychas, G.J.E, Dillon, V.M. & Board, R.G. 1988. Glucose the key substrate in the microbiological changes occurring in meat and certain products. *Biotechnology and Applied Biochemistry* 10, 203–231.
- Nychas, G.J.E., Drosinos, E. & Board, R.G. 1998. Chemical changes in meat. In: Board, R.G. & Davies, A.R. *The microbiology of meat and poultry.* Blackie, London. United Kingdom. pp288–326.
- Nychas, G.J.E., Skandamis, P.N., Tassou, C.C. & Koutsoumanis, K.P. 2008. Meat spoilage during distribution. *Meat Science* 78 (1–2), 77–78.
- Ogier, J.C., Son, O., Gruss, A. & Tailliez, P. 2002. Acroix-Buchet A: Identification of the bacterial microflora in dairy products by temporal temperature gradient gel electrophoresis. *Journal of Applied and Environmental Microbiology* 68, 3691–3701.

- Olorunshola, I.D., Smith, S.I. & Coker, A.O. 2000. Prevalence of EHEC O157:H7 in patients with diarrhoea in Lagos, Nigeria. *Acta Pathologica, Microbiologica et Immunologica Scandinavica* 108 (11), 761–763.
- Ouwehand, A.C. & Vesterlund, S. 2004. Antimicrobial components from lactic acid bacteria. In: Salminen, S., Von Wright, A. & Ouwehand, A.C. 2004. *Lactic acid bacteria: Microbiological and functional aspects*. 3rd edn. New York: Marcel Dekker. pp 375–395.
- Oliveira, R.B.P., Oliveira, A., Afonso, de L. & Glória, M.B.A. 2008. Screening of lactic acid bacteria from vacuum packaged beef for antimicrobial activity. *Brazilian Journal of Microbiology* 39 (2), 368–374.
- O’Sullivan, L., Ross, P.R. & Hill, C. 2002. Potential of bacteriocin-producing lactic acid bacteria for improvements in food safety and quality. *Biochimie* 84, 593–604.
- Pappas, G., Karavasilis, V., Christou & Tsianos, E.V. 2006. *P. fluorescens* was isolated from an elderly immunocompromised patient with fever. *Scandinavian Journal of Infectious Diseases* 38 (1), 68–70.
- Paton, A.W. & Paton, J.C. 1998a. Detection and characterization of Shiga toxin-producing *Escherichia coli* by using multiplex PCR assays for *stx1*, *stx2*, *eaeA*, enterohemorrhagic *E. coli hlyA*, *rfbO111* and *rfbO157*. *Journal of Clinical Microbiology* 36, 598–602.
- Paton, A.W. & Paton, J.C. 1998b. Pathogenesis and diagnosis of shiga toxin-producing *Escherichia coli* infections. *Clinical Microbiology Reviews* 11 (3), 450–479.

- Paynter, M.J.B., Brown, K.A. & Hayasaka, S.S. 1997. Factors affecting the production of an antimicrobial agent, plantaricin F, by *Lactobacillus plantarum* BF001. *Letters in Applied Microbiology* 24, 159–165.
- Perez J.M., Cavalli, P., Roure, C., Renac, R., Gille, Y. & Freydiere, A.M. 2003. Comparison of four chromogenic media and Hektoen agar for detection and presumptive identification of *Salmonella* strains in human stools. *Journal of Clinical Microbiology* 41 (3), 1130–1134.
- Pinillos, R.G. & Jukes, D.J. 2008. Hygiene assessment system (HAS) scores: An analysis of the available data from English slaughterhouses. *Food Control* 19 (8), 806–816.
- Pollard, D.R., Johnson, W.M., Lior, H., Tyler, S.D. & Rozee, K.R. 1990. Differentiation of genes coding for *Escherichia coli* verotoxin 2 and the verotoxin associated with porcine edema disease (VTe) by the polymerase chain reaction. *Journal of Clinical Microbiology* 28 (10), 2351–2353.
- Powell, M., Schlosser, M. & Ebel, M. 2004. General Biological hazards and predictive microbiology.
<http://www.foodriskclearinghouse.umd.edu.innopac.up.ac.za>. Accessed December 19, 2005.
- Presterl, E., Zwick, R.H., Reichmann, S., Aichelburg, A., Winkler, S. & Kremsner, P. G. 2003. Frequency and virulence properties of diarrhoeagenic *Escherichia coli* in children with diarrhoea in Gabon. *American Journal of Tropical Medicine and Hygiene* 69, 406–410.
- Pruimboom-Brees, I.M., Morgan, T.W., Ackermann, M.R., Nystrom, E.D., Samuel, J.E., Cornick, N.A. & Moon, H.W. 2000. Cattle lack vascular receptors for *Escherichia coli* O157:H7 Shiga toxins. *Proceedings of the National Academy of Sciences* 97 (19), 10325–10329.

- Quinto, E.J., Franco, C.M., Fente, C.A., Vazquez, B.I. & Cepeda, A. 1997. Growth of *Escherichia coli* O157:H7 in the presence of *Pseudomonas fluorescens* in skimmed milk at 7 or 25 °C. *Journal of Food Safety* 16, 273–285.
- Raghubeer, E.V., Campbell, M.L. & Meyer, R.S. 1994. Fate of *Escherichia coli* O157:H7 and other coliform in commercial mayonnaise and refrigerated salad dressing. *Journal of Food Protection* 58 (1), 13–18.
- Rahkio, M. & Korkeala, H. 1996. Microbiological contamination of carcasses related to hygiene practice and facilities on slaughtering lines. *Acta Veterinaria Scandinavica* 37 (3), 219–228.
- Raji, M.A., Minga, U. & Machangu, R. 2006. Current epidemiological status of enterohaemorrhagic *Escherichia coli* O157:H7 in Africa. *Chinese Medical Journal* 119 (3), 217–222.
- Ravenholt, R.T., Eelkema, R.C. Mulhern, M. & Watkins, R.B. 1961. Staphylococcal infection in meat animals and meat workers. *Public Health Reports* 76 (10), 879–888.
- Ray, B., Johnson, C. & Field, R.A. 1984. Growth of indicator, pathogenic and psychrotrophic bacteria in mechanically separated beef, lean ground beef and beef bone marrow. *Journal of Food Protection* 47 (9), 672–677.
- Ray, B. & Daeschel, M.A. 1992. Food biopreservation of microbial origin. In: Abee, T., Kröckel, L. & Hill, C. 1995. Bacteriocins: modes of action and potentials in food preservation and control of food poisoning. *International Journal of Food Microbiology* 28, 169–185.

- Reddy, M.C., Bills, D.D., Lindsay, R.C., Libbey, L.M., Miller, A. & Morgan, M.E. 1968. Ester production by *Pseudomonas fragi*. I. Identification and quantification of some esters produced in milk cultures. *Journal of Dairy Science* 51, 656–659.
- Red Meat Abattoir Association. 2002. An overview of the abattoir industry. <http://www.rvav.co.za>. Accessed January 24, 2010.
- Red Meat Abattoir Association. 2004. Newsletter. <http://www.rvav.co.za>. Accessed January 27, 2010.
- Red Meat Abattoir Association. 2006. Annual Report. <http://www.rvav.co.za/congress/english2006.pdf>. Accessed January 24, 2010.
- Red Meat Abattoir Association. 2008. RMAA Annual Report 2008. http://www.rvav.co.za/2009/Engels_com.pdf. Accessed August 17, 2009.
- Rediers, H., Vanderleyden, J. & De Mot, R. 2007. Nitrate respiration in *Pseudomonas stutzeri* A15 and its involvement in rice and wheat root colonization. *Microbiological Research* 164 (4), 46–468.
- Riley, L.W., Remis, R.S., Helgerson, S.D., McGee, H.B., Wells, J.G., Davis, B.R., Hebert, M.D., Olcott, H.M., Johnson, L.M., Hargrett, N.T., Blake, P.A. & Cohen, M.L. 1983. Hemorrhagic colitis associated with a rare *Escherichia coli* serotype. *New England Journal of Medicine* 308, 681–685.
- Roberts, T.A. 1980. Contamination of meat: The effects of slaughter practices on the bacteriology of red meat carcasses. *Royal Society of Health Journal* 100, 3–9.
- Roberts, H. & de Jager, L. 2004. Current meat-related waste disposal practices of Free State red meat abattoirs. Central University of Technology, School of Health Technology, Bloemfontein, South Africa. <http://kharahais.gov.za/files/waste/038.pdf>. Accessed September 17, 2010.

- Roberts, H., de Jager, L. & Blight, G. 2009. Waste-handling practices at red meat abattoirs in South Africa. *Waste Management & Research* 27 (1), 25–30.
- Robinson, R.K., Batt, C.A. & Patel, P.D. 2000. In: Sun, Y.M. & Ockerman, H.W. 2004. Growth of *Pseudomonas fluorescens* and *Escherichia coli* in aseptically-prepared fresh ground beef. *Journal of Muscle Foods* 15, 155–171.
- Russo, F., Ercolini, D., Mauriello, G. & Villani, F. 2006. Behaviour of *Brochothrix thermosphacta* in presence of other meat spoilage microbial groups. *Food Microbiology* 23 (8), 797–802.
- Saad, S.M.I. & Franco, B.D.G.M. 1999. Influence of raw meat natural background flora on growth of *Escherichia coli* O157:H7 in ground beef. *Revista de Microbiologia* 30, 272–277.
- Sahl, H.G. & Brandis, H. 1982. Mode of action of the staphylococcin-like peptide Pep5 and culture conditions affecting its activity. In: Héchard, Y. & Sahl, H.G. 2002. Mode of action of modified and unmodified bacteriocins from Gram-positive bacteria. *Biochimie* 84, 545–557.
- Samaha, I.A. & Draz, A.A. 1993. Air and water as sources of bacterial contamination of beef carcasses. *Alexandria Journal of Veterinary Sciences* 9 (2), 83–88.
- Sambrook, J., Fritsch, E.F. & Maniatis, T. 1998. *Molecular cloning: A laboratory manual*. In: Nguyen, T., Son, C.T., Raha, A.R., Lai, O.M. & Clemente, M. 2009. Comparison of DNA extractin efficiencies using various methods for the detection of genetically modified organisms (GMOs). *International Food Research Journal* 16, 21–30.

- Samelis, J. & Sofos, J.N. 2002. Role of glucose in enhancing the temperature-dependent growth inhibition of *Escherichia coli* O157:H7 ATCC 43895 by a *Pseudomonas* spp. *Applied and Environmental Microbiology* 68 (5), 2600–2604.
- Sang, W.K., Saidi, S.M., Yamamoto, H., Ezaki, T. Iida, T. Yoh, M. & Honda, T. 1996. Haemorrhagic colitis due to *Escherichia coli* O157:H7 in Kenya. *Journal of Tropical Paediatrics* 42, 118–119.
- Sartz, L., De Jong, B., Hjertqvist, M., Plym-Forsell, L., Alsterlund, R., Löfdahl, S., Osterman, B., Ståhl, A., Hansson, H.B. & Karpman, D. 2008. An outbreak of *Escherichia coli* O157:H7 infection in southern Sweden associated with consumption of fermented sausages: Aspects of sausage production that increase the risk of contamination. *Epidemiology and Infection* 136, 370–380.
- Schillinger, U. & Lücke, F. 1989. Antimicrobial activity of *Lactobacillus sake* isolated from meat. *Applied and Environmental Microbiology* 55 (8), 1901–1906.
- Schlegelová, J. Nápravníková, E., Dendis, M., Horváth, R., Benedík, J., Babák, V., Klímová, E., Navrátilová, P. & Ková, S.A. 2003. Beef carcass contamination in a slaughterhouse and prevalence of resistance to antimicrobial drugs in isolates of selected microbial species. *Meat Science* 66 (3), 557–565.
- Schnepf, M. 2007. Improving human health with beef products. Department of Nutrition and Health Sciences. University of Nebraska. pp 1–5.
- Schönenbrücher, V., Mallinson, E.T. & Bülte, M. 2008. A comparison of standard cultural methods for the detection of foodborne *Salmonella* species including three new chromogenic plating media. *International Journal of Food Microbiology* 123 (1–2), 61–66.

- Sentance, C.B. & Husband, P.M. 1993. Bacterial testing of work surfaces. Commonwealth Scientific and Industrial Research Organization (CSIRO) meat research technical services group. Australia. pp 1–21.
<http://www.meatupdate.csiro.au/cgi-bin/searchcsvbooks.pl?search=bacteria>
Accessed June 17, 2009.
- Shale, K. 2004. The prevalence of meatborne and airborne Staphylococci in deboning areas of low- and high-throughput red meat abattoirs. PhD thesis. Central University of Technology, Free State, South Africa.
- Shale, K., Jacoby, A. & Plaatjies, Z. 2006. The impact of extrinsic sources on selected indicator organisms in a typical deboning room. *International Journal of Environmental Health Research* 16 (4), 263–273.
- Shaw, B.G. & Latty, J.B. 1982. A numerical taxonomic study of *Pseudomonas* strains from spoiled meat. *Journal of Applied Bacteriology* 52, 219–228.
- Sheridan, J.J. 2007. Sources of contamination during slaughter and measures for control. *Journal of Food Safety* 18 (4), 321–339.
- Shipman, A.R., Jones, S.E., Smith, G., Stewart, B. & McCarthy, N. 2009. A case of verocytotoxin-producing *Escherichia coli* O157:H7 from private barbecue in South-East England. *Eurosurveillance* 14 (29), 1–2.
- Shongwe, M.A., Jooste, A., Hugo, A., Alemu, Z.G. & Pelsler, A. 2007. Will consumers pay for less fat on beef cuts? The case study in Bloemfontein, South Africa. *Agrekon* 46 (4), 1–19.
- Sillankorva, S., Neubauer, P. & Azeredo, J. 2008. Biofilm subjected to phage phiIBB-PF7A. *BioMedCentral Biotechnology* 8, 1–8.

- Small, A., Reid, C.A., Avery, S.M., Karabasil, N., Crowley, C. & Buncic, S. 2002. Potential for the Spread of *Escherichia coli* O157:H7, *Salmonella*, and *Campylobacter* in the lairage environment at abattoirs. *Journal of Food Protection* 65 (6), 931–936.
- Small, A., Wells-Burr, B. & Buncic, S. 2005. An evaluation of selected methods for the decontamination of cattle hides prior to skinning. *Meat Science* 69, 263–268.
- Smith, L., Mann, J.E., Harris, K., Miller, M.F. & Brashears, M.M. 2005. Reduction of *Escherichia coli* O157:H7 and *Salmonella* in ground beef using lactic acid bacteria and the impact on sensory properties. *Journal of Food Protection* 68 (8), 1587–1592.
- Smulders, F.J.M. & Greer G.G. 1998. Integrating microbial decontamination with organic acids in HACCP programmes for muscle foods: Prospects and controversies. *International Journal of Food Microbiology* 44, 149–169.
- Sofos, J.N. 2008. Challenges to meat safety in 21st century. *Meat Science* 78 (1–2), 3–13.
- Sofos, J.N., Kochevar, S.L., Bellinger, G.R., Buege, D.R., Hancock, D.D., Ingham, S.C., Morgan, J.B., Reagan, J.O. & Smith, G.C. 1999. Sources and extent of microbiological contamination of beef carcasses in seven United States slaughtering plants. *Journal of Food Protection* 62, 140–145.
- Sooka, A., Du Plessis, M. & Keddy, K.H. 2004. Enterovirulent *Escherichia coli*. *South African Journal of Epidemiology and Infections* 19, 23–24.
- South Africa. Department of Agriculture. 2003. Metcalfe rewards Gauteng abattoirs. AgriNews No. 9. <http://www.nda.agric.za/docs/agrinews03.pdf>. Accessed January 28, 2010.

- South Africa. Department of Agriculture: Veterinary Services. 2007. Meat Inspectors Manual. Abattoir Hygiene.
<http://www.nda.agric.za/vetweb/VPH/Manuals/RedMeatManual.pdf>. Accessed March 10, 2009.
- South Africa. Department of Health. 2006. Food safety control legislation in South Africa. pp 1–2.
<http://www.doh.gov.za/departement/foodcontrol/docs/specialevents/fs.pdf>. Accessed June 07, 2011.
- South Africa. Department of Water Affairs. 2001. Guidelines for the handling the treatment and disposal of abattoir waste. http://www.dwaf.gov.za/Documents/Policies/WDD/AbattoirWaste-Handling_Disposal.pdf. September 1, 2009.
- South African Feedlot Association. 2010. South African Feedlot Industry.
<http://www.safeedlot.co.za/index.asp?Content=90>. December 01, 2010.
- Sperber, W.H. 2005. HACCP and transparency. *Food Control* 16 (6), 505–509.
- Stamer, J.R. 1976. Lactic acid bacteria. In: Jones, R.J. 2004. Observations on the succession dynamics of lactic acid bacteria populations in chill-stored vacuum-packaged beef. *International Journal of Food Microbiology* 90 (3), 273–282.
- Statistics South Africa. 2009. Mid-year population estimates 2009.
<http://www.nmc.gov.za/Docs/MidYearEstimates2009.pdf>. Accessed June 17, 2010.
- Steer, T., Carpenter, H., Tuohy, K. & Gibson, G.R. 2000. Perspectives on the role of the human gut microbiota and its modulation by pro and prebiotics. *Nutrition Research Reviews* 13, 229–254.

- Stephens, P.J. & Johnson, J.A. 1998. Direct inoculation into media containing bile salts and antibiotics is unsuitable for the detection of acid/salt stressed *Escherichia coli* O157:H7. *Letters in Applied Microbiology* 27, 147–151.
- Stiles, E.S. & Holzappel, W.H. 1997. Lactic acid bacteria of foods and their current taxonomy. *International Journal of Food Microbiology* 36, 1–29.
- Stiles, M.E. & Hasting, J.W. 1991. Bacteriocin production by lactic acid bacteria: potential for use in meat preservation. In: Abee, T., Kröckel, L. & Hill, C. 1995. Bacteriocins: modes of action and potentials in food preservation and control of food poisoning. *International Journal of Food Microbiology* 28, 169–185.
- Stiles, M.E. & Ng, L.K. 1981. Biochemical characterization and identification of Enterobacteriaceae isolated from meats. *Applied and Environmental Microbiology* 41 (3), 639–645.
- Stopforth, J.D., Skandamis, P.N., Geornaras, I. & Sofos, J.N. 2006. Acid tolerance of acid-adapted and non acid-adapted *Escherichia coli* O157:H7 strains in beef decontamination runoff fluids or on beef tissue. *Food Microbiology* 24 (5), 530–538.
- Sun, Y.M. & Ockerman, H.W. 2004. Growth of *Pseudomonas fluorescens* and *Escherichia coli* in aseptically-prepared fresh ground beef. *Journal of Muscle Foods* 15, 155–171.
- Sutherland, J.P., Patterson, J.T. & Murray, J.G. 1975. Changes in the microbiology of vacuum-packaged beef. *Journal of Applied Bacteriology* 20, 286–298.

- Sutton, G.H.C. 2004. Enumeration of total airborne bacteria, yeast and mold contaminants and identification of *Escherichia coli* O157:H7, *Listeria* spp., *Salmonella* spp and *Staphylococcus* spp in a beef and pork slaughter facility. PhD thesis. University of Florida. Florida, USA.
- Tagg, J.R., Dajan, A.S. & Wanamaker, L.W. 1976. Bacteriocins of Gram-negative bacteria. *Bacteriological Reviews* 40, 722–756.
- Talsma, S.S. 2007. Biofilms on medical devices. *Home Healthcare Nurses* 25 (9), 589–94.
- Taormina, P.J. & Dorsa, W.J. 2007. Evaluation of hot water and sanitizer dip treatments of knives contaminated with bacteria and meat residue. *Journal of Food Protection* 70, 648–654.
- Thran, B.H., Hussein, H.S., Redelman, D. & Fernandez, C.J. 2003. Influence of pH treatments on survival of *Escherichia coli* O157:H7 in continuous cultures of rumen contents. *Experimental Biology and Medicine* 22, 365–369.
- Toutain, C.M., Caiazza, N.C. & O’Toole, G.A. 2004. Molecular basis of biofilm development by Pseudomonads. In: Ghannoum, M. & O’Toole, G.A. 2004. *Microbial biofilms*. Washington, DC: ASM Press. pp 43–63.
- Trenton, S., Tamplin, M.L., Lorimer, M., Jenson, I. & Sumner, J. 2010. How effective is sponge sampling for removing bacteria from beef carcasses? *Food Protection Trends* 30 (6), 336–339.
- Tsigarida, E., Boziaris, I.S. & Nychas, G.J.E. 2003. Bacterial synergism or antagonism in a gel cassette system. *Applied and Environmental Microbiology* 69 (12), 7204–7209.

- Tsigarida, E. & nychas, G.J.E. 2001. Ecophysiological attributes of a *Lactobacillus* spp. And *Pseudomonas* spp. On sterile beef fillets in relation to storage temperature and film permeability. *Journal of Applied Microbiology* 90, 696–705.
- Uljas, H. & Ingham, S.C. 1998. Survival of *Escherichia coli* O157:H7 in synthetic gastric fluid after cold and acid habituation in apple juice or trypticase soy broth acidified with hydrochloric acid or organic acids. *Journal of Food Protection* 61 (8), 939–947.
- Van de Venter, T. 2000. Overview of HACCP in South Africa. Report of the 13th International Congress of Dietetics: Edinburgh.
<http://www.doc.com/docs/9240033/Report-of-the-13th-International-Congress-of-Dietetics.Edinburg>. Accessed March 02, 2010.
- Van Loo, I., Huijsdens, X., Tiemersma, E., de Neeling, A., Van de Sande-Bruinsma, N., Beaujean, D., Voss, A. & Kluytmans, J. 2007. Emergence of methicillin-resistant *Staphylococcus aureus* of animal origin in humans. *Emerging Infectious Diseases* 13 (12), 1–10.
- Vimont, A., Rozand, C.V., Montet, M.P., Lazizzera, C., Bavai, C. & Muller, L.D. 2006. Modelling and predicting the simultaneous growth of *Escherichia coli* O157:H7 and ground beef background flora for various enrichment protocols. *Applied and Environmental Microbiology* 72 (1), 261–268.
- Vold, L., Golck, A., Wasteson, Y. & Nissen, H. 2000. High levels of background flora inhibit growth of *Escherichia coli* O157:H7 in ground beef. *International Journal of Food Microbiology* 56, 219–225.
- Wagude, B.E.A. 1999. Hazard analysis and critical control point (HACCP) in a red meat abattoir. MSc dissertation. University of Pretoria, Pretoria. South Africa.

- Water, J.R., Sharp, J.C. & Dev, V.J. 1991. Infection caused by *Escherichia coli* O157:H7 in Alberta, Canada and in Scotland: A five-year review, 1987–1991. *Journal of Clinical Infectious Diseases* 19, 834–843.
- Weagant, S.D., Bryant, J.L. & Bark, D.H. 1994. Survival of *Escherichia coli* O157:H7 in mayonnaise and mayonnaise-based sauces at room and refrigerated temperatures. *Journal of Food Protection* 57, 629–631.
- Whittam, T., McGraw, E.A. & Reid, S.D. 1998. Pathogenic *E. coli* O157:H7: A model for emerging infectious diseases. In: Ali, S.H. 2004. A socio-ecological autopsy of the *E. coli* O157:H7 outbreak in Walkerton, Ontario, Canada. *Social Science & Medicine* 58 (12), 2601–2612.
- Wilkerson, C., Samadpour, M., van Kirk, N. & Roberts, M.C. 2004. Antibiotic resistance and distribution of tetracycline resistance genes in *Escherichia coli* O157:H7 isolates from humans and bovines. *Antimicrobial Agents and Chemotherapy* 48, 1066–1067.
- Yoon, Y. & Sofos, J.N. 2008. Conditions affecting autoinducer-2-based quorum-sensing of *Escherichia coli* O157:H7 on fresh beef. *Journal of Food Safety* 28 (4), 587–600.
- Zhao, T., Doyle, M.P., Harmon, B.G., Brown, C.A., Muller, P.O. & Parks, A.H. 1998. Reduction of carriage of enterohemorrhagic *Escherichia coli* O157:H7 in cattle by inoculation with probiotic bacteria. *Journal of Clinical Microbiology* 36, 641–647.
- Zhao, S., White, D.G., Ge, B., Ayers, S., Friedman, S., English, L., Wagner, D., Gaines, S. & Meng, J. 2001. Identification and characterization of integron-mediated antibiotic resistance among shiga toxin-producing *Escherichia coli* isolates. *Applied and Environmental Microbiology* 67, 1558–1564.

Zweifel, C., Baltzer, D. & Stephan, R. 2005. Microbiological contamination of cattle and pig carcasses at five abattoirs determined by swab sampling in accordance with EU Decision 2001/471/EC. *Meat Science* 69 (3), 559–566.