

Chapter 6

References

References

- Ackerman N, Martinez S, Thieme T & Mirkovich A. Accumulation of rat polymorphonuclear leucocytes at an inflammatory site. *J Pharmacol Exp Ther* **221**: 701-707, 1982.
- Adams DH, Wang L, Burnett D, Stockley RA & Neuberger JM. Are neutrophils important in mediating the tissue damage of liver allograft rejection? *Gastroenterology* **96**: A570, 1989.
- Alonso A, Bayon Y, Mateos JJ, & Sanchez Crespo M. Signaling by leucocyte chemoattractant and Fcγ receptors in immune-complex tissue injury. *Lab Invest* **78**: 377-392, 1998.
- Anderson R, Glover A, Koornhof HJ & Rabson AR. *In vitro* stimulation of neutrophil motility by levamisole. Maintenance of cAMP levels in chemotactically stimulated human neutrophils. *J Immunol* **117**: 428-432, 1976.
- Anderson R. The activated neutrophil: formidable forces unleashed. *SAMJ* **85**: 1024-1028, 1995.
- Anderson R & Goolam Mahomed A. Calcium efflux and influx in FMLP-activated human neutrophils are chronologically distinct events. *Clin Exp Immunol* **110**: 132-138, 1997.
- Anderson R, Goolam Mahomed A, Theron AJ, Ramafi G & Feldman C. Effect of rolipram and dibutyryl cAMP on resequestration of cytosolic calcium in FMLP-activated human neutrophils. *Brit J Pharmacol* **124**: 547-555, 1998.

Bainton DF. Developmental biology of neutrophils and eosinophils. In: Gallin JI, Goldstein IM, Snyderman R, editors. *Inflammation: Basic Principles and Clinical Correlates* (2nd Edition). New York: Raven Press Ltd. p303-324, 1992.

Ballard PL, Carter JP, Graham BS & Baxter JD. A radioreceptor assay for evaluation of the plasma glucocorticoid activity of natural and synthetic steroids in man. *J Clin Endocrinol Metab* **41**: 290-304, 1975.

Bánfi B, Schrenzel J, Nusse O, Lew DP, Ligeti E, Krause KH & Demaurex N. A novel H (+) conductance in eosinophils: unique characteristics and absence in chronic granulomatous disease. *J Exp Med* **190**: 183-194, 1999.

Bánfi B, Maturana A, Jaconi S, Arnaudeau S, Laforge T, Sinha B; Ligeti E, Demaurex N & Krause KH. A mammalian H(+) channel generated through alternative splicing of the NADPH oxidase homolog NOH-1. *Science* **287**: 138-142, 2000.

Barnes PJ. Molecular mechanisms of glucocorticoid action in asthma. *Pulm Pharmacol Ther* **10**: 3-19, 1997.

Barnes PJ & Adcock IM. NF- κ B: a pivotal role in asthma and a new target for therapy. *Trends Pharmacol Sci* **18**: 46-50, 1997.

Barnes PJ & Adcock IM. Transcription factors and asthma. *Eur Respir J* **12**: 221-234, 1998.

Barton AE, Bayley DL, Mikami M, Llewellyn-Jones CG & Stockley RA. Phenotypic changes in neutrophils related to anti-inflammatory therapy. *Biochim Biophys Acta* **1500**: 108-118, 2000.

Bassaris HP, Lianou PE, Mallioris KN, Skoutelis AT, Votta EG, Kyriazopoulou VE & Papavassiliou JT. Effects of methylprednisolone and dexamethasone on polymorphonuclear leucocyte adherence *in vivo*. *Drugs Exp & Clin Res*. **13**: 267-271, 1987.

Beatty K, Robertie P, Senior RM & Travis J. Determination of oxidized alpha-1-proteinase inhibitor in serum. *J Lab Clin Med* **100**: 186-192, 1982.

Berman ME & Muller WA. Ligation of platelet/endothelial cell adhesion molecule 1 (PECAM-1/CD31) on monocytes and neutrophils increases binding capacity of leucocyte CR3 (CD11b/CD18). *J Immunol* **154**: 299-307, 1995.

Bingle CD, Craig RW, Hanks BM, Eaton V, Zhou P & Whyte MKB. Mechanisms and consequences of apoptosis. *Am J Resp and Crit Care Med* **161**: A899 2000.

Blouin E, Halbwachs-Mecarelli L & Rieu P. Redox regulation of b2 integrin CD11b/CD18 activation. *Eur J Immunol* **29**: 3419-3431, 1999.

Borel JF. Effect of some drugs on the chemotaxis of rabbit neutrophils *in vitro*. *Experientia* **29**: 676-678, 1973.

Borregaard N & Cowland JB. Granules of the human neutrophilic polymorphonuclear leucocyte. *Blood* **89**: 3503-3521, 1997.

Bouma MG, Jeunhomme TMMA, Boyle DL, Dentener MA, Voitenok NN, Van Den Wildenberg FAJK & Burman WA. Adenosine inhibits neutrophil degranulation in activated human whole blood. Involvement of A₂ and A₃ receptors. *J Immunol* **158**: 5400-5408, 1997.

Bratt J & Heimburger M. Prednisolone interferes with neutrophil adhesion and neutrophil mediated endothelial injury. *Scand J Rheum* **28**: 308-313, 1999.

Brown SB & Savill J. Phagocytosis triggers macrophage release of Fas ligand and induces apoptosis of bystander leucocytes. *J Immunol* **162**: 480-485, 1999.

Burnett D, Chamba A, Hill SL & Stockley RA. Effects of plasma, tumour necrosis factor, endotoxin and dexamethasone on extracellular proteolysis by neutrophils from healthy subjects and patients with emphysema. *Clin Sci* **77**: 35-41, 1989.

Burns AR, Bowden RA, Abe Y, Walker DC, Simon SI, Entman ML & Smith CW. P-selectin mediates neutrophil adhesion to endothelial cell borders. *J Leucoc Biol* **65**: 229-306, 1999.

Burton JL & Kehrl ME Jr. Regulation of neutrophil adhesion molecules and shedding of Staphylococcus aureus in milk of cortisol- and dexamethasone-treated cows. *Am J Vet Res* **56**: 997-1006, 1995.

Capocidi C, Hanft S, Feoktistov M & Pillinger MH. Phosphatidylinositol 3-kinase mediates chemoattractant-stimulated, CD11b/CD18-dependent cell-cell adhesion of human neutrophils: Evidence for an ERK-independent pathway. *J Immunol* **160**: 1901-1909, 1998.

Cassatella MA. Neutrophil-derived proteins: Selling cytokines by the pound. *Adv Immunol* **73**: 369-509, 1999.

Cham BP, Gerrard JM & Bainton DF. Granulophysin is located in the membrane of azurophilic granules in human neutrophils and mobilizes to the plasma membrane following cell stimulation. *Am J Path* **144**: 1369-1380, 1994.

Church MK & Hughes PJ. Adenosine potentiates immunological histamine release from rat mast cells by a novel cyclic AMP- independent cell-surface action. *Br J Pharmacol* **85**: 3-5, 1985.

Clark RAF, Gallin JL & Fauci AS. Effects of *in vivo* prednisone on *in vitro* eosinophil and neutrophil adherence and chemotaxis. *Blood* **53**: 633-641, 1979.

Clark RA. Activation of the neutrophil respiratory burst oxidase. *Infect Dis* **179**: S309-S317, 1999.

Cox G. Glucocorticoid treatment inhibits apoptosis in human neutrophils. *J Immunol* **154**: 4719-4725, 1995.

Crockard AD, Boylan MT, Droogan AG, McMillan SA & Hawkins SA. Methylprednisolone-induced neutrophil leucocytosis—down-modulation of neutrophil L-selectin and Mac-1 expression and induction of granulocyte-colony stimulating factor. *Int J Clin Lab Res.* **28**: 110-115, 1998.

Cronstein BN, Kramer SB, Weissman G & Hirschhorn R. Adenosine: A physiological modulator of superoxide anion generation by human neutrophils. *J Exp Med* **158**: 1160-1177, 1983.

Cronstein BN, Rosenstein ED, Kramer SB, Weissmann G & Hirschhorn R, Adenosine: a physiologic modulator of superoxide anion generation by human neutrophils. Adenosine acts via an A₂ receptor on human neutrophils. *J Immunol* **135**: 1366-1371, 1985.

Cronstein BN, Levin RI, Belanoff J, Weissman G & Hirschhorn R. Adenosine: An endogenous inhibitor of neutrophil-mediated injury to endothelial cells. *J Clin Invest* **78**: 760-770, 1986.

Cronstein BN, Kramer SB, Rosenstein ED, Korchak HM, Weissman G & Hirschhorn R. Occupancy of adenosine receptors raises cyclic AMP alone and in

synergy with occupancy of chemoattractant receptors and inhibits membrane depolarization. *Biochem J* **252**: 709-715, 1988.

Cronstein BN & Haines KA. Stimulus-response uncoupling in the neutrophil: Adenosine A₂-receptor occupancy inhibits the sustained, but not the early, events of stimulus transduction in human neutrophils by a mechanism independent of actin-filament formation. *Biochem J* **281**: 631-635, 1992.

Cronstein BN, Levin RI, Phillips K, Hirschhorn R, Abramson SB & Weissmann G. Neutrophil adherence to endothelium is enhanced via adenosine A₁ receptors and inhibited via adenosine A₂ receptors. *J Immunol* **148**: 2201-2206, 1992.

Cronstein BN, Naime D & Firestein C. The antiinflammatory mechanism of methotrexate. Increased adenosine release at inflamed sites diminishes leucocyte accumulation in an *in vivo* model of inflammation. *J Clin Invest* **92**: 2675-2682, 1993.

Cronstein BN. Adenosine, an endogenous anti-inflammatory agent. *J Appl Physiol* **76**: 5-13, 1994.

Daffern PJ, Jagels MA & Hugli TE. Multiple epithelial cell-derived factors enhance neutrophil survival. Regulation by glucocorticoids and tumour necrosis factor-alpha. *Am J Respir Cell & Mol Biol* **21**: 259-267, 1999.

Dale DC, Liles WC, Llewellyn C, Rodger E & Price TH. Neutrophil transfusions: kinetics and function of neutrophils mobilized with granulocyte-colony-stimulating factor and dexamethasone. *Transfusion* **38**: 710-712, 1998.

Dandona P, Mohanty P, Hamouda W, Aljada A, Kumbkarni Y & Garg R. Effect of dexamethasone on reactive oxygen species generation by leucocytes and

plasma interleukin-10 concentrations: A pharmacodynamic study. *Clin Pharmacol Ther* **66**: 58-65, 1999.

Dandona P, Suri M, Hamouda W, Aljada A, Kumbkarni Y & Thusu K. Hydrocortisone-induced inhibition of reactive oxygen species by polymorphonuclear neutrophils. *Crit Care Med* **27**: 2442-2444, 1999.

Davenpeck KL, Zagorski J, Schleimer RP & Bochner BS. Lipopolysaccharide-induced leucocyte rolling and adhesion in the rat mesenteric microcirculation: regulation by glucocorticoids and role of cytokines. *J Immunol* **161**: 6861-6870, 1998.

Davis JM, Albert JD, Tracy KJ, Calvano SE, Lowry SF, Shires GT & Yurt RW. Increased neutrophil mobilization and decreased chemotaxis during cortisol and epinephrine infusions. *J Trauma-Injury Infect & Crit Care* **31**: 725-731, 1991.

Di Virgilio F, Lew PD, Anderson T & Pozzan T. Plasma membrane potential modulates chemotactic peptide-stimulated cytosolic free Ca^{++} changes in human neutrophils. *J Biol Chem* **262**: 4574-4579, 1987.

Dolmetsch RE, Lewis RS, Goodnow CC & Healy JI. Differential activation of transcription factors induced by Ca^{2+} response amplitude and duration. *Nature* **386**: 855-858, 1997.

Elsbach P & Weiss J. Oxygen-independent antimicrobial systems of phagocytes. In: Gallin JI, Goldstein IM, Snyderman R. editoris. *Inflammation: Basic Principles and Clinical Correlates* (2nd edition). New York: Raven Press Ltd. p663-700, 1992.

Erickson RW, Langel-Peveri P, Traynor-Kaplan AE, Heyworth PG & Carnutte JT. Activation of human neutrophil NADPH oxidase by phosphatidic acid or

diacylglycerol in a cell-free system. Activity of diacylglycerol is dependent on its conversion to phosphatidic acid. *J Biol Chem* **274**: 22243-22250, 1999.

Ezeamuzie CI & Philips E. Adenosine A₃ receptors on human eosinophils mediate inhibition of degranulation and superoxide anion release. *Br J Pharmacol* **127**:188-194, 1999.

Fadok VA, Warner ML, Bratton DL & Henson PM. CD36 is required for phagocytosis of apoptotic cells by human macrophages that use either a phosphatidylserine receptor or the vitronectin receptor (alpha v beta 3). *J Immunol* **161**: 6250-6257, 1998.

Favre CJ, Nüsse O, Lew DP & Krause K-H. Store-operated calcium influx: What is the message from the stores to the membrane? *J Lab Clin Med* **128**: 19-26, 1996.

Filep JG, Delalandre A, Payette Y & Foldes-Filep E. Glucocorticoid receptor regulates expression of L-selectin and CD11/CD18 on human neutrophils. *Circulation* **96**: 295-301, 1997.

Filep JG, Zouki C, Petasis NA, Hachicha M & Serhan CN. Anti-inflammatory actions of lipoxin A(4) stable analogs are demonstrable in human whole blood. modulation of leucocyte adhesion molecules and inhibition of neutrophil-endothelial interactions. *Blood* **94**: 4132-4142, 1999.

Flamand N, Boudreault S, Picard S, Austin M, Surette ME, Plante H, Krump E, Vallée M-J, Gilbert C, Naccache P, Laviolette M & Borgeat P. Adenosine, a potent natural suppressor of arachidonic acid release and leukotriene biosynthesis in human neutrophils. *Am J Respir Crit Care Med* **161**: 588-594, 2000.

Fleming SD, Edelman LS & Chapes SK. Effects of corticosterone and microgravity on inflammatory cell production of superoxide. *J Leucoc Biol* **50**: 69-76, 1991

Fonteh AN, Winkler JD, Torphy TJ, Heravi J, Udem BJ & Chilton FH. Influence of isoproterenol and phosphodiesterase inhibitors on platelet-activating factor biosynthesis in the human neutrophils. *J Immunol* **151**: 339-350, 1993.

Forbes LV, Truong O, Wientjes FB, Moss SJ & Segal AW. The major phosphorylation site of the NADPH oxidase component p67phox is Thr 233. *Biochem J* **338**: 99-105, 1999.

Forbes LV, Moss SJ & Segal AW. Phosphorylation of p67phox in the neutrophil occurs in the cytosol and is independent of p47phox. *FEBS Lett* **449**: 225-229, 1999.

Fozard JR, Pfannkuche H-J & Schuurman H-J. Mast cell degranulation following adenosine A₃ receptor activation in rats. *Eur J Pharmacol* **298**: 293-297, 1996.

Fredholm BB, Zhang Y & Van der Ploeg I. Adenosine A_{2A} receptors mediate the inhibitory effect of adenosine on formyl-Met-Leu-Phe-stimulated respiratory burst in neutrophil leucocytes. *Naunyn Schmiedeberg's Arch Pharmacol* **354**: 262-267, 1996.

Fredholm BB. Purines and neutrophil leucocytes. *Gen Pharmacol* **28**: 345-350, 1997.

Fredholm BB. Adenosine and neuroprotection. *Int Rev Neurobiol* **40**: 259-280, 1997.

Freischlag JA, Colburn MD, Quinones-Baldrich WJ & Moore WS. Alteration of neutrophil function by heparin, dexamethasone, and enalapril. *J Surg Res* **52**: 523-529, 1992.

Fuenfer MM, Carr EA & HC Polk Jr. The effect of hydrocortisone on superoxide production by leucocytes. *J Surg Res* **27**: 29-35, 1979.

Gadaleta D, Verma M & Davis JM. Inhibition of neutrophil leukotriene generation by the 21-aminosteroid, U-74389F. *J Surg Res* **57**: 233-237, 1994.

Gainet J, Chollet-Martin S, Brion M, Hakim J, Gougerot-Pocidallo M & Elbim C. Interleukin -8 production by polymorphonuclear neutrophils in patients with rapidly progressive periodontitis: An amplifying loop of polymorphonuclear neutrophil activation. *Lab Invest* **78**: 755-762, 1998.

Geiszt M, Kapus A, Nemet K, Farkas L & Ligeti E. Regulation of capacitative Ca^{2+} influx in human neutrophil granulocytes. *J Biol Chem* **272**: 26471-26478, 1997.

Ghamberg CG, Valmu L, Fagerholm S, Kotovouri P, Ihanus E, Tian L & Pessamorikawa T. Leukocyte integrins and inflammation. *Cell Mol Life Sci* **54**: 549-555, 1998.

Goldstein DM, Roos D, Weissman G & Kaplan HB. Influence of corticosteroids on human polymorphonuclear function *in vitro*: reduction of lysosomal enzyme release and superoxide production. *Inflammation* **1**: 305-315, 1976.

Goldstein IM. Complement: Biologically active products. In: Gallin JI, Goldstein IM, Snyderman R, editors. *Inflammation: Basic Principles and Clinical Correlates* (2nd edition). New York: Raven Press Ltd. p33-62, 1992.

Goolam Mahomed A & Anderson R. Activation of human neutrophils with chemotactic peptide, opsonized zymosan and the calcium ionophore A23187, but not with a phorbol ester, is accompanied by efflux and store-operated influx of calcium. *Inflammation* **24**: 559-569, 2000.

Goulding NJ, Euzger HS, Butt SK & Perretti M. Novel pathways for glucocorticoid effects on neutrophils in chronic inflammation. *Inflammation Res* **47**: S158-165, 1998.

Greene WC. The interleukins. In: Gallin JI, Goldstein IM, Snyderman R, editors: *Inflammation: Basic Principles and Clinical Correlates* (2nd edition). New York: Raven Press Ltd. p 233-246, 1992.

Grynkiewicz G, Poenie M & Tsien RY. A new generation of Ca²⁺ indicators with greatly improved fluorescence properties. *J Biol Chem* **260**: 3440-3450, 1985.

Guelfi JF, Courdouhji MK, Alvinerie M & Toutain PL. *In vivo* and *in vitro* effects of three glucocorticoids on blood leucocyte chemotaxis in the dog. *Vet Immunol Immunopathol* **10**: 245-252, 1985.

Gunther GR & Herring MB. Inhibition of neutrophil superoxide production by adenosine released from vascular endothelial cells. *Ann Vasc Surg* **5**: 325-330, 1991.

Ham EA, Soderman DD & Zanetti ME. Inhibition by prostaglandins of leukotriene B₄ release from activated neutrophils. *Proc Natl Acad Sci USA* **80**: 4349-4353, 1983.

Hannon JP, Bray-French KM, Phillips RM & Fozard JR. Further pharmacological characterization of the adenosine receptor subtype mediating inhibition of the oxidative burst in human isolated neutrophils. *Drug Dev Res* **43**: 214-224, 1998.

Harada N, Okajima K, Murakami K, Usune S, Sato C, Ohshima K & Katsuragi T. Adenosine and selective A_{2A} receptor agonists reduce ischemia/reperfusion injury of rat liver mainly by inhibiting leucocyte activation. *J Pharmacol Exp Ther* **294**: 1034-1042, 2000.

Heimbürger M, Larfars G & Bratt J. Prednisolone inhibits cytokine-induced adhesive and cytotoxic interactions between endothelial cells and neutrophils *in vitro*. *Clin Exp Immunol* **119**: 441- 448, 2000.

Henderson LM, Chappell JB & Jones OT. Superoxide generation by electrogenic NADPH oxidase of human neutrophils is limited by the movement of a compensating change. *Biochem J* **255**: 285-290, 1988.

Hetherington SV & Quie PG. Human polymorphonuclear leucocytes of the bone marrow, circulation, and marginated pool: function and granule protein content. *Am J Hematology* **20**: 235-246, 1985.

Hill GE, Alonso A, Thiele GM & Robbins RA. Glucocorticoids blunt neutrophil CD/11b surface glycoprotein upregulation during cardiopulmonary bypass in humans. *Anaesthesia & Analgesia* **79**: 23-27, 1994.

Hirata F, Schiffman E, Venkatasubramanian K, Salomon D & Axelrod J. A phospholipase A₂ inhibitory protein in rabbit neutrophils induced by glucocorticoids. *Proc Natl Acad Sci USA* **77**: 2533-2536, 1980.

Hoeben D, Burvenich C & Massart-Leën A-M. Glucocorticoids and *in vitro* effects on chemiluminescence of isolated bovine blood granulocytes. *Eur J Pharmacol* **354**: 197-203, 1998.

Horan TD, English D & McPherson TA. Association of neutrophil chemiluminescence with microbicidal activity. *Clin Immunol Immunopathol* **22**: 259-269, 1982.

Humphreys JM, Stringer RE, Hart CA & Edwards SW. Effect of cytotoxic drugs on mature neutrophil function in the presence and absence of granulocyte-macrophage colony-stimulating factor. *Br J Haematol* **84**: 316-321, 1993.

Iannone MA, Wolberg G & Zimmerman TP. Chemotactic peptide induces cAMP elevation in human neutrophils by amplification of the adenylate cyclase response to endogenously produced adenosine. *J Biol Chem* **264**: 20177-20180, 1989.

Jarvis MF, Schultz R, Hutchison AJ, Hoi Du U, Sills MA & Williams M. A selective A₂ adenosine receptor agonist directly labels A₂ receptors in rat brain. *J Pharmacol Exp Ther* **251**: 888-893, 1989.

Jankowski A & Grinstein S. A noninvasive fluorimetric procedure for measurement of membrane potential. Quantification of the NADPH oxidase-induced depolarization in activated neutrophils. *J Biol Chem* **274**: 26098-26104, 1999.

Jayappa HG & Loken KI. Effect of antimicrobial agents and corticosteroids on bovine polymorphonuclear leucocyte chemotaxis. *Am J Vet Res* **44**: 2155-2159, 1983.

Jones CJ, Morris KJ & Jayson MIV. Prednisolone inhibits phagocytosis by polymorphonuclear leucocytes via steroid receptor mediated events. *Ann Rheum Dis* **42**: 56-62, 1983.

Jones SL, Knaus UG, Bokoch GM & Brown EJ. Two signalling mechanisms for activation of α M β 2 avidity in polymorphonuclear neutrophils. *J Biol Chem* **273**: 10556-10566, 1998.

Jordan JE, Zhao Z-Q, Sako H, Taft S & Vinten-Johansen J. Adenosine A₂ Receptor activation attenuates reperfusion injury by inhibiting neutrophil accumulation, superoxide generation and coronary endothelial adherence. *J Pharmacol Exp Ther* **280**: 301-309, 1997.

Jordan JE, Thourani VH, Auchampach JA, Robinson JA, Wang N-P & Vinten-Johansen J. A₃ adenosine receptor activation attenuates neutrophil function and neutrophil-mediated reperfusion injury. *Am J Physiol* **277**: H1895-H1905, 1999.

Kamei Y, Xu L, Heinzel T, Torchia J, Kurokawa R, Gloss B, Lin S-C, Heyman RA, Rose DW, Glass CK & Rosenfeld MG. A CBP integrator complex mediates transcriptional activation and AP-1 inhibition by nuclear receptors. *Cell* **85**: 403-414, 1996.

Kolanus W, Nagel W, Schiller B, Zeitlmann L, Godar S, Stockinger H & Seed B. α L β 2 integrin LFA-1 binding to ICAM-1 induced by Cytohesin-1, a cytoplasmic regulatory molecule. *Cell* **86**: 233-242, 1996.

Kondo E & Kanai K. Mechanism of bactericidal activity of lysolecithin and its biological implication. *Jap J Med Sci & Biol* **38**: 181-194, 1985.

Koppenol WH. The basic chemistry of nitrogen monoxide and peroxynitrite. *Free Radic Biol Med* **25**: 385-391, 1998.

Krause K-H, Pittet D, Volpe P, Pozzan T, Meldolesi J & Lew DP. Calciosome, a sarcoplasmic reticulum-like organelle involved in intracellular Ca²⁺ -handling by

non-muscle cells: studies in human neutrophils and HL60 cells. *Cell Calcium* **10**: 351-361, 1989.

Krump E, Lemay G & Borgeat P. Adenosine A₂ receptor-induced inhibition of leukotriene B₄ synthesis in whole blood *ex vivo*. *Br J Pharmacol* **117**: 1639-1644, 1996.

Krump E, Picard S, Mancini J & Borgeat P. Suppression of leukotriene B₄ biosynthesis by endogenous adenosine in ligand-activated human neutrophils. *J Exp Med* **186**: 1401-1406, 1997.

Kurihara A, Ojima F & Tsurufuji A. Analysis of the effect of an antiinflammatory steroid, dexamethasone, on neutrophil chemotaxis in the Boyden chamber with a modified ⁵¹Cr-labeling method. *J Pharm Dyn* **7**: 742-754, 1984b.

Kuzniar J, Sajewicz W, Kopec W & Hruby Z. Chemiluminescence of neutrophils in patients with glomerulonephritis treated with methylprednisolone. *International Urology and Nephrology* **23**: 527-534, 1991.

Lagast H, Lew DP & Waldvogel FA. Adenosine triphosphatase-dependent calcium pump in the plasma membrane of guinea pig and human neutrophils. *J Clin Invest* **73**: 107-115, 1984.

Lam BK & Austen KF. Leukotrienes: Biosynthesis, Release and Actions. In: Gallin JI, Goldstein IM, Snydermann R, editors. *Inflammation, Basic Principles and Clinical Correlates* (2nd edition) New York, Raven Press Ltd, p139-147, 1992.

Lane SJ, Adcock IM, Richards D, Hawrylowicz C, Barnes PJ & Lee TH. Corticosteroid-resistant bronchial asthma is associated with increased c-fos expression in monocytes and T lymphocytes. *J Clin Invest* **102**: 2156-2164, 1998.

Lappin D & Whaley K. Adenosine A₂ receptors on human monocytes modulate C₂ production. *Clin Exp Immunol* **57**: 454-460, 1984.

Lauffenburger DA & Horwitz AF. Cell migration: A physically integrated molecular process. *Cell* **84**: 359-369, 1996.

Le Cabec V, Cowland JB, Calafat J & Borregaard N. Targeting of proteins to granule subsets is determined by timing and not by sorting: The specific granule protein NGAL is localized to azurophilic granules when expressed in HL-60 cells. *Proc Natl Acad Sci USA* **93**: 6454-6457, 1996.

Leslie CC. Properties and regulation of cytosolic phospholipase A₂. *J Biol Chem* **272**: 16709-16712, 1997.

Leusen JH, Verhoeven AJ & Roos D. Interactions between the components of the human NADPH oxidase : intrigues in the phox family. *J Lab Clin Med* **128**: 461-476, 1996.

Lew DP, Monod A, Waldvogel FA, Dewald B & Baggiolini M. Quantitative analysis of the cytosolic free calcium dependency of exocytosis from three subcellular compartments in intact human neutrophils. *J Cell Biol* **102**: 2197-2204, 1986.

Levine PH, Hardin JC, Scoon KL & Krinsky NI. Effect of corticosteroids on the production of superoxide and hydrogen peroxide and the appearance of chemiluminescence by phagocytosing polymorphonuclear leucocytes. *Inflammation* **5**: 19-27, 1981.

- Li X, Steeber DA, Tang MLK, Farrar MA, Perlmutter RM & Tedder TF. Regulation of L-selectin-mediated rolling through receptor dimerization. *J Exp Med* **188**: 1385-1390, 1998.
- Lim LH, Solito E, Russo-Marie F, Flower RJ & Perretti M. Promoting detachment of neutrophils adherent to murine postcapillary venules to control inflammation: effect of lipocortin 1. *Proc Natl Acad Sci USA* **95**: 14535-14539, 1998.
- Linden J. Cloned adenosine A₃ receptors: pharmacological properties, species differences and receptor functions. *Trends pharmacol Sci* **15**: 289-306, 1994.
- Liu Q, Wang Y & Thorlacius H. Dexamethasone inhibits tumour necrosis factor-alpha-induced expression of macrophage inflammatory protein-2 and adhesion of neutrophils to endothelial cells. *Biochem Biophys Res Comm* **271**: 364-367, 2000.
- Llewellyn-Jones CG, Hill SL & Stockley RA. Effect of fluticasone propionate on neutrophil chemotaxis, superoxide generation, and extracellular proteolytic activity *in vitro*. *Thorax* **49**: 207-212, 1994.
- Llewellyn-Jones CG, Harris TAJ & Stockley RA. Effect of fluticasone propionate on sputum of patients with chronic bronchitis and emphysema. *Am J Respir Crit Care Med* **153**: 616-621, 1996.
- Lomas DA, Ip M, Chamba A & Stockley RA. The effect of *in vitro* and *in vivo* dexamethasone on human neutrophil function. *Agents and Actions* **33**: 279-285, 1991.
- Lytton J, Westlin M & Hanley MR. Thapsigargin inhibits the sarcoplasmic or endoplasmic reticulum Ca-ATPase family of calcium pumps. *J Biol Chem* **266**: 17067-17071, 1991.

Macconi D, Zanoli AF, Orisio S, Longaretti L, Magrini L, Rota S, Radice A, Pozzi C & Remuzzi G. Methylprednisolone normalizes superoxide anion production by polymorphs from patients with ANCA-positive vasculitides. *Kidney Int* **44**:215-220, 1993.

MacGregor RR, Spagnuolo PJ & Lentnek AL. Inhibition of granulocyte adherence by ethanol, prednisone and aspirin measured with an assay system. *N Engl J Med* **291**: 642-646, 1974.

Mak JCW, Nishikawa M, Shirasaki H, Miyayasu K & Barnes PJ. Protective effects of a glucocorticoid on down-regulation of pulmonary β_2 -adrenergic receptors *in vivo*. *J Clin Invest* **96**: 99-106, 1995.

Mandell GL, Rubin W & Hook EW. The effect of an NADH oxidase inhibitor (hydrocortisone) on polymorphonuclear leucocyte bactericidal activity. *J Clin Invest* **49**:1381-1388, 1970.

Marone G, Thomas L & Lichtenstein TL. The role of agonists that activate adenylate cyclase in the control of cAMP metabolism and enzyme release by human polymorphonuclear leucocytes. *J Immunol* **125**: 2277-2283, 1980.

Martin-Martin B, Nabokina SM, Blasi J, Lazo PA & Mollinedo F. Involvement of SNAP-23 and syntaxin 6 in human neutrophil exocytosis. *Blood* **96**: 2574-2583, 2000.

Martin-Padura I, Lostaglio S, Schneermann M, Williams L, Romano M, Fruscella P, Panzeri C, Stoppacciaro A, Ruco L, Villa A, Simmons D & Dejana E. Junctional Adhesion Molecule, a novel member of the immunoglobulin superfamily that distributes at intercellular junctions and modulates monocyte transmigration. *J Cell Biol* **142**: 117-127, 1998.

McFadden ER. Inhaled glucocorticoids and acute asthma: therapeutic breakthrough or non-specific effect?. *Am J Respir Crit Care Med* **157**: 677-678, 1998.

McGarrity ST, Stephenson AH & Webster RO. Regulation of human neutrophil functions by adenine nucleotides. *J Immunol* **142**: 1986-1994, 1989.

Meagher LC, Cousin JC, Seckl JR & Haslett C. Opposing effects of glucocorticoids on the rate of apoptosis in neutrophilic and eosinophilic granulocytes. *J Immunol* **156**: 4422-4428, 1996.

Minkenberg I & Ferber E. Lucigenin-dependent chemiluminescence as a new assay for NADPH-oxidase activity in particulate fractions of human polymorphonuclear leucocytes. *J Immunol Meth* **71**: 61-67, 1984.

Mohr FC & Fewtrell C. Depolarization of rat basophilic leukemia cells inhibits calcium uptake and exocytosis. *J Cell Biol* **104**: 783-792, 1987.

Montero M, Alvarez J, Garcia-Sanchez J. Agonist-induced Ca^{2+} influx in human neutrophils is secondary to the emptying of intracellular calcium stores. *Biochem J* **277**: 73-79, 1991.

Moore AR & Willoughby DA. The role of cAMP regulation in controlling inflammation. *Clin Exp Immunol* **101**: 387-389, 1995.

Moroz C & Stevens RH. Suppression of immunoglobulin production in normal human B lymphocytes by two T-cell subsets distinguished following *in vitro* treatment with adenosine. *Clin Immunol Immunopathol* **15**: 44-51, 1980.

Morris DD, Strzemienski PJ, Gaulin G & Spencer P. The effect of corticosteroid administration on the migration, phagocytosis and bactericidal capacity of equine neutrophils. *Cornell Vet* **78**: 243-252, 1988.

Mueller H, Motulsky HJ & Sklar LA. The potency and kinetics of the beta-adrenergic receptors on human neutrophils. *Mol Pharmacol* **34**: 347-353, 1988.

Nagel W, Schilcher P, Zeitlmann L & Kolanus W. The PH domain and the polybasic c domain of cytohesin-1 cooperate specifically in plasma membrane association and cellular function. *Mol Biol Cell* **9**: 1981-1994, 1998.

Nakagawa M, Bondy GP, Waisman D, Minshall D, Hogg JC & van Eeden SF. The effect of glucocorticoids on the expression of L-selectin on polymorphonuclear leucocytes. *Blood* **93**: 2730-2737, 1999.

Niwa Y, Somiya K, Miyachi Y, Kanoh T & Sakane T. Luminol-independent chemiluminescence by phagocytes is markedly enhanced by dexamethasone, not by other glucocorticoids. *Inflammation* **11**: 163-174, 1987.

Nolte D, Lorenzen A, Lehr HA, Bokoch GK & Sklar LA. Reduction of post-ischemic leucocyte-endothelium interaction by adenosine via A₂ receptor. *Naunyn Schmiedebergs Arch Pharmacol* **346**: 234-237, 1992.

Oda T & Katori M. Inhibition site of dexamethasone on extravasation of polymorphonuclear leucocytes in the hamster cheek pouch microcirculation. *J Leucoc Biol* **52**: 337-342, 1992.

Ogryzko W, Schiltz RL, Russanova V, Howard BH & Nakatani Y. The transcriptional coactivators p300 and CBP are histone acetyltransferases. *Cell* **87**: 953-959, 1996.

Ohta N, Shimaoka M, Imanaka H, Nishimura M, Taenaka N, Kiyono H & Yoshiya I. Glucocorticoid suppresses neutrophil activation in ventilator-induced lung injury. *Crit Care Med* **29**: 1012-1016, 2001.

Oishi K, Raynor RL, Charp PA, & Kuo JF. Regulation of protein kinase C by lysophospholipids. *J Biol Chem* **263**: 6865-6871, 1988.

Okusa MD, Linden J, Huang L, Rieger JM, Macdonald TL & Huynh LP.A(2A) adenosine receptor-mediated inhibition of renal injury and neutrophil adhesion. *Am J Physiol Renal Physiol* **279**: F809-F818, 2000.

Olah ME & Stiles GL. Adenosine Receptor Subtypes: Characterization and therapeutic Regulation. *Annu Rev Pharmacol Toxicol* **35**: 581-606, 1995.

Olds JW, Reed WP, Eberle B & Kisch AL. Corticosteroids, serum, and phagocytosis: *in vitro* and *in vivo* studies. *Infect Immun* **9**: 524-529, 1974.

Ongini E & Fredholm BB. Pharmacology of adenosine A_{2A} receptors. *Trends Pharmacol Sci* **17**: 364-372, 1996.

Parmely MJ, Zhou WW, Edwards ICK, Borcharding DR, Silverstein R & Morrison DC. Adenosine and a related carbocyclic nucleoside analogue selectively inhibit tumour necrosis factor- α production and protect mice against endotoxin challenge. *J Immunol* **151**: 389-396, 1993.

Peachman KK, Lyles DS & Bass DA. Mitochondrial differences in glucocorticoid treated eosinophils and neutrophils. *Am J Resp and Crit Care Med* **161**: A899, 2000.

Penner R, Matthews G & Neher E. Regulation of calcium influx by second messengers in rat mast cells. *Nature* **334**: 499-504, 1988.

Perretti M, Croxtall JD, Wheller SK, Goulding NJ, Hannon R & Flower RJ. Mobilizing lipocortin 1 in adherent human leucocytes downregulates their transmigration. *Nature Med* **2**: 1259-1262, 1996.

Persellin RH & Ku LC. Effects of steroid hormones on human polymorphonuclear leucocyte lysosomes. *J Clin Invest* **54**: 919-925, 1974.

Pettit EJ & Hallett MB. Localized and global cytosolic calcium changes in neutrophils during engagement of CD11b/CD18 integrin visualised using confocal laser scanning reconstruction. *J Cell Sci* **109**: 1689-1694, 1996.

Phillips TR, Yang WC & Schultz RD. The effects of glucocorticoids on the chemiluminescence response of bovine phagocytic cells. *Vet Immunol Immunopathol* **14**: 245-256, 1987.

Phillis JW. The selective adenosine A₂ receptor agonist, CGS 21680, is a potent depressant of cortical neuronal activity. *Brain Res* **509**: 328-330, 1990.

Pichyangkul S, Schick D, Schober W, Dixon G & Khan A. Increased expression of adhesive proteins on leucocytes by TNF alpha. *Exp Hematology* **16**: 588-593, 1988.

Poucher SM, Keddie JR, Sing P, Stoggall SM, Caulkett PWR, Jones G & Collis MG. The *in vitro* pharmacology of ZM 241385, a potent non-xanthine A_{2A} selective adenosine receptor antagonist. *Br J Pharmacol* **115**: 1096-1102, 1995.

Prentki M, Wollheim CB & Lew DP. Ca²⁺ homeostasis in permeabilized human neutrophils: characterisation of Ca²⁺ sequestering pools and the action of inositol 1,4,5-triphosphate. *J Biol Chem* **259**: 13777-13782, 1984.

Prescott SM. A thematic series on kinases and phosphatases that regulate lipid signaling. *J Biol Chem* **274**: 8345-8346, 1999.

Ramkumar V, Stiles GL, Beaven MA & Ali H. The A₃ adenosine receptor is the unique adenosine receptor which facilitates release of allergic mediators in mast cells. *J Biol Chem* **268**: 16887-16890, 1993.

Ramos CL, Pou S, Britigan BE, Cohen MS & Rosen GM. Spin trapping evidence for myeloperoxidase-dependent hydroxyl radical formation by human neutrophils and monocytes. *J Biol Chem* **267**: 8307-8312, 1992.

Rhinehart JJ, Balcerzak SP, Sagone AL & LoBuglio AF. Effects of corticosteroids on human monocyte function. *J Clin Invest* **54**: 1337-1343, 1974.

Rieger JM, Brown ML, Sullivan GW, Linden J & Macdonald TL. Design, synthesis and evaluation of novel A_{2A} adenosine receptor agonists. *J Med Chem* **44**: 531-539, 2001.

Rivkin I, Foschi GV & Rosen CH. Inhibition of *in vitro* neutrophil chemotaxis and spontaneous motility by anti-inflammatory agents. *Proc Soc Exp Biol Med* **153** : 236-240, 1976.

Rose FR, Hirschhorn R, Weissmann G & Cronstein BN. Adenosine promotes neutrophil chemotaxis. *J Exp Med* **167**: 1186-1194, 1988.

Røshol H, Skrede KK, Aëro CE & Wijk P. Dexamethasone and methylprednisolone affect rat peritoneal phagocyte chemiluminescence after administration *in vivo*. *Eur J Pharmacol* **286**: 9-17, 1995.

Rossi AG, Cousin JM, Dransfield I, Lawson MF, Chilvers ER & Haslett C. Agents that elevate cAMP inhibit human neutrophil apoptosis. *Biochim Biophys Res Comm* **217**: 892-899, 1995.

Roth JA & Kaeberle ML. Effects of *in vivo* dexamethasone administration on *in vitro* bovine polymorphonuclear leucocyte function. *Infect Immun* **33**: 434-441, 1981.

Roussel E & Gingras MC. Transendothelial migration induces rapid expression on neutrophils of granule-release VLA6 used for tissue infiltration. *J Leucoc Biol* **62**:356-362, 1997.

Ruchaud-Sparagano MH, Walker TR, Rossi AG, Haslett C & Dransfield I. Soluble E-selectin acts in synergy with platelet-activating factor to activate neutrophil beta 2- integrins. Role of tyrosine kinases and Ca²⁺ mobilization. *J Biol Chem* **275**: 15758-15764, 2000.

Saito N, Pulford KA, Breton-Gorius J, Masse JM, Mason DY & Cramer EM. Ultrastructural localization of the CD68 macrophage-associated antigen in human blood neutrophils and monocytes. *Am J Pathol* **139**: 1053-1059, 1991.

Sajjadi FG, Takabayashi K, Foster AC, Domingo RC & Firestein GS. Inhibition of TNF- α expression by adenosine. Role of A₃ adenosine receptors. *J Immunol* **156**: 3435-3442, 1996.

Sakamoto S, Okanoué T, Itoh Y, Sakamoto K, Nishioji K, Nakagawa Y, Yoshida N, Yoshikawa T & Kashima K. Intercellular adhesion molecule-1 and CD18 are involved in neutrophil adhesion and its cytotoxicity to cultured sinusoidal endothelial cells in rats. *Hepatology* **26**: 658-663, 1997.

Salmon JE & Cronstein BN. Fc γ -receptor-mediated functions in neutrophils are modulated by adenosine receptor occupancy. *J Immunol* **145**: 2235-2240, 1990.

Schatzmann HJ. The calcium pump of the surface membrane and of the sarcoplasmic reticulum. *Annu Rev Physiol* **51**:473-485, 1989.

Scheinman RI, Cogswell PC, Lofquist AK & Baldwin AS Jr. Role of transcriptional activation of I κ B α in mediation of immunosuppression by glucocorticoids. *Science* **270**: 283-286, 1995.

Scheinmann RI, Gualberto A, Jewell CM, Cidlowski JA & Baldwin AS Jr. Characterization of mechanisms involved in transrepression of NF- κ B by activated glucocorticoid receptors. *Mol Cell Biol* **15**: 943-953, 1995.

Schleimer RP, Freeland HS, Peters SP, Brown KE & Derse CP. An assessment of the effects of glucocorticoids on degranulation, chemotaxis, binding to vascular endothelium and formation of Leukotriene B₄ by purified human neutrophils. *J Pharmacol Exp Ther* **250**: 598-605, 1989.

Schrenzel J, Serrander L, Bánfi B, Nusse O, Fouyouzi R, Lew DP, Demaurex N & Krause KH. Electron currents generated by the human phagocyte NADPH oxidase. *Nature* **392**: 734-737, 1998.

Seeds MC, Nixon AB, Wykle RL & Bass DA. Differential activation of human neutrophil cytosolic phospholipase A2 and secretory phospholipase A2 during priming by 1,2-diacyl- and 1-0-alkyl-2-acylglycerols. *Biochim Biophys Acta* **1394**: 224-234, 1998.

Segal BH, Leto TL, Gallin JI, Malech HI & Holland SM. Genetic, biochemical, and clinical features of chronic granulomatous disease. *Medicine* **79**: 170-200, 2000.

Sengelov H, Kjeldsen L & Borregaard N. Control of exocytosis in early neutrophil activation. *J Immunol* **150**: 1535-1543, 1993.

Shang T, Yednock T & Issekutz AC. Alpha9 beta1 integrin is expressed on human neutrophils and contributes to neutrophil migration through human lung and synovial fibroblast barriers. *J Leucoc Biol* **66**: 809-816, 1999.

Shimoyama M, Shimmura S, Tsubota K & Oguchi Y. Suppression of nuclear factor kappa B and CD18-mediated leucocyte adhesion to the corneal endothelium by dexamethasone. *Invest Ophthalm Vis Sci* **38**: 2427-2431, 1997.

Shiose A & Sumimoto H. Arachidonic acid and phosphorylation synergistically induce a conformational change of p47phox to activate the phagocyte NADPH oxidase. *J Biol Chem* **275**: 13793-13801, 2000.

Simchowicz L & Cragoe EJ Jr. Na⁺-Ca²⁺ exchange in human neutrophils. *Am J Physiol* **254**: C150-164, 1988.

Simchowicz L, Foy MA & Cragoe EJ. A role for Na/Ca exchange in the generation of superoxide radicals by human neutrophils. *J Biol Chem* **265**:13449-13456, 1990.

Smolen JE, Petersen TK, Koch C, O'Keefe SJ, Hanlon WA, Seo S, Pearson D, Fossett MC & Simon SI. L-selectin signaling of neutrophil adhesion and degranulation involves p38 mitogen-activated protein kinase. *J Biol Chem* **275**: 15876-15884, 2000.

Snyderman R & Uhing RJ. Chemoattractant stimulus-response coupling. In: Gallin, JI, Goldstein IM & Snyderman R, editors. *Inflammation: Basic principles and Clinical Correlates*. (2nd edition) New York: Raven Press Ltd. p 421-439, 1992.

Springer TA. Traffic signals for lymphocyte recirculation and leucocyte emigration: The multistep paradigm. *Cell* **76**: 301-314, 1994.

Steel HC, Matlola NM & Anderson R. Inhibition of potassium transport and growth of mycobacteria exposed to clofazimine and B669 is associated with a calcium-independent increase in microbial phospholipase A2 activity. *J Antimicrob Chemother* **44**: 209-216, 1999.

Steinbeck MJ, Khan AU & Karnovsky MJ. Intracellular singlet oxygen generation by phagocytosing neutrophils in response to particles coated with a chemical trap. *J Biol Chem* **267**: 13425-13433, 1992.

Steward AG & Harris T. Adenosine inhibits platelet-activating factor but not tumour necrosis factor- α -induced priming of human neutrophils. *Immuol* **78**: 152-158, 1993.

Stewart M & Hogg N. Regulation of leucocyte integrin function: Affinity vs. avidity. *J Cell Biochem* **61**: 554-561, 1996.

Stiles GL. Adenosine receptors. *J Biol Chem* **267**: 6451-6454, 1992.

Strickland I, Kisich H, Hauk PJ, Vottero A, Chrousos GP, Klemm DJ & Leung DYM. High constitutive glucocorticoid receptor β in human neutrophils enables them to reduce their spontaneous rate of cell death in response to corticosteroids. *J Exp Med* **193**: 585-593, 2001.

Sullivan GW, Carper HT & Mandell GL. The specific type IV phosphodiesterase inhibitor rolipram combined with adenosine reduces tumor necrosis factor- α -primed neutrophil oxidative activity. *Int J Immunopharmacol* **17**: 793-803, 1995.

Sullivan GW & Linden J. Role of A_{2A} adenosine receptors in inflammation. *Drug Dev Res* **45**: 103-112, 1998.

Sullivan GW, Rieger JM, Scheld WM, Macdonald TL & Linden J. Cyclic AMP-dependent inhibition of human neutrophil oxidative activity by substituted 2-propynylcyclohexyl adenosine A_{2A} receptor agonists. *Br J Pharmacol* **132**: 1017-1026, 2001.

Suzuki H, Yokomizo S, Wakamoto S, Watanabe K, Hirose K, Akamatsu N & Tanoue K. Translocation of sLe(x) on the azurophilic granule membrane to the plasma membrane in activated human neutrophils. *J Electron Microscopy* **49**: 359-370, 2000.

Suzuki Y, Nishio K, Takeshita K, Takeuchi O, Watanabe K, Sato N, Naoki K, Kudo H, Aoki T & Yamaguchi K. Effect of steroid on hyperoxia-induced ICAM-1 expression in pulmonary endothelial cells. *Am J Physiol-Lung Cell Mol Physiol* **278**: L245-252, 2000.

Taylor A, Das AM, Getting SJ, Flower RJ & Perretti M. Subacute treatment of rats with dexamethasone reduces ICAM-1 levels on circulating monocytes. *Biochem Biophys Res Comm* **231**: 675-678, 1997.

Takenawa T, Ishitoya J & Nagai Y. Inhibitory effect of prostaglandin E₂, forskolin, and dibutyryl cAMP on arachidonic acid release and inositol phospholipid metabolism in guinea pig neutrophils. *J Biol Chem* **261**: 1092-1098, 1986.

Talpain E, Armstrong RA, Coleman RA & Vardey CJ. Characterisation of the PGE receptor subtype mediating inhibition of superoxide production in human neutrophils. *Br J Pharmacol* **114**: 1459-1465, 1995.

Tao J, Johansson JS & Haynes DH. Stimulation of dense tubular Ca^{2+} uptake in human platelets by cAMP. *Biochim Biophys Acta* **110**: 29-39, 1992.

Thelen M, Dewald B & Baggiolini M. Neutrophil signal transduction and activation of the respiratory burst. *Physiol Rev* **73**: 797-822, 1993.

Tintinger GR, Theron AJ, Steel HC & Anderson R. Accelerated calcium influx and hyperactivation of neutrophils in chronic granulomatous disease. *Clin Exp Immunol* **123**: 254-263, 2001.

Torphy TJ. Phosphodiesterase enzymes: Molecular targets for novel antiasthma agents. *Am J Resp Crit Care Med* **157**: 351-370, 1998.

Trowald-Wigh G, Håkansson L, Johannisson A & Edqvist LE. The effect of prednisolone on canine neutrophil function: *In vivo* and *In vitro* studies. *Acta Vet Scand* **39**: 201-213, 1998.

Umeki S & Soejima R. Hydrocortisone inhibits the respiratory burst oxidase from human neutrophils in whole cell and cell free systems. *Biochim Biophys Acta* **1052**: 211-215, 1990.

Underwood DC, Bochnowicz S, Osborn RS, Kotzer CJ, Luttmann MA, Hay DWP, Gorycki P, Christensen SB & Torphy TJ. Antiasthmatic activity of the second generation phosphodiesterase 4 (PDE4) inhibitor SB207495 (Ariflo) in the guinea pig. *J Pharmacol Exp Ther* **287**: 988-995, 1998.

Van Dyke K, Van Dyke C, Udeinya J, Brister C & Wilson M. A new screening system for non-steroidal anti-inflammatory drugs based upon inhibition of chemiluminescence produced from human cells (granulocytes). *Clin Chem* **25**: 1655-1661, 1979.

Van Kooyk Y, Van Vliet SJ & Figdor CG. The actin cytoskeleton regulates LFA-1 ligand binding through avidity rather than affinity changes. *J Biol Chem* **274**: 26869-26877, 1999.

Van Overveld FJ, Vermeire PA & DeBacker WA. Induced sputum of patients with chronic obstructive pulmonary disease (COPD) contains adhesion-promoting, therapy-sensitive factors. *Inflam Res* **49**: 8-13, 2000.

Varani K, Gessi S, Dionisotti S, Ongini E & Borea PA. [³H]-SCH58261 labelling of functional A_{2A} adenosine receptors on human neutrophils. *Br J Pharmacol* **123**: 1723-1731, 1998.

Villagrasa V, Navarette C, Sanz C, Berto L, Perpina M, Cortijo J & Morcillo EJ. Inhibition of phosphodiesterase IV and intracellular calcium levels in human polymorphonuclear leucocytes. *Methods Find Exp Clin Pharmacol* **18**: 239-245, 1996.

Walker BAM, Hagenlocker BE, Douglas VK & Ward PA. Effects of adenosine on inositol 1,4,5-triphosphate formation and intracellular calcium changes in formyl-met-leu-phe-stimulated human neutrophils. *J Leucoc Biol* **48**: 281-283, 1990.

Walker BAM, Jacobson MA, Knight DA, Salvatore CA, Weir T, Zhou D & Bai TR. Adenosine A₃ receptor expression and function in eosinophils. *Am J Respir Cell Mol Biol* **16**: 532-537, 1997.

Wan W, Sutherland GR & Geiger JD. Binding of the adenosine A₂ receptor ligand [³H] CGS 21680 to human and rat brain: Evidence for multiple affinity sites. *J Neurochem* **55**: 1763-1771, 1990.

Wang P, Wu P, Ohleth KM, Egan RW & Billah MM. Phosphodiesterase 4B2 is the predominant phosphodiesterase species and undergoes differential

regulation of gene expression in human monocytes and neutrophils. *Mol Pharmacol* **56**: 170-174, 1999.

Ward PA. The chemosuppression of chemotaxis. *J Exp Med* **124**: 209-225, 1966.

Watson RW, O'Neill A, Brannigen AE, Coffey R, Marshall JC, Brady HR & Fitzpatrick JM. Regulation of Fas antibody induced neutrophil apoptosis is both caspase and mitochondrial dependent. *FEBS Letters* **453**: 67-71, 1999.

Webb JL, Polak JM & Evans TJ. Effect of adhesion on inducible nitric oxide synthase (iNOS) production in purified human neutrophils. *Clin Exp Immunol* **123**: 42-48, 2001.

Weinrauch Y, Elsbach P, Madsen L, Foreman A & Weiss J. The potent anti-*Staphylococcus aureus* activity of a sterile rabbit inflammatory fluid is due to a 14-kD phospholipase A2. *J Clin Invest* **97**: 250-257, 1996.

Werr J, Eriksson EE, Hedqvist P & Lindbom L. Engagement of beta2 integrins induces surface expression of beta1 integrin receptors in human neutrophils. *J Leucoc Biol* **68**: 553-560, 2000a.

Werr J, Johansson J, Eriksson EE, Hedqvist P, Ruoslahti E & Lindbom L. Integrin alpha(2)beta (1) (VLA-2) is a principal receptor used by neutrophils for locomotion in extravascular tissue. *Blood* **95**: 1804-1809, 2000b.

Wheller SK & Perretti M. Dexamethasone inhibits cytokine-induced intercellular adhesion molecule-1 upregulation on endothelial cell lines. *Eur J Pharmacol* **331**: 65-71, 1997.

Witko-Sarsat V, Rieu P, Descamps-Latscha B, Lesavre P & Halbwachs-Mecarelli L. Biology of Disease. Neutrophils: Molecules, functions and pathophysiological aspects. *Lab Invest* . **80**: 617-653, 2000.

Wolberg G, Zimmerman TP, Hienstra K, Winston M & Chu LC. Adenosine inhibition of lymphocyte-mediated cytotoxicity: possible role of cyclic adenosine monophosphate. *Science* **187**: 957-959, 1975.

Wolfe AP. Sinful repression. *Nature* **387**: 16-17, 1997.

Wright DG & Malawista SE. Mobilization and extracellular release of granular enzymes from human leucocytes during phagocytosis: inhibition by colchicine and cortisol but not by salicylate. *Arthritis Rheum* **16**: 749-758, 1973.

Yoshida N, Yoshikawa T, Nakamura Y, Takenaka S, Sakamoto K, Manabe H, Nakagawa S & Kondo M. Methylprednisolone inhibits neutrophil-endothelial cell interactions induced by interleukin-1beta under flow conditions. *Life Sci* **60**: 2341-2347, 1997.

Youssef PP, Triantafillou S, Parker A, Coleman M, Roberts-Thompson PJ, Ahern MJ & Smith MD. Effects of pulse methylprednisolone on cell adhesion molecules in the synovial membrane in rheumatoid arthritis. Reduced E-selectin and intercellular adhesion molecule 1 expression. *Arthritis Rheum* **39**: 1970-1979, 1996.

Zak-Nejmark T, Jankowska R, Malolepszy J, Jutel M, Kraus-Filarska M & Nadobna G. Spontaneous motility and chemotaxis of neutrophils is influenced by glycocorticosteroid therapy. *Arch Immunol Ther Exp (Warsz)* **44**: 77-80, 1996.

Zimmerman GA, Prescott SM & McIntyre TM. Endothelial cell interactions with granulocytes: tethering and signalling molecules. *Immunol Today* **13**: 93-99, 1992.

Zouki C, Ouellet S & Filep JG. The anti-inflammatory peptides, antinflammins, regulate the expression of adhesion molecules on human leucocytes and prevent neutrophil adhesion to endothelial cells. *FASEB J* **14**: 572-580, 2000.