Chapter 8

References

[1] J. A. Ray, G. A. Larson, and J. E. Terry, "Successful Hardware-in-the-loop Support of the Longbow/HELLFIRE Modular Missile System," in *Proceedings of Conference on Technologies for Synthetic Environments: Hardware-in-the-loop testing V, SPIE Volume 4027*, (Orlando, Florida), pp. 82–90, April 2000.

[2] B. A. Weber and J. A. Penn, "Modeling Synthetic Infrared Data for Classifier Development," in *Proceedings of Conference on Automatic Target Recognition X, SPIE Volume 4050*, (Orlando, Florida), pp. 1–20, April 2000.

[3] B. Shetler, D. Mergens, C. Chang, F. Mertz, J. Scott, S. Brown, R. Strunce, F. Maher, S. Kubica, R. de Jonckheere, and B. Tousley, "A comprehensive hyperspectral system simulation I: Integrated sensor scene modeling and the simulation architecture," in *Proceedings of Conference on Algorithms for Multispectral, Hyperspectral and Ultraspectral Imagery VI, SPIE Volume 4049*, (Orlando, Florida), pp. 94–104, April 2000.

[4] A. Berk, L. Bernstein, and D. Robertson, *MODTRAN: a moderate resolution model for LOWTRAN 7*. GL-TR-89-0081, Air Force Geophysics Laboratory: Hanscom AFB, 1978.

[5] R. J. Makar and D. B. Howe, "Real-time IR/EO scene generation utilizing an optimized scene rendering subsystem," in *Proceedings of Conference on Technologies for Synthetic Environments: Hardware-in-the-Loop Testing V, SPIE Volume 4027*, (Orlando, Florida), pp. 145–154, April 2000.

[6] E. M. Olsen, C. Coker, J. Coker, and D. Garbo, "A demonstration of innovative techniques used for real-time closed-loop infrared scene generation," in *Proceedings of Conference on Technologies for Synthetic Environments: Hardware-in-the-loop testing III, SPIE Volume 3368*, (Orlando, Florida), pp. 321–327, April 1998.

[7] M. Lorenzo, E. Jacobs, R. Moulton, and J. Liu, "Optimized mapping of Radiometric Quantities into OpenGL," in *Proceedings of Conference on Modeling, Simulation and Visualization for Real and Virtual Environments, SPIE Volume 3694*, (Orlando, Florida), pp. 173–182, April 1999.

[8] D. C. Anding and A. Szabo, "Real-time image visualisation for sensors," in *Proceedings of Conference on Technologies for Synthetic environments: Hardware-in-the-loop SPIE Vol 2741*, (Orlando, Florida), pp. 232–241, April 1996.

[9] R. L. Sundberg, J. Gruninger, M. Nosek, and J. Burks, "Quick Image Display (QUID) model for rapid real-time target imagery and spectral signatures," in *Proceedings of Conference on Technologies for Synthetic Environments: Hardware-in-the-loop testing II, SPIE Volume 3084*, (Orlando, Florida), pp. 272–281, April 1997.

[10] D. R. Crow, C. F. Coker, D. L. Garbo, and E. M. Olson, "A closed-loop real-time infrared scene generator," in *Proceedings of Conference on Technologies for Synthetic Environments: Hardware-in-the-loop testing III, SPIE Vol 3368*, (Orlando, Florida), pp. 342–351, April 1998.

[11] G. J. Zissis, *Sources of Radiation*, vol. 1 of *The Infrared and Electro-optical Systems Handbook*. PO Box 10, Bellingham, Washington, USA: SPIE Optical Engineering Press, 1996.

[12] F. W. Leuschner, "Introduction to Photonics." Class notes for Photonics EEF410, 1999.

[13] C. L. Wyatt, *Radiometric System Design*. 886 Third Avenue, New York, NY: Macmillan Publishing Company, 1987.

[14] F. G. Smith, *Atmospheric Propagation of Radiation*, vol. 2 of *The Infrared and Electro-optical Systems Handbook*. PO Box 10, Bellingham, Washington, USA: SPIE Optical Engineering Press, 1996.

[15] J. D. Foley and A. van Dam, *Fundamentals of Interactive Computer Graphics*. Addison-Wesley Systems Programming Series, Reading, Massachusetts: Addison-Wesley Publishing Company, 1984.

[16] R. S. Wright and M. Sweet, *OpenGL SuperBible, Second Edition*. Waite Group Press, 1999.

[17] B. de la Rosa, D. Döman, D. Gildenhuys, P. J. Gräbe, T. de W. Jooste, J. G. Pretorius, L. M. Pretorius, and M. J. Schoeman, *Inleidende Algebra*. Johannesburg: McGraw-Hill Boekmaatskappy, 1987.

[18] E. Angel, *Interactive Computer Graphics, A top-down approach with OpenGL*. Addison-Wesley, 1997.

[19] M. Segal and K. Akeley, *The OpenGL Graphics System: A Specification (Version 1.2.1)*. Silicon Graphics, Inc., 1999.

[20] E. M. Olsen, O. M. Williams, R. L. Murrer, and J. R. Kircher, "Resolution and dynamic range capabilities of dynamic infrared scene projection systems," in *Proceedings of Conference on Technologies for Synthetic Environments: Hardware-in-the-loop testing V, SPIE Volume 4027*, (Orlando, Florida), pp. 202–213, April 2000.

[21] G. C. Holst, *Electro-optical Imaging System Performance*. Bellingham, Washington, USA: SPIE Optical Engineering Press, 1995.

[22] Y. Z. Lauber and D. Braun, "Correct weighting of atmospheric transmittance and target temperature, applied to IR airborne reconnaissance systems," in *Proceedings of Conference on Targets and Backgrounds VI: Characterisation , Visualisation and the Detection Process, SPIE Volume 4029*, (Orlando, Florida), pp. 112–119, April 2000.

[23] F. P. J. le Roux and F. W. Leuschner, "Single parameter equivalents of atmospheric transmittance and atmospheric path radiance," *Journal of Electronic Imaging*, vol. Submitted for publication.

[24] F. P. J. le Roux, F. G. Collin, and F. W. Leuschner, "An investigation into the use of a personal computer for generating real-time infrared imagery," in *Proceedings of Conference on Technologies for Synthetic Environments: Hardware-in-the-Loop Testing VI*, (Orlando, Florida), April 2001.

[25] J. A. Buford, A. M. Offutt, and T. M. Reynolds, "Development of a Real-Time Sensor Emulator System for Hardware-in-the-Loop Testing," in *Proceedings of Conference on Technologies for Synthetic Environments: Hardware-in-the-loop testing V, SPIE Volume 4027*, (Orlando, Florida), pp. 163–170, April 2000.

[26] M. Bowden, J. A. Buford, and A. Mayhall, "Advanced real-time dynamic scene generation techniques for improved performance and fidelity," in *Proceedings of Conference on Technologies for Synthetic Environments: Hardware-in-the-loop testing V, SPIE Volume 4027*, (Orlando, Florida), pp. 171–178, April 2000.

[27] A. J. Cantle, M. Devlin, E. Lord, and R. Chamberlain, "High Frame rate, Low Latency Hardware-in-the-Loop Image Generation - An illustration of the Particle Method and Dime," in *Proceedings of Conference on Technologies for Synthetic Environments: Hardware-in-the-loop testing V, SPIE Vol 4027*, (Orlando, Florida), pp. 122–133, April 2000.

[28] N. Chiba, K. Muraoka, H. Takahashi, and M. Miura, "Two-dimensional visual simulation of flames, smoke and the spread of fire," *Journal of Visualization and Computer Animation*, vol. 5, pp. 37–53, 1994.

[29] D. Garbo, E. Olsen, D. Crow, C. Coker, and D. Cunard, "IR Model Development for a High-Speed Imaging Fuze," in *Proceedings of Conference on Technologies for Synthetic Environments: Hardware-in-the-Loop Testing III, SPIE Volume 3368*, (Orlando, Florida), pp. 328–341, April 1998.

[30] A. le Goff, P. Kersaudy, J. Latger, T. Cathala, N. Stolte, and P. Barillot, "Automatic Temperature Computation for Realistic IR Simulation," in *Proceedings of Conference on Targets and Backgrounds VI: Characterization, Visualization, and the Detection Process, SPIE Volume 4029*, (Orlando, Florida), pp. 187–196, April 2000.

[31] J. P. Gourret and P. Afflard, "Three-dimensional texture generator supervised by a small number of parameters," *Journal of Visualisation and Computer Animation*, vol. 3, pp. 105–127, 1992.

[32] A. V. Gitin, "Radiometry. A comprehensive approach," *Journal of Optical Technology*, vol. 65, no. 2, pp. 132–140, 1998.

[33] A. Houlbrook, M. Gilmore, I. Moorhead, D. Filbee, C.Stroud, G. Hutchings, and A. Kirk, "Scene simulation for camouflage assessment," in *Proceedings of Conference on Targets and Backgrounds VI: Characterization, Visualization, and the Detection Process, SPIE Volume 4029*, (Orlando, Florida), pp. 247–255, April 2000.

[34] H.-K. Hong, S.-H. Han, G.-P. Hong, S.-G. Jahng, and J.-S. Choi, "IR Model of 3d Aircraft for simulation of Reticle Seekers," *Journal of Circuits, Systems and Computers*, vol. 7, no. 4, pp. 333–344, 1997.

[35] R. J. Makar, B. O'Toole, and P. Rogers, "Real-time radiometric calculations utilizing SGI symmetric multiprocessing architecture," in *Proceedings of Conference on Technologies for Synthetic Environments: Hardware-in-the-Loop Testing II, SPIE Volume 3084*, (Orlando, Florida), pp. 260–270, April 1997.

[36] R. J. Makar and B. O'Toole, "Real-time synchronized multiple-sensor IR/EO scene generation utilizing the SGI Onyx2," in *Proceedings of Conference on Technologies for Synthetic Environments: Hardware-in-the-Loop Testing III, SPIE Volume 3368*, (Orlando, Florida), pp. 300–309, April 1998.

[37] J. C. Paul, P. M. Deville, and C. Winkler, "Modelling radiative properties of light sources and surfaces," *Journal of Visualization and Computer Animation*, vol. 6, pp. 231–240, 1995.

[38] N. I. Pavlov, V. A. Shevoldin, Y. A. Shuba, and G. I. Yasinskiĭ, "Combined analysis of images of scenes in the thermal and visible regions, using physical models," *Journal of Optical Technology*, vol. 65, no. 12, pp. 1045–1048, 1998.

[39] N. I. Pavlov, Y. A. Shuba, and V. A. Shevoldin, "Interconnection of the radiance of objects in the IR and visible regions during natural heat exchange," *Journal of Optical Technology*, vol. 65, no. 3, pp. 204–206, 1998.

[40] J. Sanders and R. Roland, "Captive flight test-based infrared validation of a hardware-in-the-loop simulation," in *Proceedings of Conference on Technologies for Synthetic Environments: Hardware-in-the-loop testing V, SPIE Volume 4027*, (Orlando, Florida), pp. 292–300, April 2000.

[41] O. D. Simmons, S. E. Jacobs, R. J. Makar, F. J. Stanley, T. W. Joyner, and K. B. Thiem, "Advancements in Real-Time IR/EO Scene Generation Utilizing the Silicon Graphics Onyx2," in *Proceedings of Conference on Technologies for Synthetic Environments: Hardware-in-the-loop testing V, SPIE Volume 4027*, (Orlando, Florida), pp. 134–144, April 2000.

[42] J. S. Sanders and S. D. Brown, "Utilization of DIRSIG in Support of Real-Time Infrared Scene Generation," in *Proceedings of Conference on Targets and Backgrounds VI: Characterization, Visualization, and the Detection Process, SPIE Volume 4029*, (Orlando, Florida), pp. 278–285, April 2000.

[43] H. Shekarforoush and R. Chellappa, "Data-driven multichannel superresolution with application to video sequences," *Journal of the Optical Society of America A*, vol. 16, no. 3, pp. 481–492, 1999.

[44] T. Sheremet'eva, G. Filippov, and E. Kalyashev, "Methods of processing and representing the results of measurements of three-dimensional surfaces," *Journal of Optical Technology*, vol. 65, no. 5, pp. 403–405, 1998.

[45] M. Wegener and R. Drake, "High Fidelity Synthetic IR Imaging Model," in *Proceedings of Conference on Technologies for Synthetic Environments: Hardware-in-the-loop testing V, SPIE Volume 4027*, (Orlando, Florida), pp. 163–170, April 2000.

[46] M. Wellfare, D. Vechinski, J. Watson, J. Foster, J. Edwards, and M. Richards, "Irma 5.0 Multi-Sensor Signature Prediction Model," in *Proceedings of Conference on Targets and Backgrounds VI: Characterization, Visualization, and the Detection Process, SPIE Volume 4029*, (Orlando, Florida), pp. 187–196, April 2000.