

BIBLIOGRAPHY

- Aalen, O. O. (1980). A model for non-parametric regression analysis of counting processes. *Lecture Notes in Statistics* 2, 1–25.
- Aalen, O. O. (1989). A linear regression model for the analysis of life times. *Statistics in Medicine* 8, 907–925.
- Andersen, P. K. (1985). Counting process models for life history data: A review. *Scandinavian Journal of Statistics* 12, 97–158.
- Anderson, P. K. (1982). Testing goodness of fit of Cox's regression and life model. *Biometrics* 38, 67–77.
- Anderson, P. K., O. Borgan, R. D. Gill, and N. Keiding (1993). *Statistical models based on counting processes*. Springer-Verlag.
- Ansell, R. O. and J. Ansell (1987). Modelling the reliability of sodium sulphur cells. *Reliability Engineering* 17, 127–137.
- Arnold, B. C. and H. Zahedi (1988). On multivariate mean remaining life functions. *Journal of Multivariate Analysis* 25, 1–9.
- Ascher, H. E. (1983). Regression analysis of repairable systems reliability. Technical report, Naval Research Laboratory, Washington, D.C., 20375/USA.
- Ascher, H. E. (1999, December). Numerous personal discussions with Ascher on the subject of reliability modeling.
- Ascher, H. E. and H. Feingold (1984). *Repairable systems reliability: Modeling, inference, misconceptions and their causes*. Marcel Dekker.
- Ascher, H. E. and C. K. Hansen (1998). Spurious exponentiality observed when incorrectly fitting a distribution to nonstationary data. *IEEE Transactions on Reliability* 47(4), 451–459.
- Ascher, H. E., K. A. H. Kobbacy, and D. F. Percy (1997). Issues concerning effective modelling/analysis of PM scheduling. Technical report, Department of Computer and Mathematical Sciences, University of Salford, Salford M5 4WT.
- Atkinson, K., R. Storb, R. L. Prentice, P. L. Weiden, R. P. Witherspoon, K. Sullivan, D. Noel, and E. D. Thomas (1979, April). Analysis of late infections in 89 long-term survivors of bone marrow transplantation. *Blood* 53(4), 720–731.

BIBLIOGRAPHY

- Atwood, C. L. (1992). Parametric estimation of time-dependent failure rates for probabilistic risk assessment. *Reliability Engineering and System Safety* 37, 181–194.
- Aven, T. and B. Bergman (1986). Optimal replacement times - a general set-up. *Journal of Applied Probability* 23, 432–442.
- Aven, T. and R. Dekker (1997). A useful framework for optimal replacement models. *Reliability Engineering and System Safety* 58, 61–67.
- Baganha, M. P., F. Geraldo, and D. F. Pyke (1999). The residual life of the renewal process: A simple algorithm. *Naval Research Logistics* 46, 435–443.
- Bain, L. J., M. Engelhardt, and F. T. Wright (1985, June). Tests for an increasing trend in the intensity of a Poisson process: A power study. *Journal for the American Statistical Association* 80(390), 419–422.
- Balakrishnan, N. (Ed.) (1995). *Recent advances in life-testing and reliability*, Chapter 32–33, pp. 589–617. CRC Press, Inc.
- Banjevic, D. (2001). Numerous personal discussions with Banjevic on the subject of reliability modeling.
- Banjevic, D., M. Ennis, D. Braticevic, V. Makis, and A. K. S. Jardine (1997). Analysis of the optimal policy and the structure of the software for condition-based maintenance. *COMADEM*.
- Barlow, R. E. and L. Hunter (1960). Optimum preventive maintenance policies. *Operations Research* 8, 90–100.
- Bartholomew, D. J. (1955). Discussion of Cox (1955). *Journal of the Royal Statistical Society* 17, 162–163.
- Bartholomew, D. J. (1956a). A sequential test of randomness for events occurring in time or space. *Biometrika* 43, 64–78.
- Bartholomew, D. J. (1956b). Tests for randomness in a series of events when the alternative is a trend. *Journal of the Royal Statistical Society* 18, 234–239.
- Bates, G. E. (1955). Joint distributions of time intervals for the occurrence of successive accidents in a generalized polya scheme. *Annals of Mathematical Statistics* 26, 705–720.
- Bendell, A., M. Walley, D. W. Wrightman, and L. M. Wood (1986). Proportional hazards modelling in reliability analysis - an application to brake discs on high speed trains. *Quality and Reliability Engineering International* 2, 45–52.
- Bennet, S. (1983). Analysis of survival data by the proportional odds model. *Statistics in Medicine* 2, 273–277.
- Berman, M. and T. R. Turner (1992). Approximating point process likelihoods with GLIM. *Applied Statistics* 41(1), 31–38.

BIBLIOGRAPHY

- Bhattacharjee, M. C. (1994). Aging influenced by repair, repair efficiency and realizability of a renewal related distribution. *International Journal of Quality, Reliability and Safety Engineering* 12, 147–159.
- Billard, L. and M. R. Meshkani (1995). Estimation of a stationary Markov chain. *Journal of the American Statistical Association* 90, 307–315.
- Blanchard, B. S. and W. J. Fabrycky (1990). *Systems engineering and analysis* (Second ed.). Prentice Hall International Series in Industrial and Systems Engineering.
- Bodsberg, L. and P. Hokstad (1995). A system approach to reliability and life-cycle cost of process safety-systems. *IEEE Transactions on Reliability* 442, 179–186.
- Booker, J., K. Campbell, A. G. Goldman, A. G. Johnson, and M. C. Bryson (1981). Application of Cox's proportional hazards model to light water reactor component failure data. Technical Report Report no. LA-8834-SR, Los Alamos Scientific Laboratory, Los Alamos, NM.
- Boswell, M. T. (1966). Estimating and testing trend in a stochastic process of Poisson type. *Annals of Mathematical Statistics* 37, 1564–1573.
- Boswell, M. T. and H. D. Brunk (1969). Distribution of likelihood ratio in testing against trend. *Annals of Mathematical Statistics* 40, 371–380.
- Brillinger, D. R. (1978). Comparative aspects of the study of ordinary time series and of point processes. In Krishnaiah (Ed.), *Developments in Statistics*, pp. 33–133. I.
- Buchanan, J. L. and P. R. Turner (1992). *Numerical methods and analysis*. McGraw-Hill.
- Burtschy, B., G. Albeanu, D. N. Boros, F. Popentiu, and V. Nicola (1997). Improving software reliability forecasting. *Microelectronics and Reliability* 37(6), 901–907.
- Calabria, R., M. Guida, and G. Pulcini (1990). Point estimation of future failure times of a repairable system. *Reliability Engineering and System Safety* 28, 23–34.
- Calabria, R. and G. Pulcini (2000). Inference and test in modeling the failure/repair process of repairable mechanical equipments. *Reliability Engineering and System Safety* 67, 41–53.
- Chatfield, C. (1980). *The analysis of time series: An Introduction* (Second ed.). Chapman and Hall.
- Chatterjee, S., R. B. Misra, and S. S. Alam (1997). Prediction of software reliability using an autoregressive process. *International Journal of System Science* 28(2), 211–216.
- Cheng, R. C. H. and N. A. K. Amin (1983). Estimating the parameters in continuous univariate distributions with a shifted origin. *Journal of the Royal Statistical Society B45*, 394–403.
- Cheng, R. C. H. and T. C. Isles (1987). Corrected maximum likelihood in non-regular problems. *Journal of the Royal Statistical Society B45*, 95–101.

BIBLIOGRAPHY

- Christer, A. H. and W. Wang (1995). A simple condition monitoring model for a direct monitoring process. *European Journal of Operational Research* 82, 258–269.
- Christer, A. H., W. Wang, and J. M. Sharp (1997). A state space condition monitoring model for furnace erosion prediction and replacement. *European Journal of Operational Research* 101, 1–14.
- Ciampi, A. and J. Etezadi-Amoli (1985). A general model for testing the proportional hazards and accelerated failure time hypothesis in the analysis of censored failure data with covariates. *Communication in Statistics - Theory and Methods* 14(3), 651–667.
- Clifton, K. H. and J. J. Crowley (1978). Effects of radiation type and dose and the role of glucocorticoids, gonadectomy, and thyroidectomy in mammary tumor induction in mammotropin-secreting pituitary tumor grafted rats. *Cancer Research* 38, 1507–1513.
- Cmiel, A. and H. Gurgul (2000). State-space form of dynamic input-output models with time-lags. *Systems Analysis Modelling Simulation* 37(1), 69–75.
- Coetzee, J. L. (1997). *Maintenance*. Maintenance Publishers.
- Collins, L. (1973). Estimating Markov transition probabilities from micro-unit data. *Applied Statistics* 23(3), 355–371.
- Cox, D. R. (1955). Some statistical methods connected with series of events. *Journal of the Royal Statistical Society* 17, 129–164.
- Cox, D. R. (1972). Regression models and life tables (with discussion). *Journal of the Royal Statistical Society B34*, 187–220.
- Cox, D. R. (1975). Partial Likelihood. *Biometrika* 62(2), 269–276.
- Cox, D. R. and P. A. Lewis (1966). *The statistical analysis of series of events*. Methuen, London.
- Cozzolino, J. M. (1968). Probabilistic models of decreasing failure rate processes. *Naval Research Logistics Quarterly* 17, 361–374.
- Crowder, M. (1991). The identifiability crisis in competing risks. Technical report, Royal Statistical Society Meeting on Dependency Modeling.
- Crowder, M. J., A. C. Kimber, R. L. Smith, and T. J. Sweeting (1991). *Statistical analysis of reliability data*. Chapman and Hall.
- Dale, C. J. (1985). Application of the Proportional Hazards Model in the reliability field. *Reliability Engineering* 10, 1–14.
- De Laplace, P. S. (1773). See Bartholomew (1955).
- Dekker, R. (1995). A general framework for optimization, priority setting, planning and combining of maintenance activities. *European of Operational Research* 82, 225–240.
- Duane, J. T. (1964). Learning curve approach to reliability monitoring. *IEEE Transactions A-2*, 563–566.

BIBLIOGRAPHY

- Ebrahimi, N. (1996, September). Engineering notion of mean residual life and hazard rate for finite populations with known distributions. *IEEE Transactions on Reliability* 45(3), 362–368.
- Ellis, R. and D. Gulick (1990). *Calculus with analytic geometry* (Fourth ed.). Harcourt Brace Jovanovich College Publishers.
- Etezadi-Amoli, J. and A. Ciampi (1987). Extended hazard regression for censored survival data with covariates: A spline approximation for the baseline hazard function. *Biometrics* 43, 181–192.
- Fahrmeir, L. and G. Tutz (1994). *Multivariate Statistical Modeling based on Generalized Linear models*. Springer-Verlag.
- Gail, M. H., T. J. Santner, and C. C. Brown (1980). An analysis of comparative carcinogenesis experiments based on multiple times to tumor. *Biometrics* 36, 255–266.
- Ghai, G. L. and J. Mi (1999). Mean residual life and its association with failure rate. *IEEE Transactions on Reliability* 48(3), 262–266.
- Gross, D. and P. Harris (1985). *Fundamentals of queuing theory* (Second ed.). Wiley.
- Guess, F. and F. Prochan (1988). Mean residual life: Theory and applications. In P. Krishnaiah and C. R. Rao (Eds.), *Handbook of Statistics*, pp. 215–224. Elsevier Science Publishers.
- Guess, F. M. and D. H. Park (1988). Modeling discrete bathtub and upside-down bathtub mean residual life functions. *IEEE Transactions on Reliability* 37, 545–549.
- Guess, F. M. and D. H. Park (1991). Non-parametric confidence bounds, using censored data, on the mean residual life. *IEEE Transactions on Reliability* 40, 78–80.
- Harvey, A. C. (1981). *Time series models*. Philip Allan, Oxford.
- Hasser, T. F., D. L. Dietrich, and F. Szidarovszky (1995). Time-varying failure rates in the availability and reliability analysis of repairable systems. *IEEE Transactions on Reliability* 44(1), 155–160.
- Hines, W. W. and D. C. Montgomery (1980). *Probability and statistics in engineering and management science* (Second ed.). John Wiley and Sons.
- Hokstad, P. (1997). The failure intensity process and the formulation of reliability and maintenance models. *Reliability Engineering and System Safety* 58, 69–82.
- Hosmer, D. W. and S. Lemeshow (1999). *Applied Survival Analysis*. Wiley and Sons, New York.
- Hsu, L. (1999). Simultaneous determination of preventive maintenance and replacement policies in a queue-like production system with minimal repair. *Reliability Engineering and System Safety* 63, 161–167.

BIBLIOGRAPHY

- Huang, J., C. R. Miller, and O. G. Okogbaa (1995, January). Optimal preventive-replacement intervals for the Weibull life distribution: solutions and applications. In *Proceedings of the Annual Reliability and Maintenance Symposium*, pp. 370–377.
- Jardine, A. K. S. (1973). *Maintenance, Replacement and Reliability*. Pitman Publishing.
- Jardine, A. K. S. and M. Anderson (1988). Use of concomitant variables for reliability estimation. *Maintenance Management International* 5, 135–140.
- Jardine, A. K. S., D. Banjevic, and V. Makis (1997). Optimal replacement policy and the structure of software for condition-based maintenance. *Journal of Quality in Maintenance Engineering* 3(2), 109–119.
- Jardine, A. K. S., P. Ralston, N. Reid, and J. Stafford (1989). Proportional hazards analysis of diesel engine failure data. *Quality and Reliability Engineering International* 5, 207–216.
- Jensen, U. (1990). Stochastic models of reliability and maintenance: An overview. Technical report, Institute of Stochastics, University of Ulm, Germany.
- Kalbfleisch, J. D. and R. L. Prentice (1980). *The Statistical Analysis of Failure Time Data*. New York: John Wiley & Sons.
- Karpinski, J. (1988, December). Distribution of residual system-life after partial failures. *IEEE Transactions on Reliability* 37(5), 539–544.
- Kay, R. (1984). Goodness of fit methods for the Proportional Hazards regression model: A review. *Rev. Epidémiol. Et Santé Publique* 32, 185–198.
- Klein, J. P. and M. L. Moeschberger (1990). *Survival Analysis: Techniques for censored and truncated data*. Springer.
- Kobbacy, K. A. H., D. F. Percy, and B. B. Fawzi (1994). Sensitivity analyses for preventive maintenance models. Technical report, Department of Mathematics and Computer Science, University of Salford, Salford M5 4WT.
- Kulkarni, H. V. and R. N. Rattihalli (1996, June). Characterization of bivariate mean residual-life function. *IEEE Transactions on Reliability* 45(2), 249–253.
- Kumar, D. (1996). Proportional hazards modelling of repairable systems. Paper published in Kumar's PhD.
- Kumar, D. and B. Klefsjo (1993). Proportional hazards model: a review. *Reliability Engineering and System Safety* 44, 177–188.
- Kumar, D. and U. Westberg (1996a). Maintenance scheduling under age replacement policy using PHM and TTT-plotting. *European Journal of Operational Research*.
- Kumar, D. and U. Westberg (1996b). Some reliability models for analyzing the effect of operating conditions. Paper published in Kumar's PhD.

BIBLIOGRAPHY

- Lagakos, S. W., C. J. Sommer, and M. Zelen (1978). Semi-Markov models for partially censored data. *Biometrika* 65(2), 311–317.
- Lakey, P. B. (1993). Reliability modelling and design criteria for the backpropagation artificial neural networks. *Proceedings Annual Reliability and Maintainability Symposium*, 114–119.
- Lam, C. T. and R. H. Yeh (1994). Optimal replacement policies for multisatae deteriorating systems. *Naval Research Logistics* 41, 303–315.
- Lancaster, T. (1990). *The econometric analysis of transition data*. Cambridge University Press.
- Lawless, J. F. (1987, September). Regression methods for Poisson Process data. *Journal of the American Statistical Society* 82(399), 808–815.
- Lawless, J. F. and C. Nadeau (1995, May). Some simple robust methods for the analysis of recurrent events. *Technometrics* 37(2), 158–168.
- Lawless, J. F. and K. Thiagarajah (1996, May). A point-process model incorporating renewals and time trends, with application to repairable systems. *Technometrics* 38(2), 131–138.
- Lawrence, J. J. (1999). Use mathematical modeling to give your TPM implementation effort an extra boost. *Journal of Quality in Maintenance Engineering* 5(1), 62–69.
- Ledoux, J. and G. Rubino (1977). Simple formulae for counting processes in reliability models. *Advanced Applied Probability* 29, 1018–1038.
- Lee, B. S., S. H. Chung, K. Kim, F. P. Ford, and P. L. Andersen (1999). Remaining life prediction methods using operating data and knowledge on mechanisms. *Nuclear Engineering and Design* 191, 157–165.
- Leitao, A. L. F. and D. W. Newton (1989). Proportional hazards modelling of aircraft cargo door complaints. *Quality and Reliability Engineering International* 5, 229–238.
- Lewis, E. E. (1987). *Introduction to reliability engineering*. Wiley, New York.
- Lim, J. and D. H. Park (1995). Trend change in mean residual life. *IEEE Transactions on Reliability* 44, 291–296.
- Lim, J. and D. H. Park (1999). Evaluation of average maintenance cost for imperfect-repair model. *IEEE Transactions on Reliability* 48(2), 199–204.
- Lindqvist, B., E. Molnes, and M. Rausand (1988). Analysis of SCCV performance data. *Reliability Engineering and System Safety* 20, 3–17.
- Littlewood, B. and J. L. Verrall (1973). A Bayesian reliability growth model for computer software. *Applied Statistics* 22, 332–346.
- Lorden, G. and I. Eisenberger (1973). Detection of failure rate increases. *Technometrics* 15, 167–175.

BIBLIOGRAPHY

- Love, C. E. and R. Guo (1991a). Application of weibull proportional hazards modelling to bad-as-old failure data. *Quality and Reliability Engineering International* 7, 149–157.
- Love, C. E. and R. Guo (1991b). Using proportional hazards modelling in plant maintenance. *Quality and Reliability Engineering International* 7, 7–17.
- Makis, V. and A. K. S. Jardine (1991). Optimal replacement in the proportional hazards model. *INFOR* 30, 172–183.
- Makis, V. and A. K. S. Jardine (1992). Computation of optimal policies in replacement models. *IMA Journal of of Mathematics Applied in Business Industry* 3, 169–175.
- Malik, M. A. K. (1979). Reliable preventive maintenance scheduling. *AIIE Transaction* 11, 221–228.
- Martorell, S., A. Munoz, and V. S. Serradell (1996). Age-dependent models for evaluating risks and costs of surveillance and maintenance of components. *IEEE Transactions on Reliability* 45(3), 433–441.
- Martorell, S., A. Sanchez, and V. Serradell (1999). Age-dependent reliability model considering effects of maintenance and working conditions. *Reliability Engineering and System Safety* 64, 19–31.
- Martz, H. F. and P. H. Kvam (1996). Detecting trends and patterns in reliability data over time using exponentially weighted moving-averages. *Reliability Engineering and System Safety* 51, 201–207.
- Mazzuchi, T. A. and R. Soyer (1989). Assessment of machine tool reliability using a proportional hazards model. *Naval Research Logistics* 36, 765–777.
- McWilliams, T. P. (1979). Properties of isotonic estimators of mean lifetime in a simple prototype development model. Technical Report 194, Department of Operations Research, Stanford University.
- Meeker, W. Q. and L. A. Escobar (1998). *Statistical methods for reliability data*. Chapter 4, John Wiley and Sons.
- Mi, J. (1995, September). Bathtub failure rate and upside-down bathtub mean residual life. *IEEE Transactions on Reliability* 44(3), 388–391.
- Moreau, T., J. O'Quigly, and M. Mesbah (1985). A global goodness-of-fit statistic for the Proportional Hazards Model. *Applied Statistics* 34, 212–218.
- Morimura (1970). On some preventive maintenance policies for IFR. *Journal for the Operations Research Society of Japan* 12, 94–125.
- Muth, E. J. (1977). *Reliability models with positive memory derived from the mean residual life function*, Volume 2, pp. 401–425. Academic Press.
- Nair, K. R. M. and N. U. Nair (1989). Bivariate mean residual life. *IEEE Transactions on Reliability* 38(3), 362–364.

BIBLIOGRAPHY

- Nelson, W. (1982). *Applied life data analysis*. Wiley series in probability and mathematical statistics. John Wiley & Sons.
- Newby, M. (1988). Accelerated failure time models for reliability data. *Reliability Engineering and System Safety* 20, 187–197.
- Newby, M. (1993). A critical look at some point-process models for repairable systems. *IMA Journal of Mathematics in Business and Industry* 4, 375–394.
- Ng, M. K. (1999). A note on policy algorithms for discounted Markov decision problems. *Operations Research Letters* 25, 195–197.
- Nolan, F. A. and H. Heap (1978). *Reliability Centred Maintenance*. National Technical Information Service, US Department of Commerce.
- Park, K. S. (1979). Optimal number of minimal repairs before replacement. *IEEE Transactions R-28*, 137–140.
- Pepe, M. S. and J. Cai (1993, September). Some graphical displays and marginal regression analyses for recurrent failure times and time dependent covariates. *Journal of the American Statistical Association* 88(423), 811–820.
- Percy, D. F., K. A. H. Kobbacy, and H. E. Ascher (1998). Using proportional-intensities models to schedule preventive maintenance intervals. *IMA Journal of Mathematics Applied in Business and Industry* 9, 289–302.
- Pijnenburg, M. (1991). Additive hazard models in repairable systems. *Reliability Engineering and System Safety* 31, 369–390.
- Pike, M. C. (1966). A method of analysis of a certain class of experiments in carcinogenesis. *Biometrics* 22, 142–161.
- Prentice, R. L., B. J. Williams, and A. V. Peterson (1981). On the regression analysis of multivariate failure time data. *Biometrika* 68(2), 373–379.
- Press, W. H., S. A. Teukolsky, W. T. Vetterling, and B. P. Flannery (1993). *Numerical Recipes in C : The Art of Scientific Computing* (Second ed.). Cambridge University Press.
- Prochan, F. (1963). Theoretical explanation of observed decreasing failure rate. *Technometrics* 5, 375–383.
- Pulkkinen, U. (1991). A stochastic model for wear prediction through condition monitoring. *Operations, Reliability and Systematic Maintenance*, 223–243.
- Ran, A. and S. I. Rosenlund (1976). Age replacement with discounting for a continuous maintenance cost model. *Technometrics* 18, 45–465.
- Rao, C. R. (1980). *Handbook of Statistics*, Volume 9. North-Holland Publishers.
- Rao, S. S. (1995). *Mechanical Vibrations* (3rd ed.). Addison-Wesley Publishing Company.

BIBLIOGRAPHY

- Rausand, M. and R. Reinertsen (1996). Failure mechanisms and life models. *International Journal of Reliability, Quality and Safety Engineering* 3.
- Rawicz, A. H. and D. R. Girling (1994). Neural network enhancement for a reliability expert-system. *Proceedings Annual Reliability and Maintainability Symposium*, 468–474.
- Reinertsen, R. (1996). Residual life of technical systems; diagnosis, prediction and life extension. *Reliability Engineering and System Safety* 54, 23–34.
- Rhodes, P. H., M. E. Halloran, and I. M. Longini (1996). Counting process models for infectious disease data: Distinguishing exposure to infection from susceptibility. *Journal of the Royal Statistical Society B58*, 751–762.
- Ridder, G. (1990). The non-parametric identification of generalized accelerated failure-time models. *Review of Economic Statistics* 57, 235–254.
- Ross, M. S. (1990). *Introduction to probability models* (Fifth ed.). Academic Press.
- Ross, S. M. (1969). Optimal dispatching of a Poisson process. *Journal of Applied Probability* 6, 692–699.
- Ruiz, J. M. and J. Navarro (1994, December). Characterization of distributions by relationships between failure rate and mean residual life. *IEEE Transactions on Reliability* 43, 640–644.
- Sakamoto, Y., M. Ishiguro, and G. Kitagawa (1983). *AKAKIE Information Criterion Statistics*. Reidel: Boston.
- Saw, J. G. (1975). Tests on the intensity of a Poisson process. *Communication in Statistics* 4, 777–782.
- Schäbe, H. (1995). A new approach to optimal replacement times for complex systems. *Miroelectronics and Reliability* 35(8), 1125–1130.
- Schafer, R. E., R. B. Sallee, and J. D. Torrez (1975). Reliability growth study. Technical Report RADG-TR-75-253, Hughes Aircraft Company.
- Schoenfeld, D. (1990). Partial residuals for the proportional hazards regression model. *Biometrika* 67, 134–53.
- Schwartz, G. (1978). Estimating the dimension of a model. *Annals of Statistics* 6, 461–464.
- Shen, X. (1998). Proportional odds regression and sieve maximum likelihood estimation. *Biometrika* 85(1), 165–177.
- Sherif, Y. S. and M. L. Smith (1981). Optimal maintenance models for systems subject to failure - a review. *Naval Research Logistics Quarterly* 28, 47–74.
- Sherwin, D. J. (1999). Age-based opportunity maintenance. *Journal of Quality in Maintenance Engineering* 5, 221–235.

BIBLIOGRAPHY

- Sheu, S. (1999). Extended optimal replacement model for deteriorating systems. *European Journal of Operational Research* 112, 503–516.
- Shimizu, S., Y. Ando, T. Morioka, and N. Okuzumi (1991). Maintenance management support systems for components aging estimation at nuclear power plants. *Nuclear Science and Technology* 28, 1041–1057.
- Shin, I., T. Lim, and C. H. Lie (1996). Estimating parameters of intensity function and maintenance effect for repairable units. *Reliability Engineering and System Safety* 54, 1–10.
- Shyur, H. and J. T. Luxhoj (1995). Reliability curve fitting for aging helicopter components. *Reliability Engineering and System Safety* 48, 229–234.
- Singpurwalla, N. D. (1978). Estimating reliability growth (or deterioration) using time series analysis. *Naval Research Logistics Quarterly* 25, 1–14.
- Smith, R. L. and J. C. Naylor (1987). A comparison of maximum likelihood and Bayesian estimators for the three parameter Weibull distribution. *Applied Statistics* 36, 358–369.
- Snyman, J. A. (1982). A new and dynamic method for unconstrained minimization. *Applied Mathematical Modeling* 6, 449–462.
- Snyman, J. A. (1983). An improved version of the original leap-frog dynamic method for unconstrained minimization LFOP1(b). *Applied Mathematical Modeling* 7, 216–218.
- Solomon, P. (1984). Effect of misspecification of regression models in the analysis of survival data. *Biometrika* 71, 291–298.
- Stadje, W. and D. Zuckerman (1991). Optimal maintenance strategies for repairable systems with general degree of repair. *Journal of Applied Probability* 28, 384–396.
- Tang, L. C., Y. Lu, and E. P. Chew (1999, March). Mean residual life of lifetime distributions. *IEEE Transactions on Reliability* 48(1), 73–78.
- Tijms, H. (1976). *Analysis of (s,S) inventory policies* (Second ed.). Mathematical Centre Tracts 40, Mathematical Centrum, Amsterdam.
- Van Noortwijk, J. M. (2000). Optimal maintenance decisions on the basis of uncertain failure probabilities. *Journal of Quality in Maintenance Engineering* 6(2), 113–122.
- Vaupel, J. W., K. G. Manton, and E. Stallard (1979). The impact of heterogeneity in individual frailty on the dynamics of mortality. *Demography* 16, 439–454.
- Vaurio, J. K. (1999). Identification of process and distribution characteristics by testing monotonic and non-monotonic trends in failure intensities and hazard rates. *Reliability Engineering and System Safety* 64, 345–357.
- Vineyard, M., K. Amoako-Gyampah, and J. R. Meredith (1999). Failure rate distribution for flexible manufacturing system: An empirical study. *European Journal of Operational Research* 116, 139–155.

BIBLIOGRAPHY

- Vlok, P. J. (1999). Vibration covariate regression analysis of failure time data with the Proportional Hazards Model. Master's thesis, University of Pretoria.
- Vlok, P. J., J. L. Coetzee, D. Banjevic, A. K. S. Jardine, and V. Makis (2001). Optimal component replacement decisions using vibration monitoring and the Proportional Hazards Model. *Accepted for publication in the Journal for the Operational Research Society*.
- Wals, L. A. and A. Bendell (1987). Time series models in reliability. *Reliability Engineering*, 239–265.
- Wang, G., X. Wang, and G. Mao (1999). The state-space model in robust design. *Control Theory and Applications* 16(2), 252–254.
- Wei, L. J., D. Y. Lin, and L. Weissfeld (1989, December). Regression analysis of multivariate incomplete failure time data by modeling marginal distributions. *Journal of the American Statistical Association* 84(408), 1065–1073.
- Williams, B. J. (1981). Proportional intensity models for multiple event times. Unpublished manuscript [Presented at August, 1981 American Statistical Association Meetings, Detroit].
- Wismer, D. A. and R. Chattergy (1978). *Introduction to Nonlinear Optimization: A Problem Solving Approach*. North-Holland Publishers, New York.
- Yeh, L. (1991). An optimal repairable replacement model for deteriorating systems. *Journal of Applied Probability* 28, 843–851.
- Zahedi, H. (1985). Some new classes of multivariate survival distribution functions. *Journal of Statistical Planning and Inference* 11, 171–188.
- Zahedi, H. (1991). Proportional mean remaining life model. *Journal of Statistical Planning and Inference* 29, 221–228.
- Zhang, Z. G. and C. E. Love (2000). A simple recursive Markov chain model to determine the optimal replacement policies under general repairs. *Computers & Operations Research* 27, 321–333.
- Zijlstra, M. (1981). Renewal replacement policies for one unit systems. *European Journal of Operational Research* 8, 289–293.