

CHAPTER 6

BIBLIOGRAPHY

ADROUNI, B. AND KHACHADURIAN, A.K., 1968. Metabolism of individual fatty acids by sheep depot adipose tissue in vivo and in vitro. *Comp. Biochem. Physiol.*, 26:321-327.

AOAC, 1975. Official methods of Analysis of the Association of Official Analytical Chemists. 28.057: 479-498.

ASCN/AIN, 1996. Position paper on trans fatty acids. Special Task Force report. *Am J. Clin Nutr.* 63: 663-670.

BANSKALIEVA, V., 1996. Effect of age, physiological state and nutrition on fatty acid composition in depot fat and ruminal volatile fatty acids in sheep. *Small Rumin. Res.* 24: 37-42.

BAS, P., GALLOUIN, F. AND MORAND-FEHR, P., 1992. Changes in lipid content, fatty acid composition and lipoprotein lipase activity in dry goat omental adipose tissue according to tissue site. *Lipids* 27(6): 470-473.

BAUMAN, D.E. AND CURRIE, W.B., 1980. Partitioning of nutrients during pregnancy and lactation: A review of mechanisms involving homeostasis and homeorhesis. *J. Dairy Sci.* 63: 1514-1529.

CHAPTER 6

BEEKMAN, J.H. AND PRINS, H.H.T., 1989. Feeding strategies of sedentary large herbivores in East Africa with emphasis on the African buffalo, *Syncerus caffer*. *Afr.J.Ecol.* 27(2): 129-147.

BELL, A.W., 1981. Lipid metabolism in liver and selected tissues and in the whole body of ruminant animals. In: *Lipid metabolism in ruminants*. Edited by W.W. Christie First edition. Pergamon Press, Oxford. 363-410.

BERTSCHINGER, H.J., 1996. Reproduction in the African Buffalo: A Review. In: *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal, Onderstepoort, 26 October 1996*. Edited by B.L. Penzhorn. RSA. 62-74.

BONANOME, A. AND GRUNDY, S.M., 1987. Effects of dietary fats on plasma cholesterol in humans. American Meat Science Association Reciprocal Meat Conference Proceedings 40: 89-92.

BROWN, W.H., 1988. Introduction to Organic Chemistry. 4th edition. Brooks/Cole Publishing Company. Pacific Grove California. (Chapter 12: Lipids) 415-442.

CASEY, N.H. AND WEBB, E.C., 1995. Influence of dietary energy levels and form of diet on composition of fatty acids in subcutaneous tissue of wethers. *Small Rumin. Res.* 18: 125-132.

CASEY, N.H., AND VAN NIEKERK, W.A., 1988. Fatty acid composition of subcutaneous and kidney fat depots of Boer goats and the response to varying levels of maize meal. *S. Afr. J. Anim. Sci.* 15 (2): 60-62.

CHAPTER 6

CASEY, N.H., VAN NIEKERK, W.A. AND SPREETH, E.B., 1988. Fatty acid composition of subcutaneous fat of sheep grazed on eight different pastures. *Meat Sci.* 23: 55-63.

CHRISTIE, W.W., 1981a. The composition, structure and function of lipids in the tissue of ruminant animals. In: *Lipid metabolism in ruminants*. First edition. Edited by W.W. Christie. Pergamon Press, Oxford.

CHRISTIE, W.W., 1981b. The effects of diet and other factors on the lipid composition of ruminant tissues and milk. In: *Lipid metabolism in ruminants*. First edition. Edited by W.W. Christie. Pergamon Press, Oxford.

CRAWFORD, M.A., GALE, M.M., WOODFORD, M.H. AND CASPERD, N.M., 1970. Comparative studies on fatty acid composition of wild and domestic meats. *Int. J. Biochem.* 1 (3): 295-305.

DE FRANCIS, G. AND MORAN, J.B., 1991. Meat Production from River Buffalo. *World Review of Animal Production.* 26 (4): 65-71

DE VOS, V., BENGIS, R.C. AND COETZEE, H.J., 1983. Population control of large mammals in the Kruger National Park. In: *The management of large mammals in African conservation areas*. Edited by R.N Owen-Smith, Pretoria: HAUM Publishers. 213-231.

DEVENDRA, C., 1992. Nutrition of Swamp Buffaloes. In: *Buffalo Production. World Animal Science C, Production-system approach 6*. Chapter 6. Edited by N.M. Tulloh and J.H.G. Holmes. Amsterdam: Elsevier. 135-151.

DHANDA, J.S., TAYLOR, D.G., MURRAY, P.J. AND McCOSKER, J.E., 1999. The Influence of goat genotype on the production of capretto and chevon carcasses. 4. Chemical composition of muscle and fatty acid profiles of adipose tissue. *Meat Sci.* 52(4): 375-379.

DUNCAN, W.R.H. AND GARTON, G.A., 1967. The fatty acid composition and intramolecular structure of triglycerides derived from different sites in the body of the sheep. *J. Sci. Fd Agric.* 18: 99-102.

EGAN, A.R., 1976. Lipid metabolism. In: *Veterinary Physiology*. Edited by J.W. Phyllis, Bristol: Wright-Scientifica. 593.

EICHHORN, J.M., BAILEY, C.M. AND BLOMQUIST, G.J., 1985. Fatty acid composition of muscle and adipose tissue from crossbred bulls and steers. *J. Anim. Sci.* 61(4): 892-904.

EICHHORN, J.M., COLEMAN, L.J., WAKAYAMA, E.J., BLOMQUIST, G.J., BAILEY, C.M. AND JENKINS, T.G., 1986. Effects of breed type and restricted versus *ad libitum* feeding on fatty acid composition and cholesterol content of muscle and adipose tissue from mature bovine females. *J. Anim. Sci.* 63: 781-794.

ENSER, M., HALLETT, K., HEWITT, B., FURSEY, G.A.J. AND WOOD, J.D., 1996. Fatty acid content and composition of English beef, lamb and pork at retail. *Meat Sci.* 42(4): 443-456.

FARID, A., 1991. Carcass Physical and chemical composition of three fat-tailed breeds of sheep. *Meat Sci.* 29: 109-120.

CHAPTER 6

FISCHER, H. AND BODHIPAKSHA, P., 1992. Reproduction in Swamp Buffaloes. In: *Buffalo Production. World Animal Science C, Production-system approach 6*. Chapter 7. Ed. N.M. Tulloh and J.H.G. Holmes. Amsterdam: Elsevier. 171-183.

FOLCH, J., LEES, M. AND STANLEY, H.S., 1957. A simple method for the isolation and purification of total lipids from animal tissues. *J. Biol. Chemistry* 226: 497-509.

FUNSTON, P.J., SKINNER, J.D. AND DOTT, H.M., 1994. Seasonal variation in movement patterns, home range and habitat selection of buffalo in semi-arid habitat. *Afr. J. Ecol.* 32(2): 100-114.

GREENWOOD, M.R.C., KAVA, R., WEST, D.B. AND SAVARD, R., 1988. Fat distribution and metabolism in animal studies. In *Fat Distribution during Growth and Later Health Outcomes*. Alan R Liss, Inc. 285-295.

GROBLER, D.G., 1996. The potential utilization of the African Buffalo with regard to hunting and meat production. In: *Proceedings of a symposium on the African Buffalo as a Game Ranch Animal, Onderstepoort, 26 October 1996*. Edited by B.L. Penzhorn. RSA 37-42.

HARFOOT, C.G., 1981. Lipid metabolism in the rumen. In: *Lipid metabolism in ruminants*. First edition. Edited by W.W. Christie. Pergamon Press, Oxford. 1-56.

HILL, D., 1988. Cattle and buffalo meat production in the tropics. (Intermediate Tropical Agricultural Series). Harlow: Longman Scientific and Technical.

HORNICK, J.L., VAN EENAEME, C., CLINQUART, A., DIEZ, M. AND ISTASSE, L., 1998. Different periods of feed restriction before compensatory growth in Belgian blue bulls: I.

Animal performance, nitrogen balance, meat characteristics, and fat composition. *J. Anim. Sci.* 76: 249-259.

HUERTA-LEIDENZ, N.O., CROSS, H.R., SAVELL, J.W., LUNT, D.K., BAKER, J.F., PELTON, L.S. AND SMITH, S.B., 1993. Comparison of the fatty acid composition of subcutaneous adipose tissue from mature Brahman and Hereford cows. *J. Anim. Sci.* 71: 625-630.

HUERTA-LEIDENZ, N.O., CROSS, H.R., SAVELL, J.W., LUNT, D.K., BAKER, J.F. AND SMITH, S.B., 1996. Fatty acid composition of subcutaneous adipose tissue from male calves at different stages of growth. *J. Anim. Sci.* 74: 1256-1264.

ISHIDA, M., BARRY, T.N., PURCHAS, R.W. AND ALLSOP, T.F., 1989. Comparison of lipid synthesis metabolism in sheep, deer and goats. *AJAS* 2(3): 542-543.

KEMP, J.D., MAHYUDDIN, M. AND ELY, D.G., 1981. Effect of feeding systems, slaughter weight and sex on organoleptic properties and fatty acid composition of lamb. *J. Anim. Sci.* 51(2): 321-330.

KOTZ, J.C. AND PURCELL, K.F., 1987. Chemistry and chemical reactivity. Saunders College Publishing, United States. 890.

KRUGER NATIONAL PARK, 1993. Make the most of Kruger. Jacana, Johannesburg.

KRÜGER, J., 1996. Socio-ecology of the African buffalo (*Syncerus caffer*): implications for game ranching. In: *Proceedings of a Symposium on the African Buffalo as a Game Ranch Animal, Onderstepoort, 26 October 1996*. Edited by B.L. Penzhorn. RSA. 1-5.

CHAPTER 6

KURBANOV, YU.R., RAKHMANOV, R.R., ISMAILOV, A.I. AND KAMALOV, S.H., 1975. Fatty acid composition of mutton fat of hybrids of fat-tailed sheep. *Uzb. Biol. Zh.* 3: 34-37.

LINK, B.A., BRAY, R.W., CASSENS, R.G. AND KAUFFMAN, R.G., 1970. Fatty acid composition of bovine skeletal muscle lipids during growth. *J. Anim. Sci.* 30: 726-731.

LUDDY, F.E., BRADFORD, R.A. AND RIEMENSCHNEIDER, R.W., 1960. Direct Conversion of Lipid Components to their Fatty Acid Methyl Esters. *J. Am. Oil Chem.* 37: 447-451.

MAHADEVAN, P., 1992. Distribution, Ecology and Adaptation. In: *Buffalo Production. World Animal Science C, Production-system approach 6*. Chapter 1. Edited by N.M. Tulloh and J.H.G. Holmes. Amsterdam: Elsevier. 1-12.

MALAU-ADULI, A.E.O., SIEBERT, B.D., BOTTEMA, C.D.K. AND PITCHFORD, W.S., 1997. A comparison of the fatty acid composition of triacylglycerol in adipose tissue from Limousin and jersey cattle. *Aust. J. Agric. Res.* 49: 715-722.

MARCELLO, M.J., COOK, NANCY, K., SLANGER, W.D., JOHNSON, V.K., FISCHER A.G. AND DINUSSON, W.E., 1983. Fatty acid composition of lean and fat tissue of swine fed various dietary levels of sunflower seed. *J. Food. Sci.* 48: 1331.

MARKS, M., LAPIN, B. AND RANDALL, J., 1993. Element Stewardship abstract for *Phragmites australis*, common reed. The Nature Conservancy, Virginia.

MARTINN, C.R.M., 1995. Dictionary of endocrinology and related biomedical sciences. Oxford University Press, New York, Oxford.

MATHEWS, C.K. AND VAN HOLDE, K.E., 1990. Biochemistry. The Benjamin/Cummings Publishing Company, Inc.

MATTSON, F.H. AND GRUNDY, S.M., 1985. Comparison of effects of dietary saturated, monounsaturated, and polyunsaturated fatty acids on plasma lipids and lipoproteins in man. *J. Lipid Res.* 26:194-202.

MCNAMARA, D.J., 1991. Relationship between fat, cholesterol and coronary heart disease. *AMSA Reciprocal Meat Conference Proceedings* 44: 147-152.

MOORE, J.H. AND CHRISTIE, W.W., 1981. Lipid metabolism in the mammary Gland of Ruminant Animals. In: *Lipid metabolism in ruminants*. First edition. Ed. W.W. Christie. Pergamon Press, Oxford. 227-278.

MORAN, J.B., 1992. Growth and Development of Buffaloes. In: *Buffalo Production. World Animal Science C, Production-system approach 6*. Chapter 10. Edited by N.M. Tulloh and J.H.G. Holmes. Amsterdam: Elsevier. 191-221.

MUDGAL, V.D., 1992. Reproduction in River Buffaloes. In: *Buffalo Production. World Animal Science C, Production-system approach 6*. Chapter 8. Edited by N.M. Tulloh and J.H.G. Holmes. Amsterdam: Elsevier. 171-183.

NAGARCENKAR, R. AND LUDRI, R.S., 1992. Lactation in River Buffaloes. In: *Buffalo Production. World Animal Science C, Production-system approach 6*. Chapter 9. Edited by N.M. Tulloh and J.H.G. Holmes. Amsterdam: Elsevier. 183-190.

NOBLE, R.C., 1981. Digestion, absorption and transport of lipids in ruminant animals. In: *Lipid metabolism in ruminants*. First edition. Edited by W.W. Christie. Pergamon Press, Oxford. 57-94; 411-448.

NÜRNBERG, K., GRUMBACH, S., PAPSTEIN, H.J., MATTHES, H.D., ENDER, K. AND NÜRNBERG, G., 1996. Fatty acid composition of lamb meat. *Fett/Lipid* 98: 77-80.

NÜRNBERG, K., WEGNER, J. AND ENDER, K., 1998. Factors influencing fat composition in muscle and adipose tissue of farm animals. *Livest. Prod. Sci* 56(2): 145-156.

PARK, Y.W. AND WASHINGTON, A.C., 1993. Fatty acid composition of goat organ and muscle meat of Alpine and Nubian breeds. *J. Food Sci.* 58 (2) 245-248.

PAYNE, E. AND MASTERS, C.J., 1971. The in vitro incorporation of ¹⁴C-labelled fatty acids into ovine liver and omental adipose tissue. *Int. J. Biochem.* 2: 623-643.

PEARSON, A.M. AND DUTSON, T.R., 1991. Growth regulation in farm animals. *Advances in Meat Research* Vol. 7. Elsevier Applied Science. London and New York.

PEARSON, A.M. AND DUTSON, T.R., 1991. Meat and Health. *Advances in Meat Research* Vol. 6. Elsevier Applied Science. London and New York.

PERRY, D., NICHOLLS, P.J. AND THOMPSON, J.M., 1998. The effect of sire breed on the melting point and fatty acid composition of subcutaneous fat in steers. *J. Anim. Sci.* 76:87-95.

PHYLLIS, J.W., 1976. *Veterinary Physiology*. Wright-scientechnica. Bristol.

PRINS, H.H.T., 1996. *Ecology and Behavior of the African Buffalo: Social inequality and decision making*. 1st edition. London: Chapman and Hall.

CHAPTER 6

PRINS, H.H.T. AND BEEKMAN, J.H., 1989. A balanced diet as a goal for grazing: The food of the Manyara buffalo. *Afr. J. Ecol.* 27(3): 241-259.

RANJHAN, S.K., 1992. Nutrition of river buffaloes in Southern Asia. In: *Buffalo Production, World Animal Science C, Production-system approach 6*. Chapter 5. Edited by N.M. Tulloh and J.H.G. Holmes. Amsterdam: Elsevier. 111-134.

ROWE, A., MACEDO, F.A.F., VISENTAINER, J.V., SOUZA, N.E. AND MATSUSHITA, M., 1999. Muscle composition and fatty acid profile in lambs fattened in drylot or pasture. *Meat Sci.* 51(4): 282-288.

RULE, D.C., MACNEIL, M.D. AND SHORT, R.E., 1997. Influence of sure growth potential, time on feed, and growing-finishing strategy on cholesterol and fatty acids of the ground carcass and longissimus muscle of beef steers. *J. Anim. Sci.* 75: 1525-1533.

RUMSEY, T.S., OLTJEN, R.R., BOVARD, K.P. AND PRIODE, B.M., 1972. Influence of widely diverse finishing regimens and breeding on depot fat composition in beef cattle. *J. Anim. Sci.* 35:1069-1075.

SAS, 1992. SAS/STAT User's guide. Statistical Analysis System Institute, Inc., Cary, NC, USA.

SEKHON, K.S. AND BAWA, A.S., 1996. Effect of muscle-type, stage of maturity and level of nutrition on the quality of meat from male buffalo calves. *Food Res. Int.* 29(8): 779-783.

CHAPTER 6

SIEBERT, B.D., DELAND, M.P. AND PICHFORD, W.S., 1996. Breed differences in the fatty acid composition of subcutaneous and intramuscular lipid of early and late maturing, grain-finished cattle. *Aust. J. Agric. Res.* 47:943-952.

SINCLAIR, A.R.E., 1977. The African buffalo: a study of resource limitation of populations. Chicago: University of Chicago Press.

SINNET-SMITH, P.A. AND WOOLLIAMS, J.A., 1988. Genetic variations in subcutaneous adipose tissue metabolism in sheep. *Anim. Prod.* 42: 263-270.

STARK, M.A., 1986. Daily movement, grazing activity and diet of savanna buffalo, *Syncerus caffer brachyceros*, in Benoue National Park, Cameroon. *Afr.J.Ecol.* 24(4): 255-262.

STEENKAMP, K., WEBB, E.C., DE VOS, V AND VAN VUUREN C.J., 1999a. Long-chain fatty acid composition of different fat depots in the African buffalo (*Syncerus caffer*). *SA. J. Anim. Sci.* 29(ISRP). 223-224.

STEENKAMP, K., WEBB, E.C., DE VOS, V AND VAN VUUREN C.J., 1999b. The effect of age, sex and habitat on long-chain fatty acid composition of fat depots in the African buffalo (*Syncerus caffer*). *SA. J. Anim Sci.* 29(ISRP). 218-220.

STURDIVANT, C.A., LUNT, D.K., SMITH, G.C. AND SMITH, S.B., 1992. Fatty acid composition of subcutaneous and intramuscular adipose tissue and M. longissimus dorsi of Wagyu cattle. *Meat Sci.* 32(4): 449-458.

TICHENOR, D.A., KEMP, J.D., FOX, J.D., MOODY, W.G AND DEWEESE, W., 1970. Effect of slaughter weight and castration on ovine adipose fatty acids. *J. Anim. Sci.* 31:671.

TROLLOPE, W.S.W., POTGIETER, A.L.F. AND ZAMBATIS, N., 1989. Assessing veld condition in the Kruger National Park using key grass species. *Koedoe* 32 (1): 67-93.

TULLOH, N.M. AND HOLMES, J.H.G., 1992. Buffalo Production. World Animal Science C, Production-system approach 6. Amsterdam: Elsevier.

VAN OUDTSHOORN, F.P., 1992. Guide to grasses of South Africa. First edition. BRIZA Publications cc.

VERNON, R.G., 1981. Lipid metabolism in the adipose tissue of ruminant animals. In: *Lipid metabolism in ruminants*. First edition. Edited by W.W. Christie. Pergamon Press, Oxford. 279-362.

WAYS, P. AND HANAHAN, D.J., 1964. Characterization and quantification of red cell lipids in normal man. *J. Lipid Res.* 5: 318-328.

WEBB, E.C. AND CASEY, N.H., 1995. Genetic differences in fatty acid composition of subcutaneous adipose tissue in Dorper and SA Mutton Merino wethers at different live weights. *Small Rum. Res.* 18:81-88.

WEBB, E.C. AND CASEY, N.H., 1995. Fatty acids in carcass fat of steers treated with a β -adrenergic agonist individually or in combination with trenbolone acetate + oestradiol-17 β . *Meat Sci.* 41(1):69-76.

WEBB, E.C., 1992. The influence of dietary energy levels on subcutaneous fatty acid profiles and meat quality in sheep. M.Sc (Agric) (Meat Science) thesis, University of Pretoria, Pretoria.

WEBB, E.C., 1994. Synthesis of long chain fatty acids in ruminants and their effects on meat quality. Ph.D. thesis, University of Pretoria, Pretoria.

WEBB, E.C., BOSMAN, M.J.C. AND CASEY, N.H., 1994. Dietary influences on subcutaneous fatty acid profiles and sensory characteristics of Dorper and SA Mutton Merino wethers. *SA. J. Food Sci. Nutr.* 6(2): 45-50,

WEBB, E.C., CASEY, N.H. AND VAN NIEKERK, W.A., 1994. Fatty acids in the subcutaneous adipose tissue of intensely fed SA Mutton Merino and Dorper wethers. *Meat Sci.* 38:123-131.

WEBB, E.C., DE SMET, S., VAN NEVEL, C., MARTENS, B. AND DEMEYER, D.I., 1998. Effect of anatomical location on the composition of fatty acids in double-muscled Belgian Blue cows. *Meat Sci.* 50(1): 45-53.

WENTZEL, J.J., DU P. BOTHMA J. AND VAN ROOYEN, N., 1991. Characteristics of the herbaceous layer in preferred grazing areas of six herbivore species in the south-eastern Kruger National Park. *Koedoe.* 34(1): 51-59.

WESTERLING, D.B. AND HEDRICK, H.B., 1979. Fatty acid composition of bovine lipids as influenced by diet, sex and anatomical location and relationship to sensory characteristics. *J. Anim. Sci.* 48(6): 1343-1348.

WHYTE, I.J., 1996. The management of large buffalo populations. In: Proceedings of a Symposium on The African Buffalo as a Game Ranch Animal, Onderstepoort, RSA, 26 October 1996. Edited by B.L. Penzhorn 21-36.

CHAPTER 6

WOOD, J.D., ENSER, M. AND WARRIS, P.D., 1991. Reducing fat quantity: implications for meat quality and health aspects. In: *Animal biotechnology and the quality of meat production*. Edited by L.O. Fiems, B.G. Cottyn and D.I. Demeyer. Elsevier, Amsterdam. 69-84.

WU, FU-YU AND SAVELL, J.W., 1992. Effects of breed and sex on the fatty acid composition of subcutaneous fat from sheep and goats. *J. Chin. Soc. Anim. Sci.* 21(3): 299-305.

XIE, Y.R., BUSBOOM, J.R., GASKINS, C.T., JOHNSON, J.J., WRIGHT, R.W. AND CRONRATH, J.D., 1996. Effects of breed and sire on carcass characteristics and fatty acid profiles of crossbred Wagyu and Angus steers. *Meat Sci.* 43(2): 167-177.

YOUNG, E. AND VAN DEN HEEVER, L.W., 1969. The African buffalo as a source of food and by-products. *J. S. Afr. Vet. med. Ass.* 40(1): 83-88.

ZEMBAYASHI, M. AND NISHIMURA, K., 1996. Genetic and nutritional effects on the fatty acid composition of subcutaneous and intramuscular lipids of steers. *Meat Sci.* 43(2): 83-92.

ZEMBAYASHI, M., NISHIMURA, K., LUNT, D.K. AND SMITH, S.B., 1995. Effect of breed type and sex on the fatty acid composition of subcutaneous and intramuscular lipids of finishing steers and heifers. *J. Anim. Sci.* 73: 3325-3332.