



BLOEM, K.J., THERON, G.K. & VAN ROOYEN, N. 1993. Veld and plant communities of the Verlorenvlei Nature Reserve in the North-eastern Sandy Highveld, Transvaal. *S. Afr. J. Bot.* 59(3):273-280.

REFERENCES

- ACOCKS, J.P.H. 1988. Veld types of South Africa, 3rd edn. *Mem. Bot. Surv. S. Afr.* 57:1-146.
- ARNOLD, T.H. & DE WET, B.C. 1993. Plants of Southern Africa: Names and Distribution. *Memoirs of the Botanical Survey of South Africa No. 62*, Botanical Research Institute, Pretoria.
- BARCLAY, J.J., JURY, M.R. & WASHINGTON, R. 1993. Meteorology of fire danger in the Natal Drakensberg. *S. Afr. Tydskr. Wet.* 89:341-349.
- BARKMAN, J.J., MORAVEC, J. & RAUCHERT, S. 1964. Kritische Bemerkungen und Vorschläge zur quantitativen Vegetationanalyse. *Acta Bot. Neerl.* 13: 394 -449.
- BARNES, D.L. 1992. A critical analysis of veld management recommendations for sourveld in the south-eastern Transvaal. *Tydskr. Weidingsver. S. Afr.* 9(3):126-134.
- BEHR, C.M. & BREDENKAMP, G.J. 1988. A phytosociological classification of the Witwatersrand National Botanical Garden. *S. Afr. J. Bot.* 54:525-533.
- BEZUIDENHOUT, H. 1993. Syntaxonomy and synecology of western Transvaal grasslands. PhD dissertation. University of Pretoria.
- BEZUIDENHOUT, H., BIGGS, H.C. & BREDENKAMP, G.J. 1996. A process supported by the utility BBPC for analysing Braun-Blanquet data on a personal computer. *Koedoe* 39(1): 107-112.
- BLOEM, K.J. 1988. 'n Plantssosiologiese studie van die Verlorenvaleinatuurreservaat, Transvaal. M.Sc. (Natuurlewebestuur) thesis, University of Pretoria. Pretoria.
- BLOEM, K.J., THERON, G.K. & VAN ROOYEN, N. 1993. Grassland communities of the Verlorenvlei Nature Reserve in the North-eastern Sandy Highveld, Transvaal. *S. Afr. J. Bot.* 59(3):273-280.

BLOEM, K.J., THERON, G.K. & VAN ROOYEN, N. 1993. Wetland plant communities of the Verlorenvalei Nature Reserve in the North-eastern Sandy Highveld, Transvaal. *S. Afr. J. Bot.* 59(3):281-286.

BREDENKAMP, G.J. & THERON, G.K. 1978. A synecological account of the Suikerbosrand Nature Reserve. 1. The phytosociology of the Witwatersrand geological system. *Bothalia* 12:513-529.

BREDENKAMP, G.J. & VAN ROOYEN, N. 1991a. Veldevaluering en veldbestuur van die plaas Inderhiken, Dendron. Unpublished rapport.

BREDENKAMP, G.J. & VAN ROOYEN, N. 1991b. Veldevaluering en veldbestuur van die plaas Leniesrus, Alldays. Unpublished rapport.

BROWN, L.R. 1997. A plant ecological study and wildlife management plan of the Borakalalo Nature Reserve, North-west Province. Ph.D. thesis. University of Pretoria, Pretoria.

BURROWS, J.E. 1990. Southern African Ferns and Fern Allies. Frandsen Publishers, Sandton.

COETZEE, B.J. 1974. A phytosociological classification of the vegetation of the Jack Scott Nature Reserve. *Bothalia* 11:329 – 347.

COETZEE, B.J. 1975. A phytosociological classification of the Rustenburg Nature Reserve. *Bothalia* 11:561-580.

COETZEE, B.J. & WERGER, M.J.A. 1975. On Association – Analysis and the classification of plant communities. *Vegetation* 30:201-206.

COETZEE, B.J., VAN DER MEULEN, F., ZWANZIGER, S., GONSALVES, P. & WEISSER, P.J. 1976. A phytosociological classification of the Nylsvley Nature Reserve. *Bothalia* 12:137-160.

COETZEE, B.J., VAN WYK, P., GERTENBACH, W.P.D., HALL-MARTIN, A. & JOUBERT, S.C.J. 1981. 'n Plantekologiese verkenning van die Waterberggebied in die Noord-Transvaalse Bosveld. *Koedoe* 24:1-23.

COETZEE, B.J. 1983. Phytosociology, vegetation structure and landscapes of the Central District, Kruger National park, South Africa. *Dissertationes Botanicae* 69: 1 – 456.

COETZEE, J.P., BREDENKAMP, G.J. & VAN ROOYEN, N. 1993. The Sub-humid Warm Temperate Mountain Bushveld plant communities of the Pretoria-Witbank-Heidelberg area. *S. Afr. J. Bot.* 59(6): 623-632.

COETZEE, J.P., BREDENKAMP, G.J. & VAN ROOYEN, N. 1994. An overview of the physical environment and vegetation units of the Ba and Ib land types of the Pretoria-Witbank-Heidelberg area. *S. Afr. J. Bot.* 60(1): 49-61.

DANSERAU, P. 1957. Biogeography, an ecological perspective. Ronald, New York.

DAUBENMIRE, R.F. 1968. Plants and environment. A textbook of plant autecology, 2nd edition. John Wiley, New York.

DE VRIES, W.C.P. 1968-69. Stratigraphy of the Waterberg System in the Southern Waterberg area, Northwestern Transvaal. *Ann. geol. Surv. S. Afr.* 43-56.

DE WET AND THE STAFF OF THE NATIONAL HERBARIUM. 1989. New taxa, new records and name changes for southern African flora. *Bothalia* 20:249-266.

DE WET AND THE STAFF OF THE NATIONAL HERBARIUM. 1990. New taxa, new records and name changes for southern African flora. *Bothalia* 19:275-294.

DU PLESSIS, S.F. 1969. The past and present geographical distribution of the Perissodactyla and Artiodactyla in Southern Africa. MSc. dissertation. University of Pretoria.

DU PREEZ, P.J., BREDENKAMP, G.J. & VENTER, H.J.T. 1991a. The syntaxonomy and synecology of the forests in the eastern Orange Free State, South Africa. I. The *Podocarpetalia latifolii*. *S. Afr. Tydskr. Plantk.* 57:198-206.

DU PREEZ, P.J. & BREDENKAMP, G.J. 1991b. The syntaxonomy and synecology of the forests in the eastern Orange Free State, South Africa. II. The *Pittosporetalia viridiflorum*. *S. Afr. J. Bot.* 57:207-212.

DU PREEZ, P.J. 1992a. The classification of the vegetation of Korannaberg, eastern Orange Free State, South Africa. I. Afromontane fynbos communities. *S. Afr. J. Bot.* 58(3): 165-172.

- DU PREEZ, P.J. 1993. Why burn the bush? Social approaches to bushfire management in South Africa. *J. Afr. Sci.* 84(1): 10-12.
- DU PREEZ, P.J. 1992b. The classification of the vegetation of Korannaberg, eastern Orange Free State, South Africa. II. Grassland communities. *S. Afr. J. Bot.* 58(3): 173-181.
- DYER, T.G.J. 1976. Expected future rainfall over selected parts of South Africa. *S. Afr. J. Sci.* 72: 237 – 239.
- DYER, T.G.J. & TYSON, P.D. 1977. Estimating above and below normal rainfall periods over South Africa, 1972 – 2000. *J. Applied Meteorology* 16: 145 – 147.
- EDWARDS, D. 1972. Botanical survey and agriculture. *Proc. Grassld. Soc. S. Afr.* 7: 15 – 19.
- EDWARDS, D. 1983. A broad-scale structural classification of vegetation for practical purposes. *Bothalia* 14, 3 & 4:705-712.
- FULS, E.R., BREDENKAMP, G.J., VAN ROOYEN, N. & THERON, G.K. 1992a. The physical environment and major plant communities of the Vredefort-Kroonstad-Lindley-Heilbron area, north-eastern Orange Free State. *S. Afr. J. Bot.* 58(5):317-325.
- FULS, E.R., BREDENKAMP, G.J. & VAN ROOYEN, N. 1992b. The hydrophylic vegetation of the Vredefort-Kroonstad-Lindley- Heilbron area, northern Orange Free State. *S. Afr. J. Bot.* 58(4):231-235.
- GERTENBACH, W.P.D. & POTGIETER, A.L.F. 1979. Veldbrandnavorsing in die struikmopanieveld van die Nasionale Krugerwildtuin. *Koedoe* 22: 1 – 28.
- GERTENBACH, W.P.D. 1980. Rainfall patterns in Kruger National Park. *Koedoe* 23: 35 – 43.
- GERTENBACH, W.P.D. 1983. 'n Ekologiese studie van die suidelikste Mopanieveld in die Nasionale Kruger wildtuin. D.Sc. thesis, University of Pretoria.
- GERTENBACH, W.P.D. 1987. 'n Ekologiese studie van die Suidelikste Mopanieveld in die Nasionale Krugerwildtuin. D.Sc proefschrift (Ongepubliseer). Universiteit van Pretoria.
- HILL, M.O. 1979. TWINSPLAN - a Fortran program for arranging multivariate data in an ordered two way table by classification of individuals and attributes. Cornell University, Ithaca, New York.

HOUGH, J.L. 1993. Why burn the bush? Social approaches to bush-fire management in west African National Parks. *Biol. Conserv.* 65:23-28.

HUNTER, M.L. 1993. Natural fire regimes as spatial models for managing boreal forests. *Biol. Conserv.* 65:115-120.

KOOIJ, M.S., BREDENKAMP, G.J. & THERON, G.K. 1990. The vegetation of the B land type in the north western Orange Free State. *S. Afr. J. Bot.* 56(3):309 – 318.

KOOIJ, M.S., BREDENKAMP, G.J. & THERON, G.K. 1992. The vegetation of the Kroonstad area: A description of the grassland communities. *South African Journal of Botany* **58**: 155 – 164.

LAND TYPE SURVEY STAFF. 1988. Land types of the maps 2426 Thabazimbi, 2428 Nylstroom. *Mem. agric. nat. Resour. S. Afr.* No.10:1-431.

LOW, A.B. & REBELO A.G. 1996. Vegetation of South Africa, Lesotho and Swaziland. Dept. of Environmental Affairs & Tourism, Pretoria.

LUGER, A.D. & MOLL, E.J. 1993. Fire protection and afromontane forest expansion in Cape fynbos. *Biol. Conserv.* 64:51-56.

MACVICAR, C.N., LOXTON, R.F., LAMBRECHTS, J.J.N., LE ROUX, J., DE VILLIERS, J.M., VERSTER, E., MERRY-WEATHER, F.R., VAN ROOYEN, T.H. & HARMSE H.J. VON M. 1977. Grondklassifikasie, 'n binomiese sisteem vir Suid Afrika. Departement Lanbou Tegniese Dienste. Pretoria.

MATTHEWS, W.S., BREDENKAMP, G.J. & VAN ROOYEN, N. 1991. The grassland-associated vegetation of the Black Reef Quartzite and associated large rocky outcrops in the north-eastern mountain sourveld of the Transvaal escarpment. *S. Afr. J. Bot.* 75(30):143-150.

MUELLER-DOMBOIS, D. & ELLENBERG, H. 1974. Aims and Methods of Vegetation Ecology. Wiley, New York.

NOBLE, R.G. & HEMENS, J. 1978. Inland water ecosystems in South Africa - a review of research needs. *S. Afr. Nat. Sci. Prog. Rep.* 34:1-150.

- PALGRAVE, K.C. 1988. *trees of Southern Africa*. Struik Publishers, South Africa.
- RUTHERFORD, M.C. & WESTFALL, R.H. 1986. Biomes of southern Africa – an objective categorization. *Memoirs of the Botanical Survey of South Africa* 54: 1 - 98.
- SCHULZE, R.E. & MCGEE, O.S. 1978. Climatic indices and classifications in relation to the biogeography of Southern Africa. In: *Biogeography and ecology of Southern Africa*. Ed. Werger, m.j.a. Junk, de Hague.
- SCHULTZE, B.R. 1947. The climates of South Africa according to the classification of Köppen and Thornthwaite. *S. Afr. Geogr. J.* 29:32-42.
- SCOTT, J.D. 1966. Veld burning n South Africa. *African Wild Life*. 20(2):93-102.
- SCOTT, J.D. 1972. Veld burning in Natal. *Proc. Tall Timbers Fire Ecology*. 11:33-51.
- SHIMWELL, D.W. 1971. Description and classification of vegetation. Sedgwick and Jackson, London.
- South African Comm for Stratigraphy (SACS). 1980. Stratigraphy of S. A. Part 1 (Comp. L.E. Kent). Lithostratigraphy of the Rep. of S.A., South West Africa/ Namibië and the Republics of Bophuthatswana, Transkei, and Venda: *Handb. Geol. Surv. S. Afr.* 8. 690p. Government Printer, Pretoria.
- STANDER, P.E., NOTT, T.B. & MENTIS, M.T. 1993. Proposed burning strategy for semi-arid African savanna. *Afr. J. Ecol.* 31:282-289.
- TAITON, N.M. 1978. Fire in the management of humid grasslands in South Africa. *Proceedings: First International Rangeland Congress*. 684-686.
- THERON, G.K. 1973. 'n Ekologiese studie van die Plantegroei van die Loskopdam – natuurreservaat Ongepubl. D.Sc – tesis, Univ. Pretoria.
- THOMPSON, M.W. 1992. Monitoring fires in remote areas. *Veld & Flora*. 121-123.
- TROLLOPE, W.S.W. 1984. Fire in savanna. In: BOOYSEN, P.DE V. & TAITON, N.M. (eds). *Ecological effects of fire in South African ecosystems*. Ecological studies No 48:149-175.

TROLLOPE, W.S.W. & POTGIETER, A.L.F. 1985. Fire behaviour in the Kruger National Park. *J. Grassl. Soc. South Afr.* 2(2):17-22.

TROLLOPE, W.S.W., POTGIETER, A.L.F. & ZIMBATIS, N. 1989. Assessing veld condition in the Kruger National Park using key grass species. *Koedoe*. 32(1):67-93.

TROLLOPE, W.S.W., EVERSONE, C.S.E. & TAINTON, N.M. 1991. Effect and use of fire in the Grassland and Savanna areas of South Africa pp. 1-44. In: Veld and pasture management in South Africa.

TYSON, P.D. & DYER, T.G.J. 1978. The predicted above-normal rainfall of the seventies and the likelihood of droughts in the eighties in South Africa. *S. Afr. J. Sci.* 74: 372 – 377.

VAN DER MEULEN, F. 1979. Plant sociology of the Western Transvaal Bushveld. South Africa.: Syntaxonomic and synecological study. *Dissertationes Botanica* 49. Vaduz: Cramer.

VAN ROOYEN, N. 1983. Die Plantegroei van die Roodeplaatdam – natuurreservaat II. Die plantgemeenskappe. *S. Afr. J. Bot.* 2: 115 –125.

VAN VUUREN, D.R.J. & VAN DER SCHIJFF, H.P. 1970. 'n Vergelykende ekologiese studie van die plantegroei van 'n noordelike en suidelike kloof van die Magaliesberg. *Tydskr. Wet. Kuns*:16-75.

WALTER, H. & LIETH, H. 1960. *Klimadiagramm-Weltatlas*. Fischer, Jena.

WERGER, M.J.A. 1972. Species-Area relationship and plot size: With some examples from South African Vegetation. *Bothalia* 10:583-594.

WERGER, M.J.A. 1973. On the use of Association-Analysis and Principal Component Analysis in interpreting a Braun-Blanquet Phytosociological table of a Dutch Grassland. *Vegetatio*. 28: 129 – 144.

WERGER, M.J.A. 1974. On concepts and techniques applied in the Zürich-Montpellier method of vegetation survey. *Bothalia* 11(3):309-323.

WERGER, M.J.A. 1977. Effects of game and domestic livestock on vegetation in East and Southern Africa: In: *Applications of vegetation science to grassland husbandry. Handbook of vegetation science* 13 (Ed. By W. Krause), pp. 149 – 159. Junk, The Hague.

WESTFALL, R.H. 1981. *The plant ecology of the farm Groothoek, Thabazimbi district.* M.Sc. thesis, University of Pretoria, Pretoria.

WESTFALL, R.H., VAN ROOYEN, N. & THERON, G.K. 1985. The plant ecology of the farm Groothoek, Thabazimbi District. 2. Classification. *Bothalia* 15:655-688.

WESTHOFF, V. & VAN DER MAAREL, E. 1973. The Braun-Blanquet approach. In: R.H. Whittaker, *Handbook of vegetation science*. The Hague: Junk.

WHITE, F. 1978. The Afromontane region. In: *Biogeography and ecology of Southern Africa*, ed. M.J.A. Werger, pp.465-513. W. Junk, The Hague.