

REFERENCES

- Abate, A., 1996.** Foraging preferences and diet quality of livestock indigenous to dry areas. Bull. Grassld. Soc. S. Afr., 7 (1):6-10.
- Acocks, J. P. H., 1975.** Veld types of South Africa 3rd Edition, Mem. Bot. Surv. S. Afr., No 57 Dept. Agric. and water supply, Pretoria. South Africa: Govt. Printer. pp. 1-146.
- Agreil, C. & Meuret, M., 2004.** An improved method for quantifying intake rate and ingestive behaviour of ruminants in diverse and variable habitats using direct observation. Small Rumin. Res., 54:99-113.
- Aharon, H., Henkin, Z., Unger, E. D., Kababya, D., Baram, H. & Perevolotsky, 2007.** Foraging behaviour of the newly introduced Boer goat breed in a Mediterranean woodland: A research observation. Small Rumin. Res., 69:144-153.
- Akkasaeng, R., Gutteridge, R. C. & Wanapat, M., 1989.** Evaluation of trees and shrubs or forage and fuel wood in north east Thailand. Inter. Tree Crops J., 5: 209-220.
- Alkon, P. U., Cohen, Y. & Jordan, P. A., 1989.** Towards an acoustic biotelemetry system for animal behaviour studies. J. Wildl. Manage., 53:658-662.
- Allison, C. D., 1985.** Factors affecting forage intake by range ruminants: A review. J. Range. Manage., 38 (4):305-311.
- Alonso-Díaz, M. A., Torres-Acosta, J. F. J., Sandoval-Castro, C. A., Hoste, H., Aguilar-Caballero, A. J. & Capetillo-Leal, C. M., 2008.** Is goats' preference of forage trees affected by their tannin or fibre content when offered in cafeteria experiments? Anim. Feed Sci., 141:36-48.

Alonso-Díaz, M. A., Torres-Acosta, J. F. J., Sandoval-Castro, C. A. & Hoste, H., 2010. Tannins in tropical tree fodders fed to small ruminants: A friendly foe? Small Rumin. Res., 89(2-3):164-173.

Ammar, H., López, S., Andrés, S., Ranilla, M. J., Bodas, R. & González, J. S., 2008. In vitro digestibility and fermentation kinetics of some browse plants using sheep or goat ruminal fluid as a source of inoculum. Anim. Feed Sci. Technol. 147:90-104.

Anbarasu, C., Dutta, N., Sharma, K. & Rawat, M., 2004. The effects of diet quality and age of meat goat weathers on early subsequent growth while grazing wheat forage. Small Rumin. Res., 51:47-56.

Anelea, U.Y., Arigbedea, O.M., Südekumb, K. H., Onic, A.O., Jolaosho, A.O., Olanitea, J.A., Adeosuna, A.I., Delea, P.A., Ikea, K.A. & Akinolad, O.B., 2009. Seasonal chemical composition, in vitro fermentation and in sacco dry matter degradation of four indigenous multipurpose tree species in Nigeria. Anim. Feed Sci. Tecnnol., 154:47-57.

Animut, G. & Goetsch, A. L., 2008. Co-grazing of sheep and goats: Benefits and constraints. Small Rumin. Res., 77:127-145.

AOAC, 1990. Official Methods of analysis. Association of Agricultural Chemists, 15th ed. Washington DC. USA, pp. 66-88.

Appleman, R. D. & Delouche, J. C., 1958. Behavioural, physiological and biochemical responses of goats to temperature, 0°C to 40°C. J. Anim. Sci., 17:326-335.

Arnold, G. W., 1962. The influence of several factors in determining the grazing behaviour of Border Leicester X Merino Sheep. J. Br. Grassld. Soc., 17:41-51.

Arnold, G. W., 1984. Spatial relations between sheep, cattle and horse groups grazing together. Appl. Anim. Behav. Sci., 13:7-17.

Askins, G. D. & Turner, E. E., 1972. A behavioural study of Angora goats on West Texas range. J. Range Manage., 25:82-87.

Aucamp, A. J., Danckwerts, J. E. & Tainton, N. M., 1985. Management of integrated grass/browse systems in semi arid South African Savannahs. International Rangeland Congress 2, 1985. S. Australia, Cambridge University press. pp. 403-409.

Azeez, J. O., Van Averbeke, W. & Okorogbona, A. O. M., 2010. Differential responses in yield of pumpkin (*Cucurbita maxima* L.) and nightshade (*Solanum retroflexum* Dun) to the application of three animal manures. Bioresource Technol., 101:2499:2505.

Balch, C. C. & Johnson, V. W., 1950. Factors affecting the utilization of food by dairy cows: 2 Factors influencing the rate of breakdown of cellulose (cotton threat) in the rumen of the cow. British J. Nutri. 4:389-394.

Balogun, R O., Jones, R. J. & Holmes, J. H. G., 1998. Digestibility of some tropical browse species varying in tannin content. Anim. Feed Sci., 76:77-88.

Baraza, E., Hódar, J. A. & Zamora, R., 2009. Consequences of plant-chemical diversity for domestic goat food preference in Mediterranean forests. Acta Oecologica: 35:117-127.

Barroso, F. G, Alados, C. L. & Boza, J., 1995. Food selection by domestic goats in the Mediterranean arid shrubland. J. Arid Environ., 31:205-217.

Bell, R H.V., 1971. A grazing ecosystem in the Serengeti. Scientific American 224:86-93.

Bell, F. R. & Lawn, A. M., 1957. The pattern of rumination behaviour in housed goats. Br. J. Anim. Behav., 3:85-89.

Bellingham, P. J., Wiser, S. K., Wright, A. E., Cameron, E. K. & Forester, L. J., 2010. Disperser communities and legacies of goat grazing determine forest succession on the remote Three Kings Islands, New Zealand. *Biological conservation*: 143:926-938.

Berhane, G. & Eik, L. O. 2006. Effect of vetch (*Vicia sativa*) hay supplementation to Begait and Abergelle goats in northern Ethiopia: III Forage selection and behaviour. *Small Rumin. Res.*, 64:241-246.

Berteaux, D., Crete, M., Hout, J. & Ouellet, J. P., 1998. Food choice by white-tailed deer in relation to protein and energy content: a field experiment. *Oecologia*, 115:84-92.

Bhatta, R., Shinde, A.K., Verma, D. L., Sankhyan, S. K. & Vaithyanathan, S., 2004. Effect of supplementation containing polythene glycol (PEG)-6000 on intake, rumen fermentation pattern and growth of kids feed foliage of *Prosopis cineria*. *Small Rumin. Res.* 52:45-52.

Bjelland, B. K. & Grøva, L., 1997. The feeding behaviour and diet selection of indigenous Ciskeian Goat and the improved Boer goat of South Africa. Msc. Agric. Degree Thesis, Department of Animal Science, Agricultural University of Norway, pp. 1-69.

Bjugstad, A. J., Crawford, H. S. & Neal, D. L., 1970. Determining forage consumption by direct observation of domestic grazing animals. In: Range and Wildlife Habitat Evaluations. US Dep. Agric. For. Serv. Misc. Publ. No. 1147, pp. 101-104.

Black, J. L., & Kenney, P. A., 1984. Factors affecting diet selection by sheep. II. Height and density of pasture. *Austr. J. Agric. Res.*, 32:353-370.

Booyse, D. G, Harmse, G & Boomker E.A., 2009. Construction and insertion of the oesophageal cannulae for use in domestic ruminants. *J. S. Afr. Vet Ass.* 80(4): in press.

Bransby, D. I. & Tainton, M. N., 1977. Disk pasture meter: Possible applications in grazing management. *Proc. Grassl. Soc., S. Afr.* 12:115-118.

Britannica Word Data, 1988. Ecyclopaedia Britannica Inc. Chicago. p51.

Bryant, F. C., Taylor, C. A., & Merrill, L. B., 1981. White-tailed deer diets from pasture in excellent and poor condition. *J. Range Manage.*, 34: 193-200.

Burlison, A. J., Hodgson, J & Illius, A. W., 1991. Sward Canopy Structure and the bite dimensions and bite weight of grazing sheep. *Grass Forage Sci.*, 46:29-38.

Buxton, D. R. & Fales, S. L., 1994. Plant environment and quality. In: Fahey Jr., G. C., Collins, M., Mertens, D. R., Moser, L.E. (eds.), *Forage quality. Evaluation and utilization.* ASA/CSSA/SSSA, Madison, WI, pp. 155-199.

Camacho, L. M., Rojo, R., Salem, A. Z. M., Provenza, F. D., Mendoza, G. D., Avilés, F. & Montañez-Valdez, 2010. Effect of season on chemical composition and *in situ* degradability in cows and in adapted and unadapted goats of three Mexican browse species. *Anim. Feed Sci.*, 155: (2-4) 206-212.

Casey, N. H. & Van Niekerk, W. A., 1988. The Boer goat. I. Origin, adaptability, performance testing, reproduction and milk production. *Small Rumin. Res.*, 1:291-302.

Celaya, R., Oliván, M., Ferreira, L. M. M., Martínez, A., García, U. & Osoro, K., 2007. Comparison of grazing behaviour, dietary overlap and performance in non-lactating domestic ruminants grazing on marginal heathland areas. *Livestock Sci.* 1106:227-281.

Cerrillo, M. A., López, O. O., Nevárez, C. G., Ramírez, R. G. & Juárez, R. S. A., 2006. Nutrient content, intake and *in vitro* gas production of diets by Spanish goats browsing a thorn shrubland in North Mexico. *Small Rumin. Res.*, 66:76-84.

Cissé, M., Lya, I., Nianogo, A. J., Sané, I., Sawadogo, J. G., N'Diaye, M., Awad, C. & Fall, Y., 2002. Grazing behaviour and milk yield of Senegalese Sahel goat. *Small Rumin. Res.*, 43:85-95.

Coates, D. B., Schachenmann, P. & Jones, R. J., 1987. Reliability of extrusa samples collected from steers fistulated at the oesophagus to estimate the diet of resident animals in grazing experiments. *Aust. J. Agric.*, 27:739-745.

Cochran, R. C. & Adams, D. C., 1986. Predicting digestibility of different diets with internal markers; Evaluation of four potential markers. *J. Anim. Sci.*, 63:1476-1483.

Codron, D., Lee-Thorp, J., Sponheimer, M. & Gordon, J., 2007. Nutritional content of savannah foods: implications for browser/grazer models of ungulate diversification. *Eur. J. Wildlife Res.*, 53:100-111.

Coleman, S. W., Hart, S. P. & Sahlu, T., 2003. Relationships among forage chemistry, rumination and retention time with intake and digestibility of hay by goats. *Small Rumin. Res.*, 50:129-140.

Cordova, F.J., Wallace., J. D. & Pieper, R. D., 1978. Forage intake by grazing livestock : A review. *J. Range Manage.*, 31:430-438.

Cowan, R. L., Jordan, J. S., Grimes, R. L. & Gill, J. D., 1970. Comparative nutritive values of forage species. In: Range and Wildlife Habitat Evaluation. – A Res. Symp., USDA, For. Surv. Misc. Pub., 1147.

Crocker, B. H., 1959. A method of estimating the botanical composition of the diet of sheep. *NZJ. Agric. Res.*, 2:72-85.

Dankwerts, J. E., 1979. Development of a method to assess the grazing capacity of veld in the False Thornveld of the Eastern Province with particular reference to the Ciskei. University of Fort Hare, Alice. pp. 64.

Decandia, M., Sitzia, M., Cabiddu, A., Kababya, D. & Molle, G., 2000. The use of polyethylene glycol to reduce the antinutritional effects of tannins in goats fed woody species. Small Rumin. Res., 38:157-164.

Decruyenaere, V., Lecomte Ph., Demarquilly, C., Aufrere, J., Dardenne, P., Stilmant, D. & Buldgen, A., 2009. Evaluation of green forage intake and digestibility in ruminants using near infrared reflectance spectroscopy (NIRS): Developing a global calibration. Anim. Feed Sci. Tech., 148:138-156.

De Lange, A. O., 1991. The conservation of communal grazing in the developing areas of South Africa. Adrinews, April 1991, pp.4.

De Lange, A. O., 1994. The small scale farmer in the past. Paper read at AFMA symposium, 10/8/94, Megawatt Park, South Africa, pp.17.

Devendra, C., 1981. Meat Production from Goats in Developing Countries. In: A. J. Smith & R. J. Gunn (eds.), Intensive Animal Production in Developing Countries. BSAP (British Society of Animal Production) occasional publication 4, Edinburgh, UK. pp 396-406.

Devendra, C., 1990. Shrubs and Tree Fodders for Farm Animals. International Development Research Center, Canada, p. 349.

Devendra, C. & Coop, I. E., 1982. Ecology and distribution. In Coop, I. E., Sheep and goat production . World Animal Science. C1:1-14.

Devendra, C. & McLeroy, G. B., 1982. Goat and sheep production in the Tropics. Payne, W. J. A. (ed.), Longman, London and New York, Publishers. pp. 1-290.

de Waal, H. O., 1990. Animal production from native pastures (veld) in the Free State Region – A perspective of the grazing ruminant. S. Afr. J. Anim. Sci., 20:1

Dhanda, J. S., Taylor, D. G. & Murray, P. J., 2003. Part 1. Growth carcass and meat quality parameters of male goats: effects of genotype and live weight at slaughter. Small Rumin. Res., 50: 57-66.

Dohme, F., Graf, C. M., Arrigo, Y., Wyss, U. & Kreuzer, M., 2007. Effect of botanical characteristics, growth stage and method of conservation on factors related to the physical structure of forage – An attempt towards a better understanding of the effectiveness of fibre in ruminants. Anim. Feed Sci. Technol., 138:205-227.

Domingue, B. M. F., Dellow, D. W., Wilson, P. R & Barry, T. N., 1991. Comparative digestion in deer, goats and sheep N. Z. J Agric. Res., 34, 45-53.

Dove, H & Mayes, R. W., 2005. Using n-alkanes and other plant wax components to estimate intake, digestibility and diet composition of grazing/ browsing sheep and goats. Small Rumin. Res., 59:123-139.

Dumont, B., Meuret, M. & Prud'hon, M., 1995. Direct observation of biting for studying grazing behaviour of goats and llamas on garrigue rangelands. Small Rumin Res., 16:27-35.

Duncan, P., 1983. Determinants of the use of habitat by horses in a Mediterranean wetland. J. Anim. Ecol., 52:93-109.

Duncan, A. J., Ginane, C., Elston, D. A., Kanaver, A. & Gordon, I. J., 2006. How do herbivores trade-off the positive and negative consequences of diet selection? Anim. Behav., 71:93-99.

Dziba, L. E., 2000. Diet selection and foraging efficiency of Boer goats and Nguni goats in the False Thornveld of the Eastern Cape, South Africa. Msc Thesis. Faculty of Agriculture, Fort Hare University. pp. 1-123.

Dziba, L. E. & Raats J. G., 1998. The feeding behaviour of Ciskei indigenous goats in the semi- arid Savanna. Proceedings of the Annual Congress of the South African Society of Animal Scientists. Stellenbosch, South Africa. pp. 94.

Dziba, L. E., Scogings, P. F., Gordon, I. J. & Raats J. G., 2003. Effects of season and breed on browse species intake rates and diet selection by goats in the False Thornveld of the Eastern Cape, South Africa. Small Rumin. Res., 47:17-30.

El Aich, A., El Assouli, N., Fathi, A., ,Morand- Fehr, P., Bourbouze, A., 2007. Ingestive behaviour of goats grazing in the South western Argan (*Argania spinosa*) forest of morocco, Small Rumin. Res., 70:248-256.

Ellis, C. R., Royce, E. J, Scott, C. B., Taylor, C. A., Walker, J. W & Waldron, D. F., 2005. Sire influence on juniper consumption by goats. Rangeland Ecol. Manage., 58:324-328.

Emlen, J. M., 1966. The role of time and energy in food preference. Am. Nat. 100:611-617.

Erasmus, J. A., 2000. Adaptation to various environments and resistance to disease of the Improver Boer goat. Small Rumin. Res., 36:179-187.

Erwin, E. S. & Ellison, W. G., 1959. Rapid method of determining digestibility of concentrates and roughages in cattle. J. Anim. Sci., 18:1518.

Fajemisin, B., Ganskopp, D., Cruz, R. & Vavra, M., 1996. Potential for woody plant control by Spanish goats in the sagebrush steppe. Small Rumin. Res., 20:229-238.

Fall-Toure, S. & Michalet-Doreau, B., 1995. Nitrogen partition in cell structures of tropical browse plants compared with temperate forages: influence on their in situ degradation pattern. Anim. Feed Sci., 51:65-72.

FAO Animal production and Health Paper, 1991. Small ruminant production and the small ruminant genetic resource in Tropical Africa. Paper 88:231p. Available at: www.fao.org/docrep/009/t0376e/T0376E06.htm.

Accessed: 30 Nov 2009.

Ferreira, A. V., Hoffman, L. C., Schoeman, S. J. & Sheridan, R., 2002. Water intake of Boer goats and Mutton merinos receiving either a low or high energy feedlot diet. *Small Rumin. Res.*, 43: 245-248.

Flachowsky, G. & Tiroke, K., 1993. Influence of type of feeding and rumen incubation time on in sacco dry matter degradability of ryegrass, straw and concentrate in sheep and goats. *Small Rumin. Res.*, 9:321-330.

Forwood., J. R., Ortbals, J. L., Zinn, G. & Paterson, J. A., 1985. Cannula adaptations for oesophageal fistulated cattle. *J. Range Manage.*, 38:474-476.

France, J., Theodorou, M. K., Lowman, R. S. & Beever, D. E., 2000. Feed evaluation for animal production. In: Theodorou, M. K., France, J. (eds.), *Feeding Systems and Feed Evaluation Models*. CABI Publishing, p. 481.

Fraser, M.D., Theobald, V. J., Davies, D. R. & Moorby, J. M., 2009. Impact of diet selected by cattle and sheep grazing heathland communities on nutrient supply and faecal micro-flora activity. *Agric. Ecosystems and Environment*, 129:367-377.

Gasmi-Boubaker, A., Kayouli, C., Buldgen, A., Boukary, A., Ammar, H. & Lopez, S., 2006. Effect of feed block supply on the ruminal ecosystem of goats grazing shrub land in Tunisia. *Anim. Feed Sci. Technol.*, 127:1-12.

Genin, D. & Pijoan, A. P., 1993. Seasonality of goat diet and plant acceptabilities in the coastal scrub of Baja California, Mexico. *Small Rumin. Res.*, 10:1-11.

German, J., 2008. Goat by breed and type. p. 6. Available at:

<http://www.goatworld.com/breeds/tswana.shtml>

Accessed: 25 Feb 2010.

Gihad, E. A., 1976. Intake, digestibility and nitrogen utilization of tropical natural grass hay by goats and sheep. *J. Anim. Sci.*, 43:879.

Gihad, E. A., El-Bedawy, T.M. & Mehrez, A.Z., 1980. Fibre digestibility by goats and sheep. *J. Dairy Sci.*, 63:1701-1706.

Glasser, T. A., Ungar, E. D., Landau, S. Y., Perevolotsky, A., Muklada, H. & Walker, J. W., 2009. Breed and maternal effects on the intake of tannin-rich browse by juvenile domestic goats (*Capra hircus*). *Appl. Anim. Sci.*, 119:71-77.

Gordon, I. J., 1989. Vegetation community selection by ungulates on the Isle of Rhum. II. Vegetation community selection. *J. Appl. Ecol.*, 20:53-64.

Gordon, I. J., 1995. Animal-based techniques for grazing ecology research. *Small Rumin. Res.*, 16:203-214.

Gordon, I. J., 2003. Browsing and grazing ruminants: are they different beasts? *For Ecol. Manage.*, 181:13-21.

Gordon, I. J. & Illius, A. W., 1992. Foraging strategy : from monoculture to mosaic. In: A. W., Speedy (Editor). *Progress in Sheep and Goat Research*. CAB International. Wallingford, pp. 153-177.

Gothasen, H., 1997. Species selection by goats on a South African Savanna. Thesis at Department of Biology & Nature Conservation, Agricultural University of Norway, As, Norway.

Harris, L. E., Lofgreen, G. P., Kercher, C. J., Raleigh, R. J. & Bohman, V. R., 1967. Techniques of Research in Range Livestock Nutrition. Bull. 471, Utah Agric. Exp. Sta., pp. 11-28.

Haschick, S. L. & Kerley, G. H. I., 1997. Factors affecting forage preference of bushbuck and Boer goats for subtropical thicket plants. Afr. J. Range Forage Sci., 14:49-55.

Hensley, M. & Laker, M C., 1979. Land resources in Ciskei. The Agricultural potential of Ciskei. Amended Report (Ed. M. C. Laker) University of Fort Hare, Alice.

Hodgson, J., 1969. The use of sheep fitted with oesophageal fistulae in grazing studies. J. Br. Grassld. Soc., 24:325-332.

Hodgson, J. & Illius, A. W., 1996. The ecology and management of grazing systems. CAB International, Wallingford, UK.

Hohenboken, W. D., 1986. Inheritance of Behavioural Characteristics in Livestock. Animal Breeding Abstracts. Vol. 54, No. 8. C.A.B. International, USA. pp. 623-639.

Holechek, J. L., 1982. Sample preparation techniques for microhistological analysis. J. Range Manage., 35:267-268.

Holechek, J. L., & Vavra, M., 1981. The effect of slide and frequency observation numbers on the precision of microhistological analysis. J. Range Manage., 34:337-338.

Holechek, J. L., & Vavra, M. & Pieper, R. D., 1982. Methods for determining the nutritive quality of range ruminants diets: A review. J. Anim. Sci., 54:363-376.

Horst, P., 1984. Livestock breeding for productive adaptability of unfavourable environments. Paper presented at the World Congress on sheep and beef cattle breeding, Republic of South Africa, Pretoria, 16-19 April 1984.

Hughes, R. N., 1993. Diet selection, an interdisciplinary approach to foraging behaviour. pp. 1-11 Blackwell Scientific Publications, Oxford, UK. pp. 1-11.

Illiis, A. W. & Gordon, I. J., 1993. Diet selection in mammalian herbivores-constraints and tactics. In: Hughes, R. N. (Ed.), Diet Selection, Blackwells, Oxford, pp. 157-181.

Illiis, A. W., Gordon, I. J., Elston, D. A. & Milne, J. D., 1999. Diet selection in goats: a test of intake-rate maximization. Ecology. 88:1008-1018.

Iniguez, L., 2004. Goats in resource-poor systems in the dry environments of West Asia, Central Asia and the Inter-Andean valleys. Small Rumin. Res., 51:137-144.

Jacobs, L., 1986. Environmentally Sound Small-Scale Livestock Project. Tsaile, Arizona. pp. 39-40, 44-45.

Janeau, G., Spitz, F., Lerivain, E., Dardaillon, M. & Kowalski, C., 1987. An automatic remote, real time recording system for biological parameters on free-ranging animals. Acta Oecol. Appl., 8:333-341.

Jansen, D. A. W. A. M., van Langevelde, F., de Boer, W. F. & Kirkman, K. P., 2007. Optimisation or satiation, testing diet selection rules in goats. Small Rumin. Res., 73:160-168.

Johnson, W. L. & de Oliveira, E. R., 1989. Nutrient needs and improved systems. In: Jonhson, W. L., de Oliveira, E. R. (eds.), Improving Meat Goat Production in the Semiarid Tropics. Centro Nacional de Pesquisa de Pesquisa de Caprinos, Brasil, p. 190.

Jones, L. L. J., 1953. Measurement of palatability. Proceedings of the 6th International Grassland Congress. pp. 1-248.

Jung, H. G. & Allen M. S., 1995. Characteristics of plant cell walls affecting intake and digestibility of forages by ruminants. *J. Anim. Sci.*, 73: 2774-2790.

Kadzere, C. T. 1995. Feed resources for sustainable ruminant livestock production in Southern Africa. *African Study Monographs*. 16:165-180.

Kamalak, A., 2006. Determination of nutritive value of leaves of a native grown shrub, *Glycyrrhiza glabra* L. Using in vitro and in situ measures. *Small Rumin. Res.*, 64:268-278.

Kandylis, K. & Nikokyis, P., 1991. A reassessment of the nylon bag technique. *World Review of Anim. Prod.* Vol. XXVI. NO 1. pp. 24-29.

Karlsson, L., Hetta, M., Uden, P. & Martinsson, K., 2009. New methodology for estimating rumen protein degradation using in vitro gas production technique. *Anim. Feed Sci. Tech.*, (in press).

Kartcher, R. L. & Campbell, C. M., 1979. Intake and digestibility of range forages consumed by livestock. *Montana Agric. Exp. Sta. and USDA SEAAR Bull.* 718.

Katongole, J. B. D., Sebolai, B. & Madimabe, M. J., 1996. Morphological characteristics of the Tswana goat. In: *Small Ruminant Research & Development in Africa*. 3rd Biennial Conference of Small Ruminant Research Network. Kampala, Uganda. Pp 33-36.

Kawas, J. R., Andrade-Montemayor, H. & Lu, C. D., 2010. Strategic nutrient supplementation of free ranging goats. *Small Rumin. Res.*, 89(2-3):234-243.

Keskin , M., Sahin, A., Bicer, O., Gül, S., Kaya, S., Sari, A. & Duru, M., 2005. Feeding behaviour of Awassi sheep and Shami (Damascus) goats. *Turk J. Vet. Anim. Sci.*, 29:435-439.

Kronberg , S. L. & Malecheck 1997. Relationships between nutrition and foraging behaviour of free-ranging sheep and goats. *J. Anim. Sci.*, 75:1756-1763.

Kumara Mahipala, M. B. P., Krebs, G. L., McCafferty, P. & Gunaratne, L. H. P., 2009. Chemical composition, biological effects of tannin and in vitro nutritive value of selected browse species grown in the West Australian Mediterranean environment. *Anim. Feed Sci. Technol.*, 153(3-4):203-215.

Lachica., M. & Aguilera, J. F., 2003. Estimation of energy needs in the free ranging goat with particular reference to the assessment of its energy expenditure by the ^{13}C -Carbonate method. *Small Rumin. Res.*, 49:303-318.

Langlands, J. P., 1965. Diurnal variation in the diet selected by free-grazing sheep. *Nature, Lond.*, 207:666-667.

Langlands, J. P., 1974. Studies on the nutritive value of diet selected by the grazing sheep VII. A note on hand plucking as a technique for estimating diet composition. *J. Anim. Prod.*, 19: 249-252.

Larbi, A., Kurdi, I. O., Said, A. N. & Hanson, J., 1994. In situ rumen evaluation of Erythrina provenances. *J. Anim. Sci.*, 77 (1):167

Larbi, A., Smith, J. W., Raji, A. M., Kurdi, I. O., Adekunle, I. O.. & Ladipo, D. O., 1997. Seasonal dynamics in dry matter degradation of browse in cattle, sheep and goats. *Small Rumin. Res.*, 25:129-140.

Laredo, M. A., Simpson, G. D., Minson, D. J., Orpin, C. G. & Bohman, V. R., 1991. The potential for using n-alkanes in tropical forages as a marker for the determination of dry matter intake by grazing ruminants. *J. Agric. Sci., Camb.*, 117:355-361.

Launchbaugh, K. L., Walker, J. W. & Taylor, C. A, 1999. Foraging behaviour: experience or inheritance? In: Launchbaugh, K. L., Sanders, K. D. & Mosley, J. C. (Eds), *Grazing Behaviour of Livestock and Wildlife*. Idaho Agric. Exp. Sta. Bull. 70. Univ. of Idaho, Moscow. ID, pp. 28-35.

Le Houèrou, H. N., 1980. The role of browse in the management of natural grazing lands. In: H. N. Le Houèrou (ed.), Browse in Africa: the current state of knowledge. Papers presented at the International Symposium on browse in Africa, Addis Ababa, April 8-12, 1980, ILCA (International Livestock Centre for Africa, Addis Ababa. Ethiopia. pp. 329-338.

Lebbie, S. H. B., 2004. Goats under household conditions. Small Rumin. Res., 51:131-136.

Lu, C. D., 1987. Implication of forage particle length on milk production in dairy goats. J. Dairy Sci., 70:1411-1416.

Lu, C. D., 1988. The grazing behaviour and diet selection of goats. Small Rumin. Res., 1:205-216.

Lu, C. D., Gangyi, X. & Kawas, J. R., 2010. Organic goat production, processing and marketing: Opportunities, challenges and outlook. Small Rumin. Res., (in press).

Malan, S. W., 2000. The improved Boer goat. Small Rumin. Res., 36:165-170.

Malechek, J. C. & Leinweber, C. L., 1971. Forage selectivity by goats on lightly and heavily grazed ranges. Department of Range Science, Texas University, Collage Station. pp. 105-110.

Malecheck, J. C. & Provenza, F. D., 1981. Feeding behaviour and nutrition of goats in rangelands: In P. Morand-Fehr *et al.*, eds. Intern. Symp. Nutrition of goat feeding. Vol. 1. Tours, France. pp 411-428.

Mapuma, M., Scogings, P. F, Raats, J G. & Beckerling, A. C., 1996. The use of diameter-mass relations to estimate browse removal by goats. Bull. Grasld Soc. S. Afr., 7. (1):80.

Matsui, K. & Okubo, T., 1989. A method for quantification of jaw movements suitable for use on free-ranging cattle. Appl. Anim. Behav. Sci., 32:107-116.

Mayes, R. W., Dove, H., Lamb, C. S. & Ellis, K. J., 1991. Evaluation of an intraruminal device for the controlled release of alkane markers for intake estimation in sheep. Poc. 42nd Annual Meeting of the European Association of Animal Production, Berlin, European Association for animal production, Rome, Vol. 1, pp. 457.

Mayes, R. W., Lamb, C. S. & Colgrove, P. M., 1986. The use of dosed and n-alkanes as markers for the determination of herbage intake. J. Agric Sci., (Cambridge), 107:161-170.

Mbuti, M. C., Scogings, P. F., Raats, J. G. & Beckerling, A. C., 1996. The effect of stocking rate and time on species selection y goats. Bull. Grassld. Soc. S. Afr., 7 Suppl. 1:77.

McCammon-Feldman, B., Van Soest, P. J., Horvath, P. & McDowell, R. E., 1981. Feeding strategy of the goat. Cornell International Agriculture Mimeograph. No. 88. pp. 37.

McDonald, P., Edwards, R. A., Greenhalgh, J. F. D. & Morgan, C. A., 2002. Animal Nutrition. 6th ed. Pearson Education LTD, Essex, UK. pp. 245-262.

McInnis, M. L., Vavra, M. & Krueger, W. C., 1983. A comparison of four methods used to determine the diets of large herbivores. J. Range Manage., 36:302-306.

McMahan, C. A., 1964. Comparative food habits of deer and 3 classes of livestock. J. Wildl. Manage. 28:798-808.

Mehrez, A. Z. & Ørskov, E. R., 1977. A study of the artificial fibre bag technique for determining the digestibility of feed in the rumen. J. Agric Sci. Camb., 88:645-650.

Mellado, M., Rodríguez, J. A. & Lopez, R., 2004. Height to withers and abdominal circumference effects on diets of grazing goats. 88:263-274.

Mellado, M., Olvera, A., Quero, A. & Mendoza, G., 2005. Dietary overlap between prairie dog (*Cynomys mexicanus*) and beef cattle in desert rangeland of northern Mexico. *J. Arid Environ.* 62:449-458.

Merril, L. B., 1975. In: Beef Cattle Sci. Handbook. Vol. 12:372-376.

Merril, L. B. & Taylor, C. A., 1981. Diet Selection, Grazing Habits and the Place of Goats in Range Management. In : C. Call (ed.), Goat Production, Academic Press, London. Pp. 233-252.

Mertens, D. R., 1993. Kinetics of cell wall digestion and passage n ruminants. In: Jung, H. G., Buxton, D. R., Hatfield, R. D., Ralph (Eds), Forage cell wall structure and digestibility. USDA, Agricultural Research Service and US Dairy Forage Research Center, Madison, WI. pp. 538-570.

Meuret, M. & Giger-Reverdin, S., 1990. A comparison of two ways of expressing the voluntary intake of oak foliage based diets by goats raised on rangelands. *Reprod. Nutr. Dev. Suppl.*, 2, 205.

Michalet-Doreau, B. & Ould-Bah, M. Y., 1992. In vitro and in sacco methods for the estimation of dietary nitrogen degradability in the rumen: a review. *Anim. Feed Sci. Technol.*, 40:57-86.

Migongo-Bake, W., 1992. Rumen dry-matter digestive efficiency of camels, cattle, sheep and goats in a semiarid environment in Eastern Africa. In: J. W. S. Stares, A. N. Said and J. A. Kategile (Editors). The complementarity of Feed Resources for Animal Production in Africa. Proceedings in the Joint Feed Resources Network Workshop held in Gaborone Botswana, 4-8 March 1991. International Livestock Center for Africa (ILCA), Addis Ababa, Ethiopia., pp. 27-35.

Migongo-Bake, W, Hansen, R. M., 1987. Seasonal diets of camels, cattle, sheep and goats in the common range in Eastern Africa. *J. Range Manage.*, 40, 76-79.

Miles, J. T., 1951. Ruminal digestion of some crude fibre constituents. *J. Dairy Sci.*, 34:492.

Mill , E., 1990. Investigation into the grazing of the Mediterranean shrub vegetation of north-west Tunisia by goats, particularly in relation to stocking density. *Anim. Res. Dev.* 32:7-39.

Minson, D. J., 1990. Forage in Ruminant Nutrition. Academic Press. San Diego, CA.

Misra, A. K. & Singh, K., 2002. Effect of water deprivation on dry matter intake, nutrient utilization and metabolic water production in goats under semi-arid zone of India. *Small Rumin, Res.*, 46:159-165.

Mogorosi, C. K., 2000. An evaluation of the oesophageal fistula valve technique. MSc. Thesis. Department of livestock and Pasture Science, Faculty of Agric, University of Fort Hare, Alice. South Africa. pp. 1-86.

Mogorosi, C. K., Segoale, N., Ngwazi, F. N., Mahlangu, J. P., Mafu, J. F., Mgexashe, N. P., Pepe, D. & Webber, N., 1996. Harvesting rate of different bush species by goats. *Bull. Grasld Soc. S. Afr.*, 7. Suppl. 1. p.72.

Morand-Fehr, P., 1981. Nutrition and Feeding. In: C. Gall (Ed.), Goat production. Academic Press, London, pp. 193-232.

Morand-Fehr, P., Hervieu, J. & Sauvant, D., 1980. Contribution of the description of feeding pattern. *Reprod. Nutr. Develop.*, 20:1641-1644.

Morand-Fehr, P., Boutonnet, J. P., Devendra, C., Dubeuf, J. P., Haenlein, G. F. W., Holst, P., Mowlem, L. & Capote, J., 2004. Strategy for goat farming in the 21st century. *Small Rumin., Res.*, 51:175-183.

Mupangwa, J. F., Ngongoni, N. T., Topps, J. H. & Ndlovu, P., 1997. Chemical composition and dry matter degradability profiles of forage legumes *Cassia rotundifolia* cv. Wynn, *Lablab*

purpureus cv. Highworth and *Macroptilium atropurpureum* cv. Siratro at 8 week of growth (pre-anthesis). *Anim. Feed Sci. Technol.* 69(1-3):167-178.

Murden, S. B. & Risenhoover, K. L., 1993. Effect of habitat enrichment on patterns of diet selection. *Ecol. Appl.*, 3:497-505.

Nantis, A. S., 1997. Plant-animal interactions. In: Papanastasis V. P. & Peter D. (eds.). Ecological basis of livestock grazing in Mediterranean ecosystems. Thessaloniki, Greece. pp. 201-209.

Negi, G. C. S., Rihhari, H. C., Ram, J. & Singh, S, P., 1993. Foraging niche characteristics of horses, sheep and goats in an alpine meadow of the Indian Central Himalaya. *J. Appl. Ecol.* 30:383-394.

Nelson, J. R., 1978. Maximising mixed animal species stocking rates under proper-use management. *J. Wildl. Manage.*, 42:172-174.

Newman, J. A., Parsons, A. J., Thornley, J. H. M., Penning, P. D. & Krebs, J. R., 1995. Optimal diet selection by a generalist grazing herbivore. *Funct. Ecol.*, 9:255-268.

Ngwa, A. T., Pone, D. K. & Mafeni, J. M., 2000. Feed selection and dietary preferences of forage by the small ruminants grazing natural pastures in the Sahelian zone of Cameroon. *Anim. Feed Sci., & Tech.*, 88:253-266.

Njwe, R. M., Ikwuegbu, O. A., Tarawali, G. & Little, D. A., 1995. Effect of stocking rate on the botanical composition and nutritive value of diets selected by West African dwarf goats maintained on researcher- managed and framer-managed stylo fodder banks during the cropping season in Central Nigeria. *Anim. Feed Sci.*, 51:317-328.

Noumi, Z., Touzard, B., Michalet, R. & Chaieb, M., 2010. The effects of browsing on the structure of *Acacia tortilis* (Forssk.) Hayne ssp. *Raddiana* (Savi) Brenan along a gradient of water availability in the arid zones of Tunisia. *J. Arid Env.* 74:625-631.

NRC, 1981. Nutrient requirements of goats. Angora, Dairy and Meat goats in temperate and tropical countries. National Academy Press, Washington, DC. p. 23.

Nsahlai, I. V., Siaw, D. E. K. & Osuji, P. O., 1994. The relationships between gas production and chemical composition of 23 browses of the genus *Sesbania*. *J. Sci. Food Agric.*, 65:13-20.

Nyamangara, M. E. & Ndlovu, L. R. 1995. Feeding behaviour, feed intake, chemical and botanical composition of the diet of indigenous goats raised on natural vegetation in a semi-arid region of Zimbabwe. *J. Agric. Sci. (Cambridge)* 124:455-461.

Obioha, F. C., Clanton, D., Rittenhouse, L. R. & Streeter, C. L., 1970. Sources of variation in chemical composition of forage ingested by oesophageal fistulated cattle. *J. Range Manage.*, 23:133-135.

Odenyo, A. A., McSweeney, C. S., Palmer, B., Negassa, D. & Osuji, P. O., 1999. In vitro screening of rumen fluid samples from indigenous African ruminants provides evidence for rumen fluid with superior capacities to digest tannin-rich fodders. *Aust. J. Agric. Res.*, 50:1147-1157.

Odo, B. I., Omeje, F. U. & Okwor J. N., 2001. Forage species availability, food preference and grazing behaviour of goats in south eastern Nigeria. *Small Rumin. Res.*, 42:163-168.

Okello, K. L. & Obwolo, M. J., 1985. Review of the Potentialities of the Goat Production . World Animal Review; January-March. pp. 27-32.

Oliván, M., Ferreira, L. M. M., Celaya, R. & Osoro, K., 2007. Accuracy of the n-alkane technique for intake estimates in beef cattle using different sampling procedures and feeding levels. *Livestock Sci.* 106:28-40.

Omed, H. M., Axford, R. F. E., Chamberlain, A. G., & Givens, D. I., 1989. A comparison of three laboratory techniques for the estimation of digestibility of feedstuffs for ruminants. *J. Agric. Sci. Cambridge.* 113:35-39.

Omphile, U. J., Aganga, A.A., Malamba, B., 2003. Diet and forage preference of community grazed range goats in an acacia bush Savanna in southeast Botswana. In: Allsopp, N., Palmer, A. R., Milton, S. J., Kirkman, K. P., Kerley, G. I. H., Hurt, C. R., Brown, C. J. (eds), Proceedings of the VIIth International Rangeland Congress, 26 July-1 August, Durban, South Africa, pp. 1301-1305.

Onwuka, C. F. I., Akinsoyinu, A. O. & Tewe, O. O., 1989. Feed value of some Nigerian browse plants: chemical composition and in vitro digestibility of leaves. *E. Afr. Agr. For. J.*, 54:157-163.

Orihuela, A. & Solano, J. J., 1999. Grazing and browsing times of goats with three levels of herbage allowance. *Appl. Anim. Behav. Sci.*, 61:335-339.

Ørskov, E. R., 1992. Protein nutrition in ruminants. 2nd ed. Academic Press, London, pp 151-171.

Ørskov, E. R. & McDonald, I., 1979. The estimation of protein degradability in the rumen from incubation measurements weighted according to the rate of passage. *J. Agric. Sci., (Camb.)*, 92:499-503.

Ørskov, E. R., Hovell, F.D.D. & Mould, F., 1980. The use of the nylon bag technique for the evaluation of feedstuffs. *Trop. Anim. Prod.*, 5:195-213.

Osuji, P. O. & Odenyo, A. A., 1997. The role of legume forages as supplements to low quality forages. ILRI experience. Animal feed Sci. Technol., 69:27-38.

Osuji, P. O., Nsahlai, I. V. & Khalili, H., 1993. Feed evaluation. ILCA Manual 5. International Livestock Centre for Africa, Addis Ababa, Ethiopia. 40pp. ISBN 92-9053-278-5.

Otsyina, R. M. & McKell, C. M., 1985. Africa browse in the nutrition of livestock. World Animal Review. 53:33-39.

Ott, J. P., Muir, J. P., Brown, T. F. & Wittie, R. D., 2004. Peanut meal supplementation for growing doe kids on woodland range. Small. Rumin. Res., 52:63-74.

Ouédraogo-Kone, S., Kaboré-Zoungrana, C. Y., & Ledin, I., 2006. Behaviour of goats, sheep and cattle on natural pasture in the sub-humid zone of West Africa. Livestock Science. 105:244-252.

Owen-Smith, N., 1988. Megaherbivores: the influence of very large body size on ecology. Cambridge University Press. Cambridge, UK.

Owen-Smith, N., 1997. Distinctive features of the nutritional ecology of browsing versus grazing ruminants. Proceedings of the 1st International Symposium on Physiology and Ethology of Wild and Zoo Animals. pp. 176-191.

Owen-Smith, N. & Cooper, S. M., 1987. Assessing food preferences of ungulates by acceptability indices. J. Wildl. Manage., 51:372-378.

Palmer, W. L. & Cowan, R. L., 1980. Estimating digestibility of deer foods by an *in vitro* technique. J. Wildl. Manage. 44: 469.

Papachristou, T. G., 1996. Intake, digestibility and nutrient utilization of oriental hornbeam and manna ash browse by goats and sheep. Small Rumin. Res., 23:91-98.

Papachristou, T. G. & Nastis, A. S., 1996. Influence of deciduous broadleaved woody species in goat nutrition during the dry season in Northern Greece. *Small Rumin. Res.*, 20:15-22.

Peacock, C., 1996. Improving goat production in the tropics. Africa Publications, London, p. 1-386.

Pearson, H. A., 1970. Digestibility trials: in vitro techniques. In: Range and Wildlife Habitat Evaluation – A Res. Symp., USDA, For. Serv. Misc. Pub., 1147.

Pellew, R. A., 1984. The feeding ecology of a selective browser, the giraffe (*Giraffa camelopardalis tippelskirchi*). *J. Zool. Lond.*, 202:57-81.

Penning, P. D., 1983. A technique to record automatically some aspects of grazing and ruminating behaviour of sheep. *Grass Forage Sci.*, 38:89-96.

Penning, P. D. & Hooper, G. E., 1985. An evaluation of the use of short term weight changes in grazing sheep for estimating herbage intake. *Grass Forage Sci.*, 40:79-84.

Perevolotsky, A., Haimov, Y., 1992. The effect of thinning and goat browsing on the structure and development of Mediterranean woodland in Israel. *Forest Ecol. Manage.* 49:61-74.

Perevolotsky, A., Landau, S., Kababia, D. & Ungar, E. D. 1998. Diet selection in dairy goats grazing woody Mediterranean rangeland. *Appl. Anim. Behav. Sci.*, 57:117-131.

Pontes, L. S., Agreil, C., Magda, D., Gleizes, B. & Fritz, H., 2010. Feeding behaviour of sheep on shrubs in response to contrasting herbaceous cover in rangelands dominated by *Cytisus scoparius* L. *Appl. Anim. Behav. Sci.* 124:35-44.

Provenza, F. D., 1995. Post-ingestive feedback as an elementary determination of food preference and intake in ruminants. *J. Range. Manage.*, 48:2-17.

Provenza, F. D. & Burritt, E. A., 1991. Socially induced diet preference ameliorates conditioned food aversion in lambs. *Appl. Anim. Behav. Sci.*, 31:229-236.

Provenza, F. D. & Malechek, J. C., 1984. Diet selection by domestic goats in relation to backbrush twig chemistry. *J. Appl. Ecol.*, 21:831-841.

Pyke, G. H., 1984. Optimal foraging theory: a critical review. *Annu. Rev. Ecol. Syst.*, 15:523-575.

Qinisa, M. M. & Boomker, E. A., 1998. Feed selection and water intake of indigenous goat wethers under stall-feeding conditions. *S. Afr. J. Anim. Sci.*, 28 (3/4). 173-178.

Quin, J. I., van der Wath, J. G. & Myburgh, S., 1938. Studies on the alimentary tract of Merino sheep in South Africa. IV. Description of experimental technique. *Onderstepoort. J. Vet. Sci. Anim. Ind.*, 11 pp. 341-360.

Raats, J. G., 1993. Development and testing of a remote controlled oesophageal fistula valve for goats. Ph.D. Thesis. Department of Grassland Science, Faculty of Agriculture, University of Natal, Pietermaritzburg. pp. 1-92.

Raats, J. G., 1996. Nutrition of free range goats. Paper presented at a “Goat Day” Cedara, KwaZulu Natal; 27th November.

Raats, J. G., 1997. Crude protein and neutral detergent fibre in diet of goats. University of Fort Hare, Alice.

Raats, J. G. & Clarke, B. K., 1992. Remote control collection of oesophageal samples in goats. *Small Ruminant Res.*, 7: 245-251.

Raats, J. G. & Tainton, N. N., 1992. Browsing behaviour of goats. Paper presented at the First all African Congress, Nov. Nairobi, Kenya. pp.6.

Raats, J. G., Webber, L. N., Pepe, D. & Tainton, N. M., 1996a. Feeding behaviour of fistulated Boer goats as affected by period of occupation and season. Bull. Grasld. Soc. S. Afr., 7 (Suppl. 1), 74.

Raats, J. G., Webber, L. N., Pepe, D. & Tainton, N. M., 1996b. Species selection of fistulated Boer goats as affected by period of occupation and season. Bull. Grasld. Soc. S. Afr., 7, 75.

Radcliffe, J. E., 1985. Grazing management of goats and sheep for gorse control. N. Z. J. Exp. Agric., 13:181-190.

Rafferty, C. & Lamont, B. B., 2007. Selective herbivory by mammals on 19 species planted at two densities. Acta Oecologica. 32:1-13.

Ramírez, R. G., 1999. Feed resources and feeding technics of small ruminants under extensive management conditions. Small Rumin. Res., 34:215-230.

Ramírez, R. G., Rodriguez, A., Tagle, L. A., Del Valle, A. C., & Gonzalez, J., 1990. Nutrient content and intake in forage grazed by range goats in Northern Mexico. Small Rumin. Res., 3:43-50.

Ramírez, R. G., Sauceda, J. G., Narro, J. A. & Aranda, J., 1993. Preference indices for forage species grazed by Spanish goats on a semi-arid shrubland in Mexico. J. Appl. Anim. Res., 3:55-66.

Ramírez, R. G., Neira-Morales, R. R., Ledezma-Torres, R. A. Garibaldi-González, C. A., 2000. Ruminal digestion characteristics and effective degradability of cell wall of browse species from north eastern Mexico. Small Rumin. Res., 36:49-55.

Ramírez, R. G., Haenlein, G. F. W., Garcia-Castillo, C. G. & Núñez-González, M. A., 2004. Protein, lignin and mineral content and in situ dry matter digestibility of native Mexican grasses consumed by range goats. *Small Rumin. Res.*, 52:261-269.

Ramírez-Orduña, R., Ramírez, R. G., Romero-Vaddillo, E., González-Rodríguez, H., Armenta-Quintana, J. A. & Avalos-Castro, R., 2008. Diet and nutrition of range goats on a sarcocaulescent shrubland from Baja California, Sur, Mexico. *Small Rumin. Res.*, 76:166-176.

Rege, J. E. O., 1994. Indigenous African small ruminants: A case for characterisation and improvement. In: S. H. B. Lebbie, B. Rey and E. K. Irungu (eds.), *Small Ruminant Research and Development in Africa*, ILCA (International Centre for Africa)/CTA (Technical Centre for Agricultural and Rural Co-operation). ILCA, Addis Ababa, Ethiopia, pp. 205-211.

Remenyi, J. V. & McWilliam, J. R., 1986. Ruminant production trends in South East Asia and the South Pacific and the need for forages. In Blair, G., J., Vong, D. A. & Evans, T. R. (Eds.), *Proceedings of the International Workshop on Forages in Southeast Asia and Pacific Agriculture*, Cisarua, Indonesia, 19-23 August 1985. ACIAR 12:1-6.

Rittner, U. & Reed, D., 1992. Phenolics and in vitro degradability of protein and fibre in West African browse. *J. Sci. Food Agric.*, 58:21-28.

Roberts, G., Williams, A. & Last, D., 1993. Do Welch hills farmers dream of radioactive sheep? *GIS Europe*, Nov., 34-36.

Rodriguez, H., 1968. In vivo digestibility: the relative position within the rumen. *Revista Cubanade Ciencia Agricola* (English edition) 2:285-7.

Rogosic, J., Pfister, J. A., Provenza, F. D. & Grbesa., 2006. Sheep and goat preference for and nutritional value of Mediterranean maquis shrub. *Small Rumin. Res.*, 64:169-179.

Rogosic, J., Estell, R. E., Skobic, D. & Stanic, S., 2007. Influence of secondary compound complementarity and species diversity on consumption of Mediterranean shrubs by sheep. *Applied Anim. Behav. Sci.*, 107:58-65.

Sahlu, T., Goetsch, A. L., Luo, J., Nsahlai, I. V., Moore, J. E., Galyean, M. L., Owens, F. N., Ferrell, C. L. & Johnson, Z. B., 2004. Nutrient requirements of goats: developed equations, other considerations and future research to improve them. *Small Rumin. Res.*, 53:191-219.

Salem, A. Z. M., Salem, M. Z. M., El-Adawy, M. M. & Robinson, P.H., 2006. Nutritive value of some browse foliages during the dry season: Secondary compounds, feed intake and *in vivo* digestibility in sheep and goats. *Anim. Feed Sci.*, 127: 251-267.

Salem, H. B. & Smith, T., 2008. Feeding strategies to increase small ruminant production in dry environments. *Small Rumin. Res.*, 77:174-194.

Sanon, H. O., Kabore-Zoungrana, C. & Ledin, I., 2007. Behaviour of goats, sheep and cattle and their selection of browse species on natural pasture in a Sahelian area. *Small Rumin. Res.*, 67: 64-74.

Sauvant, D., Bertrand, D. & Giger, S., 1985. Variations and prevision of the in sacco dry matter digestion of concentrates by-products. *Feed Sci. Technol.*, 13:7.

Scales, G. H., Streeter, C. L., Denham, A. H. & Ward, G. M., 1974. A comparison of direct methods of predicting *in vitro* digestibility of grazed forage. *J. Anim. Sci.*, 38:192.

Schlecht, E., Hiernaux, P., Kadaouré, I., Hülsebusch, C. & Mahler, F., 2006. A spatio-temporal analysis of forage availability and grazing and excretion behaviour of herded and free grazing cattle, sheep and goats in Western Niger. *Agric. Ecosystems. Environ.*, 113:226-242.

Schoeman, E. A., De Wet, P. & Burger, W. J., 1972. The evaluation of the digestibility of treated proteins. *Agroanimalia*. 4:5-46.

Schwartz, C. C. & Ellis, J. E. 1981. Feeding ecology and niche separation in some native and domestic ungulates on the short grass prairie. *J. Appl. Ecol.*, 18:343-353.

Scogings, P. F., Trollope, W. S. W. & O'Connor, T. G., 1996. The impact of browsing and burning on savannah vegetation. In: West, N.E. (Ed.). *Rangelands in a sustainable biosphere*. pp. 498-499, USA.

Senft, R. L., Coughenour, M. B., Bailey, D. W., Rittenhouse, L. R., Sala, O. E. & Swift, D. M., 1987. Large herbivore foraging and ecological hierarchies. *Bioscience*, 37:789-799.

Sharma, K., Saini, A. L. & Ogra, J. L., 1995. Feed utilization and nutrient utilization by Jamunapari and Barbari goats on synthesized silvipasture. *Ind. J. Anim. Sci.*, 65 (2):213-217.

Sharma, K., Saini, A. L., Singh, N. & Ogra, J. L., 1998. Seasonal variations in grazing behaviour and forage nutrient utilization by goats on a semi-arid reconstituted silvipasture. *Small Rumin. Res.*, 27:47-54.

Sheridan, R., Ferreira, A. V. & Hoffman, L. C., 2003. Production efficiency of South African Mutton Merino lambs and Boer goat kids receiving either a low or high energy feedlot diet. *Small Rumin. Res.*, 50:75-82.

Shinde, A. K., Sankhyan, S. K., Bhatta, R. & Verma, D. L., 2000. Seasonal changes in nutrient intake and its utilization by range goats in semi-arid region of India. *J. Agri. Sci. Cambridge*. 135:429-436.

Sidahmed, A. E., Morris, J. G. & Radosevich, S. R., 1981. The hot-wet season diet of Spanish goats grazing chaparral. *J. Range. Manage.*, 34:33-35.

Silanikove, N., 2000. Goat production under harsh environmental conditions: The physiological basis and the challenge. Agricultural Research Organization Bet Dagan, Institute of Animal Science, P. O. Box 6, Bet Dagan 50 250, Israel. pp. 1-33.

Silanikove, N., 2002. The physiological basis of adaptation in goats to harsh environments. Small Rumin. Res., 35:181-193.

Silanikove, N., Gilboa, N., Nir, I., Perevolotsky, A. & Nitsan, Z., 1996. Effect of daily supplementation of polyethylene glycol on intake and digestion of tannin-containing leaves (*Quercus calliprinos*, *Pistacia lentiscus* and *Ceratonia siliqua*) by goats. J. Agric Food Chem., 44:199-205.

Singh, B., Makkar, H. P .S. & Negi, S. S., 1989. Rate and extent of digestion and potentially digestible dry matter and cell wall of various tree leaves. J. Dairy Sci. 72(12):3233-3239.

Smith, G. S., Nelson, A. B. & Boggino, B. J. A., 1971. Digestibility of forage in vitro as affected by the content of silica. J. Anim. Sci., 33:466.

Solanki, G. S., 1994. Feeding habits and grazing behaviour of goats in semi-arid region of India. Small Rumin. Res., 14:39-43.

Spalinger, D. E., Hanley, T. A. & Robbins, C. T 1988. Analysis of the functional response in foraging in the Sikta black-tailed deer. Ecology, 69:1166-1175.

Spalinger, D. E., Robbins, C. T. & Hanley, T. A., 1986. The assessment of handling time in ruminants: the effect of plant chemical and physical structures on the rate o breakdown of plant particles in the rumen of the mule deer and elk. Can. J. Zool., 64:312-321.

Spanghero, M., Boccalon, S., Gracco, L. & Gruber, L., 2003. NDF digestibility of hays measured *in situ* and *in vitro*. Animal Feed Science and Technology. 104:201-208.

Spears, J. W., 1994. Minerals in forages: In Fahey, Jr., G. C. (Ed.), Forage quality evaluation and utilisation. National Conference of Forage Quality, Evaluation and Utilisation, Lincoln. pp 281-317.

Steel, M., 1996. Goats. The tropical Agriculturalist. CTA, MacMilan. pp. 1-152.

Stobbs, T. H., 1973. The effect of plant structure on the intake of tropical pastures. I. Variations in the bite size of grazing cattle. Aus. J. Agric. Res., 24:809-819.

Stolter, C., Niemelä, P., Ball, J. P., Julkunen-Tiitto, R., Vanhatalo, A., Danell, K., Varvikko, T & Ganzhorn, J. U., 2009. Comparison of plant secondary metabolites and digestibility of three different boreal coniferous trees. Basic Appl. Ecol. 10:19-26.

Stuth, J. W., 1991. Foraging behaviour. In: Heitschmidt and J. W. Stuth (eds.), Grazing Management. An ecological perspective, Timber Press, Portland Oregon, pp. 5-83.

Stuth, J. W., Kanouse, K. J. & Pearson, H. A., 1981. Multiple electrode impedance pleythsmography system for monitoring grazing dynamics. Biomed. Sci. Instr., 17:121-124.

Sun, Z., Zhou, D., Ferreira, L. M. M., Zhong, Q. & Lou, Y., 2008. Diet composition, herbage intake and digestibility in Inner Mongolian Cashmere goats grazing on native *Leymus chinensis* plant communities. Livestock Sci. 116:146-155.

Taylor, C. H. & Kothman, M. M., 1990. Diet composition of Angora goats in a short duration grazing system. J. Range Manage., 43:104-108.

Teague, W. R. & Walker, B. H., 1988. The effect of intensity of defoliation by goats at different phenophases on leaf and shoot growth of *acacia karroo* hyne. J. Grassld. Soc. S. Afr., 5 (4): 197-206.

Tefera, S., Mlambo, V., Dlamini, B. J., Dlamini, A. M., Koralagama, K. D. N. & Mould, F. L., 2008. Chemical composition and *in vitro* ruminal fermentation of common tree forages in the semi-arid rangelands of Swaziland. Anim. Feed Sci. Technol., 142:99-110.

Theodorou, M. K., Williams, B. A., Dhanoa M. S., McAllan, A. B., & France, J., 1994. A simple gas production method using a pressure transducer to determine the fermentation kinetics of ruminant feeds. *Anim. Feed Sci. Technol.*, 48:185-197.

Theurer, C. B., Lesperance, A. L. & Wallace, J. D., 1976. Botanical composition of the diet of livestock grazing native ranges. *Univ. Arizona Agric. Exp. Sta. Bull.*, 233:20.

Tilley, J. M. A. & Terry, R. A., 1960. The in vitro measurement of herbage digestibility and assessment of nutritive value. *Proceedings of the 8th International Grassland Congress*, Reading, England, pp. 533-537.

Tilley, J. M. A. & Terry, R. A., 1963. A two-stage technique for the *in vitro* digestion of forage crops. *J. Br. Grass. Soc.*, 18, 104-111.

Tolera, A., Khazaal, K. & Ørskov, E. R., 1997. Nutritive evaluation of some browse species. *Anim. Feed Sci. Technol.* 67:181-195.

Tomlin, D. A., Anderson, M. J. & Harris, L. G., 1967. Refinements in the *in vivo* bag technique. *J. Anim. Sci.* 27:239.

Topps, J. H., 1992. Potential, composition and use of legume shrubs and trees as fodder for livestock in the tropics. *J. Agric. Sci., (Camb.)*, 118:1-8.

Torell, D. T., 1954. An oesophageal fistula for animal nutrition studies. *J. Anim. Sci.*, 13:878-884.

Torrano, L. & Valderrábano, J., 2005. Grazing ability of European black pine understorey vegetation by goats. 58:253-263.

Torres, M. E. & Puig 2010. Seasonal diet of vicuñas in the Los Andes protected area (Salta Argentina): Are they optimal foragers? *J. Arid Environ. Issue 4*, 74:450-457.

Trollope, W. S. W., 1981. Savanna. In: N. N. Tainton (eds), Veld and Pasture in South Africa. Shuter & Shooter, Pietermaritzburg. pp. 401-414.

Trollope, W. S. W., 1986. Land use surveys: Assessment of veld condition in Ciskei. In: Republic of Ciskei National Soil Conservation Strategy, Vol. 1. Publ. Dept. Agric. & Forestry, Ciskei. pp. 1-37.

Trollope, W. S. W., Hobson, F. O., Danckwerts, J.E., & van Niekerk, J. P., 1989. Encroachment of undesirable species. I. Danckwerts, J. E. & Teague, W. R. (eds). Veld management in the Eastern Cape. Government Printer, Pretoria, South Africa. pp. 73-89.

Ungar, E. D., 1996. Ingestive behaviour. Hodgson J. and Illius A. W. (eds.). Ecology and management of grazing systems. CAB International, Oxon, UK. pp. 185-218.

Uresk, D. W., Dietz, D. R. & Messner, H. E., 1975. Constituents of in vitro solution contribute differently to dry matter digestibility of deer food species. *J. Range Manage.*, 28:419.

Van Dyne, G. M. & Weir, W. C., 1964. Variations among cattle and sheep in digestive power measured by micro-digestion technique under range and drylot conditions. *J. Anim. Sci.*, 23:1116.

Van Dyne, G. M., 1962. Micro-methods for nutritive evaluation of range forages. *J. Range Manage.*, 15:303.

Van Dyne, G. M., 1969. Measuring quantity and quality of the diet of large herbivores. In: F. G. Follet & H. K. Beuchner (eds.). A practical guide o the study of the productivity of large herbivores. Backwell Scientific Publications, Oxford, pp. 59-94.

Van Dyne, G. M., Brockington, N. R., Szocs, Z., Duek, J., & Ribic, C. A., 1980. Large herbivore systems. In : Grasslands, systems and man. Ed. Breymeye & Van Dyne. Cambridge University. Press Cambridge, pp. 269-538.

Van Soest, J. P., 1982. Nutritional Ecology of the Ruminant: Ruminant metabolism, nutritional strategies, the cellulolytic Fermentation and Chemistry of Forages and Plant Fibres. O & B Books, Inc. Corvallis, Oregon, pp. 374.

Vavra, M., Rice, R. W. & Hansen, R. M., 1978. A comparison of oesophageal fistula and faecal material to determine steer diets. *J. Range Manage.*, 31:11-13.

Ventura, M. R., Castanon, J. I. R., Pieltain, M. C. & Flores, M. P., 2004. Nutritive value of shrubs: *Bituminaria bituminosa*, *Rumex lunaria*, *Acacia salicina*, *Cassia sturtii* and *Adenocarpus foliosus*. *Small Rumin. Res.*, 52:13-18.

Villalba, J. J., Provenza, F. D. & Shaw, R., 2005. Sheep self-medicate when challenged with illness-inducing foods. *Anim. Behav.*, 71:1131-1139.

Ward, A. L., 1970. Stomach content and faecal analyses. In: Range and Wildlife Habitat Evaluation. U. S. Dept. Agric. For. Serv. Misc. Publ. No. 1147, pp. 146-158.

Warren, J. T. & Mysterud, I., 1991. The hot-wet season habitat use and activity patterns of domestic sheep on coniferous forest range in Southern Norway. *J. Range Manage.*, 44:2-6.

Warren, L. E., Ueckert, D. N., Shelton, M., Chamrad, A. D., 1984. Spanish goat diets on mixed-brush rangeland in the South Texas plains. *Range Manage.* 37:340-342.

Webb, E. C. & Casey, N. H., 2010. Physiological limits to growth and the related effects on meat quality. *Livest. Sci.*, doi:10.1016/j.livsci.2010.02.008.

Webber, L. N., Raats, J. G., Mogorosi, C. K., de Bruyn, T. D. & Pepe, D., 1996. Quality of dry matter intake by goats. *Bull. Grassld. Soc. Sth. Afr.* 7. Suppl 1:73.

Westoby, M., 1978. What are the biological bases of varied diets? *Am. Nat.*, 112:627-631.

Wilmshurst, J. F., Fryxel, J. M. & Colucci P. E., 1999. What daily intake in Thomson's ecology? *Ecology* 80 (7):2338-2347.

Wilson, J. P., Gates, R. N. & Hanna, W. W., 1991. Effect of rust on yield and digestibility of pearl millet forage: *Phytopathology*, 81:233-236.

Yayneshet, T., Eik, L.O. & Moe, S. R. 2008. Influence of fallow age and season on the foraging behaviour and diet selection pattern of goats (*Capra hircus* L.). *Small Rumin. Res.*, 77:25-37.

Yayota, M., Karashima, J., Kouketsu, T., Nakano, M. & Ohtani, S., 2009. Seasonal changes in the digestion and passage rates of fresh dwarf bamboo (*Pleiobastus argenteostriatus f. glaber*) in sheep. *Anim. Feed Sci. Technol.* 149:89-101.