

Author index

ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 62, Numbers 1–4, 1995

AKINGBEMI, B.T.

Evaluation of some reproductive parameters in the indigenous boar of Zimbabwe—B.T. AKINGBEMI and M.O. MAKINDE

59–61

ALBERTS, J.N.

Detection of *Brucella abortus* antigens by immunoperoxidase histochemical staining of lochia smears—J.N. ALBERTS and J.A. ERASMUS

147–150

ARTHUR, R.R.

Canine ehrlichiosis in Egypt: Sero-epidemiological survey—B.A.M. BOTROS, M.S. ELMOLLA, A.W. SALIB, C.A. CALAMAO, G.A. DASCH and R.R. ARTHUR

41–43

BAGNALL, R.J.

Parasites of domestic and wild animals in South Africa. XXXIII. Ixodid ticks on scrub hares in the north-eastern regions of Northern and Eastern Transvaal and of KwaZulu-Natal—I.G. HORAK, A.M. SPICKETT, L.E.O. BRAACK, B.L. PENZHORN, R.J. BAGNALL and A.C. UYS

123–131

BARNARD, B.J.H.

An outbreak of encephalomyocarditis-virus infection in free-ranging African elephants in the Kruger National Park—D.G. GROBLER, J.P. RAATH, L.E.O. BRAACK, D.F. KEET, G.H. GERDES, B.J.H. BARNARD, N.P.J. KRIEK, J. JARDINE and R. SWANEPOEL

97–108

The use of sucrose-acetone-extracted Rift Valley fever virus antigen derived from cell culture in an indirect enzyme-linked assay and haemagglutination-inhibition test—J.T. PAWESKA, B.J.H. BARNARD and R. WILLIAMS

227–233

Epidemiology of African horsesickness: Antibodies in free-living elephants (*Loxodonta africana*) and their response to experimental infection—B.J.H. BARNARD, R.G. BENGIS, D.F. KEET and E.H. DEKKER

271–275

BASTIANELLO, STELLA S.

Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramicin. II. Macropathology and histopathology—STELLA S. BASTIANELLO, N. FOURIE, L. PROZESKY, P.W. NEL and T.S. KELLERMAN

5–18

BENGIS, R.G.

Epidemiology of African horsesickness: Antibodies in free-living elephants (*Loxodonta africana*) and their response to experimental infection—B.J.H. BARNARD, R.G. BENGIS, D.F. KEET and E.H. DEKKER

271–275

BEZUIDENHOUT, A.J.

Sperm-storage tubules in the vagina of the ostrich (*Struthio camelus*)—A.J. BEZUIDENHOUT, J.T. SOLEY, H.B. GROENEWALD and W.P. BURGER

193–199

The skull and mandible of the African elephant (*Loxodonta africana*)—N.J. VAN DER MERWE, A.J. BEZUIDENHOUT and CHRISTINA D. SEEVERS

245–260

BOOMKER, J.

Parasites of domestic and wild animals in South Africa. XXXIV. Arthropod parasites of nyals in north-eastern KwaZulu-Natal—I.G. HORAK, J. BOOMKER and J.R.B. FLAMAND

171–179

BOTROS, B.A.M.

Canine ehrlichiosis in Egypt: Sero-epidemiological survey—B.A.M. BOTROS, M.S. ELMOLLA, A.W. SALIB, C.A. CALAMAO, G.A. DASCH and R.R. ARTHUR

41–43

BRAACK, L.E.O.	
An outbreak of encephalomyocarditis-virus infection in free-ranging African elephants in the Kruger National Park—D.G. GROBLER, J.P. RAATH, L.E.O. BRAACK, D.F. KEET, G.H. GERDES, B.J.H. BARNARD, N.P.J. KRIEK, J. JARDINE and R. SWANEPOEL	97–108
Parasites of domestic and wild animals in South Africa. XXXIII. Ixodid ticks on scrub hares in the north-eastern regions of Northern and Eastern Transvaal and of KwaZulu-Natal—I.G. HORAK, A.M. SPICKETT, L.E.O. BRAACK, B.L. PENZHORN, R.J. BAGNALL and A.C. UYS	123–131
Fleas, lice and mites on scrub hares (<i>Lepus saxatilis</i>) in Northern and Eastern Transvaal and in KwaZulu-Natal, South Africa—J.P. LOUW, I.G. HORAK, M. LOUISE HORAK and L.E.O. BRAACK	133–137
BRAGG, R.R.	
A rapid method to determine bacterial contamination on hatching eggs. 2. Correlation of the optical-density measurements after incubation to bacterial counts on hatching eggs—A.C.E. PIENAAR, L. COETZEE and R.R. BRAGG	25–33
A rapid method to determine bacterial contamination on hatching eggs. 3. Use of commercial DNA probe kits for detection of specific pathogens after six hours of incubation—A.C.E. PIENAAR, L. COETZEE and R.R. BRAGG	35–40
Effects of transformation on the hemagglutinins of <i>Haemophilus paragallinarum</i> —R.R. BRAGG, G. PURDAN, L. COETZEE and J.A. VERSCHOOR	261–270
BUCHHOLZ, GABRIELE S.	
Monitoring experimental Alcelaphine Herpesvirus-1 infection in cattle by nucleic-acid hybridization and PCR—ANITA L. MICHEL, GABRIELE S. BUCHHOLZ and J.J. VAN DER LUGT	109–115
BURGER, W.P.	
Sperm-storage tubules in the vagina of the ostrich (<i>Struthio camelus</i>)—A.J. BEZUIDENHOUT, J.T. SOLEY, H.B. GROENEWALD and W.P. BURGER	193–199
CALAMAIO, C.A.	
Canine ehrlichiosis in Egypt: Sero-epidemiological survey—B.A.M. BOTROS, M.S. ELMOLLA, A.W. SALIB, C.A. CALAMAIO, G.A. DASCH and R.R. ARTHUR	41–43
CARSTENS, J.H.	
The prevalence of intestinal <i>Salmonella</i> infection in horses submitted for necropsy—I.B.J. VAN RENSBURG, J.E. JARDINE, J.H. CARSTENS and M.L. VAN DER WALT	65–67
CILLIERS, C.	
The diagnosis of Wesselsbron disease in a new-born lamb by immunohistochemical staining of viral antigen—J.J. VAN DER LUGT, J.A.W. COETZER, M.M.E. SMIT and C. CILLIERS	143–146
COETZEE, H.L.	
Characterization of mucus glycoproteins in the intestinal mucosa of the African elephant (<i>Loxodonta africana</i>) following lectin histochemistry—H.L. COETZEE, S.H. KOTZÉ and N. LOURENS	187–192
COETZEE, L.	
A rapid method to determine bacterial contamination on hatching eggs. 2. Correlation of the optical-density measurements after incubation to bacterial counts on hatching eggs—A.C.E. PIENAAR, L. COETZEE and R.R. BRAGG	25–33
A rapid method to determine bacterial contamination on hatching eggs. 3. Use of commercial DNA probe kits for detection of specific pathogens after six hours of incubation—A.C.E. PIENAAR, L. COETZEE and R.R. BRAGG	35–40
Effects of transformation on the hemagglutinins of <i>Haemophilus paragallinarum</i> —R.R. BRAGG, G. PURDAN, L. COETZEE and J.A. VERSCHOOR	261–270
COETZER, J.A.W.	
The diagnosis of Wesselsbron disease in a new-born lamb by immunohistochemical staining of viral antigen—J.J. VAN DER LUGT, J.A.W. COETZER, M.M.E. SMIT and C. CILLIERS	143–146
DASCH, G.A.	
Canine ehrlichiosis in Egypt: Sero-epidemiological survey—B.A.M. BOTROS, M.S. ELMOLLA, A.W. SALIB, C.A. CALAMAIO, G.A. DASCH and R.R. ARTHUR	41–43
DEKKER, E.H.	
Epidemiology of African horsesickness: Antibodies in free-living elephants (<i>Loxodonta africana</i>) and their response to experimental infection—B.J.H. BARNARD, R.G. BENGIS, D.F. KEET and E.H. DEKKER	271–275
DE WAAL, D.T.	
<i>In vitro</i> cultivation of a <i>Babesia</i> sp. from cattle in South Africa—E. ZWEYGARTH, C. VAN NIEKERK, M.C. JUST and D.T. DE WAAL	139–142

DU PREEZ, J.L.	Paired-ion extraction and high-performance liquid chromatographic determination of diminazene in cattle plasma: a modified method—B. GUMMOW, J.L. DU PREEZ and G.E. SWAN	1-4
ELMOLLA, M.S.	Canine ehrlichiosis in Egypt: Sero-epidemiological survey—B.A.M. BOTROS, M.S. ELMOLLA, A.W. SALIB, C.A. CALAMAO, G.A. DASCH and R.R. ARTHUR	41-43
ERASMUS, G.L.	Isolation of the toxin responsible for gousiekte, a plant-induced cardiomyopathy of ruminants in southern Africa—N. FOURIE, G.L. ERASMUS, R.A. SCHULTZ and L. PROZESKY	77-87
ERASMUS, J.A.	Detection of <i>Brucella abortus</i> antigens by immunoperoxidase histochemical staining of lochia smears—J.N. ALBERTS and J.A. ERASMUS	147-150
FERREIRA, S.M.	The effect(s) of carbaryl-treated seed on body maintenance and survival of the multi-mammate mouse, <i>Mastomys natalensis</i> (sensu lato)—M.J. NELUVHALANI, S.M. FERREIRA and R.J. VAN AARDE	235-240
FLAMAND, J.R.B.	Parasites of domestic and wild animals in South Africa. XXXIV. Arthropod parasites of nyals in north-eastern KwaZulu-Natal—I.G. HORAK, J. BOOMKER and J.R.B. FLAMAND	171-179
FOGGIN, C.M.	Mycoplasma-associated polyarthritis in farmed crocodiles (<i>Crocodylus niloticus</i>) in Zimbabwe—K. MOHAN, C.M. FOGGIN, P. MUVAVARIRWA, J. HONYWILL and A. PAWANDIWA	45-49
FOURIE, L.J.	The role of <i>Hyalomma</i> ticks in foot infestations and temporary lameness of sheep in a semi-arid region of South Africa—D.J. KOK and L.J. FOURIE	201-206
	Attachment preferences of <i>Hyalomma truncatum</i> and <i>Hyalomma marginatum rufipes</i> ticks (Acari: Ixodidae) on two sheep breeds—L.J. FOURIE and D.J. KOK	211-213
FOURIE, N.	Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramicin. II. Macropathology and histopathology—STELLA S. BASTIANELLO, N. FOURIE, L. PROZESKY, P.W. NEL and T.S. KELLERMAN	5-18
	Isolation of the toxin responsible for gousiekte, a plant-induced cardiomyopathy of ruminants in southern Africa—N. FOURIE, G.L. ERASMUS, R.A. SCHULTZ and L. PROZESKY	77-87
GERDES, G.H.	An outbreak of encephalomyocarditis-virus infection in free-ranging African elephants in the Kruger National Park—D.G. GROBLER, J.P. RAATH, L.E.O. BRAACK, D.F. KEET, G.H. GERDES, B.J.H. BARNARD, N.P.J. KRIEK, J. JARDINE and R. SWANEPOEL	97-108
GITAU, G.K.	The use of preserved colostrum for rearing replacement dairy calves: calf performance, economics and on-farm practicability in Kenya—D.I. KARIOKI, G.K. GITAU and S.J.M. MUNYUA	167-170
	Causes of calf mortality in Kabete area of Kenya—C.M. MULEI, G.K. GITAU and P.G. MBUTHIA	181-185
GROBLER, D.G.	An outbreak of encephalomyocarditis-virus infection in free-ranging African elephants in the Kruger National Park—D.G. GROBLER, J.P. RAATH, L.E.O. BRAACK, D.F. KEET, G.H. GERDES, B.J.H. BARNARD, N.P.J. KRIEK, J. JARDINE and R. SWANEPOEL	97-108
GROENEVELD, H.T.	Microclimatic effect on vertical migration of <i>Haemonchus contortus</i> and <i>Haemonchus placei</i> third-stage larvae on irrigated Kikuyu pasture—R.C. KRECEK, R. HARTMAN, H.T. GROENEVELD and A. THORNE	117-122
GROENEWALD, H.B.	Sperm-storage tubules in the vagina of the ostrich (<i>Struthio camelus</i>)—A.J. BEZUIDENHOUT, J.T. SOLEY, H.B. GROENEWALD and W.P. BURGER	193-199
GUMMOW, B.	Paired-ion extraction and high-performance liquid chromatographic determination of diminazene in cattle plasma: a modified method—B. GUMMOW, J.L. DU PREEZ and G.E. SWAN	1-4

Author index

HARTMAN, R.	
Microclimatic effect on vertical migration of <i>Haemonchus contortus</i> and <i>Haemonchus placei</i> third-stage larvae on irrigated Kikuyu pasture—R.C. KRECEK, R. HARTMAN, H.T. GROENEVELD and A. THORNE	117–122
HENTON, M.M.	
The distribution of <i>Pasteurella haemolytica</i> serotypes among cattle, sheep and goats in South Africa and their association with disease—M.W. ODENDAAL and M.M. HENTON	223–226
HONYWILL, J.	
Mycoplasma-associated polyarthritis in farmed crocodiles (<i>Crocodylus niloticus</i>) in Zimbabwe—K. MOHAN, C.M. FOGGIN, P. MUVAVARIRWA, J. HONYWILL and A. PAWANDIWA	45–49
HORAK, I.G.	
Parasites of domestic and wild animals in South Africa. XXXIII. Ixodid ticks on scrub hares in the north-eastern regions of Northern and Eastern Transvaal and of KwaZulu-Natal—I.G. HORAK, A.M. SPICKETT, L.E.O. BRAACK, B.L. PENZHORN, R.J. BAGNALL and A.C. UYS	123–131
Fleas, lice and mites on scrub hares (<i>Lepus saxatilis</i>) in Northern and Eastern Transvaal and in KwaZulu-Natal, South Africa—J.P. LOUW, I.G. HORAK, M. LOUISE HORAK and L.E.O. BRAACK	133–137
Parasites of domestic and wild animals in South Africa. XXXIV. Arthropod parasites of nyals in north-eastern KwaZulu-Natal—I.G. HORAK, J. BOOMKER and J.R.B. FLAMAND	171–179
HORAK, M. LOUISE	
Fleas, lice and mites on scrub hares (<i>Lepus saxatilis</i>) in Northern and Eastern Transvaal and in KwaZulu-Natal, South Africa—J.P. LOUW, I.G. HORAK, M. LOUISE HORAK and L.E.O. BRAACK	133–137
HUCHZERMEYER, F.W.	
Pentastomid parasites of the family Sebekidae Fain, 1961 in West African dwarf crocodiles <i>Osteolaemus tetraspis</i> Cope, 1851 from the Congo, with a description of <i>Alofia parva</i> n. sp.—J. RILEY and F.W. HUCHZERMEYER	151–162
HUISMANS, H.	
Detection of bluetongue virus and African horsesickness virus in co-infected cell cultures with NS1 gene probes—E.H. VENTER, H. HUISMANS and A.A. VAN DIJK	217–222
JARDINE, J.E.	
The prevalence of intestinal <i>Salmonella</i> infection in horses submitted for necropsy—I.B.J. VAN RENSBURG, J.E. JARDINE, J.H. CARSTENS and M.L. VAN DER WALT	65–67
An outbreak of encephalomyocarditis-virus infection in free-ranging African elephants in the Kruger National Park—D.G. GROBLER, J.P. RAATH, L.E.O. BRAACK, D.F. KEET, G.H. GERDES, B.J.H. BARNARD, N.P.J. KRIEK, J. JARDINE and R. SWANEPOEL	97–108
The prevalence of neosporosis in aborted bovine foetuses submitted to the Allerton Regional Veterinary Laboratory—J.E. JARDINE and R.D. LAST	207–209
Immunohistochemical identification of <i>Cowdria ruminantium</i> in formalin-fixed tissue sections from mice, sheep, cattle and goats—J.E. JARDINE, S.W. VOGEL, M. VAN KLEEF and J.J. VAN DER LUGT	277–280
JAVANGWE, S.	
Detection of bovine-virus-diarrhoea-virus antibodies in cattle with an enzyme-linked immunosorbent assay—P. MUVAVARIRWA, D. MUDENGE, D. MOYO and S. JAVANGWE	241–244
JUST, M.C.	
<i>In vitro</i> cultivation of a <i>Babesia</i> sp. from cattle in South Africa—E. ZWEYGARTH, C. VAN NIEKERK, M.C. JUST and D.T. DE WAAL	139–142
KAFUWA, P.T.	
Reactions to heartwater vaccination in crossbred Zebu cattle—J.A. LAWRENCE, J. MALIKA, A.P. WHITELAND and P.T. KAFUWA	19–23
KARIOKI, D.I.	
The use of preserved colostrum for rearing replacement dairy calves: calf performance, economics and on-farm practicability in Kenya—D.I. KARIOKI, G.K. GITAU and S.J.M. MUNYUA	167–170
KEET, D.F.	
An outbreak of encephalomyocarditis-virus infection in free-ranging African elephants in the Kruger National Park—D.G. GROBLER, J.P. RAATH, L.E.O. BRAACK, D.F. KEET, G.H. GERDES, B.J.H. BARNARD, N.P.J. KRIEK, J. JARDINE and R. SWANEPOEL	97–108
Epidemiology of African horsesickness: Antibodies in free-living elephants (<i>Loxodonta africana</i>) and their response to experimental infection—B.J.H. BARNARD, R.G. BENGIS, D.F. KEET and E.H. DEKKER	271–275

KEIRANS, J.E.	
<i>Rhipicephalus interventus</i> sp. nov. (Acaris: Ixodidae), a new tick species closely related to <i>Rhipicephalus tricuspis</i> Dönitz, 1906 and <i>Rhipicephalus lunulatus</i> Neumann, 1907, from East and Central Africa—JANE B. WALKER, R.G. PEGRAM and J.E. KEIRANS	89–95
KELLERMAN, T.S.	
Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramycin. II. Macropathology and histopathology—STELLA S. BASTIANELLO, N. FOURIE, L. PROZESKY, P.W. NEL and T.S. KELLERMAN	5–18
<i>In vivo</i> effects of a novel calcium antagonist (R56865) against induced epoxyscillirosidin and tulip poisoning in sheep—G.E. SWAN, R. ANITRA SCHULTZ, T.S. KELLERMAN, MARIA S.G. MÜLDERS, B.P. MAARTENS and J.J. VAN DER WALT	163–166
KOK, D.J.	
Attachment preferences of <i>Hyalomma truncatum</i> and <i>Hyalomma marginatum rufipes</i> ticks (Acaris: Ixodidae) on two sheep breeds—L.J. FOURIE and D.J. KOK	211–213
KOK, J.	
The role of <i>Hyalomma</i> ticks in foot infestations and temporary lameness of sheep in a semi-arid region of South Africa—D.J. KOK and L.J. FOURIE	201–206
KOTZÉ, S.H.	
Characterization of mucus glycoproteins in the intestinal mucosa of the African elephant (<i>Loxodonta africana</i>) following lectin histochemistry—H.L. COETZEE, S.H. KOTZÉ and N. LOURENS	187–192
KRECEK, R.C.	
Microclimatic effect on vertical migration of <i>Haemonchus contortus</i> and <i>Haemonchus placei</i> third-stage larvae on irrigated Kikuyu pasture—R.C. KRECEK, R. HARTMAN, H.T. GROENEVELD and A. THORNE	117–122
KRIEK, N.P.J.	
An outbreak of encephalomyocarditis-virus infection in free-ranging African elephants in the Kruger National Park—D.G. GROBLER, J.P. RAATH, L.E.O. BRAACK, D.F. KEET, G.H. GERDES, B.J.H. BARNARD, N.P.J. KRIEK, J. JARDINE and R. SWANEPOEL	97–108
LAST, R.D.	
The prevalence of neosporosis in aborted bovine foetuses submitted to the Allerton Regional Veterinary Laboratory—J.E. JARDINE and R.D. LAST	207–209
LAWRENCE, J.A.	
Reactions to heartwater vaccination in crossbred Zebu cattle—J.A. LAWRENCE, J. MALIKA, A.P. WHITELAND and P.T. KAFUWA	19–23
LÖTTER, CHRISTINE	
Serological prevalence of leptospiral antibodies in pigs in South Africa—A.D. POTTS, CHRISTINE LÖTTER and J.T.R. ROBINSON	281–284
LOURENS, N.	
Characterization of mucus glycoproteins in the intestinal mucosa of the African elephant (<i>Loxodonta africana</i>) following lectin histochemistry—H.L. COETZEE, S.H. KOTZÉ and N. LOURENS	187–192
LOUW, J.P.	
Fleas, lice and mites on scrub hares (<i>Lepus saxatilis</i>) in Northern and Eastern Transvaal and in KwaZulu-Natal, South Africa—J.P. LOUW, I.G. HORAK, M. LOUISE HORAK and L.E.O. BRAACK	133–137
MAARTENS, B.P.	
<i>In vivo</i> effects of a novel calcium antagonist (R56865) against induced epoxyscillirosidin and tulip poisoning in sheep—G.E. SWAN, R. ANITRA SCHULTZ, T.S. KELLERMAN, MARIA S.G. MÜLDERS, B.P. MAARTENS and J.J. VAN DER WALT	163–166
MAKINDE, M.O.	
Evaluation of some reproductive parameters in the indigenous boar of Zimbabwe—B.T. AKINGBEMI and M.O. MAKINDE	59–61
MALIKA, J.	
Reactions to heartwater vaccination in crossbred Zebu cattle—J.A. LAWRENCE, J. MALIKA, A.P. WHITELAND and P.T. KAFUWA	19–23
MBUTHIA, P.G.	
Causes of calf mortality in Kabete area of Kenya—C.M. MULEI, G.K. GITAU and P.G. MBUTHIA	181–185

MICHEL, ANITA L.		
Monitoring experimental Alcelaphine Herpesvirus-1 infection in cattle by nucleic-acid hybridization and PCR—ANITA L. MICHEL, GABRIELE S. BUCHHOLZ and J.J. VAN DER LUGT	109–115	
MOHAN, K.		
Mycoplasma-associated polyarthritis in farmed crocodiles (<i>Crocodylus niloticus</i>) in Zimbabwe—K. MOHAN, C.M. FOGGIN, P. MUVAVARIRWA, J. HONYWILL and A. PAWANDIWA	45–49	
MOYO, D.		
Detection of bovine-virus-diarrhoea-virus antibodies in cattle with an enzyme-linked immunosorbent assay—P. MUVAVARIRWA, D. MUDENGE, D. MOYO and S. JAVANGWE	241–244	
MUDENGE, D.		
Detection of bovine-virus-diarrhoea-virus antibodies in cattle with an enzyme-linked immunosorbent assay—P. MUVAVARIRWA, D. MUDENGE, D. MOYO and S. JAVANGWE	241–244	
MÜLDERS, MARIA S.G.		
<i>In vivo</i> effects of a novel calcium antagonist (R56865) against induced epoxyscillirosidin and tulip poisoning in sheep—G.E. SWAN, R. ANITRA SCHULTZ, T.S. KELLERMAN, MARIA S.G. MÜLDERS, B.P. MAARTENS and J.J. VAN DER WALT	163–166	
MULEI, C.M.		
Causes of calf mortality in Kabete area of Kenya—C.M. MULEI, G.K. GITAU and P.G. MBUTHIA	181–185	
MUNYUA, S.J.M.		
The use of preserved colostrum for rearing replacement dairy calves: calf performance, economics and on-farm practicability in Kenya—D.I. KARIOKI, G.K. GITAU and S.J.M. MUNYUA	167–170	
MUVAVARIRWA, P.		
Mycoplasma-associated polyarthritis in farmed crocodiles (<i>Crocodylus niloticus</i>) in Zimbabwe—K. MOHAN, C.M. FOGGIN, P. MUVAVARIRWA, J. HONYWILL and A. PAWANDIWA	45–49	
Detection of bovine-virus-diarrhoea-virus antibodies in cattle with an enzyme-linked immunosorbent assay—P. MUVAVARIRWA, D. MUDENGE, D. MOYO and S. JAVANGWE	241–244	
NEL, P.W.		
Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramicin. II. Macropathology and histopathology—STELLA S. BASTIANELLO, N. FOURIE, L. PROZESKY, P.W. NEL and T.S. KELLERMAN	5–18	
NELUVHALANI, M.J.		
The effect(s) of carbaryl-treated seed on body maintenance and survival of the multi-mammate mouse, <i>Mastomys natalensis</i> (sensu lato)—M.J. NELUVHALANI, S.M. FERREIRA and R.J. VAN AARDE	235–240	
NEVILL, E.M.		
A survey of the <i>Culicoides</i> (Diptera: Ceratopogonidae) of the Umlalazi Nature Reserve in Zululand, South Africa, with notes on two species biting man—HILDA NEVILL and E.M. NEVILL	51–58	
NEVILL, HILDA		
A survey of the <i>Culicoides</i> (Diptera: Ceratopogonidae) of the Umlalazi Nature Reserve in Zululand, South Africa, with notes on two species biting man—HILDA NEVILL and E.M. NEVILL	51–58	
O.I.E.		
Ectoparasites of animals and control methods—O.I.E.	69–70	
ODENDAAL, M.W.		
The distribution of <i>Pasteurella haemolytica</i> serotypes among cattle, sheep and goats in South Africa and their association with disease—M.W. ODENDAAL and M.M. HENTON	223–226	
PAWANDIWA, A		
Mycoplasma-associated polyarthritis in farmed crocodiles (<i>Crocodylus niloticus</i>) in Zimbabwe—K. MOHAN, C.M. FOGGIN, P. MUVAVARIRWA, J. HONYWILL and A. PAWANDIWA	45–49	
PAWESKA, J.T.		
The use of sucrose-acetone-extracted Rift Valley fever virus antigen derived from cell culture in an indirect enzyme-linked assay and haemagglutination-inhibition test—J.T. PAWESKA, B.J.H. BARNARD and R. WILLIAMS	227–233	
PEGRAM, R.G.		
<i>Rhipicephalus interventus</i> sp. nov. (Acari: Ixodidae), a new tick species closely related to <i>Rhipicephalus tricuspis</i> Dönitz, 1906 and <i>Rhipicephalus lunulatus</i> Neumann, 1907, from East and Central Africa—JANE B. WALKER, R.G. PEGRAM and J.E. KEIRANS	89–95	

PENZHORN, B.L.	Parasites of domestic and wild animals in South Africa. XXXIII. Ixodid ticks on scrub hares in the north-eastern regions of Northern and Eastern Transvaal and of KwaZulu-Natal—I.G. HORAK, A.M. SPICKETT, L.E.O. BRAACK, B.L. PENZHORN, R.J. BAGNALL and A.C. UYS	123–131
PIENAAR, A.C.E.	A rapid method to determine bacterial contamination on hatching eggs. 2. Correlation of the optical-density measurements after incubation to bacterial counts on hatching eggs—A.C.E. PIENAAR, L. COETZEE and R.R. BRAGG	25–33
	A rapid method to determine bacterial contamination on hatching eggs. 3. Use of commercial DNA probe kits for detection of specific pathogens after six hours of incubation—A.C.E. PIENAAR, L. COETZEE and R.R. BRAGG	35–40
POTTS, A.D.	Serological prevalence of leptospiral antibodies in pigs in South Africa—A.D. POTTS, CHRISTINE LÖTTER and J.T.R. ROBINSON	281–284
PROZESKY, L.	Cardiomyopathy of ruminants induced by the litter of poultry fed on rations containing the ionophore antibiotic, maduramicin. II. Macropathology and histopathology—STELLA S. BASTIANELLO, N. FOURIE, L. PROZESKY, P.W. NEL and T.S. KELLERMAN	5–18
	Isolation of the toxin responsible for gousiekte, a plant-induced cardiomyopathy of ruminants in southern Africa—N. FOURIE, G.L. ERASMUS, R.A. SCHULTZ and L. PROZESKY	77–87
PURDAN, G.	Effects of transformation on the hemagglutinins of <i>Haemophilus paragallinarum</i> —R.R. BRAGG, G. PURDAN, L. COETZEE and J.A. VERSCHOOR	261–270
RAATH, J.P.	An outbreak of encephalomyocarditis-virus infection in free-ranging African elephants in the Kruger National Park—D.G. GROBLER, J.P. RAATH, L.E.O. BRAACK, D.F. KEET, G.H. GERDES, B.J.H. BARNARD, N.P.J. KRIEK, J. JARDINE and R. SWANEPOEL	97–108
RILEY, J.	Pentastomid parasites of the family Sebekidae Fain, 1961 in West African dwarf crocodiles <i>Osteolaemus tetraspis</i> Cope, 1851 from the Congo, with a description of <i>Alofia parva</i> n. sp.—J. RILEY and F.W. HUCHZERMAYER	151–162
ROBINSON, J.T.R.	Serological prevalence of leptospiral antibodies in pigs in South Africa—A.D. POTTS, CHRISTINE LÖTTER and J.T.R. ROBINSON	281–284
SALIB, A.W.	Canine ehrlichiosis in Egypt: Sero-epidemiological survey—B.A.M. BOTROS, M.S. ELMOLLA, A.W. SALIB, C.A. CALAMAO, G.A. DASCH and R.R. ARTHUR	41–43
SCHULTZ, R. ANITRA	Isolation of the toxin responsible for gousiekte, a plant-induced cardiomyopathy of ruminants in southern Africa—N. FOURIE, G.L. ERASMUS, R.A. SCHULTZ and L. PROZESKY	77–87
	<i>In vivo</i> effects of a novel calcium antagonist (R56865) against induced epoxyscillirosidin and tulip poisoning in sheep—G.E. SWAN, R. ANITRA SCHULTZ, T.S. KELLERMAN, MARIA S.G. MÜLDERS, B.P. MAARTENS and J.J. VAN DER WALT	163–166
SCHWAN, E.V.	Cryopreservation of sheathed third-stage larvae of <i>Gaigeria pachyscelis</i> (Sandveld hookworm)—G.A.P. TITOY and E.V. SCHWAN	63–64
SEEGERS, CHRISTINA D.	The skull and mandible of the African elephant (<i>Loxodonta africana</i>)—N.J. VAN DER MERWE, A.J. BEZUIDENHOUT and CHRISTINA D. SEEGERS	245–260
SMIT, M.M.E.	The diagnosis of Wesselsbron disease in a new-born lamb by immunohistochemical staining of viral antigen—J.J. VAN DER LUGT, J.A.W. COETZER, M.M.E. SMIT and C. CILLIERS	143–146
SOLEY, J.T.	Sperm-storage tubules in the vagina of the ostrich (<i>Struthio camelus</i>)—A.J. BEZUIDENHOUT, J.T. SOLEY, H.B. GROENEWALD and W.P. BURGER	193–199
SPICKETT, A.M.	Parasites of domestic and wild animals in South Africa. XXXIII. Ixodid ticks on scrub hares in the north-eastern regions	

Author index

of Northern and Eastern Transvaal and of KwaZulu-Natal—I.G. HORAK, A.M. SPICKETT, L.E.O. BRAACK, B.L. PENZHORN, R.J. BAGNALL and A.C. UYS	123–131
SWAN, G.E.	
Paired-ion extraction and high-performance liquid chromatographic determination of diminazene in cattle plasma: a modified method—B. GUMMOW, J.L. DU PREEZ and G.E. SWAN	1–4
<i>In vivo</i> effects of a novel calcium antagonist (R56865) against induced epoxyscillirosidin and tulip poisoning in sheep—G.E. SWAN, R. ANITRA SCHULTZ, T.S. KELLERMAN, MARIA S.G. MULDERS, B.P. MAARTENS and J.J. VAN DER WALT	163–166
SWANEPOEL, R.	
An outbreak of encephalomyocarditis-virus infection in free-ranging African elephants in the Kruger National Park—D.G. GROBLER, J.P. RAATH, L.E.O. BRAACK, D.F. KEET, G.H. GERDES, B.J.H. BARNARD, N.P.J. KRIEK, J. JARDINE and R. SWANEPOEL	97–108
THORNE, A.	
Microclimatic effect on vertical migration of <i>Haemonchus contortus</i> and <i>Haemonchus placei</i> third-stage larvae on irrigated Kikuyu pasture—R.C. KRECEK, R. HARTMAN, H.T. GROENEVELD and A. THORNE	117–122
TITOY, G.A.P.	
Cryopreservation of sheathed third-stage larvae of <i>Gaigeria pachyscelis</i> (Sandveld hookworm)—G.A.P. TITOY and E.V. SCHWAN	63–64
An improved technique for the cryopreservation of <i>Gaigeria pachyscelis</i> (Sandveld hookworm)—G.A.P. TITOY	215
UYS, A.C.	
Parasites of domestic and wild animals in South Africa. XXXIII. Ixodid ticks on scrub hares in the north-eastern regions of Northern and Eastern Transvaal and of KwaZulu-Natal—I.G. HORAK, A.M. SPICKETT, L.E.O. BRAACK, B.L. PENZHORN, R.J. BAGNALL and A.C. UYS	123–131
VAN AARDE, R. J.	
The effect(s) of carbaryl-treated seed on body maintenance and survival of the multi-mammate mouse, <i>Mastomys natalensis</i> (<i>sensu lato</i>)—M.J. NELUVHALANI, S.M. FERREIRA and R.J. VAN AARDE	235–240
VAN DER LUGT, J.J.	
Monitoring experimental Alcelaphine Herpesvirus-1 infection in cattle by nucleic-acid hybridization and PCR—ANITA L. MICHEL, GABRIELE S. BUCHHOLZ and J.J. VAN DER LUGT	109–115
The diagnosis of Wesselsbron disease in a new-born lamb by immunohistochemical staining of viral antigen—J.J. VAN DER LUGT, J.A.W. COETZER, M.M.E. SMIT and C. CILLIERS	143–146
Immunohistochemical identification of <i>Cowdria ruminantium</i> in formalin-fixed tissue sections from mice, sheep, cattle and goats—J.E. JARDINE, S.W. VOGEL, M. VAN KLEEF and J.J. VAN DER LUGT	277–280
VAN DER MERWE, N.J.	
The skull and mandible of the African elephant (<i>Loxodonta africana</i>)—N.J. VAN DER MERWE, A.J. BEZUIDENHOUT and CHRISTINA D. SEEVERS	245–260
VAN DER WALT, J.J.	
<i>In vivo</i> effects of a novel calcium antagonist (R56865) against induced epoxyscillirosidin and tulip poisoning in sheep—G.E. SWAN, R. ANITRA SCHULTZ, T.S. KELLERMAN, MARIA S.G. MULDERS, B.P. MAARTENS and J.J. VAN DER WALT	163–166
VAN DER WALT, M.L.	
The prevalence of intestinal <i>Salmonella</i> infection in horses submitted for necropsy—I.B.J. VAN RENSBURG, J.E. JARDINE, J.H. CARSTENS and M.L. VAN DER WALT	65–67
VAN DIJK, A.A.	
Detection of bluetongue virus and African horsesickness virus in co-infected cell cultures with NS1 gene probes—E.H. VENTER, H. HUISMANS and A.A. VAN DIJK	217–222
VAN KLEEF, M.	
Immunohistochemical identification of <i>Cowdria ruminantium</i> in formalin-fixed tissue sections from mice, sheep, cattle and goats—J.E. JARDINE, S.W. VOGEL, M. VAN KLEEF and J.J. VAN DER LUGT	277–280
VAN NIEKERK, C.	
<i>In vitro</i> cultivation of a <i>Babesia</i> sp. from cattle in South Africa—E. ZWEYGARTH, C. VAN NIEKERK, M.C. JUST and D.T. DE WAAL	139–142
VAN RENSBURG, I.B.J.	
The prevalence of intestinal <i>Salmonella</i> infection in horses submitted for necropsy—I.B.J. VAN RENSBURG, J.E. JARDINE, J.H. CARSTENS and M.L. VAN DER WALT	65–67

VENTER, E.H.	
Detection of bluetongue virus and African horsesickness virus in co-infected cell cultures with NS1 gene probes—E.H. VENTER, H. HUISMANS and A.A. VAN DIJK	217-222
VERSCHOOR, J.A.	
Effects of transformation on the hemagglutinins of <i>Haemophilus paragallinarum</i> —R.R. BRAGG, G. PURDAN, L. COETZEE and J.A. VERSCHOOR	261-270
VOGEL, S.W.	
Immunohistochemical identification of <i>Cowdria ruminantium</i> in formalin-fixed tissue sections from mice, sheep, cattle and goats—J.E. JARDINE, S.W. VOGEL, M. VAN KLEEF and J.J. VAN DER LUGT	277-280
WALKER, JANE B.	
<i>Rhipicephalus interventus</i> sp. nov. (Acari: Ixodidae), a new tick species closely related to <i>Rhipicephalus tricuspis</i> Dönitz, 1906 and <i>Rhipicephalus lunulatus</i> Neumann, 1907, from East and Central Africa—JANE B. WALKER, R.G. PEGRAM and J.E. KEIRANS	89-95
WHITELAND, A.P.	
Reactions to heartwater vaccination in crossbred Zebu cattle—J.A. LAWRENCE, J. MALIKA, A.P. WHITELAND and P.T. KAFLA	19-23
WILLIAMS, R.	
The use of sucrose-acetone-extracted Rift Valley fever virus antigen derived from cell culture in an indirect enzyme-linked assay and haemagglutination-inhibition test—J.T. PAWESKA, B.J.H. BARNARD and R. WILLIAMS	227-233
ZWEYGARTH, E.	
<i>In vitro</i> cultivation of a <i>Babesia</i> sp. from cattle in South Africa—E. ZWEYGARTH, C. VAN NIEKERK, M.C. JUST and D.T. DE WAAL	139-142