

Subject index

ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 60, Numbers 1–4, 1993

Articles presented in proceedings are indexed according to key words of the [session title] and the article title

Abdominal organs

- The topography of the thoracic and abdominal organs of the Nile crocodile (*Crocodylus niloticus*)—N.J. VAN DER MERWE and S.H. KOTZE 219–222

Abomasum

- Ultrastructure of the myenteric ganglia in the rumen, reticulum, omasum and abomasum of grey, white and black Karakul lambs—H.B. GROENEWALD 189–195

Acaris

- Dermacentor rhinocerinus* (Denny, 1843) (Acaris: Ixodidae): redescription of the male, female and nymph and first description of the larva—J.E. KEIRANS 59–68

- Rhipicephalus aquatilis* sp. nov. (Acaris: Ixodidae), a new tick species parasitic mainly on the sitatunga, *Tragelaphus spekii*, in East and Central Africa—JANE B. WALKER, J.E. KEIRANS and R.G. PEGRAM 205–210

- Rhipicephalus exophthalmos* sp. nov., a new tick species from southern Africa, and redescription of *Rhipicephalus oculatus* Neumann, 1901, with which it has hitherto been confused (Acaris: Ixodidae)—J.E. KEIRANS, JANE B. WALKER, I.G. HORAK and HELOISE HEYNE 229–246

Acetone

- Cyclic fluctuations in acetone concentrations in the blood and milk of clinically healthy dairy cows—HANLIE E.K. WINTERBACH, P.J. APPS, W. GIESECKE and INGE-MARIE PETZER 247–255

African horsesickness

- Circulation of African horsesickness virus in zebra (*Equus burchelli*) in the Kruger National Park, South Africa, as measured by the prevalence of type specific antibodies—B.J.H. BARNARD 111–117

Alcelaphine herpesvirus I

- Generation of a nucleic acid probe specific for the alcelaphine herpesvirus I and its use for the detection of malignant catarrhal fever virus DNA in blue wildebeest calves (*Connochaetes taurinus*)—ANITA L. MICHEL 87–93

Alestes imberi

- Parasites of South African freshwater fish. III. *Rhabdochona* (*Rhabdochona*) *versterae* n. sp. (Nematoda: Rhabdorchidae) from the spot-tailed robber *Alestes imberi* Peters, 1852—J. BOOMKER and ANNIE J. PETTER 23–27

Analysis

- [The molecular epidemiology of African Lyssaviruses] Molecular analysis of the rabies-related viruses from Ethiopia—T. MEBATSION, J.H. COX and K.K. CONZELMANN 289–294

- [The molecular epidemiology of African Lyssaviruses] Rabies in wild and domestic carnivores of Africa: epidemiological and historical associations determined by limited sequence analysis—J.S. SMITH, P.A. YAGER and L.A. ORCIARI 307–314

Antibody

- Prevalence of antibodies against some equine viruses in zebra (*Equus burchelli*) in the Kruger National Park 1991–1992—B.J.H. BARNARD and J.T. PAWESKA 175–179

- Rabies and bats in a rabies-endemic area of southern Africa: application of two commercial test kits for antigen and antibody detection—M.J. OEOFSEN and M.S. SMITH 257–260

- [The molecular epidemiology of African Lyssaviruses] Monoclonal antibody studies on rabies-related viruses—A.A. KING 283–287

Antigen	
Rabies and bats in a rabies-endemic area of southern Africa: application of two commercial test kits for antigen and antibody detection—M.J. OEOFSEN and M.S. SMITH	257–260
[The molecular epidemiology of African Lyssaviruses] Rabies virus antigenicity: an overview—P. COULON, F. LAFAY and A. FLAMAND	271–275
Balanoposthitis	
The identification of <i>Mycoplasma mycoides mycoides</i> LC as the aetiological agent of balanoposthitis and vulvovaginitis in sheep in South Africa—C.J.V. TRICHARD, P. JORDAAN, L. PROZESKY, ELSIE P. JACOBSZ and MARIKE M. HENTON	29–37
Bat-eared fox	
[Rabies in wildlife] The bat-eared fox: a prime candidate for rabies vector?—J.A.J. NEL	395–397
[Rabies in wildlife] Bat-eared fox behavioural ecology and the incidence of rabies in the Serengeti National Park—B. MAAS	389–393
[Rabies in wildlife] Rabies in bat-eared foxes in South Africa—G.R. THOMSON and C.D. MEREDITH	399–403
Bats	
Rabies and bats in a rabies-endemic area of southern Africa: application of two commercial test kits for antigen and antibody detection—M.J. OEOFSEN and M.S. SMITH	257–260
Blood	
Cyclic fluctuations in acetone concentrations in the blood and milk of clinically healthy dairy cows—HANLIE E.K. WINTERBACH, P.J. APPS, W. GIESECKE and INGE-MARIE PETZER	247–255
Bluetongue	
Detection of bluetongue virus RNA in cell cultures and in the central nervous system of experimentally infected mice using <i>in situ</i> hybridization—ESTELLE H. VENTER, J.J. VAN DER LUGT and G.H. GERDES	39–45
Blue wildebeest	
Generation of a nucleic acid probe specific for the acelaphine herpesvirus I and its use for the detection of malignant catarrhal fever virus DNA in blue wildebeest calves (<i>Connochaetes taurinus</i>)—ANITA L. MICHEL	87–93
Brucellosis	
The use of EDTA in the microtitration serum agglutination test in bovine brucellosis—A.D. POTTS	47–50
Camallanidae	
Parasites of South African freshwater fish. IV. Description of <i>Spirocammallanus daleneae</i> n. sp. (Nematoda: Camallanidae) from <i>Synodontis zambezensis</i> Peters, 1852 (Mochokidae) with comments on <i>Spirocammallanus spiralis</i> (Baylis, 1923)—J. BOOMKER	131–137
Canis mesomelas	
[Rabies in wildlife] Biology of the black-backed jackal <i>Canis mesomelas</i> with reference to rabies—A.A. MC-KENZIE	367–371
Central nervous system	
Detection of bluetongue virus RNA in cell cultures and in the central nervous system of experimentally infected mice using <i>in situ</i> hybridization—ESTELLE H. VENTER, J.J. VAN DER LUGT and G.H. GERDES	39–45
Cheetah	
Lymphocyte blast transformation responses and restriction fragment length analysis in the cheetah—J.A. SPENCER	211–217
Chemotherapy	
Pathogenicity and chemotherapy of <i>Plasmodium durae</i> in experimentally infected domestic turkeys—F.W. HUCH-ZERMEYER	103–110
Connochaetes taurinus	
Generation of a nucleic acid probe specific for the acelaphine herpesvirus I and its use for the detection of malignant catarrhal fever virus DNA in blue wildebeest calves (<i>Connochaetes taurinus</i>)—ANITA L. MICHEL	87–93
Conservation	
[Rabies in wildlife] Rabies and wildlife: a conservation problem?—D.W. MACDONALD	351–355
Cowdria ruminantium	
An <i>in vitro</i> test to demonstrate the inhibitory effect of homologous immune serum on the infectivity of <i>Cowdria ruminantium</i> —J.L. DU PLESSIS	69–73
Crocodile	
The topography of the thoracic and abdominal organs of the Nile crocodile (<i>Crocodylus niloticus</i>)—N.J. VAN DER MERWE and S.H. KOTZE	219–222
Crocodylus niloticus	
The topography of the thoracic and abdominal organs of the Nile crocodile (<i>Crocodylus niloticus</i>)—N.J. VAN DER MERWE and S.H. KOTZE	219–222
Crocuta crocuta	
[Rabies in wildlife] Social systems and behaviour of the African wild dog <i>Lycaon pictus</i> and the spotted hyaena (<i>Crocuta crocuta</i>), with special reference to rabies—M.G.L. MILLS	405–409

Cynictis penicillata	
[Rabies in wildlife] The role of the yellow mongoose (<i>Cynictis penicillata</i>) in the epidemiology of rabies in South Africa—preliminary results—F. CHAPARRO and J.J. ESTERHUYSEN	373–377
[Rabies in wildlife] A systematic and population genetic approach to the rabies problem in the yellow mongoose (<i>Cynictis penicillata</i>)—P.J. TAYLOR	379–387
Cystidicolidae	
Parasites of South African freshwater fish. V. Description of two new species of the genus <i>Spinitectus</i> Fourment, 1883 (Nematoda: Cystidicolidae)—J. BOOMKER	139–145
Dairy cows	
Cyclic fluctuations in acetone concentrations in the blood and milk of clinically healthy dairy cows—HANLIE E.K. WINTERBACH, P.J. APPS, W. GIESECKE and INGE-MARIE PETZER	247–255
Dermacentor rhinocerinus	
<i>Dermacentor rhinocerinus</i> (Denny, 1843) (Acari: Ixodida: Ixodidae): redescription of the male, female and nymph and first description of the larva—J.E. KEIRANS	59–68
Diptera	
A redescription of <i>Lipoptena binocula</i> (Speiser, 1908) (Hippoboscidae: Diptera), with notes on its biology and comparisons with the other two flies of this genus in South Africa—ELIZE J. VISAGIE	51–58
DNA	
Generation of a nucleic acid probe specific for the acelaphine herpesvirus I and its use for the detection of malignant catarrhal fever virus DNA in blue wildebeest calves (<i>Connochaetes taurinus</i>)—ANITA L. MICHEL	87–93
Dog	
[Rabies in wildlife] Social systems and behaviour of the African wild dog <i>Lycaon pictus</i> and the spotted hyaena (<i>Crocuta crocuta</i>) with special reference to rabies—M.G.L. MILLS	405–409
[Rabies in wildlife] Aspects of rabies infection and control in the conservation of the African wild dog (<i>Lycaon pictus</i>) in the Serengeti Region, Tanzania—S.C. GASCOYNE, A.A. KING, M.K. LAURENSEN, M. BORNER, B. SCHILDGER and J. BARRAT	415–420
[Development of bait vaccines for the control of canine rabies] Dog ecology in eastern and southern Africa: implications for rabies control—B.D. PERRY	429–436
[Development of bait vaccines for the control of canine rabies] A dog ecology study in an urban and a semi-rural area of Zambia—K.K.I.M. DE BALOGH, A.I. WANDELER, and F.-X. MESLIN	437–443
[Development of bait vaccines for the control of canine rabies] Features of dog ecology relevant to rabies spread in Machakos District, Kenya—P.M. KITALA, J.J. McDERMOTT, M.N. KYULE and J.M. CATHUMA	445–449
[Development of bait vaccines for the control of canine rabies] The delivery of oral rabies vaccines to dogs: an African perspective—B.D. PERRY and A.I. WANDELER	451–457
[Development of bait vaccines for the control of canine rabies] Bait formulation and distribution for oral rabies vaccination of domestic dogs: an overview—S.B. LINHART	479–490
Domestic animals	
Parasites of domestic and wild animals in South Africa. XXXII. Ixodid ticks on scrub hares in the Transvaal—I.G. HORAK, A.M. SPICKETT, L.E.O. BRAACK and B.L. PENZHORN	163–174
[The molecular epidemiology of African Lyssaviruses] Rabies in wild and domestic carnivores of Africa: epidemiological and historical associations determined by limited sequence analysis—J.S. SMITH, P.A. YAGER and L.A. ORCIARI	307–314
Donkeys	
Serological evidence of equine arteritis virus in donkeys in South Africa—J.T. PAWESKA and B.J.H. BARNARD	155–158
Ecology	
[Rabies in wildlife] Bat-eared fox behavioural ecology and the incidence of rabies in the Serengeti National Park—B. MAAS	389–393
[Development of bait vaccines for the control of canine rabies] Dog ecology in eastern and southern Africa: implications for rabies control—B.D. PERRY	429–436
[Development of bait vaccines for the control of canine rabies] A dog ecology study in an urban and a semi-rural area of Zambia—K.K.I.M. DE BALOGH, A.I. WANDELER, and F.-X. MESLIN	437–443
[Development of bait vaccines for the control of canine rabies] Features of dog ecology relevant to rabies spread in Machakos District, Kenya—P.M. KITALA, J.J. McDERMOTT, M.N. KYULE and J.M. CATHUMA	445–449
EDTA	
The use of EDTA in the microtitration serum agglutination test in bovine brucellosis—A.D. POTTS	47–50
Elephant	
Osteology of the thoracic limb of the African elephant (<i>Loxodonta africana</i>)—MALIE M.S. SMUTS and A.J. BE-ZUIDENHOUT	1–14
Epidemiology	
[The molecular epidemiology of African Lyssaviruses] The rabies virus genome: an overview—N. TORDO and A. KOUKNETZOFF	263–269

[The molecular epidemiology of African Lyssaviruses] Rabies virus antigenicity: an overview—P. COULON, F. LAFAY and A. FLAMAND	271–275
[The molecular epidemiology of African Lyssaviruses] Taxonomy and evolutionary studies on Lyssaviruses with special reference to Africa—H. BOURHY, B. KISSI and N. TORDO	277–282
[The molecular epidemiology of African Lyssaviruses] Monoclonal antibody studies on rabies-related viruses—A.A. KING	283–287
[The molecular epidemiology of African Lyssaviruses] Molecular analysis of the rabies-related viruses from Ethiopia—T. MEBATSION, J.H. COX and K.K. CONZELMANN	289–294
[The molecular epidemiology of African Lyssaviruses] Canid and viverrid rabies viruses in South Africa—A.A. KING, C.D. MEREDITH and G.R. THOMSON	295–299
[The molecular epidemiology of African Lyssaviruses] Molecular epidemiology of rabies virus in South Africa—L.H. NEL, G.R. THOMSON and B.F. VON TEICHMAN	301–306
[The molecular epidemiology of African Lyssaviruses] Rabies in wild and domestic carnivores of Africa: epidemiological and historical associations determined by limited sequence analysis—J.S. SMITH, P.A. YAGER and L.A. ORCIARI	307–314
[The molecular epidemiology of African Lyssaviruses] Molecular epidemiology of Lyssaviruses: focus on the glycoprotein and pseudogenes—N. TORDO, H. BADRANE, H. BOURHY and D. SACRAMENTO	315–323
[Rabies in wildlife] The role of the yellow mongoose (<i>Cynictis penicillata</i>) in the epidemiology of rabies in South Africa—preliminary results—F. CHAPARRO and J.J. ESTERHUYSEN	373–377
Epithelium	
Ultrastructure of the epithelium of the rumen, reticulum and omasum of grey, white and black Karakul lambs—H.B. GROENEWALD	197–204
Equine virus	
Prevalence of antibodies against some equine viruses in zebra (<i>Equus burchelli</i>) in the Kruger National Park 1991–1992—B.J.H. BARNARD and J.T. PAWESKA	175–179
Serological evidence of equine arteritis virus in donkeys in South Africa—J.T. PAWESKA and B.J.H. BARNARD	155–158
<i>Equus burchelli</i>	
Circulation of African horsesickness virus in zebra (<i>Equus burchelli</i>) in the Kruger National Park, South Africa, as measured by the prevalence type specific antibodies—B.J.H. BARNARD	111–117
Prevalence of antibodies against some equine viruses in zebra (<i>Equus burchelli</i>) in the Kruger National Park 1991–1992—B.J.H. BARNARD and J.T. PAWESKA	175–179
<i>Escherichia coli</i>	
The use of the GENETRAK <i>Escherichia coli</i> probe kit for the detection of three atypical <i>E. coli</i> isolates—A.J. DAVIS and R.R. BRAGG	153–154
Fish	
Parasites of South African freshwater fish. III. <i>Rhabdochona</i> (<i>Rhabdochona</i>) <i>versterae</i> n. sp. (Nematoda: Rhabdochonidae) from the spot-tailed robber <i>Alestes imberi</i> Peters, 1852—J. BOOMKER and ANNIE J. PETTER	23–27
Parasites of South African freshwater fish. IV. Description of <i>Spirocammallanus dalenae</i> n. sp. (Nematoda: Camallanidae) from <i>Synodontis zambezensis</i> Peters, 1852 (Mochokidae) with comments on <i>Spirocammallanus spiralis</i> (Baylis, 1923)—J. BOOMKER	131–137
Parasites of South African freshwater fish. V. Description of two new species of the genus <i>Spininctetus</i> Fourment, 1883 (Nematoda: Cystidicolidae)—J. BOOMKER	139–145
Fleas	
Fleas and lice on scrub hares (<i>Lepus saxatilis</i>) in South Africa—J.P. LOUW, I.G. HORAK and L.E.O. BRAACK	95–101
Flies	
A redescription of <i>Lipoptena binocula</i> (Speiser, 1908) (Hippoboscidae: Diptera), with notes on its biology and comparisons with the other two flies of this genus in South Africa—ELIZE J. VISAGIE	51–58
Foot-and-mouth disease	
<i>Rhipicephalus zambeziensis</i> unlikely to transmit foot-and-mouth disease virus—C. DE W.J. VAN VUUREN, E. BLOUIN, F.T. POTGIETER and G.R. THOMSON	75–77
Fox	
[Rabies in wildlife] Current status of fox rabies in Europe—J. BARRAT and M.F.A. AUBERT	357–364
[Rabies in wildlife] Bat-eared fox behavioural ecology and the incidence of rabies in the Serengeti National Park—B. MAAS	389–393
[Rabies in wildlife] The bat-eared fox: a prime candidate for rabies vector?—J.A.J. NEL	395–397
[Rabies in wildlife] Rabies in bat-eared foxes in South Africa—G.R. THOMSON and C.D. MEREDITH	399–403
[Development of bait vaccines for the control of canine rabies] Rabies eradication in Belgium by fox vaccination using vaccinia-rabies recombinant virus—B. BROCHIER and P.-P. PASTORET	469–475

Francolins	A host-parasite list of the haematozoa of domestic poultry in sub-Saharan Africa and the isolation of <i>Plasmodium durae</i> Herman from turkeys and francolins in South Africa—F.W. HUCHZERMEYER	15-21
Glycoprotein	[The molecular epidemiology of African Lyssaviruses] Molecular epidemiology of Lyssaviruses: focus on the glycoprotein and pseudogenes—N. TORDO, H. BADRANE, H. BOURHY and D. SACRAMENTO	315-323
Haematozoa	A host-parasite list of the haematozoa of domestic poultry in sub-Saharan Africa and the isolation of <i>Plasmodium durae</i> Herman from turkeys and francolins in South Africa—F.W. HUCHZERMEYER	15-21
Haemophilus paragallinarum	Plasmid-encoded NAD independence in some South African isolates of <i>Haemophilus paragallinarum</i> —R.R. BRAGG, L. COETZEE and J.A. VERSCHOOR	147-152
	Monoclonal antibody characterization of South African field isolates of <i>Haemophilus paragallinarum</i> —R.R. BRAGG, L. COETZEE and J.A. VERSCHOOR	181-187
Helmeted guineafowls	Lice on helmeted guineafowls at five localities in South Africa—J.P. LOUW, I.G. HORAK, SANTA MEYER and R.D. PRICE	223-228
Hippoboscidae	A redescription of <i>Lipoptena binocula</i> (Speiser, 1908) (Hippoboscidae: Diptera), with notes on its biology and comparisons with the other two flies of this genus in South Africa—ELIZE J. VISAGIE	51-58
Homologous immune serum	An <i>in vitro</i> test to demonstrate the inhibitory effect of homologous immune serum on the infectivity of <i>Cowdria ruminantium</i> —J.L. DU PLESSIS	69-73
Hybridization	Detection of bluetongue virus RNA in cell cultures and in the central nervous system of experimentally infected mice using <i>in situ</i> hybridization—ESTELLE H. VENTER, J.J. VAN DER LUGT and G.H. GERDES	39-45
Isolates	Plasmid-encoded NAD independence in some South African isolates of <i>Haemophilus paragallinarum</i> —R.R. BRAGG, L. COETZEE and J.A. VERSCHOOR	147-152
	The use of the GENETRAK <i>Escherichia coli</i> probe kit for the detection of three atypical <i>E. coli</i> isolates—A.J. DAVIS and R.R. BRAGG	153-154
	Monoclonal antibody characterization of South African field isolates of <i>Haemophilus paragallinarum</i> —R.R. BRAGG, L. COETZEE and J.A. VERSCHOOR	181-187
Ixodid ticks	Parasites of domestic and wild animals in South Africa. XXXII. Ixodid ticks on scrub hares in the Transvaal—I.G. HORAK, A.M. SPICKETT, L.E.O. BRAACK and B.L. PENZHORN	163-174
Ixodidae	<i>Dermacentor rhinocerinus</i> (Denny, 1843) (Acari: Ixodida: Ixodidae): redescription of the male, female and nymph and first description of the larva—J.E. KEIRANS	59-68
	<i>Rhipicephalus aquatilis</i> sp. nov. (Acari: Ixodidae), a new tick species parasitic mainly on the sitatunga, <i>Tragelaphus spekei</i> , in East and Central Africa—JANE B. WALKER, J.E. KEIRANS and R.G. PEGRAM	205-210
	<i>Rhipicephalus exophthalmos</i> sp. nov., a new tick species from southern Africa, and redescription of <i>Rhipicephalus oculatus</i> Neumann, 1901, with which it has hitherto been confused (Acari: Ixodida: Ixodidae)—J.E. KEIRANS, JANE B. WALKER, I.G. HORAK and HELOISE HEYNE	229-246
Jackal	[Rabies in wildlife] Jackal rabies in Zimbabwe—J. BINGHAM and C.M. FOGGIN	365-366
	[Rabies in wildlife] Biology of the black-backed jackal <i>Canis mesomelas</i> with reference to rabies—A.A. MCKENZIE	367-371
	[Development of bait vaccines for the control of canine rabies] Oral rabies vaccination of jackals: progress in Zimbabwe—J. BINGHAM, B.D. PERRY, A.A. KING, C.L. SCHUMACHER, M. AUBERT, A. KAPPELER, C.M. FOGGIN, F.W.G. HILL and A. AUBERT	477-478
Karakul	Ultrastructure of the myenteric ganglia in the rumen, reticulum, omasum and abomasum of grey, white and black Karakul lambs—H.B. GROENEWALD	189-195
	Ultrastructure of the epithelium of the rumen, reticulum and omasum of grey, white and black Karakul lambs—H.B. GROENEWALD	197-204
Larva	<i>Dermacentor rhinocerinus</i> (Denny, 1843) (Acari: Ixodida: Ixodidae): redescription of the male, female and nymph and first description of the larva—J.E. KEIRANS	59-68

Subject index

Lepus saxatilis	
Fleas and lice on scrub hares (<i>Lepus saxatilis</i>) in South Africa—J.P. LOUW, I.G. HORAK and L.E.O. BRAACK	95–101
Lice	
Fleas and lice on scrub hares (<i>Lepus saxatilis</i>) in South Africa—J.P. LOUW, I.G. HORAK and L.E.O. BRAACK	95–101
Lice on helmeted guineafowls at five localities in South Africa—J.P. LOUW, I.G. HORAK, SANTA MEYER and R.D. PRICE	223–228
Limited sequence analysis	
[The molecular epidemiology of African Lyssaviruses] Rabies in wild and domestic carnivores of Africa: epidemiological and historical associations determined by limited sequence analysis—J.S. SMITH, P.A. YAGER and L.A. ORCIARI	307–314
Lipoptena binacula	
A redescription of <i>Lipoptena binacula</i> (Speiser, 1908) (Hippoboscidae: Diptera), with notes on its biology and comparisons with the other two flies of this genus in South Africa—ELIZE J. VISAGIE	51–58
Lovebirds	
Variation in clinical disease and species susceptibility to psittacine beak and feather disease in Zimbabwean lovebirds—N.D. KOCK, P.U. HANGARTNER and V. LUCKE	159–161
Loxodonta africana	
Osteology of the thoracic limb of the African elephant (<i>Loxodonta africana</i>)—MALIE M.S. SMUTS and A.J. BE-ZUIDENHOUT	1–14
Lycaon pictus	
[Rabies in wildlife] Social systems and behaviour of the African wild dog <i>Lycaon pictus</i> and the spotted hyaena (<i>Crocuta crocuta</i>) with special reference to rabies—M.G.L. MILLS	405–409
[Rabies in wildlife] Aspects of rabies infection and control in the conservation of the African wild dog (<i>Lycaon pictus</i>) in the Serengeti Region, Tanzania—S.C. GASCOYNE, A.A. KING, M.K. LAURENSEN, M. BORNER, B. SCHILDGER and J. BARRAT	415–420
Lymphocyte	
Lymphocyte blast transformation responses and restriction fragment length analysis in the cheetah—J.A. SPENCER	211–217
Lyssaviruses	
[The molecular epidemiology of African Lyssaviruses] The rabies virus genome: an overview—N. TORDO and A. KOUKNETZOFF	263–269
[The molecular epidemiology of African Lyssaviruses] Rabies virus antigenicity: an overview—P. COULON, F. LAFAY and A. FLAMAND	271–275
[The molecular epidemiology of African Lyssaviruses] Taxonomy and evolutionary studies on Lyssaviruses with special reference to Africa—H. BOURHY, B. KISSI and N. TORDO	277–282
[The molecular epidemiology of African Lyssaviruses] Monoclonal antibody studies on rabies-related viruses—A.A. KING	283–287
[The molecular epidemiology of African Lyssaviruses] Molecular analysis of the rabies-related viruses from Ethiopia—T. MEBATSION, J.H. COX and K.K. CONZELMANN	289–294
[The molecular epidemiology of African Lyssaviruses] Canid and viverrid rabies viruses in South Africa—A.A. KING, C.D. MEREDITH and G.R. THOMSON	295–299
[The molecular epidemiology of African Lyssaviruses] Molecular epidemiology of rabies virus in South Africa—L.H. NEL, G.R. THOMSON and B.F. VON TEICHMAN	301–306
[The molecular epidemiology of African Lyssaviruses] Rabies in wild and domestic carnivores of Africa: epidemiological and historical associations determined by limited sequence analysis—J.S. SMITH, P.A. YAGER and L.A. ORCIARI	307–314
[The molecular epidemiology of African Lyssaviruses] Molecular epidemiology of Lyssaviruses: focus on the glycoprotein and pseudogenes—N. TORDO, H. BADRANE, H. BOURHY and D. SACRAMENTO	315–323
Malignant catarrhal fever	
Generation of a nucleic acid probe specific for the acelaphine herpesvirus I and its use for the detection of malignant catarrhal fever virus DNA in blue wildebeest calves (<i>Connochaetes taurinus</i>)—ANITA L. MICHEL	87–93
Mice	
Detection of bluetongue virus RNA in cell cultures and in the central nervous system of experimentally infected mice using <i>in situ</i> hybridization—ESTELLE H. VENTER, J.J. VAN DER LUGT and G.H. GERDES	39–45
Milk	
Cyclic fluctuations in acetone concentrations in the blood and milk of clinically healthy dairy cows—HANLIE E.K. WINTERBACH, P.J. APPS, W. GIESECKE and INGE-MARIE PETZER	247–255
Monoclonal antibody	
Monoclonal antibody characterization of South African field isolates of <i>Haemophilus paragallinarum</i> —R.R. BRAGG, L. COETZEE and J.A. VERSCHOOR	181–187

[The molecular epidemiology of African Lyssaviruses] Monoclonal antibody studies on rabies-related viruses—A.A. KING	283–287
MSAT	
The use of EDTA in the microtitration serum agglutination test in bovine brucellosis—A.D. POTTS	47–50
Mycoplasma mycoides mycoides LC	
The identification of <i>Mycoplasma mycoides mycoides</i> LC as the aetiological agent of balanoposthitis and vulvovaginitis in sheep in South Africa—C.J.V. TRICHARD, P. JORDaan, L. PROZESKY, ELSIE P. JACOBSZ and MARIJKE M. HENTON	29–37
Myenteric ganglia	
Ultrastructure of the myenteric ganglia in the rumen, reticulum, omasum and abomasum of grey, white and black Karakul lambs—H.B. GROENEWALD	189–195
NAD	
Plasmid-encoded NAD independence in some South African isolates of <i>Haemophilus paragallinarum</i> —R.R. BRAGG, L. COETZEE and J.A. VERSCHOOR	147–152
Nematoda	
Parasites of South African freshwater fish. III. <i>Rhabdochona (Rhabdochona) versterae</i> n. sp. (Nematoda: Rhabdochonidae) from the spot-tailed robber <i>Alestes imberi</i> Peters, 1852—J. BOOMKER and ANNIE J. PETTER	23–27
Parasites of South African freshwater fish. IV. Description of <i>Spirocammallanus daleneae</i> n. sp. (Nematoda: Camallanidae) from <i>Synodontis zambezensis</i> Peters, 1852 (Mochokidae) with comments on <i>Spirocammallanus spiralis</i> (Baylis, 1923)—J. BOOMKER	131–137
Parasites of South African freshwater fish. V. Description of two new species of the genus <i>Spinitectus</i> Fourment, 1883 (Nematoda: Cystidicolidae)—J. BOOMKER	139–145
Nymph	
<i>Dermacentor rhinocerinus</i> (Denny, 1843) (Acari: Ixodida: Ixodidae): redescription of the male, female and nymph and first description of the larva—J.E. KEIRANS	59–68
Omasum	
Ultrastructure of the myenteric ganglia in the rumen, reticulum, omasum and abomasum of grey, white and black Karakul lambs—H.B. GROENEWALD	189–195
Ultrastructure of the epithelium of the rumen, reticulum and omasum of grey, white and black Karakul lambs—H.B. GROENEWALD	197–204
Osteology	
Osteology of the thoracic limb of the African elephant (<i>Loxodonta africana</i>)—MALIE M.S. SMUTS and A.J. BEZUIDENHOUT	1–14
Ostrich	
Ultrastructure of ostrich (<i>Struthio camelus</i>) spermatozoa: I. Transmission electron microscopy—J.T. SOLEY	119–130
Parasites	
A host-parasite list of the haematozoa of domestic poultry in sub-Saharan Africa and the isolation of <i>Plasmodium durae</i> Herman from turkeys and francolins in South Africa—F.W. HUCHZERMEYER	15–21
Parasites of South African freshwater fish. III. <i>Rhabdochona (Rhabdochona) versterae</i> n. sp. (Nematoda: Rhabdochonidae) from the spot-tailed robber <i>Alestes imberi</i> Peters, 1852—J. BOOMKER and ANNIE J. PETTER	23–27
Parasites of South African freshwater fish. IV. Description of <i>Spirocammallanus daleneae</i> n. sp. (Nematoda: Camallanidae) from <i>Synodontis zambezensis</i> Peters, 1852 (Mochokidae) with comments on <i>Spirocammallanus spiralis</i> (Baylis, 1923)—J. BOOMKER	131–137
Parasites of South African freshwater fish. V. Description of two new species of the genus <i>Spinitectus</i> Fourment, 1883 (Nematoda: Cystidicolidae)—J. BOOMKER	139–145
Parasites of domestic and wild animals in South Africa. XXXII. Ixodid ticks on scrub hares in the Transvaal—I.G. HORAK, A.M. SPICKETT, L.E.O. BRAACK and B.L. PENZHORN	163–174
<i>Rhipicephalus aquatilis</i> sp. nov. (Acari: Ixodidae), a new tick species parasitic mainly on the sitatunga, <i>Tragelaphus spekei</i> , in East and Central Africa—JANE B. WALKER, J.E. KEIRANS and R.G. PEGRAM	205–210
Pathogenicity	
Pathogenicity and chemotherapy of <i>Plasmodium durae</i> in experimentally infected domestic turkeys—F.W. HUCHZERMEYER	103–110
Plasmid	
Plasmid-encoded NAD independence in some South African isolates of <i>Haemophilus paragallinarum</i> —R.R. BRAGG, L. COETZEE and J.A. VERSCHOOR	147–152
Plasmodium durae	
A host-parasite list of the haematozoa of domestic poultry in sub-Saharan Africa and the isolation of <i>Plasmodium durae</i> Herman from turkeys and francolins in South Africa—F.W. HUCHZERMEYER	15–21

Pathogenicity and chemotherapy of <i>Plasmodium durae</i> in experimentally infected domestic turkeys—F.W. HUCHZERMEYER	103–110
Population genetics	
[Rabies in wildlife] A systematic and population genetic approach to the rabies problem in the yellow mongoose (<i>Cynictis penicillata</i>)—P.J. TAYLOR	379–387
Poultry	
A host-parasite list of the haematozoa of domestic poultry in sub-Saharan Africa and the isolation of <i>Plasmodium durae</i> Herman from turkeys and francolins in South Africa—F.W. HUCHZERMEYER	15–21
Probe	
Generation of a nucleic acid probe specific for the acelaphine herpesvirus I and its use for the detection of malignant catarrhal fever virus DNA in blue wildebeest calves (<i>Connochaetes taurinus</i>)—ANITA L. MICHEL	87–93
The use of the GENETRAK <i>Escherichia coli</i> probe kit for the detection of three atypical <i>E. coli</i> isolates—A.J. DAVIS and R.R. BRAGG	153–154
Pseudogenes	
[The molecular epidemiology of African Lyssaviruses] Molecular epidemiology of Lyssaviruses: focus on the glycoprotein and pseudogenes—N. TORDO, H. BADRANE, H. BOURHY and D. SACRAMENTO	315–323
Psittacine beak and feather disease	
Variation in clinical disease and species susceptibility to psittacine beak and feather disease in Zimbabwean lovebirds—N.D. KOCK, P.U. HANGARTNER and V. LUCKE	159–161
Rabies	
Rabies and bats in a rabies-endemic area of southern Africa: application of two commercial test kits for antigen and antibody detection—M.J. OEOFSEN and M.S. SMITH	257–260
[The molecular epidemiology of African Lyssaviruses] The rabies virus genome: an overview—N. TORDO and A. KOUKNETZOFF	263–269
[The molecular epidemiology of African Lyssaviruses] Rabies virus antigenicity: an overview—P. COULON, F. LAFAY and A. FLAMAND	271–275
[The molecular epidemiology of African Lyssaviruses] Taxonomy and evolutionary studies on Lyssaviruses with special reference to Africa—H. BOURHY, B. KISSI and N. TORDO	277–282
[The molecular epidemiology of African Lyssaviruses] Monoclonal antibody studies on rabies-related viruses—A.A. KING	283–287
[The molecular epidemiology of African Lyssaviruses] Molecular analysis of the rabies-related viruses from Ethiopia—T. MEBATSION, J.H. COX and K.K. CONZELMANN	289–294
[The molecular epidemiology of African Lyssaviruses] Canid and viverrid rabies viruses in South Africa—A.A. KING, C.D. MEREDITH and G.R. THOMSON	295–299
[The molecular epidemiology of African Lyssaviruses] Molecular epidemiology of rabies virus in South Africa—L.H. NEL, G.R. THOMSON and B.F. VON TEICHMAN	301–306
[The molecular epidemiology of African Lyssaviruses] Rabies in wild and domestic carnivores of Africa: epidemiological and historical associations determined by limited sequence analysis—J.S. SMITH, P.A. YAGER and L.A. ORCIARI	307–314
[The molecular epidemiology of African Lyssaviruses] Molecular epidemiology of Lyssaviruses: focus on the glycoprotein and pseudogenes—N. TORDO, H. BADRANE, H. BOURHY and D. SACRAMENTO	315–323
[Rabies in wildlife] Rabies in southern Africa—R. SWANEPOEL, B.J.H. BARNARD, C.D. MEREDITH, G. BISHOP, G.K. BRÜCKNER, C.M. FOGGIN and O.J.B. HÜBSCHLE	325–346
[Rabies in wildlife] Wildlife rabies in perspective—A.I. WANDELER	347–350
[Rabies in wildlife] Rabies and wildlife: a conservation problem?—D.W. MACDONALD	351–355
[Rabies in wildlife] Current status of fox rabies in Europe—J. BARRAT and M.F.A. AUBERT	357–364
[Rabies in wildlife] Jackal rabies in Zimbabwe—J. BINGHAM and C.M. FOGGIN	365–366
[Rabies in wildlife] Biology of the black-backed jackal <i>Canis mesomelas</i> with reference to rabies—A.A. MCKENZIE	367–371
Rabies in wildlife] The role of the yellow mongoose (<i>Cynictis penicillata</i>) in the epidemiology of rabies in South Africa—preliminary results—F. CHAPARRO and J.J. ESTERHUYSEN	373–377
[Rabies in wildlife] A systematic and population genetic approach to the rabies problem in the yellow mongoose (<i>Cynictis penicillata</i>)—P.J. TAYLOR	379–387
[Rabies in wildlife] Bat-eared fox behavioural ecology and the incidence of rabies in the Serengeti National Park—B. MAAS	389–393
[Rabies in wildlife] The bat-eared fox: a prime candidate for rabies vector?—J.A.J. NEL	395–397

[Rabies in wildlife] Rabies in bat-eared foxes in South Africa—G.R. THOMSON and C.D. MEREDITH	399–403
[Rabies in wildlife] Social systems and behaviour of the African wild dog <i>Lycaon pictus</i> and the spotted hyaena <i>Crocuta crocuta</i> with special reference to rabies—M.G.L. MILLS	405–409
[Rabies in wildlife] Rabies in the Masai Mara, Keyna: preliminary report—K.A. ALEXANDER, J.S. SMITH, M.J. MAC-HARIA and A.A. KING	411–414
[Rabies in wildlife] Aspects of rabies infection and control in the conservation of the African wild dog (<i>Lycaon pictus</i>) in the Serengeti Region, Tanzania—S.C. GASCOYNE, A.A. KING, M.K. LAURENSEN, M. BORNER, B. SCHILDGER and J. BARRAT	415–420
[Development and bait vaccines for the control of canine rabies] Canine rabies—M. FEKADU	421–427
[Development of bait vaccines for the control of canine rabies] Dog ecology in eastern and southern Africa: implications for rabies control—B.D. PERRY	429–436
[Development of bait vaccines for the control of canine rabies] A dog ecology study in an urban and a semi-rural area of Zambia—K.K.I.M. DE BALOGH, A.I. WANDELER and F.-X. MESLIN	437–443
[Development of bait vaccines for the control of canine rabies] Features of dog ecology relevant to rabies spread in Machakos District, Keyna—P.M. KITALA, J.J. MCDERMOTT, M.N. KYULE and J.M. CATHUMA	445–449
[Development of bait vaccines for the control of canine rabies] The delivery of oral rabies vaccines to dogs: an African perspective—B.D. PERRY and A.I. WANDELER	451–457
[Development of bait vaccines for the control of canine rabies] SAG-2 oral rabies vaccine—C.L. SCHUMACHER, P. COULON, F. LAFAY, J. BÉNÉJEAN, M.F.A. AUBERT, J. BARRAT, A. AUBERT and A. FLAMAND	459–462
[Development of bait vaccines for the control of canine rabies] Recombinant rabies vaccines: efficacy assessment in free ranging animals—C.E. RUPPRECHT, C.A. HANLON, M. NIEZGODA, J.R. BUCHANAN, D. DIEHL and H. KOPROWSKI	463–468
[Development of bait vaccines for the control of canine rabies] Rabies eradication in Belgium by fox vaccination using vaccinia-rabies recombinant virus—B. BROCHIER and P.-P. PASTORET	469–475
[Development of bait vaccines for the control of canine rabies] Oral rabies vaccination of jackals: progress in Zimbabwe—J. BINGHAM, B.D. PERRY, A.A. KING, C.L. SCHUMACHER, M. AUBERT, A. KAPPELER, C.M. FOGGIN, F.W.G. HILL and A. AUBERT	477–478
[Development of bait vaccines for the control of canine rabies] Bait formulation and distribution for oral rabies vaccination of domestic dogs: an overview—S.B. LINHART	479–490
Recombinant virus	
[Development of bait vaccines for the control of canine rabies] Recombinant rabies vaccines: efficacy assessment in free ranging animals—C.E. RUPPRECHT, C.A. HANLON, M. NIEZGODA, J.R. BUCHANAN, D. DIEHL and H. KOPROWSKI	463–468
[Development of bait vaccines for the control of canine rabies] Rabies eradication in Belgium by fox vaccination using vaccinia-rabies recombinant virus—B. BROCHIER and P.-P. PASTORET	469–475
Restriction fragment length analysis	
Lymphocyte blast transformation responses and restriction fragment length analysis in the cheetah—J.A. SPENCER	211–217
Reticulum	
Ultrastructure of the myenteric ganglia in the rumen, reticulum, omasum and abomasum of grey, white and black Karakul lambs—H.B. GROENEWALD	189–195
Ultrastructure of the epithelium of the rumen, reticulum and omasum of grey, white and black Karakul lambs—H.B. GROENEWALD	197–204
Rhabdochona (Rhabdochona) versterae	
Parasites of South African freshwater fish. III. <i>Rhabdochona (Rhabdochona) versterae</i> n. sp. (Nematoda: Rhabdochonidae) from the spot-tailed robber, <i>Alestes imberi</i> Peters, 1852—J. BOOMKER and ANNIE J. PETTER	23–27
Rhabdochonidae	
Parasites of South African freshwater fish. III. <i>Rhabdochona (Rhabdochona) versterae</i> n. sp. (Nematoda: Rhabdochonidae) from the spot-tailed robber, <i>Alestes imberi</i> Peters, 1852—J. BOOMKER and ANNIE J. PETTER	23–27
Rhipicephalus aquatilis	
<i>Rhipicephalus aquatilis</i> sp. nov. (Acarı: Ixodidae), a new tick species parasitic mainly on the sitatunga, <i>Tragelaphus spekei</i> , in East and Central Africa—JANE B. WALKER, J.E. KEIRANS and R.G. PEGRAM	205–210
Rhipicephalus exophthalmos	
<i>Rhipicephalus exophthalmos</i> sp. nov., a new tick species from southern Africa, and redescription of <i>Rhipicephalus oculatus</i> Neumann, 1901, with which it has hitherto been confused (Acarı: Ixodida: Ixodidae)—J.E. KEIRANS, JANE B. WALKER, I.G. HORAK and HELOISE HEYNE	229–246
Rhipicephalus oculatus	
<i>Rhipicephalus exophthalmos</i> sp. nov., a new tick species from southern Africa, and redescription of <i>Rhipicephalus oculatus</i> Neumann, 1901, with which it has hitherto been confused (Acarı: Ixodida: Ixodidae)—J.E. KEIRANS, JANE B. WALKER, I.G. HORAK and HELOISE HEYNE	229–246

Rhipicephalus zambeziensis		
<i>Rhipicephalus zambeziensis</i> unlikely to transmit foot-and-mouth disease virus—C. DE W.J. VAN VUREN, E. BLOUIN, F.T. POTGIETER and G.R. THOMSON		75–77
RNA		
Detection of bluetongue virus RNA in cell cultures and in the central nervous systems of experimentally infected mice using <i>in situ</i> hybridization—ESTELLE H. VENTER, J.J. VAN DER LUGT and G.H. GERDES		39–45
Rumen		
Ultrastructure of the myenteric ganglia in the rumen, reticulum, omasum and abomasum of grey, white and black Karakul lambs—H.B. GROENEWALD		189–195
Ultrastructure of the epithelium of the rumen, reticulum and omasum of grey, white and black Karakul lambs—H.B. GROENEWALD		197–204
Scrub hares		
Fleas and lice on scrub hares (<i>Lepus saxatilis</i>) in South Africa—J.P. LOUW, I.G. HORAK and L.E.O. BRAACK		95–101
Parasites of domestic and wild animals in South Africa. XXXII. Ixodid ticks on scrub hares in the Transvaal—I.G. HORAK, A.M. SPICKETT, L.E.O. BRAACK and B.L. PENZHORN		163–174
Sheep		
The identification of <i>Mycoplasma mycoides mycoides</i> LC as the aetiological agent of balanoposthitis and vulvovaginitis in sheep in South Africa—C.J.V. TRICHARD, P. JORDAAN, L. PROZESKY, ELSIE P. JACOBSZ and MARIJKE M. HENTON		29–37
Spermatozoa		
Ultrastructure of ostrich (<i>Struthio camelus</i>) spermatozoa: I. Transmission electron microscopy—J.T. SOLEY		119–130
Spininctetus		
Parasites of South African freshwater fish. V. Description of two new species of the genus <i>Spininctetus</i> Fourment, 1883 (Nematoda: Cystidicolidae)—J. BOOMKER		139–145
Spirocammallanus spiralis		
Parasites of South African freshwater fish. IV. Description of <i>Spirocammallanus daleneae</i> n. sp. (Nematoda: Camallanidae) from <i>Synodontis zambezensis</i> Peters, 1852 (Mochokidae) with comments on <i>Spirocammallanus spiralis</i> (Baylis, 1923)—J. BOOMKER		131–137
Spot-tailed robber		
Parasites of South African freshwater fish. III. <i>Rhabdochona (Rhabdochona) versterae</i> n. sp. (Nematoda: Rhabdodonidae) from the spot-tailed robber, <i>Alestes imberi</i> Peters, 1852—J. BOOMKER and ANNIE J. PETTER		23–27
Spotted hyaena		
[Rabies in wildlife] Social systems and behaviour of the African wild dog <i>Lycaon pictus</i> and the spotted hyaena (<i>Crocuta crocuta</i>) with special reference to rabies—M.G.L. MILLS		405–409
Struthio camelus		
Ultrastructure of ostrich (<i>Struthio camelus</i>) spermatozoa: I. Transmission electron microscopy—J.T. SOLEY		119–130
Synodontis zambezensis		
Parasites of South African freshwater fish. IV. Description of <i>Spirocammallanus daleneae</i> n. sp. (Nematoda: Camallanidae) from <i>Synodontis zambezensis</i> Peters, 1852 (Mochokidae) with comments on <i>Spirocammallanus spiralis</i> (Baylis, 1923)—J. BOOMKER		131–137
Thoracic limb		
Osteology of the thoracic limb of the African elephant (<i>Loxodonta africana</i>)—MALIE M.S. SMUTS and A.J. BE-ZUIDENHOUT		1–14
Thoracic organs		
The topography of the thoracic and abdominal organs of the Nile crocodile (<i>Crocodylus niloticus</i>)—N.J. VAN DER MERWE and S.H. KOTZE		219–222
Tick		
<i>Rhipicephalus aquatilis</i> sp. nov. (Acari: Ixodidae), a new tick species parasitic mainly on the sitatunga, <i>Tragelaphus spekii</i> , in East and Central Africa—JANE B. WALKER, J.E. KEIRANS and R.G. PEGRAM		205–210
<i>Rhipicephalus exophthalmos</i> sp. nov., a new tick species from southern Africa, and redescription of <i>Rhipicephalus oculatus</i> Neumann, 1901, with which it has hitherto been confused (Acari: Ixodidae)—J.E. KEIRANS, JANE B. WALKER, I.G. HORAK and HELOISE HEYNE		229–246
Transmission electron microscopy		
Ultrastructure of ostrich (<i>Struthio camelus</i>) spermatozoa: I. Transmission electron microscopy—J.T. SOLEY		119–130
Turkeys		
A host-parasite list of the haematozoa of domestic poultry in sub-Saharan Africa and the isolation of <i>Plasmodium durae</i> Herman from turkeys and francolins in South Africa—F.W. HUCHZERMEYER		15–21
Pathogenicity and chemotherapy of <i>Plasmodium durae</i> in experimentally infected domestic turkeys—F.W. HUCHZERMEYER		103–110

Vaccination

- [Development of bait vaccines for the control of canine rabies] Rabies eradication in Belgium by fox vaccination using vaccinia-rabies recombinant virus—B.BROCHIER and P.-P. PASTORET 469–475
- [Development of bait vaccines for the control of canine rabies] Oral rabies vaccination of jackals: progress in Zimbabwe—J. BINGHAM, B.D. PERRY, A.A. KING, C.L. SCHUMACHER, M. AUBERT, A. KAPPELER, C.M. FOGGIN, F.W.G. HILL and A. AUBERT 477–478
- [Development of bait vaccines for the control of canine rabies] Bait formulation and distribution for oral rabies vaccination of domestic dogs: an overview—S.B. LINHART 479–490

Vaccine

- [Development of bait vaccines for the control of canine rabies] Canine rabies—M. FEKADU 421–427
- [Development of bait vaccines for the control of canine rabies] Dog ecology in eastern and southern Africa: implications for rabies control—B.D. PERRY 429–436
- [Development of bait vaccines for the control of canine rabies] A dog ecology study in an urban and a semi-rural area of Zambia—K.K.I.M. DE BALOGH, A.I. WANDELER and F.-X. MESLIN 437–443
- [Development of bait vaccines for the control of canine rabies] Features of dog ecology relevant to rabies spread in Machakos District, Kenya—P.M. KITALA, J.J. MCDERMOTT, M.N. KYULE and J.M. CATHUMA 445–449
- [Development of bait vaccines for the control of canine rabies] The delivery of oral rabies vaccines to dogs: an African perspective—B.D. PERRY and A.I. WANDELER 451–457
- [Development of bait vaccines for the control of canine rabies] SAG-2 oral rabies vaccine—C.L. SCHUMACHER, P. COULON, F. LAFAY, J. BÉNÉJEAN, M.F.A. AUBERT, J. BARRAT, A. AUBERT and A. FLAMAND 459–462
- [Development of bait vaccines for the control of canine rabies] Recombinant rabies vaccines: efficacy assessment in free ranging animals—C.E. RUPPRECHT, C.A. HANLON, N. NIEZGODA, J.R. BUCHANAN, D. DIEHL and H. KOPROWSKI 463–468
- [Development of bait vaccines for the control of canine rabies] Rabies eradication in Belgium by fox vaccination using vaccinia-rabies recombinant virus—B. BROCHIER and P.-P. PASTORET 469–475
- [Development of bait vaccines for the control of canine rabies] Oral rabies vaccination of jackals: progress in Zimbabwe—J. BINGHAM, B.D. PERRY, A.A. KING, C.L. SCHUMACHER, M. AUBERT, A. KAPPELER, C.M. FOGGIN, F.W.G. HILL and A. AUBERT 477–478
- [Development of bait vaccines for the control of canine rabies] Bait formulation and distribution for oral rabies vaccination of domestic dogs: an overview—S.B. LINHART 479–490

Virus

- Detection of bluetongue virus RNA in cell cultures and in the central nervous system of experimentally infected mice using *in situ* hybridization—ESTELLE H. VENTER, J.J. VAN DER LUGT and G.H. GERDES 39–45
- Rhipicephalus zambeziensis* unlikely to transmit foot-and-mouth disease virus—C. DE W.J. VAN VUUREN, E. BLOUIN, F.T. POTGIETER and G.R. THOMSON 75–77
- Generation of a nucleic acid probe specific for the acelaphine herpesvirus I and its use for the detection of malignant catarrhal fever virus DNA in blue wildebeest calves (*Connochaetes taurinus*)—ANITA L. MICHEL 87–93
- Circulation of African horsesickness virus in zebra (*Equus burchelli*) in the Kruger National Park, South Africa, as measured by the prevalence of type specific antibodies—B.J.H. BARNARD 111–117
- Serological evidence of equine arteritis virus in donkeys in South Africa—J.T. PAWESKA and B.J.H. BARNARD 155–158
- [The molecular epidemiology of African Lyssaviruses] The rabies virus genome: an overview—N. TORDO and A. KOUKNETZOFF 263–269
- [The molecular epidemiology of African Lyssaviruses] Rabies virus antigenicity: an overview—P. COULON, F. LAFAY and A. FLAMAND 271–275
- [The molecular epidemiology of African Lyssaviruses] Taxonomy and evolutionary studies on Lyssaviruses with special reference to Africa—H. BOURHY, B. KISSI and N. TORDO 277–282
- [The molecular epidemiology of African Lyssaviruses] Monoclonal antibody studies on rabies-related viruses—A.A. KING 283–287
- [The molecular epidemiology of African Lyssaviruses] Molecular analysis of the rabies-related viruses from Ethiopia—T. MEBATSION, J.H. COX and K.K. CONZELMANN 289–294
- [The molecular epidemiology of African Lyssaviruses] Canid and viverrid rabies viruses in South Africa—A.A. KING, C.D. MEREDITH and G.R. THOMSON 295–299
- [The molecular epidemiology of African Lyssaviruses] Molecular epidemiology of rabies virus in South Africa—L.H. NEL, G.R. THOMSON and B.F. VON TEICHMAN 301–306
- [The molecular epidemiology of African Lyssaviruses] Rabies in wild and domestic carnivores of Africa: epidemiological and historical associations determined by limited sequence analysis—J.S. SMITH, P.A. YAGER and L.A. ORCIARI 307–314

[The molecular epidemiology of African Lyssaviruses] Molecular epidemiology of Lyssaviruses: focus on the glycoprotein and pseudogenes—N. TORDO, H. BADRANE, H. BOURHY and D. SACRAMENTO	315–323
[Development of bait vaccines for the control of canine rabies] Rabies eradication in Belgium by fox vaccination using vaccinia-rabies recombinant virus—B. BROCHIER and P.-P. PASTORET	469–475
Vulvovaginitis	
The identification of <i>Mycoplasma mycoides mycoides</i> LC as the aetiological agent of balanoposthitis and vulvovaginitis in sheep in South Africa—C.J.V. TRICHARD, P. JORDaan, L. PROZESKY, ELSIE P. JACOBSZ and MARIJKE M. HENTON	29–37
Wild animals	
Parasites of domestic and wild animals in South Africa. XXXII. Ixodid ticks on scrub hares in the Transvaal—I.G. HORAK, A.M. SPICKETT, L.E.O. BRAACK and B.L. PENZHORN	163–174
[The molecular epidemiology of African Lyssaviruses] Rabies in wild and domestic carnivores of Africa: epidemiological and historical associations determined by limited sequence analysis—J.S. SMITH, P.A. YAGER and L.A. ORCIARI	307–314
Wildlife	
[Rabies in wildlife] Rabies in southern Africa—R. SWANEPOEL, B.J.H. BARNARD, C.D. MEREDITH, G. BISHOP, G.K. BRÜCKNER, C.M. FOGGIN and O.J.B. HÜBSCHLE	325–346
[Rabies in wildlife] Wildlife rabies in perspective—A.I. WANDELER	347–350
[Rabies in wildlife] Rabies and wildlife: a conservation problem?—D.W. MACDONALD	351–355
[Rabies in wildlife] Current status of fox rabies in Europe—J. BARRAT and M.F.A. AUBERT	357–364
[Rabies in wildlife] Jackal rabies in Zimbabwe—J. BINGHAM and C.M. FOGGIN	365–366
[Rabies in wildlife] Biology of the black-backed jackal <i>Canis mesomelas</i> with reference to rabies—A.A. MCKENZIE	367–371
Rabies in wildlife] The role of the yellow mongoose (<i>Cynictis penicillata</i>) in the epidemiology of rabies in South Africa—preliminary results—F. CHAPARRO and J.J. ESTERHUYSEN	373–377
[Rabies in wildlife] A systematic and population genetic approach to the rabies problem in the yellow mongoose (<i>Cynictis penicillata</i>)—P.J. TAYLOR	379–387
[Rabies in wildlife] Bat-eared fox behavioural ecology and the incidence of rabies in the Serengeti National Park—B. MAAS	389–393
[Rabies in wildlife] The bat-eared fox: a prime candidate for rabies vector?—J.A.J. NEL	395–397
[Rabies in wildlife] Rabies in bat-eared foxes in South Africa—G.R. THOMSON and C.D. MEREDITH	399–403
[Rabies in wildlife] Social systems and behaviour of the African wild dog <i>Lycaon pictus</i> and the spotted hyaena <i>Crocuta crocuta</i> with special reference to rabies—M.G.L. MILLS	405–409
[Rabies in wildlife] Rabies in the Masai Mara, Keyna: preliminary report—K.A. ALEXANDER, J.S. SMITH, M.J. MACHARIA and A.A. KING	411–414
[Rabies in wildlife] Aspects of rabies infected and control in the conservation of the African wild dog (<i>Lycaon pictus</i>) in the Serengeti Region, Tanzania—S.C. GASCOYNE, A.A. KING, M.K. LAURENSEN, M. BORNER, B. SCHILDGER and J. BARRAT	415–420
Yellow mongoose	
[Rabies in wildlife] The role of the yellow mongoose (<i>Cynictis penicillata</i>) in the epidemiology of rabies in South Africa—preliminary results—F. CHAPARRO and J.J. ESTERHUYSEN	373–377
[Rabies in wildlife] A systematic and population genetic approach to the rabies problem in the yellow mongoose (<i>Cynictis penicillata</i>)—P.J. TAYLOR	379–387
Zebra	
Circulation of African horsesickness virus in zebra (<i>Equus burchelli</i>) in the Kruger National Park, South Africa, as measured by the prevalence type specific antibodies—B.J.H. BARNARD	111–117
Prevalence of antibodies against some equine viruses in zebra (<i>Equus burchelli</i>) in the Kruger National Park 1991–1992—B.J.H. BARNARD and J.T. PAWESKA	175–179