

SUBJECT INDEX

	Volume	Page
Acarina		
Paralysis of laboratory rabbits by nymphae of <i>Ixodes rubicundus</i> , Neumann 1904 (Acarina: Ixodidae) and some effects on the life-cycle following feeding under different temperature conditions A. M. SPICKETT, E. G. R. ELLIOTT, HELOISE HEINE and J. A. NESER	56	59-62
Active immunity		
The effect of passive immunization on active immunity against <i>Clostridium perfringens</i> type D in lambs. M. W. ODENDAAL, J. J. VISSER, N. BERGH and W. J. S. BOTHA	56	251-255
Angora goats		
Helminth parasites of grysbok, common duikers and Angora and Boer goats in the Valley Bushveld in the eastern Cape Province. J. BOOMKER, I. G. HORAK and K. M. DE F. MAC IVOR.....	56	165-172
Anthelmintics		
The problem of escalating resistance of <i>Haemonchus contortus</i> to the modern anthelmintics in South Africa. J. A. VAN WYK, F. S. MALAN, H. M. GERBER and REGINA M. R. ALVES	56	41-49
South African field strains of <i>Haemonchus contortus</i> resistant to the levamisole/morantel group of anthelmintics. J. A. VAN WYK, P. C. VAN SCHALKWYK, H. M. GERBER, EVELYN, L. VISSER, REGINA M. R. ALVES and L. VAN SCHALKWYK	56	257-262
Arthropod parasites		
Parasites of domestic and wild animals in South Africa. XXIV. Arthropod parasites of bushbuck and common duiker in the Weza State Forest, Natal. I. G. HORAK, M. E. KEEP, A. M. SPICKETT and J. BOOMKER	56	63-66
Babesia caballi		
The fine structure of developmental stages of <i>Babesia caballi</i> in the salivary glands of <i>Hyalomma truncatum</i> , E. F. BLOUIN and D. T. DE WAAL	56	189-193
Batracobdelloides tricarinata		
The leech <i>Batracobdelloides tricarinata</i> (Blanchard, 1897) (Hirundinea: Glossiphoniidae) as a possible reservoir of the rainbow trout pathogenic <i>Streptococcus</i> species. R. R. BRAGG, J. H. OOSTHUIZEN and SIRLEY M. LORDAN.....	56	203-204
Blindness		
The pathology of blindness in new-born calves by hypovitaminosis. A. J. J. VAN DER LUGT and L. PROZESKY ...	56	99-109
Blue wildebeest		
Afrotropical <i>Culicoides</i> : a redescription of <i>C. (Avaritia) imicola</i> Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied <i>C. (A) bolitinos</i> sp. nov. reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL.....	56	23-39
Boer goats		
Helminth parasites of grysbok, common duikers and Angora and Boer goats in the Valley Bushveld in the eastern Cape Province. J. BOOMKER, I. G. HORAK and K. M. DE F. MAC IVOR.....	56	165-172
Bonsmara		
Resistance of Nguni, Bonsmara and Hereford cattle to ticks in a Bushveld region of South Africa. A. M. SPICKETT, D. DE KLERK, C. B. ENSLIN and M. M. SCHOLTZ	56	245-250
Bovine leptospirosis		
Serological evidence of bovine leptospirosis in Malawi. J. G. MYBURGH, G. P. STALEY and SANETTE M. VAN DER MERWE	56	285-286
Bovine pleuropneumonia		
An outbreak of contagious bovine pleuropneumonia in the Owambo Mangetti area of South West Africa/Namibia: microbiological, immunofluorescent, pathological and serological findings. C. J. V. TRICHARD, P. A. BASSON, J. J. VAN DER LUGT and ELSIE P. JACOBSZ.....	56	277-284
Buffalo		
Afrotropical <i>Culicoides</i> : a redescription of <i>C. (Avaritia) imicola</i> Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied <i>C. (A) bolitinos</i> sp. nov. reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL.....	56	23-39
Bushbuck		
Parasites of domestic and wild animals in South Africa. XXIV. Arthropod parasites of bushbuck and common duiker in the Weza State Forest, Natal. I. G. HORAK, M. E. KEEP, A. M. SPICKETT and J. BOOMKER.....	56	63-66
Calves		
The pathology of blindness in new-born calves caused by hypovitaminosis. A. J. J. VAN DER LUGT and L. PROZESKY	56	99-109

	Volume	Page
Campylobacter species		
The use of cephalothin and triphenyltertrazolium chloride impregnated filter paper strips in the identification of <i>Campylobacter</i> species. S. M. PEFANIS, CATHARINA G. VENTER and S. HERR	56	143-144
Canis familiaris		
Studies of encephalitozoonosis in vervet monkeys (<i>Cercopithecus pygerythrus</i>) orally inoculated with spores of <i>Encephalitozoon cuniculi</i> isolated from dogs (<i>Canis familiaris</i>). A. F. VAN DELLEN, C. G. STEWART and W. S. BOTHA	56	1-22
Cardiotoxicosis		
Clinical pathological changes in gousiekte, a plant-induced cardiotoxicosis of ruminants. N. FOURIE, R. ANITRA SCHULTZ, L. PROZESKY, T. S. KELLERMAN and LEONIE LABUSCHAGNE.....	56	73-80
Carp		
Some observations on the narcotizing ability of electric currents on the common carp <i>Cyprinus carpio</i> . W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER.....	56	215-218
Catarrhal fever		
Epizootology of wildebeest-derived malignant catarrhal fever in an outbreak in the north-western Transvaal: Indications of an intermediate host. B. J. H. BARNARD, H. E. VAN DE PYPEKAMP and MONICA D. GRIESSEL	56	135-139
Cattle		
Afrotropical <i>Culicoides</i> : a redescription of <i>C. (Avaritia) imicola</i> Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied <i>C. (A) bolitinos</i> sp. nov. reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL.....	56	23-39
The relationship between selenium deficiency and the development of pulmonary and subcutaneous emphysema in bovine ephemeral fever virus-infected cattle. G. O. ODIAWO	56	123-125
Serological evidence of Q fever in cattle in Malawi. G. P. STALEY, J. G. MYBURGH and F. CHAPARRO	56	205-206
Resistance of Nguni, Bonsmara and Hereford cattle to ticks in a Bushveld region of South Africa. A. M. SPICKETT, D. DE KLERK, C. B. ENSLIN and M. M. SCHOLTZ	56	245-250
Cephalothin		
The use of cephalothin and triphenyltetrazolium chloride impregnated filter paper strips in the identification of <i>Campylobacter</i> species. S. M. PEFANIS, CATHARINA G. VENTER and S. HERR.....	56	143-144
Ceratopogonidae		
Afrotropical <i>Culicoides</i> : A redescription of <i>C. (Avaritia) imicola</i> Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied <i>C. (A) bolitinos</i> sp. nov. reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL.....	56	23-39
An early record of <i>Culicoides</i> species (Diptera: Ceratopogonidae) developing in the dung of game animals in southern Africa: A. L. DYCE and B. D. MARSHALL	56	85-86
Afrotropical <i>Culicoides</i> : <i>Synhelea</i> Kieffer, 1925, resurrected as subgenus to embrace 10 species (Diptera: Ceratopogonidae). R. MEISWINKEL and A. L. DYCE	56	147-163
Seasonal abundance and parity of <i>Culicoides</i> biting midges associated with livestock at Roma, Lesotho (Diptera: Ceratopogonidae). G. J. VENTER and G. K. SWEATMAN	56	173-177
Afrotropical <i>Culicoides</i> : <i>C. (Avaritia) spinifer</i> Khamala & Kettle, 1971, a name based on an artifact (Diptera: Ceratopogonidae). R. MEISWINKEL	56	287-288
Cercopithecus albogularis		
The structure of the shell and polar plugs of the egg of the whipworm, <i>Trichuris trichiura</i> (Nematoda: Trichiuridae) from the Samango monkey (<i>Cercopithecus albogularis</i>). C. C. APPLETON and J. WHITE	56	219-221
Cercopithecus pygerythrus		
Studies of encephalitozoonosis in vervet monkeys (<i>Cercopithecus pygerythrus</i>) orally inoculated with spores of <i>Encephalitozoon cuniculi</i> isolated from dogs (<i>Canis familiaris</i>). A. F. VAN DELLEN, C. G. STEWART and W. S. BOTHA	56	1-22
Cichlid		
The use of electronarcosis as anaesthetic in the cichlid, <i>Oreochromis mossambicus</i> (Peters). III. The effects of changing physical and electric parameters on the narcotizing ability of half-wave rectified currents. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	67-71
Citrobacter		
The biochemical differentiation between <i>Salmonella</i> and <i>Citrobacter</i> . MARTHA L. VANDER WALT and HELENA C. STEYN.....	56	263-269
Clostridium perfringens type D		
The effect of passive immunization on active immunity against <i>Clostridium perfringens</i> type D in lambs. M. W. ODENDAAL, J. J. VISSER, N. BERGH and W. J. S. BOTHA.....	56	251-255
Connochaetes taurinus		
Excretion of acclaphine herpesvirus-1 by captive and free-living wildebeest (<i>Connochaetes taurinus</i>). B. J. H. BARNARD, R. G. BENGIS, MONICA D. GRIESSEL and V. DE VOS.....	56	131-134
Cowdria ruminantium		
The isolation of nucleic acid sequences specific for <i>Cowdria ruminantium</i> . S. C. WILKINS and R. E. AMBROSIO ..	56	127-129
Immunity of tick-exposed seronegative and seropositive small stock challenged with two stocks of <i>Cowdria ruminantium</i> . J. L. DU PLESSIS and L. VAN GAS	56	185-188

	Volume	Page
The heterogenicity of <i>Cowdria ruminantium</i> stocks: cross-immunity and serology in sheep and pathogenicity to mice. J. L. DU PLESSIS, L. VAN GAS, J. A. OLIVIER and J. D. BEZUIDENHOUT	56	195–201
Culicoides		
Afrotropical <i>Culicoides</i> : a redescription of <i>C. (Avaritia) imicola</i> Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied <i>C. (A) bolitinos</i> sp. nov. reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL.....	56	23–39
An early record of <i>Culicoides</i> species (Diptera: Ceratopogonidae) developing in the dung of game animals in southern Africa. A. L. DYCE and B. D. MARSHALL	56	85–86
Afrotropical <i>Culicoides</i> : <i>Synhelea</i> Kieffer, 1925, resurrected as subgenus to embrace 10 species (Diptera: Ceratopogonidae). R. MEISWINKEL and A. L. DYCE.....	56	147–163
Seasonal abundance and parity of <i>Culicoides</i> biting midges associated with livestock at Roma, Lesotho (Diptera: Ceratopogonidae). G. J. VENTER and G. K. SWEATMAN	56	173–177
Afrotropical <i>Culicoides</i> : <i>C. (Avaritia) spinifer</i> Khamala & Kettle, 1971, a name based on an artifact (Diptera: Ceratopogonidae). R. MEISWINKEL	56	287–288
Culicoides (Avaritia) bolitinos		
Afrotropical <i>Culicoides</i> : a redescription of <i>C. (Avaritia) imicola</i> Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied <i>C. (A) bolitinos</i> sp. nov. reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL.....	56	23–39
Culicoides (Avaritia) micola		
Afrotropical <i>Culicoides</i> : a redescription of <i>C. (Avaritia) imicola</i> Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied <i>C. (A) bolitinos</i> sp. nov. reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL.....	56	23–39
Culicoides (Avaritia) spinifer		
Afrotropical <i>Culicoides</i> : <i>C. (Avaritia) spinifer</i> Khamala & Kettle, 1971, a name based on an artifact (Diptera: Ceratopogonidae). R. MEISWINKEL	56	287–288
Cyprinus carpio		
Some observations on the narcotizing ability of electric currents on the common carp <i>Cyprinus carpio</i> . W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	215–218
Diptera		
Afrotropical <i>Culicoides</i> : a redescription of <i>C. (Avaritia) imicola</i> Kieffer, 1913 (Diptera: Ceratopogonidae) with description of the closely allied <i>C. (A) bolitinos</i> sp. nov. reared from the dung of the African buffalo, blue wildebeest and cattle in South Africa. R. MEISWINKEL.....	56	23–39
An early record of <i>Culicoides</i> species (Diptera: Ceratopogonidae) developing in the dung of game animals in southern Africa. A. L. DYCE and B. D. MARSHALL	56	58–86
Afrotropical <i>Culicoides</i> : <i>Synhelea</i> Kieffer, 1925, resurrected as subgenus to embrace 10 species (Diptera: Ceratopogonidae). R. MEISWINKEL and A. L. DYCE.....	56	147–163
Seasonal abundance and parity of <i>Culicoides</i> biting midges associated with livestock at Roma, Lesotho (Diptera: Ceratopogonidae). G. J. VENTER and G. K. SWEATMAN	56	173–177
Afrotropical <i>Culicoides</i> : <i>C. (Avaritia) spinifer</i> Khamala & Kettle, 1971, a name based on an artifact (Diptera: Ceratopogonidae). R. MEISWINKEL	56	287–288
Dogs		
Studies of encephalitozoonosis in vervet monkeys (<i>Cercopithecus pygerythrus</i>) orally inoculated with spores of <i>Encephalitozoon cuniculi</i> isolated from dogs (<i>Canis familiaris</i>). A. F. VAN DELLEN, C. G. STEWART and W. S. BOTHA.....	56	1–22
Domestic animals		
Parasites of domestic and wild animals in South Africa. XXIV. Arthropod parasites of bushbuck and common duiker in the Weza State Forest, Natal. I. G. HORAK, M. E. KEEP, A. M. SPICKETT and J. BOOMKER	56	63–66
Duikers		
Parasites of domestic and wild animals in South Africa. XXIV. Arthropod parasites of bushbuck and common duiker in the Weza State Forest, Natal. I. G. HORAK, M. E. KEEP, A. M. SPICKETT and J. BOOMKER	56	63–66
Helminth parasites of grysbok, common duikers and Angora and Boer goats in the Valley Bushveld in the eastern Cape Province. J. BOOMKER, I. G. HORAK and K. M. DE F. MAC IVOR.....	56	165–172
Eggs		
The structure of the shell and polar plugs of the eggs of the whipworm, <i>Trichuris trichiura</i> (Nematoda: Trichiuridae) from the Samango monkey (<i>Cercopithecus albogularis</i>). C. C. APPLETON and J. WHITE	56	219–221
Electric currents		
Some observations on the narcotizing ability of electric currents on the common carp <i>Cyprinus carpio</i> . W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	215–218

	Volume	Page
Electronarcosis		
The use of electronarcosis as anaesthetic in the cichlid, <i>Oreochromis mossambicus</i> (Peters). III. The effects of changing physical and electrical parameters on the narcotizing ability of half-wave rectified currents. W. T. BARHAM, H. J. SCOONBEE and J. G. J. VISSER	56	67-71
Emphysema		
The relationship between selenium deficiency and the development of pulmonary and subcutaneous emphysema in bovine ephemeral fever virus-infected cattle. G. O. ODIAWO	56	123-125
Encephalitozoon cuniculi		
Studies of encephalitozoonosis in vervet monkeys (<i>Cercopithecus pygerythrus</i>) orally inoculated with spores of <i>Encephalitozoon cuniculi</i> isolated from dogs (<i>Canis familiaris</i>). A. F. VAN DELLEN, C. G. STEWART and W. S. BOTHA.....	56	1-22
Encephalitozoonosis		
Studies of encephalitozoonosis in vervet monkeys (<i>Cercopithecus pygerythrus</i>) orally inoculated with spores of <i>Encephalitozoon cuniculi</i> isolated from dogs (<i>Canis familiaris</i>). A. F. VAN DELLEN, C. G. STEWART and W. S. BOTHA.....	56	1-22
Endotoxin		
Adverse effects of a proposed equine sublethal endotoxin model. P. STADLER and S. R. VAN AMSTEL	56	207-209
Ephemeral fever virus		
The relationship between selenium deficiency and the development of pulmonary and subcutaneous emphysema in bovine ephemeral fever virus-infected cattle. G. O. ODIAWO	56	123-125
Epizootology of catarrhal fever		
Epizootology of wildebeest-derived malignant catarrhal fever in an outbreak in the north-western Transvaal: Indications of an intermediate host. B. J. H. BARNARD, H. E. VANDE PYPEKAMP and MONICA D. GRIESEL	56	135-139
Equine sublethal endotoxin model		
Adverse effects of a proposed equine sublethal endotoxin model. P. STADLER and S. R. VAN AMSTEL	56	207-209
Equisetum ramosissimum		
Thiaminase activities and thiamine content of <i>Pteridium aquilinum</i> , <i>Equisetum ramosissimum</i> , <i>Malva parviflora</i> , <i>Pennisetum clandestinum</i> and <i>Medicago sativa</i> . P. MEYER.....	56	145-146
Filter paper strips		
The use of cephalothin and triphenyltetrazolium chloride impregnated filter paper strips in the identification of <i>Campylobacter</i> species. S. M. PEFANIS, CATHARINA G. VENTER and S. HERR.....	56	143-144
Game animals		
An early record of <i>Culicoides</i> species (Diptera: Ceratopogonidae) developing in the dung of game animals in southern Africa. A. L. DYCE and B. D. MARSHALL	56	85-86
Gastropoda		
Geographical distribution and habitat preferences of the invader freshwater snail species <i>Lymnaea columella</i> (Mollusca: Gastropoda) in South Africa. K. N. DE KOCK, P. H. JOUBERT and S. J. PRETORIUS	56	271-275
Glossiphoniidae		
The leech <i>Batrachobdelloides tricarinata</i> (Blanchard, 1897) (Hirudinea: Glossiphoniidae) as a possible reservoir of the rainbow trout pathogenic <i>Streptococcus</i> species. R. R. BRAGG, J. H. OOSTHUIZEN and SHIRLEY M. LORDAN.....	56	203-204
Glucose-P-isomerase isoenzymes		
Hybridization model for <i>Rhipicephalis appendiculatus</i> and <i>R. zambeziensis</i> by glucose-P-isomerase isoenzymes. G. WOUTERS.....	56	235-238
Gousiekte		
Clinical pathological changes in gousiekte, a plant-induced cardiotoxicosis of ruminants. N. FOURIE, R. ANITRA SCHULTZ, L. PROZESKY, T. S. KELLERMAN and LEONIE LABUSCHAGNE	56	73-80
Grysbok		
Helminth parasites of grysbok, common duikers and Angora and Boer goats in the Valley Bushveld in the eastern Cape Province. J. BOOMKER, I. G. HORAK and K. M. DE F. MAC IVOR.....	56	165-172
Habitat preferences of snail		
Geographical distribution and habitat preferences of the invader freshwater snail species <i>Lymnaea columella</i> (Mollusca: Gastropoda) in South Africa. K. N. DE KOCK, P. H. JOUBERT and S. J. PRETORIUS	56	271-275
Haemonchus contortus		
The problem of escalating resistance of <i>Haemonchus contortus</i> to the modern anthelmintics in South Africa. J. A. VAN WYK, F. S. MALAN, H. M. GERBER and REGINA M. R. ALVES	56	41-49

	Volume	Page
South African field strains of <i>Haemonchus contortus</i> resistant to the levamisole/morantel group of anthelmintics. J. A. VAN WYK, P. C. VAN SCHALKWYK, H. M. GERBER, EVELYN L. VISSER, REGINA M. R. ALVES and L. VAN SCHALKWYK	56	257-262
Half-wave currents		
The use of electronarcosis as anaesthetic in the cichlid, <i>Oreochromis mossambicus</i> (Peters). III. The effects of changing physical and electrical parameters on the narcotizing ability of half-wave rectified currents. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER.....	56	67-71
Heartwater		
The host status of the striped mouse, <i>Rhabdomys pumilio</i> in relation to the tick vectors of heartwater in South Africa. D. J. HOWELL, T. N. PETNEY and I. G. HORAK.....	56	289-291
Helminths		
Parasites of South African wildlife. III. Helminths of common reedbeek, <i>Redunca arundinum</i> , in Natal. J. BOOMKER, I. G. HORAK, J. R. B. FLAMAND and M. E. KEEP.....	56	51-57
Parasites of South African wildlife. IV. Helminths of kudu, <i>Tragelaphus strepsiceros</i> , in the Kruger National Park. J. BOOMKER, I. G. HORAK and V. DE VOS	56	111-121
Helminth parasites of grysbok, common duikers and Angora and Boer goats in the Valley Bushveld in the eastern Cape Province. J. BOOMKER, I. G. HORAK and K. M. DE F. MAC IVOR.....	56	165-172
Hereford		
Resistance of Nguni, Bonsmara and Hereford cattle to ticks in a Bushveld region of South Africa. A. M. SPICKETT, D. DE KLERK, C. B. ENSLIN and M. M. SCHOLTZ	56	245-250
Herpesvirus-1		
Excretion of alcelaphine herpesvirus-1 by captive and free-living wildebeest (<i>Connochaetes taurinus</i>). B. J. H. BARNARD, R. G. BENGIS, MONICA D. GRIESEL and V. DE VOS	56	131-134
Hirudinea		
The leech <i>Batrachobdelloides tricarinata</i> (Blanchard, 1897) (Hirudinea: Glossiphoniidae) as a possible reservoir of the rainbow trout pathogenic <i>Streptococcus</i> species. R. R. BRAGG, J. H. OOSTHUIZEN and SHIRLEY M. LORDAN	56	203-204
Hyalomma truncatum		
The fine structure of developmental stages of <i>Babesia caballi</i> in the salivary glands of <i>Hyalomma truncatum</i> . E. F. BLOUIN and D. T. DE WAAL	56	189-193
Hybridization model		
Hybridization model for <i>Rhipicephalis appendiculatus</i> and <i>R. zambeziensis</i> by glucose-P-isomerase isoenzymes. G. WOUTERS.....	56	235-238
Hypovitaminosis		
The pathology of blindness in new-born calves caused by hypovitaminosis. A. J. J. VAN DER LUGT and L. PROZESKY	56	99-109
Immunity of small stock		
Immunity of tick-exposed seronegative and seropositive small stock challenged with two stocks of <i>Cowdria ruminantium</i> . J. L. DU PLESSIS and L. VAN GAS	56	185-188
Infection rates		
Comparative infection rates of <i>Theileria parva lawrencei</i> in salivary glands of <i>Rhipicephalus appendiculatus</i> and <i>Rhipicephalus zambeziensis</i> . E. F. BLOUIN and W. H. STOLTZ.....	56	211-213
Intermediate hosts		
Epizootology of wildebeest-derived malignant catarrhal fever in an outbreak in the northwestern Transvaal: Indications of an intermediate host. B. J. H. BARNARD, H. E. VAN DE PYPEKAMP and MONICA D. GRIESEL.....	56	135-139
Isoenzymes		
Hybridization model for <i>Rhipicephalis appendiculatus</i> and <i>R. zambeziensis</i> by glucose-P-isomerase isoenzymes. G. WOUTERS.....	56	235-238
Ixodes rubicundus		
Paralysis of laboratory rabbits by nymphae of <i>Ixodes rubicundus</i> , Neumann 1904 (Acarina: Ixodidae) and some effects on the life-cycle following feeding under different temperature conditions. A. M. SPICKETT, E. G. R. ELLIOTT, HELOISE HEINE and J. A. NESER.....	56	59-62
Ixodidae		
Paralysis of laboratory rabbits by nymphae of <i>Ixodes rubicundus</i> , Neumann 1904 (Acarina: Ixodidae) and some effects on the life-cycle following feeding under different temperature conditions. A. M. SPICKETT, E. G. R. ELLIOTT, HELOISE HEINE and J. A. NESER	56	59-62
Kikuyu		
Availability of infective larvae of parasitic nematodes of sheep grazing on kikuyu (<i>Pennisetum clandestinum</i>) pastures in the winter rainfall area. R. K. REINECKE, R. KIRKPATRICK, ANNA M. D. KRIEL and F. FRANK	56	223-234

	Volume	Page
Kudu		
Parasites of South African wildlife. IV. Helminths of kudu, <i>Tragelaphus strepsiceros</i> , in the Kruger National Park. J. BOOMKER, I. G. HORAK and V. DE VOS.....	56	111–121
Lambs		
Overberg Research Projects. IV. The development of resistance to <i>Nematodirus</i> in lambs and spontaneous cure of <i>Teladorsagia</i> in weaners. R. K. REINECKE	56	81–84
The effect of passive immunization on active immunity against <i>Clostridium perfringens</i> type D in lambs. M. W. ODENDAAL, J. J. VISSER, N. BERGH and W. J. S. BOTHA.....	56	251–255
Larvae		
Availability of infective larvae of parasitic nematodes of sheep grazing on kikuyu (<i>Pennisetum clandestinum</i>) pastures in the winter rainfall area. R. K. REINECKE, R. KIRKPATRICK, ANNA M. D. KRIEL and F. FRANK	56	223–234
Leech		
The leech <i>Batrachobdelloides tricarinata</i> (Blanchard, 1897) (Hirudinea: Glossiphoniidae) as a possible reservoir of the rainbow trout pathogenic <i>Streptococcus</i> species. R. R. BRAGG, J. H. OOSTHUIZEN and SHIRLEY M. LORDAN	56	203–204
Leptospirosis		
Serological evidence of bovine leptospirosis in Malawi. J. G. MYBURGH, G. P. STALEY and SANETTE M. VAN DER MERWE	56	285–286
Levamisole		
South African field strains of <i>Haemonchus contortus</i> resistant to the levamisole/morantel group of anthelmintics. J. A. VAN WYK P. C. VAN SCHALKWYK, H. M. GERBER, EVELYN L. VISSER, REGINA M. R. ALVES and L. VAN SCHALKWYK	56	257–262
Livestock		
Seasonal abundance and parity of <i>Culicoides</i> biting midges associated with livestock at Roma, Lesotho (Diptera: Ceratopogonidae). G. J. VENTER and G. K. SWEATMAN	56	173–177
Lymnaea columella		
Geographical distribution and habitat preferences of the invader freshwater snail species <i>Lymnaea columella</i> (Mollusca: Gastropoda) in South Africa. K. N. DE KOCK, P. H. JOUBERT and S. J. PRETORIUS.....	56	271–275
Malawi		
Serological evidence of bovine leptospirosis in Malawi. J. G. MYBURGH, G. P. STALEY and SANETTE M. VAN DER MERWE	56	285–286
Malva parviflora		
Thiaminase activities and thiamine content of <i>Pteridium aquilinum</i> , <i>Equisetum ramosissimum</i> , <i>Malva parviflora</i> , <i>Pennisetum clandestinum</i> and <i>Medicago sativa</i> . P. MEYER.....	56	145–146
Medicago sativa		
Thiaminase activities and thiamine content of <i>Pteridium aquilinum</i> , <i>Equisetum ramosissimum</i> , <i>Malva parviflora</i> , <i>Pennisetum clandestinum</i> and <i>Medicago sativa</i> . P. MEYER.....	56	145–146
Mice		
The heterogeneity of <i>Cowdria ruminantium</i> stocks: cross-immunity and serology in sheep and pathogenicity in mice. J. L. DU PLESSIS, L. VAN GAS, J. A. OLIVIER and J. D. BEZUIDENHOUT	56	195–201
Midges		
Seasonal abundance and parity of <i>Culicoides</i> biting midges associated with livestock at Roma, Lesotho (Diptera: Ceratopogonidae). G. J. VENTER and G. K. SWEATMAN	56	173–177
Mollusca		
Geographical distribution and habitat preferences of the invader freshwater snail species <i>Lymnaea columella</i> (Mollusca: Gastropoda) in South Africa. K. N. DE KOCK, P. H. JOUBERT and S. J. PRETORIUS.....	56	271–275
Morantel		
South African field strains of <i>Haemonchus contortus</i> resistant to the levamisole/morantel group of anthelmintics. J. A. VAN WYK, P. C. VAN SCHALKWYK, H. M. GERBER, EVELYN L. VISSER, REGINA M. R. ALVES and L. VAN SCHALKWYK	56	257–262
Mouse		
The host status of striped mouse, <i>Rhabdomys pumilio</i> in relation to the tick vectors of heartwater in South Africa. D. J. HOWELL, T. N. PETNEY and I. G. HORAK.....	56	289–291
Narcotizing ability		
The use of electronarcosis as anaesthetic in the cichlid, <i>Oreochromis mossambicus</i> (Peters). III. The effects of changing physical and electrical parameters on the narcotizing ability of half-wave rectified currents. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	67–71
Some observations on the narcotizing ability of electric currents on the common carp <i>Cyprinus carpio</i> . W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	215–218
Nematoda		
The structure of the shell and polar plugs of the egg of the whipworm, <i>Trichuris trichiura</i> (Nematoda: Trichiuriidae) from the Samango monkey (<i>Cercopithecus albogularis</i>). C. C. APPLETON and J. WHITE	56	219–221

	Volume	Page
Nematodes		
Availability of infective larvae of parasitic nematodes of sheep grazing on kikuyu (<i>Pennisetum clandestinum</i>) pastures in the winter rainfall area. R. K. REINECKE, R. KIRKPATRIC, ANNA M. D. KRIEL and F. FRANK.....	56	223-234
Nematodirus		
Overberg Research Projects. IV. The development of resistance to <i>Nematodirus</i> in lambs and spontaneous cure of <i>Teladorsagia</i> in weaners. R. K. REINECKE	56	81-84
Nematodirus abnormalis		
<i>Nematodirus abnormalis</i> (May, 1920) in sheep in the south-western part of the Cape Province. J. P. LOUW	56	141-142
Nguni		
Thiaminase activities and thiamine content of <i>Pteridium aquilinum</i> , <i>Equisetum ramosissimum</i> , <i>Malva parviflora</i> , <i>Pennisetum clandestinum</i> and <i>Medicago sativa</i> . P. MEYER.....	56	145-146
Nucleic acid		
The isolation of nucleic acid sequences specific for <i>Cowdria ruminantium</i> . S. C. WILKINS and R. E. AMBROSIO ..	56	127-129
Nymphae		
Paralysis of laboratory rabbits by nymphae of <i>Ixodes rubicundus</i> , Neumann 1904 (Acarina: Ixodidae) and some effects on the life-cycle following feeding under different temperature conditions. A. M. SPICKETT, E. G. R. ELLIOTT, HELOISE HEINE and J. A. NESER	56	59-62
Oestrus ovis		
Overberg research projects. VI. The biology and control of <i>Oestrus ovis</i> in sheep in the winter rainfall areas of the southern Cape. J. P. LOUW	56	239-244
Oreochromis mossambicus		
The use of electronarcosis as anaesthetic in the cichlid, <i>Oreochromis mossambicus</i> (Peters). III. The effects of changing physical and electrical parameters on the narcotizing ability of half-wave rectified currents. W. T. BARHAM, H. J. SCHOONBEE and J. G. J. VISSER	56	67-71
Overberg research projects		
Overberg Research Projects. IV. The development of resistance to <i>Nematodirus</i> in lambs and spontaneous cure of <i>Teladorsagia</i> in weaners. R. K. REINECKE	56	81-84
Overberg research projects. VI. The biology and control of <i>Oestrus ovis</i> in sheep in the winter rainfall areas of the southern Cape. J. P. LOUW	56	239-244
Owambo Mangetti area		
An outbreak of contagious bovine pleuropneumonia in the Owambo Mangetti area of South West Africa/Namibia: microbiological, immunofluorescent, pathological and serological findings. C. J. V. TRICHARD, P. A. BASSON, J. J. VAN DER LUGT and ELSIE P. JACOBSZ	56	277-284
Paralysis		
Paralysis of laboratory rabbits by nymphae of <i>Ixodes rubicundus</i> , Neumann 1904 (Acarina: Ixodidae) and some effects on the life-cycle following feeding under different temperature conditions. A. M. SPICKETT, E. G. R. ELLIOTT, HELOISE HEINE and J. A. NESER	56	59-62
Parasites		
Parasites of South African wildlife. III. Helminths of common reedbuck, <i>Redunca arundinum</i> , in Natal. J. BOOMKER, I. G. HORAK, J. R. B. FLAMAND and M. E. KEEP	56	51-57
Parasites of domestic and wild animals in South Africa. XXIV. Arthropod parasites of bushbuck and common duiker in the Weza State Forest, Natal. I. G. HORAK, M. E. KEEP, A. M. SPICKETT and J. BOOMKER	56	63-66
Parasites of South African wildlife. IV. Helminths kudu, <i>Tragelaphus strepsiceros</i> , in the Kruger National Park. J. BOOMKER, I. G. HORAK and V. DE VOS	56	111-121
Passive immunization		
The effect of passive immunization on active immunity against <i>Clostridium perfringens</i> type D in lambs. M. W. ODENDAAL, J. J. VISSER, N. BERGH and W. J. S. BOTHA.....	56	251-255
Pennisetum clandestinum		
Thiaminase activities and thiamine content of <i>Pteridium aquilinum</i> , <i>Equisetum ramosissimum</i> , <i>Malva parviflora</i> , <i>Pennisetum clandestinum</i> and <i>Medicago sativa</i> . P. MEYER.....	56	145-146
Availability of infective larvae of parasitic nematodes of sheep grazing on kikuyu (<i>Pennisetum clandestinum</i>) pastures in the winter rainfall area. R. K. REINECKE, R. KIRKPATRIC, ANNA M. D. KRIEL and F. FRANK.....	56	223-234
Pleuropneumonia		
An outbreak of contagious bovine pleuropneumonia in the Owambo Mangetti area of South West Africa/Namibia; microbiological, immunofluorescent, pathological and serological findings. C. J. V. TRICHARD, P. A. BASSON, J. J. VAN DER LUGT and ELSIE P. JACOBSZ	56	277-284

	Volume	Page
Polar plugs		
The structure of the shell and polar plugs of the egg of the whipworm, <i>Trichuris trichiura</i> (Nematoda: Trichiuridae) from the Samango monkey (<i>Cercopithecus albogularis</i>). C. C. APPLETON and J. WHITE	56	219–221
Pteridium aquilinum		
Thiaminase activities and thiamine content of <i>Pteridium aquilinum</i> , <i>Equisetum ramosissimum</i> , <i>Malva parviflora</i> , <i>Pennisetum clandestinum</i> and <i>Medicago sativa</i> . P. MEYER	56	145–146
Q fever		
Scrological evidence of Q fever in cattle in Malawi. G. P. STALEY, J. G. MYBURGH and F. CHAPARRO	56	205–206
Rabbits		
Paralysis of laboratory rabbits by nymphae of <i>Ixodes rubicundus</i> , Neumann 1904 (Acarina: Ixodidae) and some effects on the life-cycle following feeding under different temperature conditions. A. M. SPICKETT, E. G. R. ELLIOTT, HELOISE HEINE and J. A. NESER	56	59–62
Rainbow trout		
A selective procedure for the field isolation of pathogenic <i>Streptococcus</i> spp. of rainbow trout (<i>Salmo gairdneri</i>). R. R. BRAGG, JACQUELINE M. TODD, SHIRLEY M. LORDAN and MARIANNE E. COMBRINK	56	179–184
The leech <i>Batrachobdelloides tricarinata</i> (Blanchard, 1897) (Hirudinea: Glossiphoniidae) as a possible reservoir of the rainbow trout pathogenic <i>Streptococcus</i> species. R. R. BRAGG, J. H. OOSTHUIZEN and SHIRLEY M. LORDAN	56	203–204
Redunca arundinum		
Parasites of South African wildlife. III. Helminths of common reedbuck, <i>Redunca arundinum</i> , in Natal. J. BOOMKER, I. G. HORAK, J. R. B. FLAMAND and M. E. KEEP	56	51–57
Reedbuck		
Parasites of South African wildlife. III. Helminths of common reedbuck, <i>Redunca arundinum</i> , in Natal. J. BOOMKER, I. G. HORAK, J. R. B. FLAMAND and M. E. KEEP	56	51–57
Resistance to anthelmintics		
The problem of escalating resistance of <i>Haemonchus contortus</i> to the modern anthelmintics in South Africa. J. A. VAN WYK, F. S. MALAN, H. M. GERBER and REGINA M. R. ALVES	56	41–49
Rhabdomys pumilio		
The host status of the striped mouse. <i>Rhabdomys pumilio</i> in relation to the tick vectors of heartwater in South Africa. D. J. HOWELL, T. N. PETNEY and I. G. HORAK	56	289–291
Rhinotracheitis		
The isolation and attenuation of a virus causing rhinotracheitis in turkeys in South Africa. S. B. BUYS, J. H. DU PREEZ and H. J. ELS	56	87–98
Rhipicephalus appendiculatus		
Comparative infection rates of <i>Theileria parva lawrencei</i> in salivary glands of <i>Rhipicephalus appendiculatus</i> and <i>Rhipicephalus zambeziensis</i> . E. F. BLOUIN and W. H. STOLTZ	56	211–213
Hybridization model for <i>Rhipicephalis appendiculatus</i> and <i>R. zambeziensis</i> by glucose-P-isomerase isoenzymes. G. WOUTERS	56	235–238
Rhipicephalus zambeziensis		
Comparative infection rates of <i>Theileria parva lawrencei</i> in salivary glands of <i>Rhipicephalus appendiculatus</i> and <i>Rhipicephalus zambeziensis</i> . E. F. BLOUIN and W. H. STOLTZ	56	211–213
Hybridization model for <i>Rhipicephalis appendiculatus</i> and <i>R. zambeziensis</i> by glucose-P-isomerase isoenzymes. G. WOUTERS	56	235–238
Ruminants		
Clinical pathological changes in gousiekte, a plant-induced cardiotoxicosis of ruminants. N. FOURIE, R. ANITRA SCHULTZ, L. PROZESKY, T. S. KELLERMAN and LEONIE LABUSCHAGNE	56	73–80
Salivary glands		
The fine structure of developmental stages of <i>Babesia caballi</i> in the salivary glands of <i>Hyalomma truncatum</i> . E. F. BLOUIN and D. T. DE WAAL	56	189–193
Comparative infection rates of <i>Theileria parva lawrencei</i> in salivary glands of <i>Rhipicephalus appendiculatus</i> and <i>Rhipicephalus zambeziensis</i> . E. F. BLOUIN and W. H. STOLTZ	56	211–213
Salmo gairdneri		
A selective procedure for the field isolation of pathogenic <i>Streptococcus</i> spp. of rainbow trout (<i>Salmo gairdneri</i>). R. R. BRAGG, JACQUELINE M. TODD, SHIRLEY M. LORDAN and MARIANNE E. COMBRINK	56	179–184
Salmonella		
The biochemical differentiation between <i>Salmonella</i> and <i>Citrobacter</i> . MARTHA L. VAN DER WALT and HELENA C. STEYN	56	263–269

	Volume	Page
Samango monkey		
The structure of the shell and polar plugs of the egg of the whipworm, <i>Trichuris trichiura</i> (Nematoda: Trichiuridae) from the Samango monkey (<i>Cercopithecus albogularis</i>). C. C. APPLETON and J. WHITE	56	219-221
Selenium deficiency		
The relationship between selenium deficiency and the development of pulmonary and subcutaneous emphysema in bovine ephemeral fever virus-infected cattle. G. O. ODIAWO	56	123-125
Sheep		
<i>Nematodirus abnormalis</i> (May, 1920) in sheep in the south-western part of the Cape Province. J. P. LOUW	56	141-142
The heterogeneity of <i>Cowdria ruminantium</i> stocks: cross-immunity and serology in sheep and pathogenicity to mice. J. L. DU PLESSIS, L. VAN GAS, J. A. OLIVIER and J. D. BEZUIDENHOUT	56	195-201
Availability of infective larvae of parasitic nematodes of sheep grazing on kikuyu (<i>Pennisetum clandestinum</i>) pastures in the winter rainfall area. R. K. REINECKE, R. KIRKPATRIC, ANNA M. D. KRIEL and F. FRANK	56	223-234
Overberg research projects. VI. The biology and control of <i>Oestrus ovis</i> in sheep in the winter rainfall areas of the southern Cape. J. P. LOUW	56	239-244
Shells		
The structure of the shell and polar plugs of the egg of the whipworm, <i>Trichuris trichiura</i> (Nematoda: Trichiuridae) from the Samango monkey (<i>Cercopithecus albogularis</i>). C. C. APPLETON and J. WHITE	56	219-221
Small stock		
Immunity of tick-exposed seronegative and seropositive small stock challenged with two stocks of <i>Cowdria ruminantium</i> . J. L. DU PLESSIS and L. VAN GAS	56	185-188
Snail		
Geographical distribution and habitat preferences of the invader freshwater snail species <i>Lymnaea columella</i> (Mollusca: Gastropoda) in South Africa. K. N. DE KOCK, P. H. JOUBERT and S. J. PRETORIUS	56	271-275
Streptococcus spp.		
A selective procedure for the field isolation of pathogenic <i>Streptococcus</i> spp. of rainbow trout (<i>Salmo gairdneri</i>). R. R. BRAGG, JACQUELINE M. TODD, SHIRLEY M. LORDAN and MARIANNE E. COMBRINK	56	179-184
The leech <i>Batrachobdelloides tricarinata</i> (Blanchard, 1897) (Hirudinea: Glossiphoniidae) as a possible reservoir of the rainbow trout pathogenic <i>Streptococcus</i> species. R. R. BRAGG, J. H. OOSTHUIZEN and SHIRLEY M. LORDAN	56	203-204
Synhelea		
Aftrotropical <i>Culicoides</i> : <i>Synhelea</i> Kieffer, 1925, resurrected as subgenus to embrace 10 species (Diptera: Ceratopogonidae). R. MEISWINKEL and A. L. DYCE	56	147-163
Teladorsagia		
Overberg Research Projects. IV. The development of resistance to <i>Nematodirus</i> in lambs and spontaneous cure of <i>Teladorsagia</i> in weaners. R. K. REINECKE	56	81-84
Theileria parva lawrencei		
Comparative infection rates of <i>Theileria parva lawrencei</i> in salivary glands of <i>Rhipicephalus appendiculatus</i> and <i>Rhipicephalus zambeziensis</i> . E. F. BLOUIN and W. H. STOLTZ	56	211-213
Thiaminase activity		
Thiaminase activities and thiamine content of <i>Pteridium aquilinum</i> , <i>Equisetum ramosissimum</i> , <i>Malva parviflora</i> , <i>Pennisetum clandestinum</i> and <i>Medicago sativa</i> . P. MEYER	56	145-146
Thiamine content		
Thiaminase activities and thiamine content of <i>Pteridium aquilinum</i> , <i>Equisetum ramosissimum</i> , <i>Malva parviflora</i> , <i>Pennisetum clandestinum</i> and <i>Medicago sativa</i> . P. MEYER	56	145-146
Ticks		
Resistance of Nguni, Bonsmara and Hereford cattle to ticks in a Bushveld region of South Africa. A. M. SPICKETT, D. DE KLERK, C. B. ENSLIN and M. M. SCHOLTZ	56	245-250
The host status of the striped mouse, <i>Rhabdomys pumilio</i> in relation to the tick vectors of heartwater in South Africa. D. J. HOWELL, T. N. PETNEY and I. G. HORAK	56	289-291
Tragelaphus strepsiceros		
Parasites of South African wildlife. IV. Helminths of kudu, <i>Tragelaphus strepsiceros</i> , in the Kruger National Park. J. BOOMKER, I. G. HORAK and V. DE VOS	56	111-121
Trichiuridae		
The structure of the shell and polar plugs of the egg whipworm, <i>Trichuris trichiura</i> (Nematoda: Trichiuridae) from the Samango monkey (<i>Cercopithecus albogularis</i>). C. C. APPLETON and J. WHITE	56	219-221
Trichuris trichiura		
The structure of the shell and polar plugs of the egg of the whipworm, <i>Trichuris trichiura</i> (Nematoda: Trichiuridae) from the Samango monkey (<i>Cercopithecus albogularis</i>). C. C. APPLETON and J. WHITE	56	219-221

	Volume	Page
Triphenyltetrazolium chloride		
The use of cephalothin and triphenyltetrazolium chloride impregnated filter paper strips in the identification of <i>Campylobacter</i> species. S. M. PEFANIS, CATHARINA G. VENTER and S. HERR	56	143-144
Turkeys		
The isolation and attenuation of a virus causing rhinotracheitis in turkeys in South Africa. S. B. BUYS, J. H. DU PREEZ and H. J. ELS	56	87-98
Vervet monkey		
Studies of encephalitozoonosis in vervet monkeys (<i>Cercopithecus pygerythrus</i>) orally inoculated with spores of <i>Encephalitozoon cuniculi</i> isolated from dogs (<i>Canis familiaris</i>). A. F. VAN DELLEN, C. G. STEWART and W. S. BOTHA	56	1-22
Virus		
The isolation and attenuation of a virus causing rhinotracheitis in turkeys in South Africa. S. B. BUYS, J. H. DU PREEZ and H. J. ELS	56	87-98
The relationship between selenium deficiency and the development of pulmonary and subcutaneous emphysema in bovine ephemeral fever virus-infected cattle. G. O. ODIAWO	56	123-125
Weaners		
Overberg Research Projects. IV. The development of resistance to <i>Nematodirus</i> in lambs and spontaneous cure of <i>Teladorsagia</i> in weaners. R. K. REINECKE	56	81-84
Whipworms		
The structure of the shell and polar plugs of the egg of the whipworm, <i>Trichuris trichiura</i> (Nematoda: Trichiuridae) from the Samango monkey (<i>Cercopithecus albogularis</i>). C. C. APPLETON and J. WHITE	56	219-221
Wild animals		
Parasites of domestic and wild animals in South Africa. XXIV. Arthropod parasites of bushbuck and common duiker in the Weza State Forest, Natal. I. G. HORAK, M. E. KEEP, A. M. SPICKETT and J. BOOMKER	56	63-66
Wilbebeest		
Excretion of alcelaphine herpesvirus-1 by captive and free-living wilbebeest (<i>Connochaetes taurinus</i>). B. J. H. BARNARD, R. G. BENGIS, MONICA D. GRIESEL and V. DE VOS	56	131-134
Wilbebeest-derived malignant catarrhal fever		
Epizootology of wilbebeest-derived malignant catarrhal fever in an outbreak in the north-western Transvaal: Indications of an intermediate host. B. J. H. BARNARD, H. E. VAN DE PYPEKAMP and MONICA D. GRIESEL	56	135-139
Wildlife		
Parasites of South African wildlife. III. Helminths of common reedbuck, <i>Redunca arundinum</i> , in Natal. J. BOOMKER, I. G. HORAK, J. R. B. FLAMAND and M. E. KEEP	56	51-57
Parasites of South African wildlife. IV. Helminths of kudu, <i>Tragelaphus strepsiceros</i> , in the Kruger National Park. J. BOOMKER, I. G. HORAK and V. DE VOS	56	111-121