

REPUBLIC OF SOUTH AFRICA

THE ONDERSTEPSOORT JOURNAL OF VETERINARY RESEARCH

Volume 48

1981

Numbers 1-4

| | SUBJECT INDEX | Volume | Page |
|--|---------------|--------|---------|
| Abattoir material | | | |
| The efficacy of bacteriological procedures for the isolation of <i>Brucella abortus</i> from abattoir material. S. HERR and D. ROUX..... | | 48 | 7-12 |
| Acarina | | | |
| Some effects of ^{60}Co irradiation on <i>Cowdria ruminantium</i> in its tick host <i>Amblyomma hebraeum</i> Koch (Acarina: Ixodidae). A. M. SPICKETT, J. D. BEZUIDENHOUT and CATHARINA J. JACOB SZ..... | | 48 | 13-14 |
| <i>Ixodes (Afrixodes) matopi</i> n. sp. (Acarina: Ixodidae): A tick found aggregating on pre-orbital gland scent marks of the klipspringer in Zimbabwe. A. M. SPICKETT, J. E. KEIRANS, R. A. I. NORVAL and C. M. CLIFFORD..... | | 48 | 23-30 |
| Ecological studies on <i>Ixodes (Afrixodes) matopi</i> Spickett, Keirans, Norval & Clifford, 1980 (Acarina: Ixodidae). J. COLBORNE, R. A. I. NORVAL and A. M. SPICKETT..... | | 48 | 31-35 |
| <i>Rhipicephalus zambeziensis</i> sp. nov., a new tick from eastern and southern Africa, together with a redescription of <i>Rhipicephalus appendiculatus</i> Neumann, 1901 (Acarina, Ixodidae). JANE B. WALKER, R. A. I. NORVAL and M. D. CORWIN..... | | 48 | 87-104 |
| Notes on African <i>Haemaphysalis</i> ticks. XIII. Identity of <i>H. (Rhipistoma) cooleyi</i> a parasite of the rock hyrax in South Africa (Acarina: Ixodidae). H. HOOGSTRAAL and HILDA Y. WASSEF..... | | 48 | 135-140 |
| Acid-base values | | | |
| Studies on the physiopathology of chronic obstructive pulmonary disease in the horse. IV. Blood gas and acid-base values at rest. A. LITTLEJOHN and FELICITY BOWLES..... | | 48 | 37-45 |
| Studies on the physiopathology of chronic obstructive pulmonary disease in the horse. V. Blood gas and acid-base values during exercise. A. LITTLEJOHN and FELICITY BOWLES..... | | 48 | 239-249 |
| African buffalo | | | |
| Brucellosis in free-living African buffalo (<i>Syncerus caffer</i>): a serological survey. S. HERR and C. MARSHALL.. | | 48 | 133-134 |
| Anaerobic bacteria | | | |
| Isolation and significance of anaerobic bacteria isolated from cases of bovine mastitis. J. H. DU PREEZ, A. S. GREEFF and NICOLENE EKSTEEN..... | | 48 | 123-126 |
| Anaplasma marginale | | | |
| Attempts to transmit <i>Anaplasma marginale</i> with <i>Hippobosca rufipes</i> and <i>Stomoxys calcitrans</i> . F. T. POTGIETER, B. SUTHERLAND and H. C. BIGGS..... | | 48 | 119-122 |
| Freeze-drying of <i>Anaplasma marginale</i> . F. T. POTGIETER and J. B. BESTER..... | | 48 | 179-180 |
| Annual ryegrass toxicity | | | |
| First report of annual ryegrass toxicity in the Republic of South Africa. D. J. SCHNEIDER..... | | 48 | 251-255 |
| Amblyomma hebraeum | | | |
| Observations on the transmission of <i>Theileria mutans</i> in South Africa. A. J. DE VOS and J. A. ROOS..... | | 48 | 1-6 |
| Some effects of ^{60}Co irradiation on <i>Cowdria ruminantium</i> in its tick host <i>Amblyomma hebraeum</i> Koch (Acarina: Ixodidae). A. M. SPICKETT, J. D. BEZUIDENHOUT and CATHARINA J. JACOB SZ..... | | 48 | 13-14 |
| An investigation into the toxic principle in eggs of the tick <i>Amblyomma hebraeum</i> . A. W. H. NEITZ, L. PROZESKY, J. D. BEZUIDENHOUT, J. F. PUTTERILL and D. J. J. POTGIETER..... | | 48 | 109-117 |
| Babesia | | | |
| Isolation and transmission of an unidentified <i>Babesia</i> sp. infective for cattle. SHAN E. THOMAS and T. E. MASON..... | | 48 | 155-158 |
| Studies on a bovine <i>Babesia</i> transmitted by <i>Hyalomma marginatum rufipes</i> Koch, 1844. J. S. GRAY and A. J. DE VOS..... | | 48 | 215-223 |
| Babesia bigemina | | | |
| The retention of <i>Babesia bigemina</i> infection by <i>Boophilus decoloratus</i> exposed to imidocarb dipropionate during engorgement. J. S. GRAY and F. T. POTGIETER..... | | 48 | 225-227 |
| Bacteriological procedures | | | |
| The efficacy of bacteriological procedures for the isolation of <i>Brucella abortus</i> from abattoir material. S. HERR and D. ROUX..... | | 48 | 7-12 |
| BHK 21 cells | | | |
| Attenuation of turkey meningo-encephalitis virus in BHK21 cells. B. J. H. BARNARD and H. J. GEYER..... | | 48 | 105-108 |
| Blood acetone | | | |
| A rapid quantitative colorimetric determination of blood acetone applied to the assessment of ketosis in fasted pregnant ewes. J. G. VAN DER WALT, GAEL HUNTER and J. PROCOS..... | | 48 | 15-18 |
| Blood gas | | | |
| Studies on the physiopathology of chronic obstructive pulmonary disease in the horse. IV. Blood gas and acid-base values at rest. A. LITTLEJOHN and FELICITY BOWLES..... | | 48 | 37-45 |
| Studies on the physiopathology of chronic obstructive pulmonary disease in the horse. V. Blood gas and acid-base values during exercise. A. LITTLEJOHN and FELICITY BOWLES..... | | 48 | 239-249 |
| Bluetongue virus | | | |
| Identification of the serotype-specific and group-specific antigens of bluetongue virus. H. HUISMANS and B. J. ERASMUS..... | | 48 | 51-58 |
| A comparison of an Australian bluetongue virus isolate (CSIRO 19) with other bluetongue virus serotypes by cross-hybridization and cross-immune precipitation. H. HUISMANS and C. W. BREMER..... | | 48 | 59-67 |
| Bont tick | | | |
| Observations on the transmission of <i>Theileria mutans</i> in South Africa. A. J. DE VOS and J. A. ROOS..... | | 48 | 1-6 |

| | Volume | Page |
|---|--------|---------|
| Boophilus decoloratus | | |
| The retention of <i>Babesia bigemina</i> infection by <i>Boophilus decoloratus</i> exposed to imidocarb dipropionate during engorgement. J. S. GRAY and F. T. POTGIETER..... | 48 | 225-227 |
| Bovine cerebral theileriosis | | |
| <i>Theileria? taurotragi</i> : a probable agent of bovine cerebral theileriosis. A. J. DE VOS, R. BESSENGER and L. F. BANTING..... | 48 | 177-178 |
| Bovine mastitis | | |
| Isolation and significance of anaerobic bacteria isolated from cases of bovine mastitis. J. H. DU PREEZ, A. S. GREEFF and NICOLENE EKSTEEN..... | 48 | 123-126 |
| Brucella abortus | | |
| The efficacy of bacteriological procedures for the isolation of <i>Brucella abortus</i> from abattoir material. S. HERR and D. ROUX..... | 48 | 7-12 |
| Brucellosis | | |
| Brucellosis in free-living African buffalo (<i>Syncerus caffer</i>): a serological survey. S. HERR and C. MARSHALL.. | 48 | 133-134 |
| Calves | | |
| <i>Theileria? taurotragi</i> : a probable agent of bovine cerebral theileriosis. A. J. DE VOS, R. BESSENGER and L. F. BANTING..... | 48 | 177-178 |
| Canine ehrlichiosis | | |
| Attempted transmission of canine ehrlichiosis to the vervet monkey (<i>Cercopithecus pygerythrus</i>). J. VAN HEERDEN and D. J. GOOSEN..... | 48 | 127-128 |
| Cattle | | |
| The isolation of <i>Theileria? taurotragi</i> in South Africa. A. J. DE VOS and J. A. ROOS..... | 48 | 149-153 |
| Isolation and transmission of an unidentified <i>Babesia</i> sp. infective for cattle. SHAN E. THOMAS and T. E. MASON..... | 48 | 155-158 |
| Studies on a bovine <i>Babesia</i> transmitted by <i>Hyalomma marginatum rufipes</i> Koch, 1844. J. S. GRAY and A. J. DE VOS..... | 48 | 215-223 |
| First report of annual ryegrass toxicity in the Republic of South Africa. D. J. SCHNEIDER..... | 48 | 251-255 |
| Cercariae | | |
| Studies on schistosomiasis. 10. Development of <i>Schistosoma mattheei</i> in sheep infested with equal numbers of male and female cercariae. L. J. VAN RENSBURG and J. A. VAN WYK..... | 48 | 77-86 |
| Cercopithecus pygerythrus | | |
| Attempted transmission of canine ehrlichiosis to the vervet monkey (<i>Cercopithecus pygerythrus</i>). J. VAN HEERDEN and D. J. GOOSEN..... | 48 | 127-128 |
| Chemoprophylaxis | | |
| Studies on <i>Haemonchus contortus</i> . V. Chemoprophylaxis and its effect on worm egg counts and the haematocrit. R. K. REINECKE, CHRISTEL BRUCKNER and I. L. DE VILLIERS..... | 48 | 235-238 |
| Chronic obstructive pulmonary disease | | |
| Studies on the physiopathology of chronic obstructive pulmonary disease in the horse. IV. Blood gas and acid-base values at rest. A. LITTLEJOHN and FELICITY BOWLES..... | 48 | 37-45 |
| Studies on the physiopathology of chronic obstructive pulmonary disease in the horse. V. Blood gas and acid-base values during exercise. A. LITTLEJOHN and FELICITY BOWLES..... | 48 | 239-249 |
| Clarias gariepinus | | |
| The haemocytology and histology of the haemopoietic organs of South African freshwater fish. III. The leucocytes, plasma cells and macrophages of <i>Clarias gariepinus</i> and <i>Sarotherodon mossambicus</i> . J. BOOMKER..... | 48 | 185-193 |
| The haemocytology and histology of the haemopoietic organs of South African freshwater fish. IV. Ultrastructure of some cells of <i>Clarias gariepinus</i> and <i>Sarotherodon mossambicus</i> . J. BOOMKER..... | 48 | 195-205 |
| Clinical mastitis | | |
| Levels of glucose, serum albumin and somatic cells before and during early stages of acute clinical mastitis artificially induced in cows by means of human strains of group-B streptococci (GBS) administered intracisternally. W. H. GIESECKE and L. W. VAN DEN HEEVER..... | 48 | 69-75 |
| Complement titrations | | |
| The relationship between the minimal and the 50% haemolytic dose in complement titrations. S. HERR, P. M. PIETERSON and J. A. BOSHOFF..... | 48 | 259-260 |
| Cowdria ruminantium | | |
| Some effects of ⁶⁰ Co irradiation on <i>Cowdria ruminantium</i> in its tick host <i>Amblyomma hebraeum</i> Koch (Acarina: Ixodidae). A. M. SPICKETT, J. D. BEZUIDENHOUT and CATHARINA J. JACOBSSZ..... | 48 | 13-14 |
| Cows | | |
| Levels of glucose, serum albumin and somatic cells before and during early stages of acute clinical mastitis artificially induced in cows by means of human strains of group-B streptococci (GBS) administered intracisternally. W. H. GIESECKE and L. W. VAN DEN HEEVER..... | 48 | 69-75 |
| Isolation and significance of anaerobic bacteria isolated from cases of bovine mastitis. J. H. DU PREEZ, A. S. GREEFF and NICOLENE EKSTEEN..... | 48 | 123-126 |
| Cross-hybridization | | |
| A comparison of an Australian bluetongue virus isolate (CSIRO 19) with other bluetongue virus serotypes by cross-hybridization and cross-immune precipitation. H. HUISMANS and C. W. BREMER..... | 48 | 59-67 |
| Cross-immune precipitation | | |
| A comparison of an Australian bluetongue virus isolate (CSIRO 19) with other bluetongue virus serotypes by cross-hybridization and cross-immune precipitation. H. HUISMANS and C. W. BREMER..... | 48 | 59-67 |
| Diptera | | |
| The control of Simuliidae (Diptera, Nematocera) in South African rivers by modification of the water flow volume. C. J. HOWELL, G. J. BEGEMANN, R. W. MUIR and P. LOUW..... | 48 | 47-49 |
| Dithiosemicarbazone | | |
| The influence of dithiosemicarbazone on the immunity of sheep to heartwater. J. L. DU PLESSIS..... | 48 | 175-176 |

| | Volume | Page |
|--|--------|---------|
| Ecological studies | | |
| Ecological studies on <i>Ixodes (Afrixodes) matopi</i> Spickett, Keirans, Norval & Clifford, 1980 (Acarina: Ixodidae). J. COLBORNE, R. A. I. NORVAL and A. M. SPICKETT..... | 48 | 31-35 |
| Equines | | |
| Recovery of helminths post-mortem from equines. I. Parasites in arteries, subperitoneum, liver and lungs. F. S. MALAN, R. K. REINECKE and ROSINA C. SCIALDO..... | 48 | 141-143 |
| Recovery of helminths post-mortem from equines. II. Helminths and larvae of <i>Gasterophilus</i> in the gastro-intestinal tract and oestrads from the sinuses. F. S. MALAN, R. K. REINECKE and ROSINA C. SCIALDO..... | 48 | 145-147 |
| Fish | | |
| The haemocytology and histology of the haemopoietic organs of South African freshwater fish. III. The leucocytes, plasma cells and macrophages of <i>Clarias gariepinus</i> and <i>Sarotherodon mossambicus</i> . J. BOOMKER..... | 48 | 185-193 |
| The haemocytology and histology of the haemopoietic organs of South African freshwater fish. IV. Ultrastructure of some cells of <i>Clarias gariepinus</i> and <i>Sarotherodon mossambicus</i> . J. BOOMKER..... | 48 | 195-205 |
| Fusarium moniliforme | | |
| A comparative study of the toxicity of <i>Fusarium verticillioides</i> (= <i>F. moniliforme</i>) to horses, primates, pigs, sheep and rats. N. P. J. KRIEK, T. S. KELLERMAN and W. F. O. MARASAS..... | 48 | 129-131 |
| Fusarium verticillioides | | |
| A comparative study of the toxicity of <i>Fusarium verticillioides</i> (= <i>F. moniliforme</i>) to horses, primates, pigs, sheep and rats. N. P. J. KRIEK, T. S. KELLERMAN and W. F. O. MARASAS..... | 48 | 129-131 |
| Gasterophilus | | |
| Recovery of helminths post-mortem from equines. II. Helminths and larvae of <i>Gasterophilus</i> in the gastro-intestinal tract and oestrads from the sinuses. F. S. MALAN, R. K. REINECKE and ROSINA C. SCIALDO..... | 48 | 145-147 |
| Glucose | | |
| Levels of glucose, serum albumin and somatic cells before and during early stages of acute clinical mastitis artificially induced in cows by means of human strains of group-B streptococci (GBS) administered intracisternally. W. H. GIESECKE and L. W. VAN DEN HEEVER..... | 48 | 69-75 |
| Group-B streptococci | | |
| Levels of glucose, serum albumin and somatic cells before and during early stages of acute clinical mastitis artificially induced in cows by means of human strains of group-B streptococci (GBS) administered intracisternally. W. H. GIESECKE and L. W. VAN DEN HEEVER | 48 | 69-75 |
| Group-specific antigens | | |
| Identification of the serotype-specific and group-specific antigens of bluetongue virus. H. HUISMANS and B. J. ERASMUS..... | 48 | 51-58 |
| Haemaphysalis (Rhipistoma) cooleyi | | |
| Notes on African <i>Haemaphysalis</i> ticks. XIII. Identity of <i>H. (Rhipistoma) cooleyi</i> a parasite of the rock hyrax in South Africa (Acarina: Ixodidae). H. HOOGSTRAAL and HILDA Y. WASSEF..... | 48 | 135-140 |
| Haemaphysalis ticks | | |
| Notes on African <i>Haemaphysalis</i> ticks. XIII. Identity of <i>H. (Rhipistoma) cooleyi</i> a parasite of the rock hyrax in South Africa (Acarina: Ixodidae). H. HOOGSTRAAL and HILDA Y. WASSEF..... | 48 | 135-140 |
| Haematocrit | | |
| Studies on <i>Haemonchus contortus</i> . V. Chemoprophylaxis and its effect on worm egg counts and the haematocrit. R. K. REINECKE, CHRISTEL BRUCKNER and I. L. DE VILLIERS..... | 48 | 235-238 |
| Haemocytology | | |
| The haemocytology and histology of the haemopoietic organs of South African freshwater fish. III. The leucocytes, plasma cells and macrophages of <i>Clarias gariepinus</i> and <i>Sarotherodon mossambicus</i> . J. BOOMKER..... | 48 | 185-193 |
| The haemocytology and histology of the haemopoietic organs of South African freshwater fish. IV. Ultrastructure of some cells of <i>Clarias gariepinus</i> and <i>Sarotherodon mossambicus</i> . J. BOOMKER..... | 48 | 195-205 |
| 50% haemolytic dose | | |
| The relationship between the minimal and the 50% haemolytic dose in complement titrations. S. HERR, P. M. PIETERSON and J. A. BOSHOFF..... | 48 | 259-260 |
| Haemonchus contortus | | |
| Studies on <i>Haemonchus contortus</i> . IV. The effect of <i>Trichostrongylus axei</i> and <i>Ostertagia circumcincta</i> on challenge with <i>H. contortus</i> . R. K. REINECKE, CHRISTEL BRUCKNER and I. L. DE VILLIERS..... | 48 | 229-234 |
| Studies on <i>Haemonchus contortus</i> . V. Chemoprophylaxis and its effect on worm egg counts and the haematocrit. R. K. REINECKE, CHRISTEL BRUCKNER and I. L. DE VILLIERS..... | 48 | 235-238 |
| Haemopoietic organs | | |
| The haemocytology and histology of the haemopoietic organs of South African freshwater fish. III. The leucocytes, plasma cells and macrophages of <i>Clarias gariepinus</i> and <i>Sarotherodon mossambicus</i> . J. BOOMKER..... | 48 | 185-193 |
| The haemocytology and histology of the haemopoietic organs of South African freshwater fish. IV. Ultrastructure of some cells of <i>Clarias gariepinus</i> and <i>Sarotherodon mossambicus</i> . J. BOOMKER..... | 48 | 195-205 |
| Heartwater | | |
| The influence of dithiosemicarbazone on the immunity of sheep to heartwater. J. L. DU PLESSIS..... | 48 | 175-176 |
| Helminths | | |
| Recovery of helminths post-mortem from equines. I. Parasites in arteries, subperitoneum, liver and lungs. F. S. MALAN, R. K. REINECKE and ROSINA C. SCIALDO..... | 48 | 141-143 |
| Recovery of helminths post-mortem from equines. II. Helminths and larvae of <i>Gasterophilus</i> in the gastro-intestinal tract and oestrads from the sinuses. F. S. MALAN, R. K. REINECKE and ROSINA C. SCIALDO..... | 48 | 145-147 |
| Hippobosca rufipes | | |
| Attempts to transmit <i>Anaplasma marginale</i> with <i>Hippobosca rufipes</i> and <i>Stomoxys calcitrans</i> . F. T. POTGIETER, B. SUTHERLAND and H. C. BIGGS..... | 48 | 119-122 |
| Hippopotamus amphibius | | |
| <i>Schistosoma</i> Weinland, 1858 from <i>Hippopotamus amphibius</i> Linnaeus, 1758 in the Kruger National Park. R. J. PITCHFORD and P. S. VISSER..... | 48 | 181-184 |
| Non-specific esterase isoenzymes of adult schistosomes from the hippopotamus (<i>Hippopotamus amphibius</i>). P. J. FRIPP..... | 48 | 257-257 |

| | Volume | Page |
|--|--------|---------|
| Histology | | |
| The haemocytology and histology of the haemopoietic organs of South African freshwater fish. III. The leucocytes, plasma cells and macrophages of <i>Clarias gariepinus</i> and <i>Sarotherodon mossambicus</i> . J. BOOMKER..... | 48 | 185–193 |
| The haemocytology and histology of the haemopoietic organs of South African freshwater fish. IV. Ultrastructure of some cells of <i>Clarias gariepinus</i> and <i>Sarotherodon mossambicus</i> . J. BOOMKER..... | 48 | 195–205 |
| Horses | | |
| Studies on the physiopathology of chronic obstructive pulmonary disease in the horse. IV. Blood gas and acid-base values at rest. A. LITTLEJOHN and FELICITY BOWLES..... | 48 | 37–45 |
| A comparative study of the toxicity of <i>Fusarium verticillioides</i> (= <i>F. moniliforme</i>) to horses, primates, pigs, sheep and rats. N. P. J. KRIEK, T. S. KELLERMAN and W. F. O. MARASAS..... | 48 | 129–131 |
| Studies on the physiopathology of chronic obstructive pulmonary disease in the horse. V. Blood gas and acid-base values during exercise. A. LITTLEJOHN and FELICITY BOWLES..... | 48 | 239–249 |
| Hunting dog | | |
| The role of integumental glands in the social and mating behaviour of the hunting dog <i>Lycaon pictus</i> (Temminck, 1820). J. VAN HEERDEN..... | 48 | 19–21 |
| Hyalomma marginatum rufipes | | |
| Studies on a bovine <i>Babesia</i> transmitted by <i>Hyalomma marginatum rufipes</i> Koch, 1844. J. S. GRAY and A. J. DE VOS..... | 48 | 215–223 |
| Imidocarb dipropionate | | |
| The retention of <i>Babesia bigemina</i> infection by <i>Boophilus decoloratus</i> exposed to imidocarb dipropionate during engorgement. J. S. GRAY and F. T. POTGIETER..... | 48 | 225–227 |
| Immunity | | |
| The influence of dithiosemicarbazone on the immunity of sheep to heartwater. J. L. DU PLESSIS..... | 48 | 175–176 |
| Integumental glands | | |
| The role of integumental glands in the social and mating behaviour of the hunting dog <i>Lycaon pictus</i> (Temminck, 1820). J. VAN HEERDEN..... | 48 | 19–21 |
| ^{60}Co irradiation | | |
| Some effects of ^{60}Co irradiation on <i>Cowdria ruminantium</i> in its tick host <i>Amblyomma hebraeum</i> Koch (Acarina: Ixodidae). A. M. SPICKETT, J. D. BEZUIDENHOUT and CATHARINA J. JACOB SZ..... | 48 | 13–14 |
| Isoenzymes | | |
| Non-specific esterase isoenzymes of adult schistosomes from the hippopotamus (<i>Hippopotamus amphibius</i>). P. J. FRIPP..... | 48 | 257–257 |
| <i>Ixodes (Afrixodes) matopi</i> | | |
| <i>Ixodes (Afrixodes) matopi</i> n. sp. (Acarina: Ixodidae): A tick found aggregating on pre-orbital gland scent marks of the klipspringer in Zimbabwe. A. M. SPICKETT, J. E. KEIRANS, R. A. I. NORVAL and C. M. CLIFFORD..... | 48 | 23–30 |
| Ecological studies on <i>Ixodes (Afrixodes) matopi</i> Spickett, Keirans, Norval & Clifford, 1980 (Acarina: Ixodidae). J. COLBORNE, R. A. I. NORVAL and A. M. SPICKETT..... | 48 | 31–35 |
| Ixodidae | | |
| Some effects of ^{60}Co irradiation on <i>Cowdria ruminantium</i> in its tick host <i>Amblyomma hebraeum</i> Koch (Acarina: Ixodidae). A. M. SPICKETT, J. D. BEZUIDENHOUT and CATHARINA J. JACOB SZ..... | 48 | 13–14 |
| <i>Ixodes (Afrixodes) matopi</i> n. sp. (Acarina: Ixodidae): A tick found aggregating on pre-orbital gland scent marks of the klipspringer in Zimbabwe. A. M. SPICKETT, J. E. KEIRANS, R. A. I. NORVAL and C. M. CLIFFORD..... | 48 | 23–30 |
| Ecological studies on <i>Ixodes (Afrixodes) matopi</i> Spickett, Keirans, Norval & Clifford, 1980 (Acarina: Ixodidae). J. COLBORNE, R. A. I. NORVAL and A. M. SPICKETT..... | 48 | 31–35 |
| <i>Rhipicephalus zambeziensis</i> sp. nov., a new tick from eastern and southern Africa, together with a redescription of <i>Rhipicephalus appendiculatus</i> Neumann, 1901 (Acarina, Ixodidae). JANE B. WALKER, R. A. I. NORVAL and M. D. CORWIN..... | 48 | 87–104 |
| Notes on African <i>Haemaphysalis</i> ticks. XIII. Identity of <i>H. (Rhipistoma) cooleyi</i> a parasite of the rock hyrax in South Africa (Acarina: Ixodidae). H. HOOGSTRAAL and HILDA Y. WASSEF..... | 48 | 135–140 |
| Ketosis | | |
| A rapid quantitative colorimetric determination of blood acetone applied to the assessment of ketosis in fasted pregnant ewes. J. G. VAN DER WALT, GAEL HUNTER and J. PROCOS..... | 48 | 15–18 |
| Klipspringer | | |
| <i>Ixodes (Afrixodes) matopi</i> n. sp. (Acarina: Ixodidae): A tick found aggregating on pre-orbital gland scent marks of the klipspringer in Zimbabwe. A. M. SPICKETT, J. E. KEIRANS, R. A. I. NORVAL and C. M. CLIFFORD..... | 48 | 23–30 |
| Lambs | | |
| Paralysis in lambs caused by overdosing with parbendazole. L. PROZESKY, J. P. J. JOUBERT and M. D. EKRON..... | 48 | 159–167 |
| Leucocytes | | |
| The haemocytology and histology of the haemopoietic organs of South African freshwater fish. III. The leucocytes, plasma cells and macrophages of <i>Clarias gariepinus</i> and <i>Sarotherodon mossambicus</i> . J. BOOMKER..... | 48 | 185–193 |
| <i>Lycaon pictus</i> | | |
| The role of integumental glands in the social and mating behaviour of the hunting dog <i>Lycaon pictus</i> (Temminck, 1820). J. VAN HEERDEN..... | 48 | 19–21 |
| Macrophages | | |
| The haemocytology and histology of the haemopoietic organs of South African freshwater fish. III. The leucocytes, plasma cells and macrophages of <i>Clarias gariepinus</i> and <i>Sarotherodon mossambicus</i> . J. BOOMKER..... | 48 | 185–193 |
| Mating behaviour | | |
| The role of integumental glands in the social and mating behaviour of the hunting dog <i>Lycaon pictus</i> (Temminck, 1820). J. VAN HEERDEN..... | 48 | 19–21 |
| <i>Musca lusoria</i> | | |
| The development of <i>Parafilaria bovicola</i> in <i>Musca xanthomelas</i> and <i>Musca lusoria</i> . F. M. NEVILL..... | 48 | 207–213 |

| | Volume | Page |
|--|--------|---------|
| Musca xanthomelas | | |
| The development of <i>Parafilaria bovicola</i> in <i>Musca xanthomelas</i> and <i>Musca lusoria</i> . F. M. NEVILL..... | 48 | 207–213 |
| Nematocera | | |
| The control of Simuliidae (Diptera, Nematocera) in South African rivers by modification of the water flow volume. C. J. HOWELL, G. J. BEGEMANN, R. W. MUIR and P. LOUW..... | 48 | 47–49 |
| Nematoda | | |
| <i>Paracooperioides peleae</i> gen. et sp. n. (Nematoda: Trichostrongylidae) from the vaal ribbok, <i>Pelea capreolus</i> (Forster, 1790). J. BOOMKER, I. G. HORAK and V. DE VOS..... | 48 | 169–174 |
| Oestrids | | |
| Recovery of helminths post-mortem from equines. II. Helminths and larvae of <i>Gasterophilus</i> in the gastro-intestinal tract and oestrids from the sinuses. F. S. MALAN, R. K. REINECKE and ROSINA C. SCIALDO..... | 48 | 145–147 |
| Ostertagia circumcincta | | |
| Studies on <i>Haemonchus contortus</i> . IV. The effect of <i>Trichostrongylus axei</i> and <i>Ostertagia circumcincta</i> on challenge with <i>H. contortus</i> . R. K. REINECKE, CHRISTEL BRUCKNER and I. L. DE VILLIERS..... | 48 | 229–234 |
| Paracooperioides peleae | | |
| <i>Paracooperioides peleae</i> gen. et sp. n. (Nematoda: Trichostrongylidae) from the vaal ribbok, <i>Pelea capreolus</i> (Forster, 1790). J. BOOMKER, I. G. HORAK and V. DE VOS..... | 48 | 169–174 |
| Parafilaria bovicola | | |
| The development of <i>Parafilaria bovicola</i> in <i>Musca xanthomelas</i> and <i>Musca lusoria</i> . F. M. NEVILL..... | 48 | 207–213 |
| Paralysis in lambs | | |
| Paralysis in lambs caused by overdosing with parbendazole. L. PROZESKY, J. P. J. JOUBERT and M. D. EKRON..... | 48 | 159–167 |
| Parasites in arteries | | |
| Recovery of helminths post-mortem from equines. I. Parasites in arteries, subperitoneum, liver and lungs. F. S. MALAN, R. K. REINECKE and ROSINA C. SCIALDO..... | 48 | 141–143 |
| Parbendazole | | |
| Paralysis in lambs caused by overdosing with parbendazole. L. PROZESKY, J. P. J. JOUBERT and M. D. EKRON..... | 48 | 159–167 |
| Pelea capreolus | | |
| <i>Paracooperioides peleae</i> gen. et sp. n. (Nematoda: Trichostrongylidae) from the vaal ribbok, <i>Pelea capreolus</i> (Forster, 1790). J. BOOMKER, I. G. HORAK and V. DE VOS..... | 48 | 169–174 |
| Physiopathology | | |
| Studies on the physiopathology of chronic obstructive pulmonary disease in the horse. IV. Blood gas and acid-base values at rest. A. LITTLEJOHN and FELICITY BOWLES..... | 48 | 37–45 |
| Studies on the physiopathology of chronic obstructive pulmonary disease in the horse. V. Blood gas and acid-base values during exercise. A. LITTLEJOHN and FELICITY BOWLES..... | 48 | 239–249 |
| Plasma cells | | |
| The haemocytology and histology of the haemopoietic organs of South African freshwater fish. III. The leucocytes, plasma cells and macrophages of <i>Clarias gariepinus</i> and <i>Sarotherodon mossambicus</i> . J. BOOMKER..... | 48 | 185–193 |
| Pregnant ewes | | |
| A rapid quantitative colorimetric determination of blood acetone applied to the assessment of ketosis in fasted pregnant ewes. J. G. VAN DER WALT, GAEL HUNTER and J. PROCOS..... | 48 | 15–18 |
| Quantitative colorimetric determination | | |
| A rapid quantitative colorimetric determination of blood acetone applied to the assessment of ketosis in fasted pregnant ewes. J. G. VAN DER WALT, GAEL HUNTER and J. PROCOS..... | 48 | 15–18 |
| Rats | | |
| A comparative study of the toxicity of <i>Fusarium verticillioides</i> (= <i>F. moniliforme</i>) to horses, primates, pigs, sheep and rats. N. P. J. KRIEK, T. S. KELLERMAN and W. F. O. MARASAS..... | 48 | 129–131 |
| Rhipicephalus appendiculatus | | |
| <i>Rhipicephalus zambeziensis</i> sp. nov., a new tick from eastern and southern Africa, together with a redescription of <i>Rhipicephalus appendiculatus</i> Neumann, 1901 (Acarina, Ixodidae). JANE B. WALKER, R. A. I. NORVAL and M. D. CORWIN..... | 48 | 87–104 |
| Rhipicephalus zambeziensis | | |
| <i>Rhipicephalus zambeziensis</i> sp. nov., a new tick from eastern and southern Africa, together with a redescription of <i>Rhipicephalus appendiculatus</i> Neumann, 1901 (Acarina, Ixodidae). JANE B. WALKER, R. A. I. NORVAL and M. D. CORWIN..... | 48 | 87–104 |
| Rock hyrax | | |
| Notes on African <i>Haemaphysalis</i> ticks. XIII. Identity of <i>H. (Rhipistoma) cooleyi</i> a parasite of the rock hyrax in South Africa (Acarina: Ixodidae). H. HOOGSTRAAL and HILDA Y. WASSEF..... | 48 | 135–140 |
| Sarotherodon mossambicus | | |
| The haemocytology and histology of the haemopoietic organs of South African freshwater fish. III. The leucocytes, plasma cells and macrophages of <i>Clarias gariepinus</i> and <i>Sarotherodon mossambicus</i> . J. BOOMKER..... | 48 | 185–193 |
| The haemocytology and histology of the haemopoietic organs of South African freshwater fish. IV. Ultrastructure of some cells of <i>Clarias gariepinus</i> and <i>Sarotherodon mossambicus</i> . J. BOOMKER..... | 48 | 195–205 |
| Scent marks | | |
| <i>Ixodes (Afrixodes) matopi</i> n. sp. (Acarina: Ixodidae): A tick found aggregating on pre-orbital gland scent marks of the klipspringer in Zimbabwe. A. M. SPICKETT, J. E. KEIRANS, R. A. I. NORVAL and C. M. CLIFFORD..... | 48 | 23–30 |
| Schistosoma | | |
| <i>Schistosoma</i> Weinland, 1858 from <i>Hippopotamus amphibius</i> Linnaeus, 1758 in the Kruger National Park. R. J. PITCHFORD and P. S. VISSER..... | 48 | 181–184 |
| Schistosoma mattheei | | |
| Studies on schistosomiasis. 10. Development of <i>Schistosoma mattheei</i> in sheep infested with equal numbers of male and female cercariae. L. J. VAN RENSBURG and J. A. VAN WYK..... | 48 | 77–86 |

| | Volume | Page |
|---|--------|---------|
| Schistosomes | | |
| Non-specific esterase isoenzymes of adult schistosomes from the hippopotamus (<i>Hippopotamus amphibius</i>). P. J. FRIPP..... | 48 | 257-257 |
| Schistosomiasis | | |
| Studies on schistosomiasis. 10. Development of <i>Schistosoma mattheei</i> in sheep infested with equal numbers of male and female cercariae. L. J. VAN RENSBURG and J. A. VAN WYK..... | 48 | 77-86 |
| Serological survey | | |
| Brucellosis in free-living African buffalo (<i>Syncerus caffer</i>): a serological survey. S. HERR and C. MARSHALL.. | 48 | 133-134 |
| Serotype-specific antigens | | |
| Identification of the serotype-specific and group-specific antigens of bluetongue virus. H. HUISMANS and B. J. ERASMUS..... | 48 | 51-58 |
| Serum albumin | | |
| Levels of glucose, serum albumin and somatic cells before and during early stages of acute clinical mastitis artificially induced in cows by means of human strains of group B streptococci (GBS) administered intracisternally. W. H. GIESECKE and L. W. VAN DEN HEEVER..... | 48 | 69-75 |
| Sheep | | |
| Studies on schistosomiasis. 10. Development of <i>Schistosoma mattheei</i> in sheep infested with equal numbers of male and female cercariae. L. J. VAN RENSBURG and J. A. VAN WYK..... | 48 | 77-86 |
| A comparative study of the toxicity of <i>Fusarium verticillioides</i> (= <i>F. moniliforme</i>) to horses, primates, pigs, sheep and rats. N. P. J. KRIEK, T. S. KELLERMAN and W. F. O. MARASAS..... | 48 | 129-131 |
| The influence of dithiocsemicarbazone on the immunity of sheep to heartwater. J. L. DU PLESSIS..... | 48 | 175-176 |
| First report of annual ryegrass toxicity in the Republic of South Africa. D. J. SCHNEIDER..... | 48 | 251-255 |
| Simuliidae | | |
| The control of Simuliidae (Diptera, Nematocera) in South African rivers by modification of the water flow volume. C. J. HOWELL, G. J. BEGEMANN, R. W. MUIR and P. LOUW..... | 48 | 47-49 |
| Somatic cells | | |
| Levels of glucose, serum albumin and somatic cells before and during early stages of acute clinical mastitis artificially induced in cows by means of human strains of group-B streptococci (GBS) administered intracisternally. W. H. GIESECKE and L. W. VAN DEN HEEVER..... | 48 | 69-75 |
| Stomoxys calcitrans | | |
| Attempts to transmit <i>Anaplasma marginale</i> with <i>Hippobosca rufipes</i> and <i>Stomoxys calcitrans</i> . F. T. POTGIETER, B. SUTHERLAND and H. C. BIGGS..... | 48 | 119-122 |
| Syncerus caffer | | |
| Brucellosis in free-living African buffalo (<i>Syncerus caffer</i>): a serological survey. S. HERR and C. MARSHALL.. | 48 | 133-134 |
| Theileria mutans | | |
| Observations on the transmission of <i>Theileria mutans</i> in South Africa. A. J. DE VOS and J. A. ROOS..... | 48 | 1-6 |
| Theileria? taurotragi | | |
| The isolation of <i>Theileria? taurotragi</i> in South Africa. A. J. DE VOS and J. A. ROOS..... | 48 | 149-153 |
| <i>Theileria? taurotragi</i> : a probable agent of bovine cerebral theileriosis. A. J. DE VOS, R. BESSINGER and L. F. BANTING..... | 48 | 177-178 |
| Ticks | | |
| Some effects of ⁶⁰ Co irradiation on <i>Cowdria ruminantium</i> in its tick host <i>Amblyomma hebraeum</i> Koch (Acarina: Ixodidae). A. M. SPICKETT, J. D. BEZUIDENHOUT and CATHARINA J. JACOBSEN..... | 48 | 13-14 |
| <i>Ixodes (Afrixoides) matopi</i> n. sp. (Acarina: Ixodidae): A tick found aggregating on pre-orbital gland scent of the klipspringer in Zimbabwe. A. M. SPICKETT, J. E. KEIRANS, R. A. I. NORVAL and C. M. CLIFFORD..... | 48 | 23-30 |
| <i>Rhipicephalus zambeziensis</i> sp. nov., a new tick from eastern and southern Africa, together with a redescription of <i>Rhipicephalus appendiculatus</i> Neumann, 1901 (Acarina, Ixodidae). JANE B. WALKER, R. A. I. NORVAL and M. D. CORWIN..... | 48 | 87-104 |
| An investigation into the toxic principle in eggs of the tick <i>Amblyomma hebraeum</i> . A. W. H. NEITZ, L. PROZESKY, J. D. BEZUIDENHOUT, J. F. PUTTERILL and D. J. J. POTGIETER..... | 48 | 109-117 |
| Notes on African <i>Haemaphysalis</i> ticks. XIII. Identity of <i>H. (Rhipistoma) cooleyi</i> a parasite of the rock hyrax in South Africa (Acarina: Ixodidae). H. HOOGSTRAAL and HILDA Y. WASSEF..... | 48 | 135-140 |
| The isolation of <i>Theileria? taurotragi</i> in South Africa. A. J. DE VOS and J. A. ROOS..... | 48 | 149-153 |
| Isolation and transmission of an unidentified <i>Babesia</i> sp. infective for cattle. SHAN E. THOMAS and T. E. MASON..... | 48 | 155-158 |
| Toxic principle | | |
| An investigation into the toxic principle in eggs of the tick <i>Amblyomma hebraeum</i> . A. W. H. NEITZ, L. PROZESKY, J. D. BEZUIDENHOUT, J. F. PUTTERILL and D. J. J. POTGIETER..... | 48 | 109-117 |
| Trichostrongylidae | | |
| <i>Paracooperoides peleae</i> gen. et sp. n. (Nematoda: Trichostrongylidae) from the vaal ribbok, <i>Pelea capreolus</i> (Foster, 1790). J. BOOMKER, I. G. HORAK and V. DE VOS..... | 48 | 169-174 |
| Trichostrongylus axei | | |
| Studies on <i>Haemonchus contortus</i> . IV. The effect of <i>Trichostrongylus axei</i> and <i>Ostertagia circumcincta</i> on challenge with <i>H. contortus</i> . R. K. REINECKE, CHRISTEL BRÜCKNER and I. L. DE VILLIERS..... | 48 | 229-234 |
| Turkey meningo-encephalitis | | |
| Attenuation of turkey meningo-encephalitis virus in BHK21 cells. B. J. H. BARNARD and H. J. GEYER.... | 48 | 105-108 |
| Ultrastructure | | |
| The haemocytology and histology of the haemopoietic organs of South African freshwater fish. IV. Ultrastructure of some cells of <i>Clarias gariepinus</i> and <i>Sarotherodon mossambicus</i> . J. BOOMKER..... | 48 | 195-205 |
| Vaal ribbok | | |
| <i>Paracooperoides peleae</i> gen. et sp. n. (Nematoda: Trichostrongylidae) from the vaal ribbok, <i>Pelea capreolus</i> (Forster, 1790). J. BOOMKER, I. G. HORAK and V. DE VOS..... | 48 | 169-174 |
| Vaccine | | |
| Freeze-drying of <i>Anaplasma marginale</i> . F. T. POTGIETER and J. B. BESTER..... | 48 | 179-180 |

| | <i>Volume</i> | <i>Page</i> |
|--|---------------|-------------|
| Vervet monkey | | |
| Attempted transmission of canine ehrlichiosis to the vervet monkey (<i>Cercopithecus pygerythrus</i>). J. VAN HEERDEN and D. J. GOOSEN..... | 48 | 127-128 |
| Virus | | |
| Attenuation of turkey meningo-encephalitis virus in BHK21 cells. B. J. H. BARNARD and H. J. GEYER..... | 48 | 105-108 |
| Water flow volume | | |
| The control of Simuliidae (Diptera, Nematocera) in South African rivers by modification of the water flow volume. C. J. HOWELL, G. J. BEGEMANN, R. W. MUIR and P. LOUW..... | 48 | 47-49 |
| Worm egg counts | | |
| Studies on <i>Haemonchus contortus</i> . V. Chemoprophylaxis and its effect on worm egg counts and the haematocrit. R. K. REINECKE, CHRISTEL BRUCKNER and I. L. DE VILLIERS..... | 48 | 235-238 |