

Onderstepoort Journal of Veterinary Research.
Volume 25.

SUBJECT INDEX.

ACOVENOSIDE.

Studies on the pharmacology and toxicology of Acovenoside A. ... No. 4, p. 69.

ALIMENTARY TRACT.

Studies on the alimentary tract of the merino sheep in South Africa.

XVIII. The effect of fasting on the activity of the ruminal flora of sheep and cattle. ... No. 1, p. 51.

XIX. The influence of sulphanilamide on the activity of the ruminal flora of sheep and cattle. ... No. 1, p. 59.

XX. The failure of the rumen musculature to respond to carbamylcholine chloride when paralysed by potassium cyanide. ... No. 1, p. 67.

XXI. The toxicity of urea to sheep under different conditions. ... No. 1, p. 73.

XXII. The effect of the pH of the ruminal contents on ruminal motility. No. 1, p. 79.

XXIII. The effect of supplementing poor quality grass hay with molasses and nitrogenous salts. ... No. 1, p. 93.

ALKALOID.

A note on the alkaloid of *Crotalaria damarensis*. ... No. 4, p. 111.

AMINO ACIDS.

A photometric method for quantitative paper partition chromatography of amino acids. No. 1, p. 31.

ANIMAL NUTRITION.

Defluorination of aqueous solutions of superphosphate for use in animal nutrition. No. 3, p. 93.

AUREOMYCIN.

Aureomycin in the treatment of heertwater. ... No. 4, p. 41.

BABESIA THOMASI.

Babesia thomasi sp. nov., an intra-erythrocytic parasite of the Cape dassie [*Procavia capensis* (Pallas)]. ... No. 3, p. 3.

BACTERIAL CAPSULES.

A note on the staining of bacterial capsules. ... No. 4, p. 51.

BACTERIAL SUSPENSION.

A rapid economical method for accurate determination of the percentage packed cells in a bacterial suspension. ... No. 3, p. 39.

BLOWFLY STRIKE.

The new synthetic insecticides as dressings for blowfly strike in sheep. No. 4, p. 53.

BLEUTONGUE.

The use of egg attenuated bluetongue virus in the production of a polyvalent vaccine for sheep. A. Propagation of the virus in sheep. ... No. 1, p. 3.

BRUCELLA RING TEST.

The brucella ring test for milk of individual cows and its value for determining their status of infection. ... No. 1, p. 39.

CALCIUM.

The effect of body stores and of method of supplementation on the efficiency of calcium and phosphorus utilization by sheep. ... No. 4, p. 85.

CARBAMYLCHOLINE CHLORIDE.

Studies on the alimentary tract of the merino sheep in South Africa. XX. The failure of the rumen musculature to respond to carbamylcholine chloride when paralysed by potassium cyanide ... No. 1, p. 67.

CATTLE.

Studies on the alimentary tract of the merino sheep in South Africa.
XVIII. The effect of fasting on the activity of the ruminal flora of sheep and cattle. ... No. 1, p. 51
XIX. The influence of sulphanilamide on the activity of the ruminal flora of sheep and cattle. ... No. 1, p. 59.

COLOSTRUM.

Comparative electrophoretic studies of bovine and human colostrum in relation to neonatal immunity. ... No. 4, p. 7.

CONCENTRATION CURVE.

The influences of the nature of the diet and of starvation on the concentration curve of sulphanilamide in the blood of sheep after oral dosing. No. 4, p. 75.

COPPER DEFICIENCY.

Studies in demyelinating diseases of sheep associated with copper deficiency. I. "Lamkruis", a demyelinating disease of lambs occurring in South Africa. II. A biochemical investigation on the incidence of "lamkruis" in lambs in the Saldanha Bay, Vredenburg and St. Helena Bay environs. III. Experimental studies, treatment and control measures. ... No. 2, p. 35.

CROTALARIA DAMARENSIS.

A note on the alkaloid of *Crotalaria damarensis*. ... No. 4, p. 111.

CULICOIDES.

The South African biting midges of the genus *Culicoides* (Ceratopogonid., Dipt.)
No. 2, p. 3.

CYTOLOGY OF THE SPLEEN.

A contribution to the cytology of the spleen. The Romanowsky-stained bovine spleen smear. No. 2, p. 79

DEFLUORINATION.

Defluorination of aqueous solutions of superphosphate for use in animal nutrition.
No. 3, p. 93.

DEMYELINATING DISEASE.

Studies in demyelinating diseases of sheep associated with copper deficiency. I
"Lamkruis", a demyelinating disease of lambs occurring in South Africa. II.
A biochemical investigation on the incidence of "lamkruis" in lambs in the
Saldanha Bay, Vredenburg and St. Helena Bay environs. III. Experimental studies,
treatment and control measures. No. 2, p. 35.

DIGESTION TRIALS.

Digestibility of lucerne hay with special reference to experimental technique in
digestion trials (second report). No. 4, p. 105.

DOG.

Changes in the electrophoretic pattern of sera of dogs suffering from various diseases.
No. 4, p. 13.

EGG-ATTENUATED VIRUS.

The use of egg attenuated bluetongue virus in the production of a polyvalent vaccine
for sheep. A propagation of the virus in sheep No. 1, p. 3.

EGG-PROPAGATED VIRUS.

Fowl pox vaccination in South Africa with egg-propagated fowl and pigeon pox
viruses. No. 1, p. 17.

ELECTROPHORETIC PATTERN.

Changes in the electrophoretic pattern of sera of dogs suffering from various diseases.
No. 4, p. 13.

ELECTROPHORETIC STUDY.

Comparative electrophoretic studies of bovine and human colostrum in relation to
neonatal immunity. No. 4, p. 7.

EPERYTHROZOON PARVUM.

The occurrence of *Eperythrozoon parvum* Splitter 1950, in South African swine.
No. 4, p. 5.

FASTING.

Studies on the alimentary tract of the merino sheep in South Africa. XVIII. The
effect of fasting on the activity of the ruminal flora of sheep and cattle. No. 1, p. 51.

FOWL POX.

Fowl pox vaccination in South Africa with egg-propagated fowl and pigeon pox
viruses. No. 1, p. 17.

GLYCOSIDE.

Transvaalin, a cardiac glycoside isolated from *Urginea burkei* Bkr. (Transvaal slang-
kop). No. 4, p. 123.

GOUSIEKTEBOSSIE.

Chemical investigation of *Pachystigma pygmaeum* Schlechter (gousiektebossie).
No. 4, p. 113.

GRAMINEAE.

Comparative study of the content of starch and sugar of *Tribulus terrestris*, lucerne,
some *Gramineae* and *Pentzia incana* under different meteorological, edaphic and
physiological conditions. No. 3, p. 45.

GRASS HAY.

Studies on the alimentary tract of the merino sheep in South Africa. XXIII. The
effect of supplementing poor quality grass hay with molasses and nitrogenous salts.
No. 1, p. 93.

HAEMOPROTEUS.

The occurrence of some hitherto undescribed *Leucocytozoon* and *Haemoproteus* species in South African birds ... No. 4, p. 3

HEARTWATER.

Aureomycin in the treatment of heartwater. ... No. 4, p. 41.

HORSE.

The oestrous cycle of the mare when maintained under stabled conditions with restricted exercise at Onderstepoort. ... No. 1, p. 105.

INSECTICIDES.

The new synthetic insecticides as dressings for blowfly strike in sheep. No. 4, p. 53.

The lethal effect of some insecticides on the B.H.C.-resistant blue tick, *Boophilus decoloratus* Koch ... No. 4, p. 65.

LAMB.

The influence of nutritional level on verminosis in merino lambs. No. 1, p. 121.

"LAMKRUIS".

Studies in demyelinating diseases of sheep associated with copper deficiency. I. "Lamkruis", a demyelinating disease of lambs occurring in South Africa. II. A biochemical investigation on the incidence of "Lamkruis" in lambs in the Saldanha Bay, Vredenburg and St. Helena Bay environs. III. Experimental studies, treatment and control measures. ... No. 2, p. 35.

LEUCOCYTOZOON.

The occurrence of some hitherto undescribed *Leucocytozoon* and *Haemoproteus* species in South African birds. ... No. 4, p. 3.

LUCERNE.

Comparative study of the content of starch and sugars of *Tribulus terrestris*, lucerne, some *Gramineae* and *Pentzia incana*, under different meteorological, edaphic and physiological conditions. ... No. 3, p. 45.

Digestibility of lucerne hay with special reference to experimental technique in digestion trials (second report). ... No. 4, p. 105.

MIDGES.

The South African biting midges of the genus *Culicoides* (Ceratopogonid., Dipt.) ... No. 2, p. 3.

MILK.

The Brucella Ring Test for milk of individual cows and its value for determining their status of infection. ... No. 1, p. 39.

MOLASSES.

Studies on the alimentary tract of the merino sheep in South Africa. XXIII. The effect of supplementing poor quality grass hay with molasses and nitrogenous salts. ... No. 1, p. 93.

NEONATAL IMMUNITY.

Comparative electrophoretic studies of bovine and human colostrum in relation to neonatal immunity. ... No. 4, p. 7.

NEWCASTLE DISEASE.

The domestic pigeon as a possible carrier of Newcastle disease. ... No. 4, p. 25.

Newcastle disease vaccination: The use of live virus after inactivated virus No. 4, p. 29.

NITROGENOUS SALTS.

Studies on the alimentary tract of the merino sheep in South Africa. XXIII. The effect of supplementing poor quality grass hay with molasses and nitrogenous salts ... No. 1, p. 93.

NUTRITIONAL LEVEL.

The influence of nutritional level on verminosis in merino lambs. No. 1, p. 121.

OESTROUS CYCLE.

The oestrous cycle of the mare when maintained under stabled conditions with restricted exercise at Onderstepoort. ... No. 1, p. 105.

PACHYSTIGMA PYGMAEUM.

Chemical investigation of *Pachystigma pygmaeum* Schlechter (gousiektebossie). No. 4, p. 113.

PACKED CELIS.

A rapid economical method for accurate determination of the percentage packed celis in a bacterial suspension. ... No. 3, p. 39.

PAPER PARTITION CHROMATOGRAPHY.

A photometric method for quantitative paper partition chromatography of amino acids. ... No. 1, p. 31.

PENTZIA INCANA.

Comparative study of the content of starch and sugars of *Tribulus terrestris*, lucerne, some *Gramineae* and *Pentzia incana* under different meteorological, edaphic and physiological conditions. ... No. 3, p. 45.

PHOSPHORUS

The effect of body stores and of method of supplementation on the efficiency of calcium and phosphorus utilization by sheep. ... No. 4, p. 85.

The utilization of phosphorus from different sources by the rat. ... No. 4, p. 99.

PIGEON.

The domestic pigeon as a possible carrier of Newcastle disease. ... No. 4, p. 25.

PIGEON POX.

Fowl pox vaccination in South Africa with egg-propagated fowl and pigeon pox viruses. ... No. 1, p. 17.

POLYVALENT VACCINE.

The use of egg attenuated bluetongue virus in the production of a polyvalent vaccine for sheep. A. Propagation of the virus in sheep. ... No. 1, p. 3.

POTASSIUM CYANIDE.

Studies on the alimentary tract of the merino sheep in South Africa. XX. The failure of the rumen musculature to respond to carbamylcholine chloride when paralysed by potassium cyanide ... No. 1, p. 67.

PROCAVIA CAPENSIS.

Babesia thomasi sp. nov., an intra-erythrocytic parasite of the Cape dassie [*Procavia capensis* (Pallas)]. ... No. 3, p. 3.

PROCESSING.

The influence of processing on the efficiency of proteins. ... No. 4, p. 93.

PROTEINS.

The influence of processing on the efficiency of proteins ... No. 4, p. 93.

RAT.

The utilization of phosphorus from different sources by the rat. ... No. 4, p. 99.

ROMANOWSKY-STAINED SPLEEN SMEAR.

A contribution to the cytology of the spleen: The Romanowsky-stained bovine spleen smear. ... No. 2, p. 79.

RUMEN MUSCULATURE.

Studies on the alimentary tract of the merino sheep in South Africa. XX. The failure of the rumen musculature to respond to carbamylcholine chloride when paralysed by potassium cyanide. ... No. 1, p. 67.

RUMINAL CONTENTS.

Studies on the alimentary tract of the merino sheep in South Africa. XXII. The effect of the pH of the ruminal contents on ruminal motility. No. 1, p. 79.

RUMINAL FLORA.

Studies on the alimentary tract of the merino sheep in South Africa.

XVIII. The effect of fasting on the activity of the ruminal flora of sheep and cattle. ... No. 1, p. 51.

XIX. The influence of sulphanilamide on the activity of the ruminal flora of sheep and cattle. ... No. 1, p. 59.

RUMINAL MOTILITY.

Studies on the alimentary tract of the merino sheep in South Africa. XXII. The effect of the pH of the ruminal contents on ruminal motility. ... No. 1, p. 79.

SERUM.

Changes in the electrophoretic pattern of sera of dogs suffering from various diseases. No. 4, p. 13.

SHEEP.

The use of egg attenuated bluetongue virus in the production of a polyvalent vaccine for sheep. A. Propagation of the virus in sheep. ... No. 1, p. 3.

Studies on the alimentary tract of the merino sheep in South Africa.

XVIII. The effect of fasting on the activity of the ruminal flora of sheep and cattle. No. 1, p. 51.

XIX. The influence of sulphanilamide on the activity of the ruminal flora of sheep and cattle ... No. 1, p. 59.

XX. The failure of the rumen musculature to respond to carbamylcholine chloride when paralysed by potassium cyanide. ... No. 1, p. 67.

XXI. The toxicity of urea to sheep under different conditions. ... No. 1, p. 73.

XXII. The effect of the pH of the ruminal contents on ruminal motility. No. 1, p. 79.

XXIII. The effect of supplementing poor quality grass hay with molasses and nitrogenous salts ... No. 1, p. 93.

Studies in demyelinating diseases of sheep associated with copper deficiency. I. "Lamkruis", a demyelinating disease of lambs occurring in South Africa. II. A biochemical investigation on the incidence of "lamkruis" in lambs in the Saldanha Bay, Vredenburg and St. Helena Bay environs. III. Experimental studies, treatment and control measures ... No. 2, p. 35.

SHEEP.

The new synthetic insecticides as dressings for blowfly strike in sheep. No. 4, p. 53.

The influences of the nature of the diet and of starvation on the concentration curve of sulphanilamide in the blood of sheep after oral dosing ... No. 4, p. 75.

The effect of body stores and of method of supplementation on the efficiency of calcium and phosphorus utilization by sheep. ... No. 4, p. 85.

STARCH.

Comparative study of the content of starch and sugars of *Tribulus terrestris*, lucerne, some Gramineae and *Pentzia incana* under different meteorological, edaphic and physiological conditions. ... No. 3, p. 45.

SUGAR.

Comparative study of the content of starch and sugars of *Tribulus terrestris*, lucerne some Gramineae and *Pentzia incana* under different meteorological, edaphic and physiological conditions. ... No. 3, p. 45.

SULPHANILAMIDE.

Studies on the alimentary tract of the merino sheep in South Africa. XIX. The influence of sulphanilamide on the activity of the ruminal flora of sheep and cattle. No. 1, p. 59.

The influences of the nature of the diet and of starvation on the concentration curve of sulphanilamide in the blood of sheep after oral dosing. No. 4, p. 75.

SUPERPHOSPHATE.

Defluorination of aqueous solutions of superphosphate for use in animal nutrition. No. 3, p. 93.

SWINE.

The occurrence of *Eperythrozoon parvum*, Splitter 1950, in South African swine. No. 4, p. 5.

TICK.

The lethal effect of some insecticides on the B.H.C.-resistant blue tick, *Boophilus decoloratus* Koch. ... No. 4, p. 65.

TRANSVAALIN.

Transvaalin, a cardiac glycoside isolated from *Urginea burkei* Bkr. (Transvaal Slangkop). ... No. 4, p. 123.

TRIBULUS TERRESTRIS.

Comparative study of the content of starch and sugars of *Tribulus terrestris*, lucerne, some *Gramineae* and *Pentzia incana* under different meteorological, edaphic, and physiological conditions. ... No. 3, p. 45.

TUBERCULOSIS.

Tuberculosis in man, an animal health problem ... No. 3, p. 7.

UREA.

Studies on the alimentary tract of the merino sheep in South Africa. XXI. The toxicity of urea to sheep under different conditions. ... No. 1, p. 73.

URGINEA BURKEI.

Transvaalin, a cardiac glycoside isolated from *Urginea burkei* Bkr. (Transvaal Slangkop). ... No. 4, p. 123.

VACCINE.

The use of egg-attenuated bluetongue virus in the production of a polyvalent vaccine for sheep. A. Propagation of the virus in sheep ... No. 1, p. 3.

VERMINOSIS.

The influence of nutritional level on verminosis in merino lambs. No. 1, p. 121.

VIRUS.

The use of egg-attenuated bluetongue virus in the production of a polyvalent vaccine for sheep. A. Propagation of the Virus in sheep. ... No. 1, p. 3.