

SUBJECT INDEX.

Volume 18, Nos. 1 and 2.

	PAGE
Acetone Bodies.	
Chemical blood studies IX. The fractional determination of the acetone bodies in blood and urine of sheep suffering from domsiekte	311
Alimentary Tract.	
Studies on the alimentary tract of merino sheep in South Africa:—	
VII. Fermentation in the forestomachs of sheep	91
VIII. The pathogenesis of acute tympanites (bloat)	113
IX. The hydrogen-ion concentration in the forestomachs of fistula sheep under different experimental conditions	119
X. Notes on the digestion of some sugars in the rumen of sheep ...	131
Bacterial Population.	
The influence of varying maize supplements on the digestibility of the cellulose in a poor veld hay in relation to the bacterial population of the rumen of sheep with a note on the nitrogen metabolism	177
Bilirubin.	
Pigment metabolism I. The examination of the urine and blood of dogs for bilirubin and haemoglobin	289
Pigment metabolism II. Determinations of bilirubin and carotinoids in the plasma and of coproporphyrin in the urine and faeces of cattle experimentally infected with <i>Theileria parva</i>	297
Bloat.	
Studies on the alimentary tract of merino sheep in South Africa VIII. The Pathogenesis of acute tympanites (bloat)	113
Blood.	
Pigment metabolism I. The examination of the urine and blood of dogs for bilirubin and haemoglobin	289
Chemical blood studies IX. The fractional determination of the acetone bodies in blood and urine of sheep suffering from domsiekte	311
Blowfly.	
Sheep blowfly research:—	
I. A survey of maggot collections from live sheep and a note on the trapping of blowflies	13
II. Suint investigations	19
III. Studies on the olfactory reactions of sheep blowflies	27
IV. Field tests with chemically treated carcasses	49
V. Carcasses as sources of blowflies	59
VI. The treatment of myiasis	73
Bovines	
Pigment metabolism II. Determinations of bilirubin and carotinoids in the plasma and of coproporphyrin in the urine and faeces of cattle experimentally infected with <i>Theileria parva</i>	297
Genetics in the diagnosis of bovine congenital porphyrinuria	305
Some aspects of solar radiation in its relation to cattle in South Africa and Europe	327
Cage-Olfactometer.	
A simple insect cage-olfactometer	7

Carcasses.	PAGE
Sheep blowfly research:—	
IV. Field tests with chemically treated carcasses	49
V. Carcasses as sources of blowflies	59
Carotinoids.	
Pigment metabolism II. Determinations of bilirubin and carotinoids in the plasma and of coproporphyrin in the urine and faeces of cattle experimentally infected with <i>Theileria parva</i>	297
Cellulose.	
The influence of varying maize supplements on the digestibility of the cellulose in a poor veld hay in relation to the bacterial population of the rumen of sheep with a note on the nitrogen metabolism	177
Coproporphyrin.	
Pigment metabolism II. Determinations of bilirubin and carotinoids in the plasma and of coproporphyrin in the urine and faeces of cattle experimentally infected with <i>Theileria parva</i>	297
Curve Fitting.	
Curve fitting by the orthogonal polynomials of least squares	355
Dichapetalum Cymosum.	
The isolation of the toxic principle "Potassium cymonate" from "gifblaar" <i>Dichapetalum cymosum</i> (Hook) Engl.	203
Diethyl-Stilboestrol.	
The effects of diethyl-stilboestrol and pregnant mare serum on the oestrous cycle of merino ewes	139
Digestion.	
Studies on the alimentary tract of merino sheep in South Africa X. Notes on the digestion of some sugars in the rumen of sheep	131
Dogs.	
Pigment metabolism I. The examination of the urine and blood of dogs for bilirubin and haemoglobin	289
Domsiekte.	
Domsiekte or pregnancy disease in sheep III	263
Domsiekte or pregnancy disease in sheep IV. The effect of obesity on the reaction of sheep to a sudden reduction in diet	279
Chemical blood studies IX. The fractional determination of the acetone bodies in blood and urine of sheep suffering from domsiekte	311
Faeces.	
Pigment metabolism II. Determinations of bilirubin and carotinoids in the plasma and of coproporphyrin in the urine and faeces of cattle experimentally infected with <i>Theileria parva</i>	297
Fermentation.	
Studies on the alimentary tract of merino sheep in South Africa VII. Fermentation in the forestomachs of sheep	91
Fistula.	
Studies on the alimentary tract of merino sheep in South Africa IX. The hydrogen-ion concentration in the forestomachs of fistula sheep under different experimental conditions	119
Forestomachs.	
Studies on the alimentary tract of merino sheep in South Africa:—	
VII. Fermentation in the forestomachs of sheep	91
IX. The hydrogen-ion concentration in the forestomachs of fistula sheep under different experimental conditions	119

	PAGE
Genetics.	
Genetics in the diagnosis of bovine congenital porphyrinuria	305
Gifblaar.	
The isolation of the toxic principle "Potassium cymonate" from "gifblaar" <i>Dichapetalum cymosum</i> (Hook) Engl.	203
Grass Hay.	
Grass hay as a maintenance ration for sheep during winter	191
Gypsum.	
The recovery of potassium carbonate from wool scouring liquor and the conversion of the recovered potassium carbonate to commercial potassium sulphate, using naturally occurring gypsum as sulphate source	321
Haemoglobin.	
Pigment metabolism I. The examination of the urine and blood of dogs for bilirubin and haemoglobin	289
Hydrogen-ion Concentration.	
Studies on the alimentary tract of merino sheep in South Africa IX. The hydrogen-ion concentration in the forestomachs of fistula sheep under different experimental conditions	119
Insect.	
A simple insect cage-olfactometer	7
Lantana Camara.	
Lantanin, the active principle of <i>Lantana camara</i> L. Part I. Isolation and preliminary results on the determination of its constitution	197
Lantanin.	
Lantanin, the active principle of <i>Lantana camara</i> L. Part I. Isolation and preliminary results on the determination of its constitution	197
Least Squares.	
Curve fitting by the orthogonal polynomials of least squares	355
Maggot Collections.	
Sheep blowfly research I. A survey of maggot collections from live sheep and a note on the trapping of blowflies	13
Maintenance Ration.	
Grass hay as a maintenance ration for sheep during winter	191
Maize.	
The influence of varying maize supplements on the digestibility of the cellulose in a poor veld hay in relation to the bacterial population of the rumen of sheep with a note on the nitrogen metabolism	177
Myiasis.	
Sheep blowfly research VI. The treatment of myiasis	73
Nitrogen Metabolism.	
The influence of varying maize supplements on the digestibility of the cellulose in a poor veld hay in relation to the bacterial population of the rumen of sheep with a note on the nitrogen metabolism	177
Nutritional Deficiencies.	
Paresis in pigs in relation to nutritional deficiencies	225
Obesity.	
Domsiekte or pregnancy disease in sheep IV. The effect of obesity on the reaction of sheep to a sudden reduction in diet	279

	PAGE
Oestrous Cycle.	
The effects of diethyl-stilboestrol and pregnant mare serum on the oestrous cycle of merino ewes	139
Olfactometer.	
A simple insect cage-olfactometer	7
Olfactory Reactions.	
Sheep blowfly research III. Studies on the olfactory reactions of sheep blowflies	27
Orthogonal Polynomials.	
Curve fitting by the orthogonal polynomials of least squares	355
Paresis.	
Paresis in pigs in relation to nutritional deficiencies	225
Pigment Metabolism.	
I. The examination of urine and blood of dogs for bilirubin and haemoglobin ...	289
II. Determinations of bilirubin and carotinoids in the plasma and of coproporphyrin in the urine and faeces of cattle experimentally infected with <i>Theileria parva</i>	297
Pigs.	
Paresis in pigs in relation to nutritional deficiencies	225
Plasma.	
Pigment metabolism II. Determinations of bilirubin and carotinoids in the plasma and of coproporphyrin in the urine and faeces of cattle experimentally infected with <i>Theileria parva</i>	297
Poisonous Plants.	
Recent investigations into the toxicity of plants, etc., XIII	207
Porphyrinuria.	
Genetics in the diagnosis of bovine congenital porphyrinuria	305
Potassium Carbonate.	
The recovery of potassium carbonate from wool scouring liquor and the conversion of the recovered potassium carbonate to commercial potassium sulphate, using naturally occurring gypsum as sulphate source	321
Potassium Cymonate.	
The isolation of the toxic principle "Potassium cymonate" from "gifblaar" <i>Dichapetalum cymosum</i> (Hook) Engl.	203
Potassium Sulphate.	
The recovery of potassium carbonate from wool scouring liquor and the conversion of the recovered potassium carbonate to commercial potassium sulphate, using naturally occurring gypsum as sulphate source	321
Pregnancy Disease.	
Domsiekte or pregnancy disease in sheep III	263
Domsiekte or pregnancy disease in sheep IV. The effect of obesity on the reaction of sheep to a sudden reduction in diet	279
Chemical blood studies IX. The fractional determination of the acetone bodies in the blood and urine of sheep suffering from domsiekte	311
Pregnant Mare Serum.	
The effects of diethyl-stilboestrol and pregnant mare serum on the oestrous cycle of merino ewes	139

	PAGE
Rats.	
Depletion of substantial vitamin A reserves in growing rats	149
Feeding vitaminised peanut butter to rats to confirm chemical assays of vitamin A	157
Sheep.	
Sheep blowfly research:—	
I. A survey of maggot collections from live sheep and a note on the trapping of blowflies	13
II. Suint investigations	19
III. Studies on the olfactory reactions of sheep blowflies	27
IV. Field tests with chemically treated carcasses	49
V. Carcasses as source of blowflies	59
VI. The treatment of myiasis	73
Studies on the alimentary tract of merino sheep in South Africa:—	
VII. Fermentation in the forestomachs of sheep	91
VIII. The pathogenesis of acute tympanites (bloat)	113
IX. The hydrogen-ion concentration in the forestomachs of fistula sheep under different experimental conditions	119
X. Notes on the digestion of some sugars in the rumen of sheep	131
The effects of diethyl-stilboestrol and pregnant mare serum on the oestrous cycle of merino ewes	139
The influence of varying maize supplements on the digestibility of the cellulose in a poor veld hay in relation to the bacterial population of the rumen of sheep with a note on the nitrogen metabolism	177
Grass hay as a maintenance ration for sheep during winter	191
Domsiekte or pregnancy disease in sheep III	263
Domsiekte or pregnancy disease in sheep IV. The effect of obesity on the reaction of sheep to a sudden reduction in diet	279
Chemical blood studies IX. The fractional determination of the acetone bodies in blood and urine of sheep suffering from domsiekte	311
Solar Radiation.	
Some aspects of solar radiation in its relation to cattle in South Africa and Europe	327
Sugars.	
Studies on the alimentary tract of merino sheep in South Africa X. Notes on the digestion of some sugars in the rumen of sheep	131
Suint.	
Sheep blowfly research II. Suint investigations	19
Theileria Parva.	
Pigment metabolism II. Determinations of bilirubin and carotinoids in the plasma and of coproporphyrin in the urine and faeces of cattle experimentally infected with <i>Theileria parva</i>	297
Ticks.	
Ticks in the South African Zoological Survey collection, Part II	85
Trapping.	
Sheep blowfly research I. A survey of maggot collections from live sheep and a note on the trapping of blowflies	13

	PAGE
Tympanites.	
Studies on the alimentary tract of merino sheep in South Africa VIII. The pathogenesis of acute tympanites (bloat)	113
Urine.	
Pigment metabolism I. The examination of the urine and blood of dogs for bilirubin and haemoglobin	289
Pigment metabolism II. Determinations of bilirubin and carotinoids in the plasma and of coproporphyrin in the urine and faeces of cattle experimentally infected with <i>Theileria parva</i>	297
Chemical blood studies IX. The fractional determination of the acetone bodies in blood and urine of sheep suffering from domsiekte	311
Veld Hay.	
The influence of varying maize supplements on the digestibility of the cellulose in a poor veld hay in relation to the bacterial population of the rumen of sheep with a note on the nitrogen metabolism	177
Vitamin A.	
Depletion of substantial vitamin A reserves in growing rats	149
Feeding vitaminized peanut butter to rats to confirm chemical assays of vitamin A	157
Wool Scouring Liquor.	
The recovery of potassium carbonate from wool scouring liquor and the conversion of the recovered potassium carbonate to commercial potassium sulphate, using naturally occurring gypsum as sulphate source	321