

REPUBLIC OF SOUTH AFRICA  
THE ONDERSTEPSOORT JOURNAL OF VETERINARY RESEARCH

**Volume 51**

**1984**

**Numbers 1-4**

**SUBJECT INDEX**

	<i>Volume</i>	<i>Page</i>
<b>Acid production</b>		
Acid production by flavivirus-infected VERO and CER cell cultures. B. J. H. BARNARD .....	51	89-90
<b>Actinobacillus actinomycetem-comitans</b>		
A study for the differentiation of <i>Actinobacillus seminis</i> , <i>A. actinomycetem-comitans</i> , <i>Histophilus ovis</i> and <i>Pasteurella haemolytica</i> . MARTHA L. SWANEOPOEL.....	51	41-46
<b>Actinobacillus seminis</b>		
A study for the differentiation of <i>Actinobacillus seminis</i> , <i>A. actinomycetem-comitans</i> , <i>Histophilus ovis</i> and <i>Pasteurella haemolytica</i> . MARTHA L. SWANEOPOEL.....	51	41-46
<b>Aggregation-inducing property</b>		
Investigations into the volatility of female pheromones and the aggregation-inducing property of guanine in <i>Argas (Persicargas) walkerae</i> . A. W. H. NEITZ and R. GOTHE.....	51	197-201
<b>Amblyomma hebraeum</b>		
Records of the bont tick, <i>Amblyomma hebraeum</i> , from the angulate tortoise, <i>Chersina angulata</i> , and the leopard tortoise, <i>Geochelone pardalis</i> . JANE B. WALKER and K. C. A. SCHÜLTZ .....	51	171-173
Demonstration of <i>Cowdria ruminantium</i> in <i>Amblyomma hebraeum</i> by fluorescent antibody techniques, light and electron microscopy. J. D. BEZUIDENOUT .....	51	213-215
<b>Angulate tortoise</b>		
Records of the bont tick, <i>Amblyomma hebraeum</i> , from the angulate tortoise, <i>Chersina angulata</i> , and the leopard tortoise, <i>Geochelone pardalis</i> . JANE B. WALKER and K. C. A. SCHÜLTZ .....	51	171-173
<b>Antelope</b>		
The helminths of various antelope species from Natal. J. BOOMKER, M. E. KEEP, J. R. FLAMAND and I. G. HORAK....	51	253-256
<b>Argas (Persicargas) walkerae</b>		
Investigations into the volatility of female pheromones and the aggregation-inducing property of guanine in <i>Argas (Persicargas) walkerae</i> . A. W. H. NEITZ and R. GOTHE.....	51	197-201
<b>Arthropod parasites</b>		
Parasites of domestic and wild animals in South Africa. XVII. Arthropod parasites of Burchell's zebra, <i>Equus burchelli</i> , in the eastern Transvaal lowveld. I. G. HORAK and B. D. DE KLERK .....	51	145-154
Arthropod parasites of Hartmann's mountain zebra, <i>Equus zebra hartmannae</i> , in South West Africa/Namibia. I. G. HORAK, H. C. BIGGS and R. K. REINECKE .....	51	183-187
<b>Artificial pastures</b>		
Studies on <i>Haemonchus contortus</i> . X. The effect of <i>Trichostrongylus axei</i> in Merinos on artificial pastures. R. K. REINECKE, I. L. DE VILLIERS and GERDA JOUBERT .....	51	33-39
<b>Aspergillus clavatus</b>		
A tremorgenic mycotoxicosis of cattle caused by maize sprouts infested with <i>Aspergillus clavatus</i> . T. S. KELLERMAN, S. J. NEWSHOLME, J. A. W. COETZER and G. C. A. VAN DER WESTHUIZEN .....	51	271-274
<b>Asteraceae</b>		
Pathology of a nervous disorder (pushing disease or "stootsiekte") in cattle caused by the plant <i>Matricaria nigellifolia</i> DC (Asteraceae). S. J. NEWSHOLME, T. S. KELLERMAN and WILHELMINA G. WELMAN .....	51	119-127
<b>Bacillus thuringiensis var. israelensis</b>		
Laboratory and field trials with two <i>Bacillus thuringiensis</i> var. <i>israelensis</i> products for <i>Simulium</i> (Diptera: Nematocera) control in a small polluted river in South Africa. M. CAR .....	51	141-144
The response of Vaal River drift and benthos to <i>Simulium</i> (Diptera: Nematocera) control using <i>Bacillus thuringiensis</i> var. <i>israelensis</i> (H-14). M. CAR and C. F. DE MOOR .....	51	155-160
<b>Bacteria</b>		
Bacteriological findings regarding the hygienic safety of poultry litter intended as an ingredient of feeds for ruminants. K. OGONOWSKI, MARIE-LUISE BARNARD and W. H. GIESECKE .....	51	249-252
<b>Benthos</b>		
The response of Vaal River drift and benthos to <i>Simulium</i> (Diptera: Nematocera) control using <i>Bacillus thuringiensis</i> var. <i>israelensis</i> (H-14). M. CAR and C. F. DE MOOR .....	51	155-160
<b>Bont tick</b>		
Records of the bont tick, <i>Amblyomma hebraeum</i> , from the angulate tortoise, <i>Chersina angulata</i> , and the leopard tortoise, <i>Geochelone pardalis</i> . JANE B. WALKER and K. C. A. SCHÜLTZ .....	51	171-173
<b>Bovine besnoitiosis</b>		
Serodiagnosis of bovine besnoitiosis by ELISA and immunofluorescence tests. K. JANITSCHKE, A. J. DE VOS and R. D. BIGALKE .....	51	239-243
<b>Burchell's zebra</b>		
Parasites of domestic and wild animals in South Africa. XVII. Arthropod parasites of Burchell's zebra, <i>Equus burchelli</i> , in the eastern Transvaal lowveld. I. G. HORAK and B. D. DE KLERK .....	51	145-154
Studies on the parasites of zebras. IV. <i>Cylicodontophorus reinekei</i> n. sp. (Nematoda: Strongylidae) from the Burchell's zebra, <i>Equus burchelli antiquorum</i> H. Smith, 1841 and the mountain zebra, <i>Equus zebra hartmannae</i> Matschie, 1898. ROSINA C. SCIALDO-KRECEK and F. S. MALAN .....	51	257-262
<b>Bushbuck</b>		
<i>Paracooperia devossi</i> n. sp. (Nematoda: Trichostrongylidae) from the bushbuck, <i>Tragelaphus scriptus</i> (Pallas, 1799). J. BOOMKER and SHIRLEY A. KINGSLEY .....	51	21-24

	Volume	Page
<b>Calves</b>		
The immunization of calves against heartwater; subsequent immunity both in the absence and presence of natural tick challenge. J. L. DU PLESSIS, J. D. BEZUIDENOUT and C. J. F. LÜDEMANN .....	51	193–196
Colostrum-derived antibodies to <i>Cowdria ruminantium</i> in the serum of calves and lambs. J. L. DU PLESSIS .....	51	275–276
<b>Carcass lesions</b>		
The longevity of adult <i>Parafilaria bovicola</i> and the persistence of their associated carcass lesions in cattle in South Africa. E. M. NEVILL and J. H. VILJOEN .....	51	115–118
<b>Cattle</b>		
Seasonal abundance and distribution of <i>Parafilaria bovicola</i> ovipositional blood spots on cattle in South Africa. E. M. NEVILL .....	51	107–114
The longevity of adult <i>Parafilaria bovicola</i> and the persistence of their associated carcass lesions in cattle in South Africa. E. M. NEVILLE and J. H. VILJOEN .....	51	115–118
Pathology of a nervous disorder (pushing disease or "stootsiekte") in cattle caused by the plant <i>Matricaria nigellifolia</i> DC (Asteraceae). S. J. NEWSHOLME, T. S. KELLERMAN and WILHELMINA G. WELMAN .....	51	119–127
Seasonal prevalence of ixodid ticks on cattle in the Windhoek District of South West Africa/Namibia. H. C. BIGGS and J. W. LANGENHOVEN .....	51	175–182
A tremorgenic mycotoxicosis of cattle caused by maize sprouts infested with <i>Aspergillus clavatus</i> . T. S. KELLERMAN, S. J. NEWSHOLME, J. A. W. COETZER and G. C. A. VAN DER WESTHUIZEN .....	51	271–273
<b>CER cell cultures</b>		
Acid production by flavivirus-infected VERO and CER cell cultures. B. J. H. BARNARD .....	51	89–90
<b>Chacma baboons</b>		
The helminth fauna of the digestive tracts of chacma baboons, <i>Papio ursinus</i> , from different localities in the Transvaal. H. L. PETTIFER .....	51	161–170
<b>Chersina angulata</b>		
Records of the bont tick, <i>Amblyomma hebraeum</i> , from the angulate tortoise, <i>Chersina angulata</i> , and the leopard tortoise, <i>Geochelone pardalis</i> . JANE B. WALKER and K. C. A. SCHULTZ .....	51	171–173
<b>Climate</b>		
The relation of climate and topography to worm egg counts of gastro-intestinal nematodes of sheep in the Eastern Cape. B. McCULLOCH, H. G. KÜHN and R. R. DALBOCK .....	51	223–238
<b>Colostrum-derived antibodies</b>		
Colostrum-derived antibodies to <i>Cowdria ruminantium</i> in the serum of calves and lambs. J. L. DU PLESSIS .....	51	275–276
<b>Corynebacterium pseudotuberculosis</b>		
An improved <i>Corynebacterium pseudotuberculosis</i> vaccine for sheep. C. M. CAMERON and FAITH J. BESTER .....	51	263–267
<b>Cowdria ruminantium</b>		
Demonstration of <i>Cowdria ruminantium</i> in <i>Amblyomma hebraeum</i> by fluorescent antibody techniques, light and electron microscopy. J. D. BEZUIDENHOUT .....	51	213–215
Colostrum-derived antibodies to <i>Cowdria ruminantium</i> in the serum of calves and lambs. J. L. DU PLESSIS .....	51	275–276
<b>Cow's milk</b>		
Fluctuations in the glucose level of cow's milk from normal and subclinically diseased udders. W. H. GIESECKE, ANETTE M. DURAND and INGE-MARIÉ PETZER .....	51	15–19
<b>Cryopreservation</b>		
Methods of infesting sheep with gastro-intestinal nematodes after cryopreservation: dosing of larvae in gelatin capsules compared to dosing of larvae in water suspension. J. A. VAN WYK, H. M. GERBER and REGINA M. R. ALVES .....	51	217–221
<b>Cylicodontophorus reinekei</b>		
Studies on the parasites of zebras. IV. <i>Cylicodontophorus reinekei</i> n. sp. (Nematoda: Strongylidae) from the Burchell's zebra, <i>Equus burchelli antiquorum</i> H. Smith, 1841 and the mountain zebra, <i>Equus zebra hartmannae</i> Matschie, 1898. ROSINA C. SCIALDO-KRĘCEK and F. S. MALAN .....	51	257–262
<b>Dairy cow</b>		
Plasminogen activator activity in secretions from clinically normal, mastitic, lactating and dried-off udders of dairy cows. Z. E. KOWALSKI, R. C. FRANZ, W. J. C. COETZEE and W. H. GIESECKE .....	51	209–212
<b>Diptera</b>		
Laboratory and field trials with two <i>Bacillus thuringiensis</i> var. <i>israelensis</i> products for <i>Simulium</i> (Diptera: Nematocera) control in a small polluted river in South Africa. M. CAR .....	51	141–144
The response of Vaal River drift and benthos to <i>Simulium</i> (Diptera: Nematocera) control using <i>Bacillus thuringiensis</i> var. <i>israelensis</i> (H-14). M. CAR and C. F. DE MOOR .....	51	155–160
<b>Domestic animals</b>		
Parasites of domestic and wild animals in South Africa. XVII. Arthropod parasites of Burchell's zebra, <i>Equus burchelli</i> , in the eastern Transvaal lowveld. I. G. HORAK and B. D. DE KLERK .....	51	145–154
<b>Dorper lambs</b>		
Studies on <i>Haemonchus contortus</i> . XII. Effect of <i>Trichostrongylus axei</i> in Dorper lambs on natural pasture lightly infested with <i>H. contortus</i> . R. K. REINECKE, I. L. DE VILLIERS, MAGDALENA S. LOMBARD and ROSINA C. SCIALDO-KRĘCEK .....	51	81–88
<b>Electron microscopic observations</b>		
Electron microscopic observations on the luminal surface of teat cup liners of milking machines used under South African conditions. W. H. GIESECKE, A. M. SPICKETT, ANETTE M. DURAND, J. J. VAN STADEN and J. A. ERASMUS .....	51	47–70
<b>Electron microscopy</b>		
Demonstration of <i>Cowdria ruminantium</i> in <i>Amblyomma hebraeum</i> by fluorescent antibody techniques, light and electron microscopy. J. D. BEZUIDENHOUT .....	51	213–215
<b>ELISA test</b>		
Serodiagnosis of bovine besnoitiosis by ELISA and immunofluorescence tests. K. JANITSCHKE, A. J. DE VOS and R. D. BIGALKE .....	51	239–243

	Volume	Page
<b>Equus burchelli</b>		
Parasites of domestic and wild animals in South Africa. XVII. Arthropod parasites of Burchell's zebra, <i>Equus burchelli</i> , in the eastern Transvaal lowveld. I. G. HORAK and B. D. DE KLERK .....	51	145–154
<b>Equus burchelli antiquorum</b>		
Studies on the parasites of zebras. IV. <i>Cylicodontophorus reinekei</i> n. sp. (Nematoda: Strongylidae) from the Burchell's zebra, <i>Equus burchelli antiquorum</i> H. Smith, 1841 and the mountain zebra, <i>Equus zebra hartmannae</i> Matschie, 1898. ROSINA C. SCIALDO-KRECEK and F. S. MALAN .....	51	257–262
<b>Equus zebra hartmannae</b>		
Arthropod parasites of Hartmann's mountain zebra, <i>Equus zebra hartmannae</i> , in South West Africa/Namibia I. G. HORAK, H. C. BIGGS and R. K. REINECKE .....	51	183–187
Studies on the parasites of zebras. IV. <i>Cylicodontophorus reinekei</i> n. sp. (Nematoda: Strongylidae) from the Burchell's zebra, <i>Equus burchelli antiquorum</i> H. Smith, 1841 and the mountain zebra, <i>Equus zebra hartmannae</i> Matschie, 1898. ROSINA C. SCIALDO-KRECEK and F. S. MALAN .....	51	257–262
<b>Feeds</b>		
Bacteriological findings regarding the hygienic safety of poultry litter intended as an ingredient of feeds for ruminants. K. OGONOWSKI, MARIE-LUISE BARNARD and W. H. GIESECKE .....	51	249–252
<b>Female pheromones</b>		
Investigations into the volatility of female pheromones and the aggregation-inducing property of guanine in <i>Argas (Persicargas) walkerae</i> . A. W. H. NEITZ and R. GOTHE .....	51	197–201
<b>Flavivirus</b>		
Acid production by flavivirus-infected VERO and CER cell cultures. B. J. H. BARNARD .....	51	89–90
<b>Fluorescent antibody techniques</b>		
Demonstration of <i>Cowdria ruminantium</i> in <i>Amblyomma hebraeum</i> by fluorescent antibody techniques, light and electron microscopy. J. D. BEZUIDENHOUT .....	51	213–215
<b>Freshwater fish</b>		
Parasites of South African freshwater fish. II. Redescription of the African species of the genus <i>Phyllostomum</i> Braun, 1899 (Trematoda: Gorgoderinae) and the description of a new species. J. BOOMKER .....	51	129–139
<b>Furunculosis</b>		
Furunculosis in rainbow trout ( <i>Salmo gairdneri</i> ) raised in sea water. J. BOOMKER, M. M. HENTON, T. W. NAUDE and F. W. HUCHZERMEYER .....	51	91–94
<b>Gelatin capsules</b>		
Methods of infesting sheep with gastro-intestinal nematodes after cryopreservation: dosing of larvae in gelatin capsules compared to dosing of larvae in water suspension. J. A. VAN WYK, H. M. GERBER and REGINAH M. R. ALVES .....	51	217–221
<b>Genital infection</b>		
Immunity against genital infection by <i>Histophilus ovis</i> in rams. B. C. JANSEN and MARIANNA HAYES .....	51	203–207
<b>Geochelone pardalis</b>		
Records of the bont tick, <i>Amblyomma hebraeum</i> , from the angulate tortoise, <i>Chersina angulata</i> , and the leopard tortoise, <i>Geochelone pardalis</i> . JANE B. WALKER and K. C. A. SCHULTZ .....	51	171–173
<b>Glucose level</b>		
Fluctuations in the glucose level of cow's milk from normal and subclinically diseased udders. W. H. GIESECKE, ANETTE M. DURAND and INGE-MARIÉ PETZER .....	51	15–19
<b>Gorgoderinae</b>		
Parasites of South African freshwater fish. II. Redescription of the African species of the genus <i>Phyllostomum</i> Braun, 1899 (Trematoda: Gorgoderinae) and the description of a new species. J. BOOMKER .....	51	129–139
<b>Guanine</b>		
Investigations into the volatility of female pheromones and the aggregation-inducing property of guanine in <i>Argas (Persicargas) walkerae</i> . A. W. H. NEITZ and R. GOTHE .....	51	197–201
<b>Guinea-pigs</b>		
Preparation and properties of a crude extract toxic to guinea-pigs from <i>Pachystigma pygmaeum</i> , a plant causing heart failure in ruminants. J. A. VERSCHOOR and D. J. J. POTGIETER .....	51	245–248
<b>Haemonchus contortus</b>		
Studies on <i>Haemonchus contortus</i> . IX. The effect of <i>Trichostrongylus axei</i> in Merinos on natural pasture. R. K. REINECKE, I. L. DE VILLIERS and CHRISTEL BRÜCKNER .....	51	25–31
Studies on <i>Haemonchus contortus</i> . X. The effect of <i>Trichostrongylus axei</i> in Merinos on artificial pastures. R. K. REINECKE, I. L. DE VILLIERS and GERDA JOUBERT .....	51	33–39
Studies on <i>Haemonchus contortus</i> . XI. The effect of a bovine strain of <i>Trichostrongylus axei</i> in Merinos on natural pastures heavily infested with <i>H. contortus</i> . R. K. REINECKE, I. L. DE VILLIERS and GERDA JOUBERT .....	51	71–79
Studies on <i>Haemonchus contortus</i> . XII. Effect of <i>Trichostrongylus axei</i> in Dorper lambs on natural pasture lightly infested with <i>H. contortus</i> . R. K. REINECKE, I. L. DE VILLIERS, MAGDALENA S. LOMBARD and ROSINA C. SCIALDO-KRECEK .....	51	81–88
<b>Hartmann's mountain zebra</b>		
Arthropod parasites of Hartmann's mountain zebra, <i>Equus zebra hartmannae</i> , in South West Africa/Namibia. I. G. HORAK, H. C. BIGGS and R. K. REINECKE .....	51	183–187
<b>Heart failure</b>		
Preparation and properties of a crude extract toxic to guinea-pigs from <i>Pachystigma pygmaeum</i> , a plant causing heart failure in ruminants. J. A. VERSCHOOR and D. J. J. POTGIETER .....	51	245–248
<b>Heartwater</b>		
The immunization of calves against heartwater; subsequent immunity both in the absence and presence of natural tick challenge. J. L. DU PLESSIS, J. D. BEZUIDENHOUT and C. J. F. LÜDEMANN .....	51	193–196
<b>Helminths</b>		
The helminth fauna of the digestive tracts of chacma baboons, <i>Papio ursinus</i> , from different localities in the Transvaal. H. L. PETTIFER .....	51	161–170
The helminths of various antelope species from Natal. J. BOOMKER, M. E. KEEP, J. R. FLAMAND and I. G. HORAK .....	51	253–256

	Volume	Page
<b>Histophilus ovis</b>		
A study for the differentiation of <i>Actinobacillus seminis</i> , <i>A. actinomycetem-comitans</i> , <i>Histophilus ovis</i> and <i>Pasteurella haemolytica</i> . MARTHA L. SWANPOEL .....	51	41–46
Immunity against genital infection by <i>Histophilus ovis</i> in rams. B. C. JANSEN and MARIANNA HAYES .....	51	203–207
The acquisition of immunity to <i>Histophilus ovis</i> by sheep in nature. B. C. JANSEN and MARIANNA HAYES .....	51	269–270
<b>Homeria glauca</b>		
Further physiopathological features of experimental <i>Homeria glauca</i> (Wood & Evans) N. E. Br. poisoning in Merino sheep C. BUTTON and MARIA S. G. MÜLDERS .....	51	95–96
<b>Immunity</b>		
Immunity against genital infection by <i>Histophilus ovis</i> in rams. B. C. JANSEN and MARIANNA HAYES .....	51	203–207
The acquisition of immunity to <i>Histophilus ovis</i> by sheep in nature. B. C. JANSEN and MARIANNA HAYES .....	51	269–270
<b>Immunization of calves</b>		
The immunization of calves against heartwater; subsequent immunity both in the absence and presence of natural tick challenge. J. L. DU PLESSIS, J. D. BEZUIDENHOUT and C. J. F. LÜDEMANN .....	51	193–196
<b>Immunofluorescence test</b>		
Serodiagnosis of bovine besnoitiosis by ELISA and immunofluorescence tests. K. JANITSCHKE, A. J. DE VOS and R. D. BIGALKE .....	51	239–243
<b>Immunogenicity</b>		
Factors affecting the immunogenicity of <i>Pasteurella haemolytica</i> in mice. C. M. CAMERON, FAITH J. BESTER and D. J. DU TOIT .....	51	97–102
<b>Ixodid ticks</b>		
Seasonal prevalence of ixodid ticks on cattle in the Windhoek District of South West Africa/Namibia. H. C. BIGGS and J. W. LANGENHOVEN .....	51	175–182
<b>Jaagsiekte</b>		
A scanning and transmission electron microscopy study of jaagsiekte lesions. ANNA-LISE PAYNE and D. W. VERWOERD .....	51	1–13
<b>Lambs</b>		
Colostrum-derived antibodies to <i>Cowdria ruminantium</i> in the serum of calves and lambs. J. L. DU PLESSIS .....	51	275–276
<b>Leopard tortoise</b>		
Records of the bont tick, <i>Amblyomma hebraeum</i> , from the angulate tortoise, <i>Chersina angulata</i> , and the leopard tortoise, <i>Geochelone pardalis</i> . JANE B. WALKER and K. C. A. SCHULTZ .....	51	171–173
<b>Light microscopy</b>		
Demonstration of <i>Cowdria ruminantium</i> in <i>Amblyomma hebraeum</i> by fluorescent antibody techniques, light and electron microscopy. J. D. BEZUIDENHOUT .....	51	213–215
<b>Maize sprouts</b>		
A tremorgenic mycotoxicosis of cattle cause by maize sprouts infested with <i>Aspergillus clavatus</i> . T. S. KELLERMAN, S. J. NEWSHOLME, J. A. W. COETZER and G. C. A. VAN DER WESTHUIZEN .....	51	271–274
<b>Matricaria nigellifolia</b>		
Pathology of a nervous disorder (pushing disease or "stootsiekte") in cattle caused by the plant <i>Matricaria nigellifolia</i> DC (Asteraceae). S. J. NEWSHOLME, T. S. KELLERMAN and WILHELMINA G. WELMAN .....	51	119–127
Resistance of sheep to poisoning by the plant <i>Matricaria nigellifolia</i> . DC. S. J. NEWSHOLME and T. S. KELLERMAN ....	51	277–278
<b>Merinos</b>		
Studies on <i>Haemonchus contortus</i> . IX. The effect of <i>Trichostrongylus axei</i> in Merinos on natural pasture. R. K. REINECKE, I. L. DE VILLIERS and CHRISTEL BRÜCKNER .....	51	25–31
Studies on <i>Haemonchus contortus</i> . X. The effect of <i>Trichostrongylus axei</i> in Merinos on artificial pastures. R. K. REINECKE, I. L. DE VILLIERS and GERDA JOUBERT .....	51	33–39
Studies on <i>Haemonchus contortus</i> . XI. The effect of a bovine strain of <i>Trichostrongylus axei</i> in Merinos on natural pastures heavily infested with <i>H. contortus</i> . R. K. REINECKE, I. L. DE VILLIERS and GERDA JOUBERT .....	51	71–79
Further physiopathological features of experimental <i>Homeria glauca</i> (Wood & Evans) N.E. Br. poisoning in Merino sheep. C. BUTTON and MARIA S. G. MÜLDERS .....	51	95–96
<b>Mice</b>		
Factors affecting the immunogenicity of <i>Pasteurella haemolytica</i> in mice. C. M. CAMERON, FAITH J. BESTER and D. J. DU TOIT .....	51	97–102
<b>Milking machines</b>		
Electron microscopic observations on the luminal surface of teat cup liners of milking machines used under South African conditions. W. H. GIESECKE, A. M. SPICKETT, ANETTE M. DURAND, J. J. VAN STADEN and J. A. ERASMUS .....	51	47–70
<b>Mountain zebra</b>		
Studies on the parasites of zebras. IV. <i>Cylicodontophorus reinekei</i> n. sp. (Nematoda: Strongylidae) from the Burchell's zebra, <i>Equus burchelli antiquorum</i> H. Smith, 1841 and the mountain zebra, <i>Equus zebra hartmannae</i> Matschie, 1898. ROSINA C. SCIALDO-KRECEK and F. S. MALAN .....	51	257–262
<b>Natural pastures</b>		
Studies on <i>Haemonchus contortus</i> . IX. The effect of <i>Trichostrongylus axei</i> in Merinos on natural pasture. R. K. REINECKE, I. L. DE VILLIERS and CHRISTEL BRÜCKNER .....	51	25–31
Studies on <i>Haemonchus contortus</i> . XI. The effect of a bovine strain of <i>Trichostrongylus axei</i> in Merinos on natural pastures heavily infested with <i>H. contortus</i> . R. K. REINECKE, I. L. DE VILLIERS and GERDA JOUBERT .....	51	71–79
Studies on <i>Haemonchus contortus</i> . XII. Effect of <i>Trichostrongylus axei</i> in Dorper lambs on natural pasture lightly infested with <i>H. contortus</i> . R. K. REINECKE, I. L. DE VILLIERS, MAGDALENA S. LOMBARD and ROSINA C. SCIALDO-KRECEK .....	51	81–88
<b>Natural tick challenge</b>		
The immunization of calves against heartwater; subsequent immunity both in the absence and presence of natural tick challenge. J. L. DU PLESSIS, J. D. BEZUIDENHOUT and C. J. F. LÜDEMANN .....	51	193–196

	Volume	Page
<b>Nematocera</b>		
Laboratory and field trials with two <i>Bacillus thuringiensis</i> var. <i>israelensis</i> products for <i>Simulium</i> (Diptera: Nematocera) control in a small polluted river in South Africa. M. CAR .....	51	141–144
The response of Vaal River drift and benthos to <i>Simulium</i> (Diptera: Nematocera) control using <i>Bacillus thuringiensis</i> var. <i>israelensis</i> (H-14). M. CAR and C. F. DE MOOR .....	51	155–160
<b>Nematoda</b>		
<i>Paracooperia devossi</i> n. sp. (Nematoda: Trichostrongylidae) from the bushbuck, <i>Tragelaphus scriptus</i> (Pallas, 1799). J. BOOMKER and SHIRLEY A. KINGSLEY .....	51	21–24
Studies on the parasites of zebras. IV. <i>Cylicodontophorus reinekei</i> n. sp. (Nematoda: Strongylidae) from the Burchell's zebra, <i>Equus burchelli antiquorum</i> H. Smith, 1841 and the mountain zebra, <i>Equus zebra hartmannae</i> Matschie, 1898. ROSINA C. SCIALDO-KRECEK and F. S. MALAN .....	51	257–262
<b>Nematodes</b>		
Methods of infesting sheep with gastro-intestinal nematodes after cryopreservation: dosing of larvae in gelatin capsules compared to dosing of larvae in water suspension. J. A. VAN WYK, H. M. GERBER and REGINA M. R. ALVES .....	51	217–221
The relation of climate and topography to worm egg counts of gastro-intestinal nematodes of sheep in the Eastern Cape. B. McCULLOGH, H. G. KÜHN and R. R. DALBOCK .....	51	223–238
<b>Nervous disorder</b>		
Pathology of a nervous disorder (pushing disease or "stootsiekte") in cattle caused by the plant <i>Matricaria nigellifolia</i> DC (Asteraceae). S. J. NEWSHOLME, T. S. KELLERMAN and WILHELMINA G. WELMAN .....	51	119–127
<b>Ovine hearts</b>		
Measurements of mass, length and valve diameters from normal formalin-fixed ovine hearts. S. J. NEWSHOLME, H. VAN ARK and ELIZABETH W. HOWERTH .....	51	103–106
<b>Ovipositional blood spots</b>		
Seasonal abundance and distribution of <i>Parafilaria bovicola</i> ovipositional blood spots on cattle in South Africa. E. M. NEVILL .....	51	107–114
<b>Pachystigma pygmaeum</b>		
Preparation and properties of a crude extract toxic to guinea-pigs from <i>Pachystigma pygmaeum</i> , a plant causing heart failure in ruminants. J. A. VERSCHOOR and D. J. J. POTGIETER .....	51	245–248
<b>Papio ursinus</b>		
The helminth fauna of the digestive tracts of chacma baboons, <i>Papio ursinus</i> , from different localities in the Transvaal. H. L. PETTIFER .....	51	161–170
<b>Paracooperia devossi</b>		
<i>Paracooperia devossi</i> n. sp. (Nematoda: Trichostrongylidae) from the bushbuck, <i>Tragelaphus scriptus</i> (Pallas, 1799). J. BOOMKER and SHIRLEY A. KINGSLEY .....	51	21–24
<b>Parafilaria bovicola</b>		
Seasonal abundance and distribution of <i>Parafilaria bovicola</i> ovipositional blood spots on cattle in South Africa. E. M. NEVILL .....	51	107–114
The longevity of adult <i>Parafilaria bovicola</i> and the persistence of their associated carcass lesions in cattle in South Africa. E. M. NEVILL and J. H. VILJOEN .....	51	115–118
<b>Parasites</b>		
Studies on the parasites of zebras. IV. <i>Cylicodontophorus reinekei</i> n. sp. (Nematoda: Strongylidae) from the Burchell's zebra, <i>Equus burchelli antiquorum</i> H. Smith, 1841 and the mountain zebra, <i>Equus zebra hartmannae</i> Matschie, 1898. ROSINA C. SCIALDO-KRECEK and F. S. MALAN .....	51	257–262
<b>Pasteurella haemolytica</b>		
A study for the differentiation of <i>Actinobacillus seminis</i> , <i>A. actinomycetem-comitans</i> , <i>Histophilus ovis</i> and <i>Pasteurella haemolytica</i> . MARTHA L. SWANEPOEL .....	51	41–46
Factors affecting the immunogenicity of <i>Pasteurella haemolytica</i> in mice. C. M. CAMERON, FAITH J. BESTER and D. J. DU TOIT .....	51	97–102
<b>Pasteurella multocida</b>		
Formulation of an effective <i>Pasteurella multocida</i> vaccine for sheep. C. M. CAMERON and FAITH J. BESTER .....	51	189–191
<b>Phyllodistomum</b>		
Parasites of South African freshwater fish. II. Redescription of the African species of the genus <i>Phyllodistomum</i> Braun, 1899. (Trematoda: Gorgoderinae) and the description of a new species. J. BOOMKER .....	51	129–139
<b>Physiopathological features</b>		
Further physiopathological features of experimental <i>Homeria glauca</i> (Wood & Evans) N.E. Br. poisoning in Merino sheep. C. BUTTON and MARIA S. G. MÜLDERS .....	51	95–96
<b>Plasminogen activator activity</b>		
Plasminogen activator activity in secretions from clinically normal, mastitic, lactating and dried-off udders of dairy cows. Z. E. KOWALSKI, R. C. FRANZ, W. J. C. COETZEE and W. H. GIESECKE .....	51	209–212
<b>Poisoning</b>		
Further physiopathological features of experimental <i>Homeria glauca</i> (Wood & Evans) N.E. Br. poisoning in Merino sheep. C. BUTTON and MARIA S. G. MÜLDERS .....	51	95–96
Resistance of sheep to poisoning by the plant <i>Matricaria nigellifolia</i> . DC. S. J. NEWSHOLME, and T. S. KELLERMAN ...	51	277–278
<b>Poultry litter</b>		
Bacteriological findings regarding the hygienic safety of poultry litter intended as an ingredient of feeds for ruminants. K. OGONOWSKI, MÄRIE-LUISE BARNARD and W. H. GIESECKE .....	51	249–252
<b>Pushing disease</b>		
Pathology of a nervous disorder (pushing disease or "stootsiekte") in cattle caused by the plant <i>Matricaria nigellifolia</i> DC (Asteraceae). S. J. NEWSHOLME, T. S. KELLERMAN and WILHELMINA G. WELMAN .....	51	119–127
<b>Rainbow trout</b>		
Furunculosis in rainbow trout ( <i>Salmo gairdneri</i> ) raised in sea water. J. BOOMKER, M. M. HENTON, T. W. NAUDE and F. W. HUCHZERMAYER .....	51	91–94

	Volume	Page
<b>Rams</b>		
Immunity against genital infection by <i>Histophilus ovis</i> in rams. B. C. JANSEN and MARIANNA HAYES .....	51	203–207
<b>Ruminants</b>		
Preparation and properties of a crude extract toxic to guinea-pigs from <i>Pachystigma pygmaeum</i> , a plant causing heart failure in ruminants. J. A. VERSCHOOR and D. J. J. POTGIETER.....	51	245–248
Bacteriological findings regarding the hygienic safety of poultry litter intended as an ingredient of feeds for ruminants. K. OGONOWSKI, MARIE-LUISE BARNARD and W. H. GIESECKE .....	51	249–252
<b>Salmo gairdneri</b>		
Furunculosis in rainbow trout ( <i>Salmo gairdneri</i> ) raised in sea water. J. BOOMKER, M. M. HENTON, T. W. NAUDE and F. W. HUCHZERMEYER .....	51	91–94
<b>Scanning electron microscopy</b>		
A scanning and transmission electron microscopy study of jaagsiekte lesions. ANNA-LISE PAYNE and D. W. VERWOERD.....	51	1–13
<b>Secretions from udders</b>		
Plasminogen activator activity in secretions from clinically normal, mastitic, lactating and dried-off udders of dairy cows. Z. E. KOWALSKI, R. C. FRANZ, W. J. C. COETZEE and W. H. GIESECKE .....	51	209–212
<b>Seasonal prevalence of ticks</b>		
Seasonal prevalence of ixodid ticks on cattle in the Windhoek District of South West Africa/Namibia. H. C. BIGGS and J. W. LANGENHOVEN .....	51	175–182
<b>Sea water</b>		
Furunculosis in rainbow trout ( <i>Salmo gairdneri</i> ) raised in sea water. J. BOOMKER, M. M. HENTON, T. W. NAUDE and F. W. HUCHZERMEYER .....	51	91–94
<b>Serodiagnosis</b>		
Serodiagnosis of bovine besnoitiosis by ELISA and immunofluorescence tests. K. JANITSCHKE, A. J. DE VOS and R. D. BIGALKE .....	51	239–243
<b>Serum</b>		
Colostrum-derived antibodies to <i>Cowdria ruminantium</i> in the serum of calves and lambs. J. L. DU PLESSIS.....	51	275–276
<b>Sheep</b>		
Formulation of an effective <i>Pasteurella multocida</i> vaccine for sheep. C. M. CAMERON and FAITH J. BESTER .....	51	189–191
Methods of infesting sheep with gastro-intestinal nematodes after cryopreservation: dosing of larvae in gelatin capsules compared to dosing of larvae in water suspension. J. A. VAN WYK, H. M. GERBER and REGINA M. R. ALVES .....	51	217–221
The relation of climate and topography to worn egg counts of gastro-intestinal nematodes of sheep in the Eastern Cape. B. McCULLOCH, H. G. KÜHN and R. R. DALBOCK.....	51	223–238
An improved <i>Corynebacterium pseudotuberculosis</i> vaccine for sheep. C. M. CAMERON and FAITH J. BESTER .....	51	263–267
The acquisition of immunity to <i>Histophilus ovis</i> by sheep in nature. B. C. JANSEN and MARIANNA HAYES .....	51	269–270
Resistance of sheep to poisoning by the plant <i>Matricaria nigellifolia</i> . DC. S. J. NEWSHOLME and T. S. KELLERMAN .....	51	277–278
<b>Simulium</b>		
Laboratory and field trials with two <i>Bacillus thuringiensis</i> var. <i>israelensis</i> products for <i>Simulium</i> (Diptera: Nematocera) control in a small polluted river in South Africa. M. CAR .....	51	141–144
The response of Vaal River drift and benthos to <i>Simulium</i> (Diptera: Nematocera) control using <i>Bacillus thuringiensis</i> var. <i>israelensis</i> (H-14). M. CAR and C. F. DE MOOR .....	51	155–160
<b>Stootsiekte</b>		
Pathology of a nervous disorder (pushing disease or "stootsiekte") in cattle caused by the plant <i>Matricaria nigellifolia</i> DC (Asteraceae). S. J. NEWSHOLME, T. S. KELLERMAN and WILHELMINA G. WELMAN .....	51	119–127
<b>Strongylidae</b>		
Studies on the parasites of zebras. IV. <i>Cylicodontophorus reineckei</i> n. sp. (Nematoda: Strongylidae) from the Burchell's zebra, <i>Equus burchelli antiquorum</i> H. Smith, 1841 and the mountain zebra, <i>Equus zebra hartmannae</i> Matschie, 1898. ROSINA C. SCIALDO-KRECEK and F. S. MALAN .....	51	257–262
<b>Subclinically diseased udders</b>		
Fluctuations in the glucose level of cow's milk from normal and subclinically diseased udders. W. H. GIESECKE, ANETTE M. DURAND and INGE-MARIÉ PETZER .....	51	15–19
<b>Tragelaphus scriptus</b>		
<i>Paracooperia devossi</i> n. sp. (Nematoda: Trichostrongylidae) from the bushbuck, <i>Tragelaphus scriptus</i> (Pallas, 1799). J. BOOMKER and SHIRLEY A. KINGSLEY.....	51	21–24
<b>Transmission electron microscopy</b>		
A scanning and transmission electron microscopy study of jaagsiekte lesions. ANNA-LISE PAYNE and D. W. VERWOERD.....	51	1–13
<b>Trematoda</b>		
Parasites of South African freshwater fish. II. Redescription of the African species of the genus <i>Phyllostomum</i> Braun, 1899 (Trematoda: Gorgoderinae) and the description of a new species. J. BOOMKER.....	51	129–139
<b>Tremorgenic mycotoxicosis</b>		
A tremorgenic mycotoxicosis of cattle caused by maize sprouts infested with <i>Aspergillus clavatus</i> . T. S. KELLERMAN, S. J. NEWSHOLME, J. A. W. COETZER and G. C. A. VAN DER WESTHUIZEN.....	51	271–274
<b>Trichostrongylidae</b>		
<i>Paracooperia devossi</i> n. sp. (Nematoda: Trichostrongylidae) from the bushbuck, <i>Tragelaphus scriptus</i> (Pallas, 1799). J. BOOMKER and SHIRLEY A. KINGSLEY.....	51	21–24
<b>Trichostrongylus axei</b>		
Studies on <i>Haemonchus contortus</i> . IX. The effect of <i>Trichostrongylus axei</i> in Merinos on natural pasture. R. K. REINECKE, I. L. DE VILLIERS and CHRISTEL BRÜCKNER.....	51	25–31
Studies on <i>Haemonchus contortus</i> . X. The effect of <i>Trichostrongylus axei</i> in Merinos on artificial pastures. R. K. REINECKE, I. L. DE VILLIERS and GERDA JOUBERT .....	51	33–39
Studies on <i>Haemonchus contortus</i> . XI. The effect of a bovine strain of <i>Trichostrongylus axei</i> in Merinos on natural pastures heavily infested with <i>H. contortus</i> . R. K. REINECKE, I. L. DE VILLIERS and GERDA JOUBERT .....	51	71–79
Studies on <i>Haemonchus contortus</i> . XII. Effect of <i>Trichostrongylus axei</i> in Dorper lambs on natural pasture lightly infested with <i>H. contortus</i> . R. K. REINECKE, I. L. DE VILLIERS, MAGDALENA S. LOMBARD and ROSINA C. SCIALDO-KRECEK.....	51	81–88

	Volume	Page
<b>Teat cup liners</b>		
Electron microscopic observations on the luminal surface of teat cup liners of milking machines used under South African conditions. W. H. GIESECKE, A. M. SPICKETT, ANETTE M. DURAND, J. J. VAN STADEN and J. A. ERASMUS	51	47–70
<b>Topography</b>		
The relation of climate and topography to worm egg counts of gastro-intestinal nematodes of sheep in the Eastern Cape. B. McCULLOGH, H. G. KÜHN and R. R. DALBOCK.....	51	223–238
<b>Toxic crude extract</b>		
Preparation and properties of a crude extract toxic to guinea-pigs from <i>Pachystigma pygmaeum</i> , a plant causing heart failure in ruminants. J. A. VERSCHOOR and D. J. J. POTGIETER.....	51	245–248
<b>Vaal River drift</b>		
The response of Vaal River drift and benthos to <i>Simulium</i> (Diptera: Nematocera) control using <i>Bacillus thuringiensis</i> var. <i>israelensis</i> (H-14). M. CAR and C. F. DE MOOR .....	51	155–160
<b>Vaccine</b>		
Formulation of an effective <i>Pasteurella multocida</i> vaccine for sheep. C. M. CAMERON and FAITH J. BESTER .....	51	189–191
An improved <i>Corynebacterium pseudotuberculosis</i> vaccine for sheep. C. M. CAMERON and FAITH J. BESTER .....	51	263–267
<b>Valve diameters</b>		
Measurements of mass, length and valve diameters from normal formalin-fixed ovine hearts. S. J. NEWSHOLME, H. VAN ARK and ELIZABETH W. HOWERTH .....	51	103–106
<b>VERO cell cultures</b>		
Acid production by flavivirus-infected VERO and CER cell cultures. B. J. H. BARNARD .....	51	89–90
<b>Water suspension</b>		
Methods of infesting sheep with gastro-intestinal nematodes after cryopreservation: dosing of larvae in gelatin capsules compared to dosing of larvae in water suspension. J. A. VAN WYK, H. M. GERBER and REGINA M. R. ALVES .....	51	217–221
<b>Wild animals</b>		
Parasites of domestic and wild animals in South Africa. XVII. Arthropod parasites of Burchell's zebra, <i>Equus burchelli</i> , in the eastern Transvaal lowveld. I. G. HORAK and B. D. DE KLERK .....	51	145–154
<b>Worm egg counts</b>		
The relation of climate and topography to worm egg counts of gastro-intestinal nematodes of sheep in the Eastern Cape. B. McCULLOGH, H. G. KÜHN and R. R. DALBOCK.....	51	223–238
<b>Zebra</b>		
Studies on the parasites of zebras. IV. <i>Cylicodontophorus reinekei</i> n. sp. (Nematoda: Strongylidae) from the Burchell's zebra, <i>Equus burchelli antiquorum</i> H. Smith, 1841 and the mountain zebra, <i>Equus zebra hartmannae</i> . Matschie, 1898. ROSINA C. SCIALDO-KRECEK and F. S. MALAN.....	51	257–262