

INDEX.

NOTE.—The index of subjects and authors is combined. Joint authors are listed under the name of the senior author only. The index does not cover the information contained in the general summary, the bibliography, and the three appendices, the contents of which are already arranged for ease of reference.

- Acanthoma**, 39-60. See also *Adenocanthoma*.
adenoides cysticum, 78
collision with melanotic epithelioma, 331, 348
compared with sebaceous epithelioma, 59-60
confused with actinomycosis, 42
excessively keratinised, 49-57
in dog, 47-49
in fowl, 51, 53-57
in horse, 43-44
in goat, 57, 58-59
in ox, 39, 40
in sheep, 45-47, 49-51, 52, 57
grading of, 60
histogenesis, 57-60, 65
histopathology, 42-60
melanin-pigmentation of, 43-44, 329
metastasis, 40, 41
mitotic index, 32, 43
nucleolar-nuclear ratio, 43
occurrence, 39
of buccal mucosa, 47, 48
of conjunctiva, 43, 45, 46
of fronto-parietal region, 49-51, 52, 57
of mammary skin, 42
of omasum, 40-41
of rumen, 40
of stomach, 116
osteoclasia and osteoplasia in, 45
sites of, 39-40, 42
smear diagnosis, 33
transition to sebaceous epithelioma, 59-60
- Acanthosis**, 44, 54, 55, 75, 83
in sarcoids, 381, 382, 383, 385
of hair-follicles, 47-48
- Accessory** adrenal nodules, 16, 335-336
- Actinomycosis** confused with acanthoma, 42
in contagious venereal tumour, 398-399, 390
- Adami**, 334
- Adamantinoma**, 243
- Adenocanthoma**, 128
- Adenocarcinoma**, 88-89, 345. See also *Carcinoma*.
confused with embryonal nephroma, 350, 351, 353
- Adenoid** epithelioma, 67, 68-84
in dog, summarised, 82
in goat, 82-84
- Adenoma**, 85-88. See also *Adenoid epithelioma*, *Sebaceous epithelioma*.
cholangiocellular, 195
confused with embryonal nephroma, 350 ff.
distinction from carcinoma, 16
in fowls, 18
distinction from hyperplasias, 81, 335
fibrosum, 87-88
hepatocellular, 163-171, 173-175
mitotic index of, 32
of adrenal, 335-338
of breast, male, 87-88
of kidney, 85, 86, 87
of pancreas, 86, 87
of testicle, 87
of thyroid, 19, 85, 86, 195-198
sebaceous, 77, 78-82.
- Adenomatoid** hyperplasias, 85, 86. See also *Nodular hyperplasia* and under *Hyperplasia*.
- Adenosarcoma**, 351, 352, 354, 355. See also *Embryonal nephroma*, *Mixed tumours*.
- Adrenal** medulla, accessory cortical nodules in, 335-336
tumours of, see *Phaeochromocytoma*
cortical tissue, accessory nodules of, 16, 335-336
nature of, 334
tumours of, 334-338
- Afanassiew**, 200

- Albrecht**, 291
- Aleucaemia**, lymphoid, 344. See also *Leucosis*.
- Allen**, 29, 312
- Amitotic** division in tumours, 30, 193, 209, 253, 303
- Anaplasia**, decrease of, in secondaries, 180
- Angioma**, 286-291
differential diagnosis from endothelioma, 289, 291, 296, 303, 319, 320
- Angioendothelioma**, 285, 295. See also *Endothelioma*, *angiogenous*.
- Angiogenous** endothelioma, 291-321
tumours, 285-321
- Angioplastia**, 292-293
- Aschoff**, 220
- Avian**, see *Fowl*, *Turkey*.
- Badertscher**, 200
- Bailey**, 326
- Baitsell**, 28
- Ball**, 72
- Barth**, 399
- Bartlett**, 197
- Basal** cell, 42-43, 61, 62-64, 65
potentialities of, 178
- Basal-cell** epithelioma, 61-67
confused with adenoma, 19
confused with contagious venereal tumour, 19
definition, 61
growth-rate, 65
histogenesis, 65-66, 73, 78, 83-84, 108
in cat, 58
in dog, 61-67
in goat, see *Goat*, *melanotic tumours*.
in sheep, 62
incidence, 61-62
melanin-pigmentation of, 58, 61-67
metastases, question of, 61
mitotic index, 32
parakeratin pearls in, 59, 63-64
pathology, 62 ff.
prickle-cells in, 61
nucleolar-nuclear ratio, 64
smear diagnosis, 33
- Bashford** and Murray, 11, 388
- Beatti**, 38
- Beebe** and Ewing, 388
- Begg**, 17
- Bell**, 200
- Bernadini**, 287
- Bielchowsky**, 410
- Bile-duct** cysts, 17
tumours, see *Cholangiocellular tumours*.
- Bone-marrow**, avian, *myelocytes of*, 343
- Bonnet**, 375
- Borst**, 35, 89, 94, 196, 224, 250, 282, 285
- Bossert**, 243
- Bovine**, see *Ox*.
- Boyce**, 54
- Bradley**, 161
- Brain**, glioma of, 323-328
- Breast**, male, adenoma of, 87-88
tumours, see under *Mammary gland*.
- Broders**, 60
- Bronchiogenous** carcinoma of lung, 126-128
- Bronchiole**, invasion of, by hepatocellular carcinoma, 154, 155
- Brown**, 38, 49, 51
- v. Brum**, 220
- Buccal** mucosa, acanthoma of, 40, 47-48
papillomatosis, 375
- Cancroid**, see *Acanthoma*.
- Canine**, see *Dog*.
- Caprine**, see *Goat*.
- Carcinoma**, 88-134
basal-cell, see *Basal-cell epithelioma*.
cholangiocellular, 175-195
compared with hepatocellular carcinoma, 193-195
in dog, 187-193
in ox, 175-187
mitotic index of, 32
colloid or mucoid, 122-123
confused with alveolar sarcoma, 273, 280, 281
criteria of, 18-19
cystic papilliform, 189-192
definition, 37
differentiation from adenoma, 16
differentiation from sarcoma, with naked-eye, 279-280

Carcinoma (continued).

- hepatocellular, 137-163, 175
 - compared with cholangiocellular carcinoma, 193-195
 - confused with adenoma, 173-174
 - fatty changes in, 156, 157, 158
 - giant-cells in, 155, 157-158, 159
 - mitotic index, 32
 - nucleolar hyalinisation in, 23
 - pigmented, 151.
 - smear diagnosis, 33
 - summarised, 149-151
 - in fowl, 160-163
 - in ox, 137-151
 - compared with sheep, 159
 - summarised, 149-151
 - in sheep, 27, 153-159
 - in other species, 159
- in mammals, 114-134. See also under various species
- sites of, 114-116
- in poultry, 90-115
 - distinction from sarcoma, 280
- in sheep, 89, 122-123, 124
- leiomyomatous, 92, 93-115
- medullare, 121, 131
- melanin-pigmented, 145, 151. See also *Melanotic epithelioma*.
- metastases, see *Metastases*.
- of adrenal, 334
- of ethmoidal mucosa, 131-134
- of genital tract, female avian, 93-113
- of heart, question of, 409-411
- of intestine of fowl, 90-93
- of sheep, 122-123, 124
- of kidney, see *Embryonal nephroma*
- of liver, 135-136, 137-163, 175-195. See also under *cholangiocellular* and *hepatocellular*, above.
- mitotic index of types compared, 32
- of lung of dog, 126-129
- of sheep, 128
- of mammary gland, 130, 353. See also under *Mammary gland*.
- of ovary (avian), 93-96, 101, 105
 - secondary, 106, 263
- of oviduct (avian), 93 ff.
- of pancreas, 123-126
- of pharynx, 114, 115
- of skin, see under *Epithelioma*.
- of stomach, 116-121
- of thymus, see *Thymoma*
- organ distribution, 114-115
- simplex, 186
- squamous-cell, see *Acanthoma*.
- terminology, 88-89
- viride, 151

Carcinosarcoma, 134, 249. See also under *Mixed tumours*, *Embryonal nephroma*.

Carrel and Ebeling, 249, 280

Casper, 11, 323

Cat, basal-cell epithelioma, 58
 chondrogenic sarcoma, 284
 melanotic epithelioma, 330
 sarcoma of oesophagus, 330

Gavernous lymphangioma, 287 ff.

Caylor and Schlotthauer, 329, 330, 331

Cerebellum, glioma of, 326

Cerebrum, glioma of, 324-326

Chevassu, 131

Cholesteatoma, 375

Cholangiocellular tumours, benign, 195
 malignant, see under *Carcinoma*

Chondrogenic sarcoma, 284

Chondroma, 241

Chondrosarcomatous structure of metastases of mixed-celled sarcoma, 267-271, 281

Cilia in coelomic lining cells, 220, 232, 233

Classification, see *Terminology*.

of endothelial tumours, 285-286, 291-292

of epithelial tumours, 37-38
 of liver, 135-136

problems of, 12

Coelomic lining cells, ciliation of, 220
 origin of, 220-221, 291
 lumina among, 220-221
 mobilisation of, 220
 tumours of, see *Mesothelioma*.

Collagen deposited in pearls, 362, 364
 site of formation of, 28-29, 253, 255, 272, 273, 274, 275, 281

Collateral hyperplasia, 45, 54, 57-60, 107-108

of gastric mucosa, 118
 of germinal epithelium, 274
 of pancreas, 104-106, 107-108
 of peritoneum, 183, 184, 186-187
 of pleura, 240
 of sebaceous glands, 58, 59-60, 101
 of vascular endothelium, 264

Collision tumours, 265-271, 331, 341, 343, 348, 349

- Conjunctiva**, acanthoma of, 43-45
melanotic epithelioma of, 330-331
- Contagious** tumours of buccal mucosa, 375
of ethmoidal mucosa, 132
of skin, 375 ff.
venereal tumour of dogs, 387-399, 409-413
actinomycotic infection of, 398
anaplasia in, 413
bite-wound, growth in, 396
cytology, 393, 395, 399
differentiation from basal-cell epithelioma, 393
extragenital occurrence, 390, 393, 397, 398
general considerations, 387
heart-base tumour, derivation from, 411-412
mitotic index, 32, 409
occurrence, 390
pathological anatomy, 390
neuroblastoma, identified with, 411
summary, 399
- Continuity** as evidence of histogenesis, 13
of histogenesis of mesothelioma, 228, 276
of neoplastic with non-neoplastic tissues, 54, 55, 60, 65, 97, 104, 106-108, 240
- Conversion** theory of growth of cancer, 57, 60, 97, 107, 108
- Corpora** amylacea, 228, 229
- Corner**, 312
- Cornil**, 357
- Cornu** cutaneum, 38, 39
malignant type of, 49, 54, 57
- Cramer**, 11
- Curson**, 241
- Cylindroma**, 224, 229
- Cystadenoma**, 350, 351
- Cystic** Brunner's glands, 17
conditions, 17. See also *Cysts*.
degeneration of pituitary, 17
lymphangiectasia, 17
- Cysts** in adenoid epithelioma, 74, 81
in lymphangioma, 290
in thymoma, 204, 205
of sweat glands, 82-83
of thyroid, 195
- Cytophagocytosis**, 257, 258, 260, 261, 262, 278, 280
- Danchakoff**, 200, 346
- Darrier** and Ferrand, 331
- Dawes**, 323
- Day**, 349
- De Kock** and Fourie, 40, 144, 145, 147
- Denil**, 105
- Dermoid** of ovary, 373
- Diagnosis** of tumours, 12
problems of, 15-20
in fowls, 17
- Division-time** of cells, 30
- Dog**, acanthoma, 47-49
incidence of, 30
sites of, 40
adenoid epithelioma, 67-82
adenoma of male breast, 87-88
carcinoma cholangiocellulare, 187-193
hepatocellulare, 160
of lung, 126-129
of mammary gland, 130, 353. See also under *mixed tumours*, below.
of testicle, 130-131
contagious buccal papillomatosis, 375, 376
contagious (venereal) tumour, 387-413
embryonal epulis, 357-368
endothelioma, 314-317
fibroma, 241
haemangioma, 286
heart-base tumour, 23, 24, 25, 26, 389, 399-413
leiomyolipoma, 373
leiomyosarcoma, 334
lymphoid aleucaemia, 344
melanoma, 330-331
mixed tumours, 373, 348. See also *Embryonal epulis*, *Leiomyolipoma*, above.
of mammary gland, 116, 353-357, 362
nodular hyperplasia of liver, 171-172, 174-175
sarcoma, 248, 284
thymoma, 201
- Dolijanski** and Roulet, 28
- Donkey**, sarcoids of, 378-380
- Dorrwachter**, 323
- Dot-and-circle** graticule, 33-35

- Douville**, 234
- Downham** and Crompton, 33
- Dupas**, 72
- Dural endothelioma**, 286, 291
- Dustin**, 200
- Ear**, cornu cutaneum of, 38, 39
retention cysts of sweat glands of, 82-83
- Egg-yolk** in peritoneum, 17
- Elephantiasis** neuromatosa, 245
- Ehrenreich**, 90
and Michaelis, 90
- Ellenberger** and Baum, 70
- Ellermann**, 340
- Elwyn** and Strong, 37
- Embryonal** epulis, 357-368
nephroma, 349-353
collagen, intracytoplasmic deposition of, in, 29. See also under *Collagen*.
diagnosis of, 19
histogenesis, 347
relation to adenoma of kidney, 85, 86, 87
tumours, see under *Mixed tumours*.
- Embryonic** origin of thyroid adenoma, 198
reversion of tumour cells, theory of, 163
- Encapsulation** of liver tumours, 173
of myxoma, 284
of thymoma, 218
of thyroid tumours, 195-196
- Endothelial cells**, transformation into fibroblasts, 30, 300, 302, 312, 314-316. See also under *Reticulum*.
- Endothelium**, collateral hyperplasia of, 264
tumours of, see *Endothelioma*, *Angioma*, *Mesothelioma*.
- Endothelioma**, 285-286, 291-321
angiogenous, 291-321
confused with heart-base tumours, 408
with mesothelioma, 221, 226, 228, 229-231, 234
with thymoma, 201, 205, 218
differential diagnosis from sarcoma, 248
dural, 286, 291
haemangiogenous, 293-314
- Endothelioma** (continued).
in dog, 314-317
in fowls, question of, 17
in horse, 293
in mule, 293, 303-305
in ox, 298-303, 317-319, 320-321
in sheep, 305-314
intercellular fibrils in, 28, 29-30, 312
lymphangiogenous, 314-321
of peritoneum, 317-319, 320
relation to leucoses of fowls, 346
solid, 28, 292, 302, 305, 306
terminology, 285-286, 289, 291-293
transformation of cells of, into fibroblasts, 30, 300, 302, 312, 314-316
transmissible, 17
- Engert**, 291
- Eosinophiles**, maturation of avian, 343
origin of in thymus, 209-210, 218
- Epicardium**, development of heart-base tumours beneath, 410
metastasis of sarcoma to, 266 ff.
- Epithelioma**, 38, 39-84. See also *Acanthoma*.
adenoid, 68-82
terminology, 71
adenoides cysticum, 77, 78
basal-cell, see *Basal-cell epithelioma*.
melanotic, see *Melanin-pigmented tumours*.
- Epithelial** tumours, 37-198
classification, 37-38
glandular, 85-198. See also *Adenoid epithelioma*.
of liver, 135-195
of skin, see *Epithelioma*.
of thyroid, 195-198
squamous, 38-84
- Epithelium**, definition, 37, 220, 334
- Epulis**, embryonal, 357-368.
- Equine**, see *Horse*, *Mule*, *Donkey*.
- Erythropoiesis** in spleen, 310
- Erythroleucosis**, 340, 343, 346
- Ethmoidal** mucosa, tumours of, 131-134
- Ewing**, 20, 61, 88, 128, 131, 201, 219, 229, 248, 291, 304, 311, 353, 354, 355, 367, 368, 411
- False** mixed neoplasms, 346-347, 348, 355, 368

- Fatty** changes in hepatocellular carcinoma, 156, 157, 158
 in hypernephroma, 337
 "infarcts" in liver, 105
- Feather-follicle**, acanthosis of, 54, 55
- Feldman**, 6, 11, 17, 61, 62, 71, 90, 114, 122, 137, 201, 221, 228, 231, 234, 286, 287, 337, 349, 350, 351, 388, 389, 393
 and Olson, 340
- Feline**, see *Cat*.
- Fell**, 274
- Fibroblast**, relation to macrophage, 280-282
- Fibrils**, see *Reticulum*.
 neuroglia, 323, 325, 326, 327, 328
 produced by anomalous cells of mammary tumours, 355
- Fibro-epithelial** tumours, 375
- Fibroid**, 332-333
- Fibrolipoma**, 372
- Fibroma**, 241
 differentiation from sarcoïd, 16
- Fibropiastic** sarcoma, 246, 247-250
 differentiation from fibroma, 241
 from granuloma, 16, 382
 from sarcoïd, 16, 248
- Fischer**, 280
- Fixation** of tumour specimens, 32
- Foam-cells**, 234, 253, 257, 261, 272, 275, 280
- Folger**, 287
- Foot**, 312
- Fourie** and Ziehn, 344
- Fowl**, acanthoma, 39, 40, 51-57
 carcinoma, 89-114, 115
 hepatocellulare, 160-163
 bone-marrow, myelocytes, of, 343
 embryonal nephroma, 350-351
 endothelioma, question of, 17
 glioma, 323-328
 leiomyoma, 332-334
 leucoses, 340-343
 lipoma, 241
 liver, structure of, 160-161
 lymphangiectasia of serosae, 285
 lymphocytoma, 33, 274-275, 340-342
 melanotic tumours, 329
 mixed-celled sarcoma, 250-282
- Fowl** (continued).
 myelocytes, of, 343
 myelocytoma, 18, 265-271, 340, 341, 343, 344
 myxogenic sarcoma, 283
 myxoma, 241
 neurofibromatosis, 244-246
 osteochondroma, 243
 sarcoma, 249, 250-282, 283
 teratoma, 373, 374
- Fox**, 241, 323, 328
- Fraser**, 292
- Frenkel**, 159
- Fujinami**, 11
- Furth**, 17, 340
 and Stubbs, 340
- Gaucher's** disease, 311, 312
- Germinal** epithelium, proliferation of, 274
- Geschickter**, 334
- Giant-cells** in hepatocellular carcinoma, 155, 157-158, 159
 in mixed-celled sarcoma, 251, 253, 258, 260, 261
- Glioma**, 323-328
- Gliosarcoma**, 323, 328
- Goat**, acanthoma, 57-60
 incidence, 39
 combined with sebaceous epithelioma, 60
 site of predilection, 40
 adenoid epithelioma, 83-84
 goitre in, 215, 217
 leiomyoma, multiple, 334
 melanotic tumours, 64, 83-84, 329-332
 thymoma, 202, 215-217
- Grand**, Chambers and Cameron, 330
- Granuloma**, differentiation from sarcoïd, 16, 382
 in fowls, 17, 18
- Gratia**, 323
- Graticule**, dot-and-circle, 33, 34
- Gray**, 278
- Grossek**, 219, 220, 221
- Growth-rate** of tumours, 30-32. See also *Mitotic index*.
 of basal-cell epithelioma, 65
 of liver tumours, 192-193

INDEX.

- Gum**, acanthoma of, 47-48
 embryonal epulis of, 357-368
 exostoses, 242
 osteoid osteoma, 242-243
- Haddow**, 249, 280
- Haemangioma**, 286
- Haemangioendothelioma**, 295. See also *Haemangiogenous endothelioma*.
 simulated by carcinoma, 190-191, 193
- Haemangiogenous** endothelioma, 293-314
- Hair-follicles**, acanthosis of, 47-48
 as source of basal-cell epithelioma, 65
- Hammar**, 200
- Hamdi**, 66
- v. Hansemann**, 89
- Hassall's** corpuscles, 200, 204, 205, 209,
 212-213, 216, 218
- Haythorn**, 43, 65, 66, 106, 107, 108
- Heart**, carcinoma, question of, 409-411
 endothelioma, 298-303
 lymphosarcoma, 299-400
 neurofibroma, 243
 tumours, regional classification of, 410
 valve, endothelioma of, 202-203
- Heart-base** tumours, 390, 399-413
 as original source of the contagious
 venereal tumour, 411-412
 cells compared with neuroblasts of
 foetal heart-base, 410
 comparison with contagious venereal
 tumour, 409, 412
 confused with endothelioma, 408
 differential diagnosis from thymoma,
 201, 218
 metastasis, 26, 405-407
 mitotic index, 409
 nature and relationship, 409-413
 nucleolar enlargement in, 406
 nucleolar hyalinisation in, 23, 24,
 25, 26, 406-407
 situation beneath epicardium, 410
 symptomatology, 413
 summary, 412-413
- Henke**, 250
- Hepatocellular** tumours, see *Adenoma*,
Carcinoma, and *Liver*.
- Hepatoma**, 136, 311. See also *Carcinoma*,
hepatocellular.
- Herxheimer**, 135, 136
- Heteroplastic** differentiation of cells, 346
- Hieronymi**, 61, 62, 64, 66, 287
- Histiocytes** of haemopoietic tissues, termi-
 nology, 192
 neoplastic, 249. See also *Macrophage*,
Histiocytic sarcoma.
- Histiocytic** sarcoma, 255. See also *Sar-
 coma, mixed-celled*.
 differentiation from granuloma, 17
 intracytoplasmic deposition of colla-
 gen in, 29
 nature of cells, 263, 280-282
- Hodgkin's** disease, 312, 347
- Homoplastic** differentiation of cells, 346
- Hoogland**, 135, 136, 137, 159, 160, 193
- Horse**, acanthoma, 39, 40, 43-45
 adenoma of thyroid, 85
 carcinoma of stomach, 116-122
 cholesteatoma, 275
 chondroma, 341
 embryonal nephroma, 350, 351, 352,
 353
 endothelioma, 293
 gastric carcinoma, see *carcinoma of
 stomach*, above.
 hypernephroma, 337-338
 lipoma, 241
 lymphangioma, 287-289
 melanotic tumours, 329, 330
 mesothelioma, 231-340
 osteoma, 242-243
 papilloma, 378
 phaeochromocytoma, 338
 sarcoid, 248, 378-384
 sarcoma, 16, 248
 thyroid tumours, 197-198
- Huguenin**, 197
- Hyperkeratosis** of nasal region of bovine,
 39
 of acanthoma, see *Acanthoma, exces-
 sively keratinised*.
 suprafolliculorum, 75, 78, 83
- Hypernephroma**, 135, 334-338
 nucleolar hyalinisation in, 23
- Hyperplasia**, see also *Collateral hyper-
 plasia*, *Adenomatoid hyperplasia*.
 collateral, see *Collateral hyperplasia*.
 contrasted with neoplasia, 345
 differentiation from neoplasia, 16 ff.
 of adrenal cortex, 335
 of Brunner's glands, 85, 86
 of hepatic reticulo-endothelium, 307,
 308, 310, 311-312
 of intestine, adenomatoid, 85, 86

- Hyperplasia** (continued).
of liver, nodular, 16, 146-147, 163, 166-172, 173-175
of pericardium, 231-232
of sebaceous glands, 72-73, 75, 78-82
of stroma of tumours, 345
of thyroid, 195-197
- Hypertrophy** of liver, peculiar local, 173
of oesophagus, 405, 407-408
of palpebral gland, 44
of sebaceous glands, 78-82
- Implantation**, metastasis by, see *Metastasis, transcœlomic*.
- Incidence** of tumours, organ, summarised, 430-433
species, summarised, 416-417, 429
see also under various tumours.
- Inclusions**, cytoplasmic (bird's-eye), 407
collagenous, 28-29
intranuclear, development of, 23, 25, 262, 406-407
in carcinoma cholangiocellulare, 26, 184
in carcinoma hepatocellulare, 153, 155, 157, 159, 162, 163
in carcinoma of lung, 128
in heart-base tumours of dog, 23, 24, 25, 26, 406-407
in hypernephroma, 338
in neurofibroma, 243
in sarcoid, 382
in sarcoma, mixed-celled, 262, 277
in thymoma, 209, 211
largest encountered, 128
relation to hyalinised nucleoli, 23, 25, 262, 406-407
- Intercellular** matrix, 27-28. See also *Collagen, Reticulum*.
in endothelioma, 295
- Intestine**, adenomatoid hyperplasia, 83, 84
carcinoma, in fowl, 90-93
in sheep, 122-24
stenosis due to carcinoma, 122, 123
due to implantation metastasis, 92, 93
- Intracellular** inclusions, see under *Inclusions*. See also *Phagocytosis*.
production of collagen, 28-29
- Intralymphatic** spread of mesothelioma, 222-223, 225, 226, 227, 229, 230, 237-240, 319, 321
- Jaagsiekte**, 128, 372
- Jackson**, 192
- Jaffe** and Plowska, 200
- James**, William, 12
- Joest**, 6, 11, 71, 93, 116, 195, 201, 243, 291, 295, 323, 375, 400
and Ernesti, 11, 17, 90, 93, 114, 136, 137, 162, 323, 341
- Johne**, 137, 159
- Jordan** and Horsley, 200
- Keratinisation**, see also *Acanthoma, Hyperkeratosis, Pearls*.
excessive, in acanthoma, 49-57
in basal-cell epithelioma, 59. See also under *Basal-cell epithelioma*.
in carcinoma of lung, 128, 129
in embryonal epulis, 361, 362, 363, 364
in sebaceous glands, 58-59, 64, 66
in transitional cell carcinoma, 133, 134
of osteoblastic cells, 364
- Kidney**, adenoma, 85, 86, 87
embryonal tumours of, 349-353. See also *Embryonal nephroma*.
- Kingsley**, 349
- Kitt**, 11, 196, 410
- Kretz**, 111
- Krompecher**, 65, 78
- Kuntz**, 410
- Kupffer** cells, tumour arising from, see *reticulo-endothelioma*.
hyperplasia of, 310
- Leiomyolipoma**, 373
- Leiomyoma**, 95, 96, 332-334, 346
haemangiomasum, 332, 334, 373-374
malignant, 334
- Leiomyosarcoma**, 334
- Leiomyomatoid** moiety of carcinoma leiomyomasum.
- Leucaemia**, 343. See also *Leucosis, Aleucaemia*.
- Leucosis**, 340-343
- Lewis**, 28, 255
- Lipaemia**, 269, 407, 408
- Lipogenic** sarcoma, 250
distinction from lipophagocytosing sarcoma, 282

INDEX

- Lipoma**, 241. See also *Leiomyolipoma*.
 embryonal, 250
 fibrosum, 372
- Lipophagy**, 17, 250, 256, 257, 258, 260, 261, 263, 280, 282
- Liver**, adenoma, 163-175
 adenomatoid hyperplasia, 16, 146-147, 166-172, 173-175
 benign proliferative processes, 163-175
 cellular carcinoma, 151
 of the fowl, 160-161
 of the pig, 169
 carcinoma, see *Carcinoma of liver*.
 cirrhosis, in reticulo-endothelioma, 210
 relation to carcinoma, 151
 cyanotic atrophy, in heart-base tumours, 407, 408
 endothelioma, 305-314
 epithelial tumours of, 135-195
 classification, 135
 criteria of malignancy, 135-136, 140, 147, 149, 151
 discrimination of two types, 193-195
 local metastasis of, 148, 149, 194
 occurrence, 36
 fatty infarcts, 105
 hyperplasias, see *Adenomatoid hyperplasia*, above.
 invasion of by myelocytoma, 265, 270
 by lymphocytoma, 341, 342
 by cholangiocellular carcinoma, 195
 metastases, of acanthoma, 40, 41
 of gastric carcinoma, 121, 122
 of glioma, 323, 328
 of pancreatic carcinoma, 126
 of sarcoma, 255-256, 279
 by implantation, 259, 265, 266
 nodular hyperplasia, see *Adenomatoid hyperplasia*, above.
 of fowl, histology and cytology, 160-161
 of pig, cytology of, 169
 telangiectasia, 285, 286
- Lumina** in endothelioma, 292, 301, 304, 306, 313
 in hepatocellular carcinoma of bovines, 151
 of fowls, 161
 in liver tumours, 194
 in lymphangioma, 287-289
 in mesothelioma, 223, 224, 227, 232
 in mesothelium, proliferating, 220-221
- Lung**, acinar growth of metastases in, 364-367, 371, 372
- Lung** (continued).
 adenoacanthoma, 128
 alveolar lining of, 372
 atrophy of, due to thymoma, 211-212
 carcinoma, 126-129
 lymphocytoma, 341, 342
 metastases of carcinoma cholangiocellulare, 192-193
 of carcinoma, hepatocellulare, 153, 154, 155
 of embryonal epulis, 358, 364
 of heart-base tumour, 405, 407
 of mixed tumour of breast, sarcomatous, 248-249
 mixed tumour of, in sheep, 368-372
 passage of emboli through, 271
- Lymphangiectasia** of serosae, 285
- Lymphangiogenous** endothelioma, 314-321
- Lymphangioma**, 286-291, 319, 320
 nucleolar-nuclear ratio in, 35
- Lymphocytes**, thymic, see *Thymocytes*.
- Lymphocytoma**, 340-344
- Lympho-endothelioma**, 347
- Lympho-epithelioma**, 201, 206, 347
- Lymphoid** aleucaemia, 344
 leucosis, 340-342
 coexistent with sarcoma, 274-275
 distinction from hyperplasias, 17
 smear diagnosis, 33
 tissue, tumours composed of, 340-344
- Lymphosarcoma**, 340-341, 344, 388, 393, 399
 of thymus, 200, 201
- MacCallum**, 250
- MacCarty**, 20
 and Hammeder, 20, 33, 35, 218
- Macrophage**, 234, 246, 249, 257, 275, 280-282. See also *Foam-cell*, *Histiocyte*, *Lipophagy*.
- Magnusson**, 132, 399
- Malignancy**, assessment and definition, 18
 considered as reversion to embryonic conditions, 163
 mitoses as criterion of, 31
 morphological criteria of, 35, 151, 195, 292-293
 in adenoid epithelioma, 71
 in endothelial tumours, 292-293, 296
 in hepatocellular tumours, 159, 174
 in myxogenic tumours, 284
 in phaeochromocytoma, 338

- Malke**, 250, 341
- Mall**, 28, 255
- Mallory**, 65, 220, 246, 250
T. B., 354
- Mammary** adenoma of male dog, 87-88
carcinoma in mule, 130
tumours, classification, 116
metastases of, 248-249
mixed, 348
- Marchand**, Petit and Pecard, 323
- Margolis**, 199, 200, 206
- Markus**, 287, 289
- Marras**, 105
- Martinaglia**, 39
- Mathews**, 349, 350
- Matrices**, intercellular, 27-30. See also
Collagen, Fibrils, Reticulum.
- Maximow**, 28, 30, 37, 200, 220, 221, 291
- Medwedew**, 287
- Melanin**-pigmentation of acanthoma, 43-44
of basal-cell epithelioma, 58
-pigmented tumours, 328-332
terminology, 44, 164
- Melanoblast**, 330
- Melanoma**, 328-331
terminology, 44, 164
- Melanophore**, 330
- Melanotic** epithelioma, 64, 83-84, 329-332
collision with acanthoma, 348
- Membrana** nictitans, acanthoma of, 43-45.
See also *Conjunctiva.*
hyperplasia of, 44-45
- Meninges**, endothelioma of, 286, 291
lipoma, congenital, 241
osteochondroma, 243
psammoma, 291
resistance of, to invasion of tumours,
47, 51
sarcoma, 291
- Mesentery**, see *Peritoneum, Omentum, Serosal.*
- Mesothelioma**, 219-240
confusion with secondary tumours of
serosae, 186-187, 262, 319
with endothelioma, 221, 226, 228, 229-
231, 234
with thymoma, 201, 218, 228
- Mesothelioma** (continued).
definition, 219
differential diagnosis, 229, 319, 320
in bovines, 221, 222-231
summarised, 228-321
in equines, 221, 231-240
in man, 221
pathology, 221-240
pericardial, 231-234
peritoneal, 221-231
pleural, 234-240
of omentum, see *peritoneal*, above.
- Metaplasia**, in stroma of tumours, 345
production of bone in tumours by, 354
myeloid, in mixed tumour of lung, 372
- Metastasis** of acanthoma, 40, 41
of adenoid epithelioma, 72
of basal-cell epithelioma, question of,
61, 331
of carcinoma cholangiocellulare, 180-
187, 190, 192-193, 194
of carcinoma hepatocellulare, intrahe-
patic, 148, 149, 159, 194
extrahepatic, 153, 154, 155, 159
of carcinoma in birds, 18, 19, 93, 104
of carcinoma of pancreas, 126
of carcinoma of stomach, 119-122
of embryonal epulis, 358, 364-367
of embryonal nephroma, 350, 351
of heart-base tumour to lung, 405, 407
of hypernephroma, 338
sarcomatous structure of, 334
of glioma, 323, 328
of melanotic epithelioma, 331
of mesothelioma, 228, 237-240, 279-280
of mixed-celled sarcoma, to epicar-
dium, 226 ff.
to liver, 255-256, 279
to spleen, 251, 253-255
of myelocytoma, 266 ff.
of thymoma, 207, 208
sarcomatous, of hypernephroma, 334
of mixed mammary tumours, 248-
249, 354, 356
selective, of mixed tumours, 249, 354,
356
transcoelomic, of carcinoma in fowl,
90, 92, 93
naked-eye distinction from sar-
coma, 280
of carcinoma hepatocellulare, 159
of carcinoma leiomyomatousum in
fowl, 95-96, 96-106
of carcinoma of stomach in horse,
121

Metastasis (continued).

- of mixed-celled sarcoma, 256, 258, 259 ff., 279-280
- of myelocytoma, 265, 266, 271
- of thymoma, 207, 208

Metatarsus, acanthoma of, in fowls, 51, 53-57

Mitosis, abnormal, in mixed-celled sarcoma, 278

- in contagious tumour of dog, 395

Mitotic index, 30-32

- in acanthoma, 43
- in adenoma hepatocellulare, 174
- in basal-cell epithelioma, 64
- in benign tumours, 31
- in carcinoma cholangiocellulare, 192
- hepatocellulare, 32
- of genital tract, avian, 113
- of intestine, 123
- of stomach, 118
- transitional-cell, 133
- in contagious buccal papillomatosis, 31, 375
- venereal tumour, 32, 409
- in embryonal nephroma, 351
- in endothelioma, 301, 317, 319
- in heart-base tumours of dog, 409
- in mesothelioma, 238
- in sarcoma, mixed-celled, 279
- in thymoma, 218
- table, 31
- technique of determining, 35-36

Mixed neoplasms, 345-385. See also *Collision tumours*.

definition, 345

metastasis of, selective, 249, 354, 356

of adrenal cortex, 338

of gum, 116. See also *Embryonal epulis*.

of kidney, see *Embryonal nephroma*.

of mammary gland, 116, 353-357

of lung, 368-372. See also *Adenoacanthoma*.

of skin and mucosae, 375-385

terminology and pathogenesis, 94-97, 113, 116, 346 ff., 373-375

- Mixed-celled** sarcoma, 246, 249, 250-282
- chondrosarcomatous transformation in metastases of, 267-271
 - collision with myelocytoma, 265-271
 - confused with carcinoma, 279-280, 281
 - metastases of, 279, 281
 - myxomatous transformation of, 274
 - nature of, discussion of, 279-282,
 - nucleolar-nuclear ratio in, 22, 23

Monkeberg, 231

Mule, carcinoma of udder, 130

carcinosis, secondary, of mesentery, 230

endothelioma of ovary, 293

of thigh, 303-305

lymphangioma, 287

myxoma, 241

sarcoids, 378

Multiple primary tumours, 312, 348-349, 375

Muscle, tumours of, 332-334. See also *Carcinoma leiomyomatousum*.

Myelocytes in mixed tumour of lung, 369, 370

in thymoma, 209-210

of bird, 265, 343

Myelocytoma, 340, 341, 343, 344

collision with sarcoma, 265-271

distinction from granuloma, 18

metastases to heart, 266 ff.

trancoelomic metastasis, 265, 266, 271

Myeloid leucosis, 340, 341, 343. See also *Myelocytes of bird*, *Myelocytoma*.

Myolipoma, see *Leiomyolipoma*.

Myxogenic sarcoma, 283-284

differential diagnosis from myxoma, 283-284, 293

Myxoma, 241

differential diagnosis from myxogenic sarcoma, 283-284, 293

Myxomatous transformation of endothelioma, 303

of sarcoma, 274

Nathan, 201

Neoplastic and non-neoplastic lesions compared, 16-18

Nephroma, embryonal. See *Embryonal nephroma*.

Neuroblastoma, identification of heart-base tumour and venereal tumour of dogs with, 411

Neuroblasts of heart-base, appearance of, 410

Neurofibroma, 243-246

nucleolar hyalinisation, 23, 243

nucleolar-nuclear ratio, 35

Neuroglia, see under *Fibrils*.

Neurolymphomatosis, smear diagnosis of, 33

- Nictitating** membrane, acanthoma of, 43-45
hyperplasia of, 44-45
- Niles**, 331
- Nocard**, 287
- Nodular** hyperplasia of adrenal, 335-336
of liver, 16, 146-147, 163, 166-172, 173-175
of thyroid, 16, 195-197
- Nomenclature**, 13-15. See also *Classification, Terminology*.
- Novinski**, 388
- Nucleolar-nuclear ratio**, 22-23, 174
in acanthoma, 43
in adenoma hepatocellulare, 35, 165, 167, 170, 173
in adenomatoid hyperplasia, 109
in basal-cell epithelioma, 394
in bile-duct epithelium, 176, 187
in carcinoma cholangiocellulare, 184
hepatocellulare, 159, 162
in bovines, 151, 155
in ovines, 155, 157
of intestine, 123
of pancreas, 125
of pharynx of fowl, 114
of testicle, 131
in contagious venereal tumour, 392, 393, 394, 395, 398
in endothelioma, 295, 296, 300, 303, 304, 314, 319, 321
in heart-base tumour of dogs, 406
in glioma, 326
in liver cells, 141, 145, 151, 157, 165
of fowl, 162
of pig, 169
in lymphangioma, 35, 289, 291
in mesothelioma, 22, 224, 228, 229, 236
in mixed-celled sarcoma, 22, 278
in neurofibroma, 35
in pancreatic cells, 125
in pharyngeal epithelium, 114
in thymoma, 22, 209, 216
technique of measurement, 33-35
- Nucleolus**, function of, 25
in tumour cells, 20-27
enlargement in malignancy, 20-21, 35, 43, 262, 279, 406. See also *Nucleolar-nuclear ratio*.
hyalinosis, 23, 24, 25, 26, 27, 35, 262, 406-407
shape, changes in, 22, 23, 257, 260, 262, 277, 279, 303, 308
vacuolation of, see *hyalinosis* (above) and *Inclusions, intranuclear*.
- Oertel**, 15, 240
- Oesophagus**, hypertrophy of, 405, 407-408
sarcoma, 250, 251, 276-278
tumours of, 278
- Omasum**, acanthoma, 40-41
- Omentum**, mesothelioma, 221-231
- Onderstepoort** collection of neoplasms, 5, 11, 418
catalogue of, 434-443
- Osteocarcinoma**, 47, 48-49. See also *Osteoplasia*.
- Osteoclasia** in tumours, 45, 46, 48
- Osteochondroma**, 243
- Osteogenic** sarcoma, 284
- Osteoma**, 242-243
- Osteoplasia**, 45, 46-49, 354
in embryonal epulis, 359-363
- Ostrich** blood, myelocytes in, 343
- Ovary**, carcinoma of, 93-96
secondary, 101, 105, 106, 263
endothelioma, 293
fibroid, 332
leiomyoma, 332
mixed-celled sarcoma, 258-275, 279
myelocytoma, 341, 343
myxogenic sarcoma, 283
stroma of, 94-95, 96
teratoma, 373, 374
tumours of, primary or secondary nature of, 263
- Oviducal** ligament, leiomyoma, 286
venous varicosity of, 286
- Oviduct**, carcinoma, 93-114
- Ovine**, see *Sheep*.
- Ox**, acanthoma, 39, 40
adenoma hepatocellulare, 163-165
adenoma of kidney, 87
of pancreas, 86, 87
of testicle, 87
adenomatoid hyperplasia of liver, 146-147
carcinoma cholangiocellulare, 175-187
hepatocellulare, 137-151
compared with *C. hepatocellulare* in sheep, 159
summarised, 149
transitional cell, 131-134
chondroma, 241
congenital cystic liver, 195
lymphangioma, 286

INDEX.

- Ox** (continued).
 cornu cutaneum, 38
 dermoid, 373
 embryonal nephroma, 350
 endothelioma, 298-303, 317-319, 320-321
 hypernephroma, 237-239, 338-339
 hyperkeratosis of nasal region, 39
 lipoma, 241
 liver, congenital cystic, 195
 telangiectasia, 385-386
 tumours. See *adenoma, carcinoma*,
 above.
 malignant, comparison of types,
 193-195
 lymphangioma, 287, 290-291
 lymphosarcoma, 344
 mesothelioma, 221-231
 summarised, 228
 mixed tumour of adrenal cortex, 338,
 339
 myxogenic sarcoma, 283
 neurofibroma, 243
 nucleolar-nuclear ratio, 35
 papillomatosis, 375, 377, 378, 384
 phaeochromocytoma, 338-339
 serosal carcinosis, 181-187
 telangiectasia of liver, 285, 286
 thymoma, 202-211
- Palpebral** gland, hypertrophy, 44
- Pancreas**, adenoma of, 86, 87
 carcinoma of, 108, 123-126
 invasion of by carcinoma, 104-106, 107-
 108
 by myelocytoma, 265
 by sarcoma, 264, 265
- Papilloma**, 241, 375, 376, 377, 378, 384
- Papillomatosis**, infectious buccal, 375,
 367
 mitotic index in, 31
 of calves, 375, 377, 378, 384
- Parakeratin** pearls, 58, 59, 70, 74
- Paranasal** sinuses invaded by transitional
 cell carcinoma, 132 ff.
 myxogenic sarcoma of, 283
- Pearls** composed of collagen and keratin,
 362, 364
 in acanthoma, 42
 in adenoacanthoma, 128, 129
 in adenoid epithelioma, 74, 78
 in basal-cell epithelioma, 58, 59, 63-64
 in embryonal epulis, 361, 362, 363
 in endothelioma, 368
 in sebaceous glands, 58, 59, 64, 66
 in sebaceous epithelioma, 70, 74
 parakeratin, 58, 59, 70, 74
- Pentimalli**, 89, 341
- Perianal** glands, 70
 epithelioma of, 67, 68-72
- Pericardial** mesothelioma, 231-234
- Peritheliomatoid** tumours, 14, 17, 300, 403
- Peritoneum**. See also *Serosal*.
 endothelioma, 317-319, 320
 lipoma, 241
 mesothelioma, 222-231
 secondary tumour, see under *Metasta-
 sis, transcoelomic*.
- Petit**, 93
 and Germain, 90
- Phaeochromocytoma**, 334, 338-339
- Phagocytosis**. See *Cytophagocytosis*,
Foam-cell, *Lipophagy*, *Macrophage*.
 by cells of reticulo-endothelioma, 311
- Pharynx**, affected in buccal papilloma-
 tosis, 376, 377
 carcinoma of, 114, 115
- Piana**, 323
- Pianese**, 21
- Pig**, adenoma hepatocellulare, 35, 166-171,
 174
 carcinoma hepatocellulare, 159
 embryonal nephroma, 349, 351
 endothelioma, 293-298
 liver, cytology, 169
 nodular hyperplasia of, 163, 166-172,
 174
 melanotic tumours, 229-331
- Piney**, 292
- Pituitary**, cystic degeneration of, 17
- Pleura**, implantations of thymoma on,
 207, 208, 215
 lymphangioma, 287-291, 319
 mesothelioma, 201, 221, 228, 231, 234-
 340
- Polarity** of cells in liver tumours, 161,
 162, 194
- Polson**, 349
- Popoff**, 274
- Porcine**, see *Pig*.
- Precancerous** proliferation of skin, 73, 78,
 83
- Prennant**, 200
- Prickle** cells, 42-43
 in basal-cell epithelioma, 61, 65
 in embryonal epulis, 363, 367

- Psammoma**, 291, 339
- Pulmonary** semilunar valve, endothelioma 202-203
- Purchase**, 39
- Quinlan**, 140, 373
- Rabin**, 338
- Ravenna**, 137, 160
- Recklinghausen's** disease, 246
- Regression** of one moiety of mixed tumours, 95, 96-97, 104, 109-113
- Reproductive** tract, female, of poultry, carcinoma of, 93-113
incidence, 90
- Reticulo-endothelial** system, 29
- Reticulo-endothelioma**, 305-314
- Reticulum**, 28, 247-248
in adrenal cortex, 334
in embryonal nephroma, 351
in endothelioma, 28, 29, 30, 295, 300-301, 315, 316
in lymphosarcoma, 400
in mammary tumours, 355
in mesothelioma, 224, 229, 234
in mixed-celled sarcoma, 277
in renal glomeruli, 29
in reticulo-endothelioma, 309, 311
in thymoma, 205, 207, 210
produced by endothelial cells, 28, 29, 30, 312. See also *in endothelioma*, above.
- Reticulum-cell**, transformation into epithelial elements, 371, 372
- Rhabdomyoma**, 332
- Rhinophyma** of man, 81
- Robertson**, 219
- Roloff**, 116
- Rous**, 11, 107, 249
sarcoma, 249, 280
- Rumen**, acanthoma, 40
- Salivary** gland tumours, 367
- Sarcoid**, 16, 241, 248, 378-385
- Sarcoma**, 246-284. See also under various types of sarcoma.
amitotic division in, 30
chondrogenic, 247, 284
- Sarcoma** (continued).
confused with adenoma of thyroid, spindle-celled, 19, 198
with fibroma, 18
with papilloma, contagious, 378
with sarcoïd, 16, 379, 382, 384
with thymoma, 208, 210, 211, 217, 218
criteria of, 16
fibroplastic, 246, 247-250
histocytic, see *mixed-celled*, below.
lipogenic, 250
melanotic, 329, 330
mixed-celled, 246, 249, 250-282, 347.
See also *Mixed-celled sarcoma*.
myxogenic, 283-284
occurrence, 247
of breast, 354 ff.
of thyroid, question of, 197, 198, 247
osteogenic, 247, 284
relation to avian leucoses, 340
to inflammatory processes, 248
reticulum-cell, 312, 314, 347
round-celled, 341, 388. See also *Lymphosarcoma*, *Lymphoid leucosis*.
confused with neuroblastoma, 411
- Sarcomatous** growth of adrenal tumours, 338, 339
in metastases, 334
of metastases of mammary tumours, 248-249, 354, 456
moiety of embryonal nephroma, 351
- Schlegel**, 56, 130, 131, 231
- Schlotthauer**, 196, 197
and Kernohan, 323
- Schmidt**, 201, 354
- Schultz-Brauns**, 88
- Scott**, 221, 349
- Scrotum**, endothelioma of, 293-298
- Sebaceous** epithelioma, 67-83
relation to basal-cell epithelioma, 66, 73
as source of basal-cell epithelioma, 65-66
glands, collateral hyperplasia, 58-59
hyperplasia, 72-73, 75, 83
pearls in, 58-59, 64, 66
precancerous hyperplasia, 72-73
tumours arising from, 67-83
- Seminoma**, 87, 130-131

- Serosal** carcinomatosis, 90, 91, 92, 97 ff., 181-187, 219, 229-231, 234-240, 319
 confused with sarcomatosis, 280
 lymphangiectasia, 285
 sarcomatosis, 258-263
 confused with carcinosis, 280
 tumours, primary, see *Mesothelioma*, *Endothelioma*, *lymphangiogenous*, *of peritoneum*.
- Sheep**, acanthoma, 39, 40, 41, 45, 46, 47, 49-51, 52, 57
 adenomatoid hyperplasia of intestine, 85, 86
 basal-cell epithelioma, 62
 carcinoma, incidence, 89
 of intestine, 122-123, 124
 of liver, 153-159
 of lung, 128
 of pancreas, 123-126
 cornu cutaneum, 38, 39
 cysts, retention, of sweat glands, 82-83
 embryonal nephroma, 350, 351
 tumour of lung, 368-372
 endothelioma, 305-314
 fibrolipoma, 372
 hypernephroma, spindle-celled, 337-338
 jaagsiekte, 372
 lymphosarcoma, 344
 myxoma, 241
 thymoma, 211-215
- Siedamgrotsky**, 71
- Skin**, acanthoma of, see under *Acanthoma*.
 acanthosis of, see under *Acanthosis*.
 adenoid epithelioma, 67, 68-84
 angioma, 286
 basal-cell epithelioma, 61-67. See also *Basal-cell epithelioma*.
 cornu cutaneum, 38-39
 elephantiasis neuromatosa, 245
 endothelioma, 293-298
 fibro-epithelial tumours, 375-385
 fibroma, 241
 haemangioma, 286
 hyperkeratosis in bovines, 39
 melanotic tumours, see *Epithelioma*, *melanotic*, *Melanoma*.
 neurofibromatosis, 243-246
 papilloma, 375, ff.
- Smears** from tumours, 33, 42, 159
- Smith**, 197
- Sources** of specimens, 11
- Spindle-celled** cortical hypernephroma, 338
 sarcoma, see *Fibroplastic sarcoma*.
 tumours of mammary gland, 354, 355
 of thyroid, 19, 197, 198, 247
- Spleen**, endothelioma, 305, 310-314
 metastasis of carcinoma of lung to, 128
 of carcinoma of pancreas to, 126
 of mixed-celled sarcoma to, 251, 253-255
 transcoelomic, of carcinoma cholangiocellulare to, 185, 186
 resemblance of mixed tumour of lung to, 369-372
- Splenic** peritoneum, endothelioma of, 317-319
- Spongioblastoma**, 323, 326
- Stadler**, 291
- Staining** of tumour sections, 32
- Stenosis** caused by tumours, 92, 122-123, 128, 276
- Stenström**, 132
- Sticker**, 11, 116, 388, 389
- Stöhr**, 200
- Stomach**, acanthoma, 40
 carcinoma, 116-121
- Stroma**, 27-30
 excessive development of, 27, 345
 hyperplastic, 373-374
 leiomyomatous, 94-97
 metaplastic changes in, 345, 354
 of liver tumours, 194
 of mixed mammary tumours, 354
 of ovary, nature of, 94-95, 96
 pre-formed, 27
 influence on growth-mode of tumours, 364, 366, 367, 371-372
- Struma**, 195-198
 accompanying thymoma, 215, 217
- Sturm**, 116
- Subcutaneous** fat, invasion of, by endothelioma, 304-305
- Sweat-gland** cysts, 82-83
 tumours, 61, 64-65, 66
- Symmers**, 199
- Sympathoblasts** of foetal heart, 410
- Sympathogonioma**, contagious venereal and heart-base tumours of dog identified with, 411
- Tar**, mesoblastic tumours produced by, 15

- Technique**, 32-36
- Telangiectasia** of liver, 285, 286
- Teratoma**, 373, 374
- Terminology**, 13, 345. See also *Classification, Nomenclature*.
 in relation to morphology of tumours, 13-15
 of adenoid epitheliomata, 71
 of adenoma and carcinoma, 88-89
 of adrenal tumours, 334-336
 of epithelial tumours, 37-38
 of endothelial tumours, 285-286, 291-292
 of fibro-epithelial tumours of skin, 382, 384
 of genital tract tumours of birds, 94-97
 of leucaemic diseases, 343
 of liver tumours, 135
 of melanin-pigmented tumours, 328-332
 of mixed tumours, 345-349
 of sarcoma, endothelioma, and lymphoid tumours compared, 314
 of sarcomatous tumours, 246-247, 250-251, 282
 of thymic tumours, 199-201, 206
- Testicle**, adenoma, 87
 carcinoma, 130-131
 teratoma, 373
- Thomas**, 40, 43, 62, 83, 84, 195, 329, 330, 331, 348
- Thymoma**, 199-218
 confused with endothelioma, 205
 with lymphosarcoma, 19
 with mesothelioma of pleura, 201, 218, 228
 encapsulation, 218
 eosinophiles in, 209-210, 218
 goitre accompanying, 215, 217
 myelocytes in, 209-210
 occurrence, 201-202
 of goat, 202, 215-217
 of ox, 202-211
 of sheep, 211-215
 summarised, 217
 symptomatology, 202
 terminology, 199-201, 206
- Thymocytes**, 200, 206
 behaviour of, in tumours, 218
 possible origin of, 209-210
- Thymus**, histogenesis of, 199-201, 206, 347
 in lymphatic leucaemia, 200
 tumours of, 199-218
- Thyroid**, adenoma, 85, 86, 195-198
 spindle-celled, 19, 198
 adenomatoid hyperplasia, 195-197
 cysts in, 195
 epithelial tumours of, 195-198
 metastasis of mesothelioma to, 238
 sarcoma, question of, 197, 198, 247
 struma in mother and foetus, accompanying thymoma, 215, 217
- Thyroglossal** cysts, 195
- Tongue**, neurofibromatosis of, 243
- Trachea**, stenosis caused by sarcoma of oesophagus, 276
- Tracheal** lymph-ducts, permeation by a tumour, 240
- Transcoelomic** metastasis, see under *Metastasis*.
- Transmissible** endothelioma of fowl, 340
 venereal sarcoma of dogs, see *Contagious venereal tumour*.
- Transmissibility** of avian leucoses, 340
- Transitional** cell carcinoma of fowl, 114
 of ox, 131-134
- Trautmann**, 196, 201
- Trotter**, 135, 136, 137, 159
- True** mixed neoplasms, 347-349
- Tumours** hitherto unrecorded, 416
 incidence of, summarised, 416-417, 429.
 See also under the various tumours.
 mitotic indices, table of, 31
 rare, 416
- Turkey**, lymphocytoma, 341
 sarcoma, 251
- Tyzzer** and Ordway, 341
- Urinary** bladder, multiple leiomyoma, 334
- Vagina**, leiomyolipoma, 373
 malignant leiomyoma, 334
- Valade**, 72
- Vaive**, pulmonary, endothelioma of, 302-303
- Veins**, invagination of, by carcinoma, 158
 by epithelioma, 67, 68-69
 by localised hypertrophy of liver, 173
 by transitional cell carcinoma, 133

INDEX.

Veins (continued).

- invasion of, by carcinoma cholangiocel-
lulare, 178, 192
 - by carcinoma hepatocellulare, 141-
143, 152, 153, 159, 193
 - by heart-base tumour, 401
 - by myelocytoma, 265
 - by reticulo-endothelioma, 310
 - by sarcoma, 264, 267, 268, 270
 - by thymoma, 217
 - by transitional cell carcinoma, 133,
134
- limitation of tumours by, 150, 153

Venereal tumour of dogs, see *Contagious
venereal tumour*.

Vidari, 312

Wade, 388

Wattle, sarcoma of, 251-255

Wegelin, 196

Wehr, 388

Welsh, 107

Wetzel, 400

Willis, 30, 35, 219, 271

Wilm's tumour, 349

Wirsching, 375

Wolbach, 28

Wölfler, 198

Wollard, 410

Wolley, 334

Wortberg, 62

Wound, growth of contagious tumour of
dog in, 396

Wyssmann, 201

Yamagiwa and Itchikawa, 11

Zona glomerulosa in bovine hyper-
nephroma, 338

Zottenherz, 232