

## **Learning and laterality in wild-caught Namaqua rock mice (*Micaelamys namaquensis*)**

### **Author details**

Tasha Oosthuizen\*, Heike Lutermann

*Department of Zoology and Entomology, Mammal Research Institute, Faculty of Natural and Agricultural Sciences, University of Pretoria, Pretoria, 0082, South Africa*

**\*Corresponding author:** Tasha Oosthuizen


E-mail: [tashaoosthuizen16@gmail.com](mailto:tashaoosthuizen16@gmail.com)

## Supplementary Table

Supplementary table: The values of the best-fitted models for each variable considered.

<b>Model</b>	<b>k</b>	<b>df</b>	<b>AICc</b>	<b>W<sub>i</sub></b>	<b>logLik</b>
<i>Latency to enter maze</i> Trial number	1	7	899.8	0.699	-442.342
<i>Arm first entered:</i> Sex + Trial number	2	7	146.1	0.982	-65.514
<i>Latency to arms:</i> Sex + Trial number + Arm + Sex*Arm	4	10	2197.9	0.766	-1088.403
<i>Frequency to enter arms</i> Sex + Trial number + Arm + Sex*Trial number	4	12	1124.3	0.580	-549.381
<i>Duration in arms</i> Trial number + Arm + Arm*Trial number	3	12	2298.0	0.597	-1136.247

### Supplementary figure



Supplementary figure: The number of *Micaelamys namaqua* individuals that had the same Laterality index (LI) scores.