

Electronic supplementary material: Figure S2

Article title:

High-density genetic linkage maps with over 2000 sequence-anchored DArT markers for genetic dissection in *Eucalyptus grandis* x *E. urophylla* hybrids

Journal name:

Tree Genetics & Genomes

Author names:

Anand Raj Kumar Kullan, Maria M van Dyk, Minique H De Castro, Nicky Jones, Arnulf Kanzler, Arlene Bayley, Alexander A. Myburg*


Affiliation and e-mail address of corresponding author:

Department of Genetics, Forestry and Agricultural Biotechnology Institute (FABI), University of Pretoria, Pretoria, 0002, South Africa


zander.myburg@fabi.up.ac.za

Supplemental Figure S2. Comparison of marker positions in linkage groups of the consensus map and individual parental maps. The marker positions in the *E. grandis* BC parent, F1 hybrid parent (*E. grandis* and *E. urophylla* backcrosses) and the *E. urophylla* BC parent linkage groups are indicated by blue diamonds, red squares, green triangles and black circles, respectively. Marker positions are shown in cM (Kosambi) on each axis.


LG1




LG2




LG3




LG4




LG5




LG6




LG7




LG8




LG9



LG10



LG11



- ◆ E.grandis
- E.grandis hybrid parent
- ▲ E. urophylla hybrid parent
- E. urophylla