

REFERENCES

1. Empresa Brasileira de Planejamento de Transportes - GEIPOT - *Inception Report, Research Concepts and Procedures*, Research on the Interrelationships between Costs of Highway Construction, Maintenance and Utilization - GEIPOT, Brasília, Brazil, May 1976.
2. Harrison, R. - *ROAD USER COSTS SURVEYS*, Technical Memo No. 24/76 Project Technical Memos 1976, Research on the Interrelationships between Costs of Highway Construction, Maintenance and Utilization, Brasília, Brazil, April 1976.
3. Schul, A. - *The Probability Theory Applied to Distribution of Vehicles on Two-lane Highways, Poisson and Traffic*. The ENO Foundation for Highway Traffic Control, Sargatuck, Connecticut, 1955.
4. *The AASHO Road Test Report 5*, Pavement Research HRB Special Report 61E, 1962
5. Abaynayaka, S. W. - *Some Techniques for Measuring Vehicle Operating Costs and Road Deterioration Parameters with Particular Reference to Developing Countries* - TRRL Supplementary Report 193UC, Overseas Unit TRRL, Crowthorne, Berkshire, 1976.
6. Sawhill, R. B. and Firey, J. C. - *Motor Transport Fuel Consumption Rates and Travel Time*, HRB Bul. 276, 1969.
7. Scheffé, H. - *The Analysis of Variance*. John Wiley and Sons Inc., New York, 1959.
8. Anderson, V. L. and McLean, R. A. - *Design of Experiments, a Realistic Approach*. Marcel Dekker, Inc., New York, 1974.
9. American Association of State Highway and Transportation Officials - *AASHTO Interim Guide for Design of Pavement Structures 1972*. Washington D.C., 1974.
10. Treybig, H. J. and von Quintus, H. L. - *Equivalency Factor Analysis and Prediction for Triple Axles*. Report No. BR-2/1, Austin Research Engineers, Austin, Texas, July 1976.
11. National Institute for Road Research, - *TRH 3 Bituminous Surface Treatments for Newly Constructed Rural Roads*, Pretoria, Feb. 1971.
12. Ostle, B. - *Statistic in Research*. The Iowa State University Press, Ames, Iowa 1972.

LIST OF ABBREVIATIONS

| | | |
|---------|---|--|
| AASHO | - | American Association of State Highway Officials |
| AASHTO | - | American Association of State Highway and Transportation Officials |
| A/D | - | Analog/Digital |
| ADT | - | Average Daily Traffic |
| BR | - | Prefix Denoting a Federal Highway (as in Br-116) |
| BRIAM | - | Brazilian Roadway Investment Analysis Model |
| CAEEB | - | <i>Companhia Auxiliar das Empresas Elétricas Brasileiras</i> |
| CBR | - | California Bearing Ratio |
| DER | - | <i>Departamento de Estradas de Rodagem</i> |
| DF | - | <i>Distrito Federal</i> (Federal District) |
| DMI | - | Distance Measuring Instrument |
| DNER | - | <i>Departamento Nacional de Estradas de Rodagem</i> |
| EMBRAPA | - | <i>Empresa Brasileira de Pesquisa Agropecuária</i> |
| EPCT | - | <i>Estrada Parque Contorno</i> |
| GEIPOT | - | <i>Empresa Brasileira de Planejamento de Transportes</i> |
| GO | - | <i>Goiás</i> (Brazilian State) |
| IBRD | - | International Bank for Reconstruction and Development |
| IPEA | - | <i>Instituto de Planejamento Econômico e Social</i> |
| IPR | - | <i>Instituto de Pesquisas Rodoviárias</i> |
| MIT | - | Massachusetts Institute of Technology |
| MG | - | <i>Minas Gerais</i> (Brazilian State) |
| QI | - | Quarter-car Simulator Index (a measure of roughness generated by the Quarter-car Simulator in the GM Profilometer) |
| SAS | - | Statistical Analysis System |
| SN | - | Structural Number |
| SOFOT | - | Simulation of Flow of Traffic |
| SUBIN | - | <i>Secretaria de Cooperação Econômica e Técnica Internacional</i> |
| TAFA | - | Time and Fuel Algorithm |
| TRDF | - | Texas Research and Development Foundation |
| TRRL | - | Transport and Road Research Laboratory |
| UNDP | - | United Nations Development Program |
| WIM | - | Weigh-in-Motion |

LIST OF FIGURES

| | |
|--|-----|
| FIGURE 1 - LOCATION OF ROUTES INCLUDED IN THE ROAD USER COSTS SURVEYS | 17 |
| FIGURE 2 - LOCATION OF SECTIONS FOR THE PAVEMENT AND MAINTENANCE STUDIES | 18 |
| FIGURE 3 - LOCATION OF TEST SECTIONS FOR THE USER COST AND TRAFFIC EXPERIMENTS | 19 |
| FIGURE 4 - FUNCTIONAL ORGANIZATION CHART OF PROJECT | 24 |
| FIGURE 5 - DETAIL ORGANIZATION CHART OF PERSONNEL (REVISED JULY 1977) | 25 |
| FIGURE 6 - GARAGE AND WORK SHOPS FLOOR PLAN | 29 |
| FIGURE 7 - USER COSTS SURVEY ORGANIZATION CHART | 40 |
| FIGURE 8 - WORK PLAN AND SCHEDULE | 63 |
| FIGURE 9 - ROAD USER COSTS AND TRAFFIC EXPERIMENTS PERSONNEL CHART | 70 |
| FIGURE 10 - DATA PROCESSING FLOW CHART | 72 |
| FIGURE 11 - VEHICLE CLASSES | 79 |
| FIGURE 12 - LAYOUT OF EQUIPMENT FOR EXPERIMENT TB-1 AND TB-2 | 82 |
| FIGURE 13 - FREE SPEED RELATED TO DISTANCE | 100 |
| FIGURE 14 - FREE SPEED RELATED TO DISTANCE | 101 |
| FIGURE 15 - FREE SPEED RELATED TO DISTANCE | 102 |
| FIGURE 16 - FUEL CONSUMPTION-VOLKSWAGEN 1300 - POSITIVE GRADE | 111 |
| FIGURE 17 - FUEL COMSUMPTION-KOMBI - POSITIVE GRADE | 112 |
| | 281 |

| | |
|---|-----|
| FIGURE 18 - FUEL CONSUMPTION-FORD 400 - POSITIVE GRADE | 113 |
| FIGURE 19 - FUEL CONSUMPTION-MERCEDES BENZ 1130 - POSITIVE GRADE | 114 |
| FIGURE 20 - FUEL CONSUMPTION-BUS MERCEDES 0-362 - POSITIVE GRADE | 115 |
| FIGURE 21 - FUEL CONSUMPTION-SCANIA - POSITIVE GRADE | 116 |
| FIGURE 22 - FUEL CONSUMPTION-VOLKSWAGEN 1300 - POSITIVE GRADE | 117 |
| FIGURE 23 - FUEL CONSUMPTION-KOMBI - POSITIVE GRADE | 118 |
| FIGURE 24 - FUEL CONSUMPTION-FORD 400 - POSITIVE GRADE | 119 |
| FIGURE 25 - FUEL CONSUMPTION-BUS MERCEDES 0-362 - POSITIVE GRADE | 120 |
| FIGURE 26 - FUEL CONSUMPTION-BUS MERCEDES 0-362 - POSITIVE GRADE | 121 |
| FIGURE 27 - FUEL CONSUMPTION-SCANIA - POSITIVE GRADE | 122 |
| FIGURE 28 - FUEL CONSUMPTION-VOLKSWAGEN 1300 - NEGATIVE GRADE | 124 |
| FIGURE 29 - FUEL CONSUMPTION-KOMBI - NEGATIVE GRADE | 125 |
| FIGURE 30 - FUEL CONSUMPTION-FORD 400 - NEGATIVE GRADE | 126 |
| FIGURE 31 - FUEL COMSUMPTION-MERCEDES BENZ 1113 - NEGATIVE GRADE | 127 |
| FIGURE 32 - FUEL CONSUMPTION-SCANIA - NEGATIVE GRADE | 128 |
| FIGURE 33 - FUEL CONSUMPTION-VOLKSWAGEN AND KOMBI - NEGATIVE GRADE | 129 |
| FIGURE 34 - FUEL CONSUMPTION-FORD 400 - NEGATIVE GRADE | 130 |
| FIGURE 35 - FUEL CONSUMPTION-MERCEDES BENZ 1113 - NEGATIVE GRADE | 131 |

| | |
|---|-----|
| FIGURE 36 - FUEL CONSUMPTION-SCANIA - NEGATIVE GRADE | 132 |
| FIGURE 37 - WORK PLAN AND SCHEDULE | 138 |
| FIGURE 38 - ORGANIZATION OF THE PAVEMENT AND MAINTENANCE STUDY GROUP | 145 |
| FIGURE 39 - LOCATION OF PERMANENT TRAFFIC COUNTERS IN THE STATE OF GOIÁS | 154 |
| FIGURE 40 - AVERAGE DAILY TRAFFIC PER WEEK - BR-040 BRASÍLIA- LUZIÂNIA (COUNTER C-01, BOTH DIRECTIONS) | 156 |
| FIGURE 41 - AVERAGE DAILY TRAFFIC PER WEEK - BR-040 BRASÍLIA LUZIÂNIA (COUNTER CO-1, BOTH DIRECTIONS) | 157 |
| FIGURE 42 - AVERAGE DAILY DISTRIBUTION OF TRAFFIC (COUNTER CO-1, JAN./JUN.77) | 158 |
| FIGURE 43 - AVERAGE DAILY DISTRIBUTION OF TRAFFIC (COUNTER CO-2, SEP./NOV.77) | 159 |
| FIGURE 44 - AVERAGE DAILY DISTRIBUTION OF TRAFFIC (COUNTER CO-2, JAN./MAY 77) | 160 |
| FIGURE 45 - HOURLY DISTRIBUTION OF TRAFFIC AT COUNTER CO-1 (JANUARY/JUNE 1977) | 161 |
| FIGURE 46 - HOURLY DISTRIBUTION OF TRAFFIC AT COUNTER CO-2 JANUARY/MAY 1977) | 162 |
| FIGURE 47 - AXLE WEIGHING WITH PORTABLE SCALES | 164 |
| FIGURE 48 - HISTOGRAM OF FRONT AXLE LOADS - CLASS 4 VEHIC. - SECTION 007 | 177 |
| FIGURE 49 - HISTOGRAM OF REAR AXLE LOADS - CLASS 4 VEHIC. - SECTION 007 | 178 |
| FIGURE 50 - VEHICLE WEIGHING WITH WEIGH-IN-MOTION SYSTEM | 184 |

| | |
|--|-----|
| FIGURE 51 - COMPARISON OF AXLE LOADS MEASURED WITH THE WIM AND PORTABLE SCALES | 186 |
| FIGURE 52 - NUMBER OF EQUIVALENT AXLES - CLASSES 2 AND 5 VEHIC. - DAY AND NIGHT - BR-040 | 192 |
| FIGURE 53 - NUMBER OF EQUIVALENT AXLES FOR CLASS 4 VEHIC. FOR DAY AND NIGHT - BR-040 | 193 |
| FIGURE 54 - NUMBER OF EQUIVALENT AXLES FOR CLASSES 5 AND 2 VEHIC. FOR DAY AND NIGHT - BR-060 | 199 |
| FIGURE 55 - NUMBER OF EQUIVALENT AXLES FOR CLASS 4 VEHIC. FOR DAY AND NIGHT - BR-060 | 200 |
| FIGURE 56 - WORK PLAN AND SCHEDULE | 202 |
| FIGURE 57 - RELATIONSHIP BETWEEN LEVELS OF APPLICABILITY AND SOPHISTICATION | 207 |
| FIGURE 58 - CONCEPTUAL FRAMEWORK OF BRIAM SHOWING MODULE INTERFACING | 211 |
| FIGURE 59 - WORK PLAN AND SCHEDULE | 214 |
| FIGURE 60 - PROJECT SCHEDULE | 220 |

LIST OF TABLES AND EXHIBITS

| | | | |
|------------|---|---|----|
| TABLE B.1 | - | DISPOSITION OF EQUIPMENT AND INSTRUMENTATION ACQUIRED FOR PROJECT MEASUREMENTS | 27 |
| TABLE C.1 | - | USER COST SURVEYS DATA ITEMS | 36 |
| TABLE C.2 | - | QUALITATIVE FACTORIAL DESIGN FOR MAIN SURVEY | 37 |
| TABLE C.3 | - | QUANTITATIVE FACTORIAL DESIGN FOR MAIN SURVEY ... | 39 |
| TABLE C.4 | - | USER COSTS SURVEYS - PROGRESS TO AUGUST 1977 | 45 |
| TABLE C.5 | - | SURVEY VEHICLES ACTIVITIES JANUARY-JUNE 1977 | 48 |
| TABLE C.6 | - | OUTPUT FROM LINK GEOMETRY FILE: VERTICAL DATA ... | 51 |
| TABLE C.7 | - | OUTPUT FROM LINK GEOMETRY FILE: HORIZONTAL DATA . | 52 |
| TABLE C.8 | - | STATUS OF ROUTE FILES: AUGUST 1977 | 55 |
| TABLE C.9 | - | MIDTERM ANALYSIS - VEHICLES IN FACTORIAL | 58 |
| TABLE C.10 | - | ROUTE FACTORIAL AND ROUGHNESS (QI) VALUES | 60 |
| TABLE D.1 | - | ROAD USER COSTS AND TRAFFIC EXPERIMENTS | 76 |
| TABLE D.2 | - | SAMPLING FRAME FOR EXPERIMENT TB-1 | 80 |
| TABLE D.3 | - | SAMPLING FRAME FOR EXPERIMENT TB-4 | 85 |
| TABLE D.4 | - | SAMPLING FRAME FOR EXPERIMENT TB-5 | 86 |
| TABLE D.5 | - | TEST VEHICLE DESCRIPTION | 90 |
| TABLE D.6 | - | SAMPLING FRAME FOR FREE-SPEEDS-ON-NEGATIVE-GRADES PILOT STUDY | 96 |
| TABLE D.7 | - | ANALYSIS OF VARIANCE FOR THE UNWEIGHTED MEANSPOT SPEEDS ON NEGATIVE GRADES BEFORE SPEED-LIMIT ENFORCEMENT PROGRAM | 98 |

| | | |
|------------|---|-----|
| TABLE D.8 | - ANALYSIS-OF-VARIANCE LAYOUT TO TEST EFFECT OF SPEED-LIMIT ENFORCEMENT | 103 |
| TABLE D.9 | - FACTORS AND LEVELS OF FUEL-CONSUMPTION ANALYSIS | 106 |
| TABLE D.10 | - FUEL CONSUMPTION REGRESSION EQUATIONS FOR POSITIVE GRADES | 109 |
| TABLE D.11 | - FUEL CONSUMPTION REGRESSION EQUATIONS FOR NEGATIVE GRADES | 123 |
| TABLE D.12 | - FACTORS AND LEVELS OF THE EXPERIMENT | 134 |
| TABLE D.13 | - EXAMPLE ANALYSIS-OF-VARIANCE TABLE USED TO ANALYZE FUEL CONSUMPTION FOR GAS AND DIESEL VEHICLES | 136 |
| TABLE E.1 | - THE DESIGN MATRIX FOR THE SELECTION OF ROADS ON WHICH SPECIAL EXPERIMENTAL SECTIONS ARE CONSTRUCTED | 147 |
| TABLE E.2 | - STATUS OF TESTING ON PAVED ROAD SECTIONS AT 1 AUGUST 1977 | 149 |
| TABLE E.3 | - STATUS OF TESTING ON UNPAVED ROAD SECTIONS AT 1 AUGUST 1977 | 150 |
| TABLE E.4 | - PERCENTAGES OF AXLES OVERLADEN MEASURED WITH THE PORTABLE SCALES ON THE PAVEMENT STUDY SECTIONS .. | 166 |
| TABLE E.5 | - NUMBER OF EQUIVALENT AXLES PER VEHICLE FOR SECTIONS LOCATED IN DISTRITO FEDERAL | 173 |
| TABLE E.6 | - EQUIVALENT AXLES PER VEHICLE FOR THE MAXIMUM LEGAL AXLE LOADS | 180 |
| TABLE E.7 | - EQUIVALENT AXLE LOADS PER VEHICLE FOR CLASS 4 VEHICLES (SECTIONS LOCATED BETWEEN GRAVEL OR SAND PITS AND LOCATION OF USE) | 181 |

| | | | |
|------------|---|---|-----|
| TABLE E.8 | - | COMPARISON OF EQUIVALENCY FACTORS CALCULATED FROM DATA OBTAINED WITH THE PORTABLE SCALES AND THE WIM | 187 |
| TABLE E.9 | - | COMPARISON OF NUMBER OF EQUIVALENT AXLES CALCULATED FROM WIM AND PORTABLE SCALE DATA | 189 |
| TABLE E.10 | - | NUMBER OF EQUIVALENT AXLES PER VEHICLE FOR DIFFERENT DAYS OBTAINED WITH THE WIM | 190 |
| TABLE E.11 | - | COMPARISON OF NUMBER OF EQUIVALENT AXLES CALCULATED FROM WIM AND PORTABLE SCALE DATA | 195 |
| TABLE E.12 | - | PROPORTION OF AXLES LADEN ABOVE THE LEGAL LIMITS MEASURED WITH THE WIM ON BR-060 | 196 |
| TABLE E.13 | - | NUMBER OF EQUIVALENT AXLES PER VEHICLE FOR DIFFERENT DAYS OBTAINED WITH THE WIM | 198 |
| EXHIBIT 1 | - | EXAMPLE OF THE ROUTE LINK FILE | 49 |
| EXHIBIT 2 | - | HORIZONTAL AND VERTICAL LINK STATISTICS GENERATED, IN BOTH DIRECTIONS, BY THE GEOMETRY ALGORITHM PROGRAM FOR PAVED AND UNPAVED USER ROUTES | 53 |
| EXHIBIT 3 | - | LINK ROUGHNESS, IN MAYSMEETER COUNTS PER .2 MILE, CONVERTED TO A MEASUREMENT SPEED OF 80 KPH AND GROUPED, WHERE ROUGHNESS IS NOT UNIFORM, INTO SECTIONS OF ROUGHNESS WITHIN EACH LINK | 54 |
| EXHIBIT 4 | - | PORTABLE SCALE FIELD RECORDING FORM | 165 |

TABLE OF CONTENTS

| | |
|--|----|
| - SUMMARY INDEX | 3 |
| - PREFACE | 5 |
| - ABSTRACT | 7 |
| CHAPTER A - INTRODUCTION | 11 |
| 1 - OBJECTIVES | 13 |
| a - Existing Model | 14 |
| b - Scope | 15 |
| CHAPTER B - GENERAL PROJECT ACHIEVEMENTS | 21 |
| 1 - ORGANIZATION | 23 |
| 2 - MEASUREMENT EQUIPMENT | 23 |
| 3 - WORKSHOPS | 28 |
| a - Soils Laboratory | 30 |
| 4 - COMPUTER FACILITIES | 31 |
| CHAPTER C - ROAD USER COSTS SURVEYS | 33 |
| 1 - OBJECTIVES | 35 |
| 2 - ORGANIZATION | 38 |
| 3 - COSTS SURVEYS | 41 |
| a - Methodology | 41 |
| (1) - Companies' Own Records | 42 |
| (2) - Self-administered Questionnaires | 42 |
| b - Survey Scope and Size | 43 |
| c - Data Collection | 43 |

| | |
|---|----|
| 4 - ROUTE SURVEYS | 46 |
| a - Survey Vehicle Performance | 47 |
| b - Data Processing | 47 |
| c - Roughness and Geometry Algorithms | 50 |
| 5 - PRELIMINARY RESULTS | 56 |
| a - Analysis of Data | 57 |
| b - The Data-Processing Systems | 57 |
| c - Route Statistics Algorithms | 59 |
| d - Summary of Preliminary Analysis | 61 |
| 6 - SUMMARY | 62 |
| 7 - PROCEDURES | 62 |
| 8 - COMPUTER SUPPORT | 65 |
| 9 - DATA COLLECTION | 65 |
| 10 - THE COMPUTER MODEL | 65 |
| CHAPTER D - ROAD USER COSTS AND TRAFFIC EXPERIMENTS | 67 |
| 1 - ORGANIZATION AND OBJECTIVES | 69 |
| 2 - MODELS | 71 |
| a - Time and Fuel Algorithm (TAFE) | 71 |
| b - Simulation of Traffic Flow (SOFOT) | 74 |
| 3 - EXPERIMENTAL PROGRAM | 75 |
| a - Traffic Behavior Experiments | 78 |
| (1) - Free Speeds on Positive Grades (TB-1) | 78 |
| (2) - Free Speeds on Negative Grades (TB-2) | 81 |
| (3) - Acceleration on Grades (TB-3) | 81 |
| (4) - Free Speeds on Curves (TB-4) | 83 |
| (5) - Trip Purpose (TB-5) | 84 |
| (6) - Free-Speed Calibration (TB-6) | 84 |

| | |
|---|-----|
| (7) - Radar Effect (TB-7) | 87 |
| (8) - Speed/Capacity (TB-8) | 87 |
| (9) - Operating-Speed Calibration (TB-9) | 88 |
| (10) - Wet/Dry (TBS-1) | 88 |
| (11) - Surface Types (TBS-2) | 88 |
| (12) - Deceleration (TBS-3) | 89 |
| (13) - Dust Effect (TBS-4) | 89 |
| b - Fuel Consumption Experiments | 89 |
| (1) - Steady-State Fuel Consumption (FC-1) | 91 |
| (2) - Momentum (FC-2) | 92 |
| (3) - Curvature Experiment (FC-3) | 92 |
| (4) - Fuel Consumption Calibration (FC-4) | 93 |
| (5) - Tuned VS. Untuned (FCS-1) | 93 |
| (6) - Curvature Study (FCS-2) | 93 |
| (7) - Sag Curves (FCS-3) | 94 |
| (8) - Acceleration (FCS-4) | 94 |
| (9) - Large Cars (FCS-5) | 94 |
| 4 - PRELIMINARY ANALYSIS | 94 |
| a - Preliminary Analysis on TB-2 | 95 |
| (1) - Background | 95 |
| (2) - Analysis | 95 |
| b - Effect of the Speed-Limit Enforcement Program | 99 |
| (1) - Analysis | 99 |
| (2) - Conclusions | 104 |
| c - Steady-State Fuel Consumption (FC-1) | 104 |
| (1) - Analysis Approach | 105 |
| (2) - Analysis-of-Variance Results | 107 |
| (3) - Summary of FC-1 Analysis | 133 |
| d - Fuel Consumption on Curves (FC-3) | 133 |
| (1) - Analysis-of-Variance Approach | 133 |
| (2) - Analysis of Results | 135 |
| (3) - Summary of FC-3 Analysis | 137 |
| 5 - SUMMARY | 137 |
| CHAPTER E - PAVEMENT AND MAINTENANCE STUDIES | 141 |
| 1 - OBJECTIVES | 143 |

| | |
|--|-----|
| 2 - ORGANIZATION AND STUDY PROCEDURES | 144 |
| 3 - SCOPE OF THE STUDIES | 144 |
| a - Testing Completed | 148 |
| 4 - TRAFFIC VOLUMES | 153 |
| a - Equipment and Data Reduction | 153 |
| b - Analysis of the Data | 155 |
| 5 - AXLE LOADS | 155 |
| a - Collection with Portable Scales | 163 |
| b - Portable Scale Results | 163 |
| c - Axle Load Distributions | 163 |
| (1) - Load Equivalency Computations | 171 |
| (2) - Analysis of Equivalent Axles | 172 |
| (3) - Repeatability of Results | 182 |
| d - Weigh-in-Motion System | 183 |
| e - Comparison of WIM and Portable Scale Results | 185 |
| f - WIM Results for the Site on BR-040 | 185 |
| (1) - Axle Load Distribution | 188 |
| (2) - Equivalent Axles | 188 |
| g - WIM Results for the Site on BR-060 | 194 |
| (1) - Axle Loads Distribution | 194 |
| (2) - Equivalent Axles | 197 |
| 6 - CONCLUSIONS | 197 |
| 7 - SUMMARY | 201 |
| 8 - WORKPLAN AND SCHEDULE | 201 |
| CHAPTER F - MODEL DEVELOPMENT | 203 |
| 1 - MODEL DEVELOPMENT | 205 |
| a - Approach | 208 |
| b - Model Workplan and Schedule | 210 |
| CHAPTER G - GENERAL WORK PLAN | 217 |

| | |
|---|-----|
| CHAPTER H - SUMMARY AND RECOMMENDATIONS | 223 |
| 1 - STATUS OF THE STUDIES | 225 |
| a - Road User Costs Survey | 225 |
| b - Road User Costs and Traffic Experiments | 226 |
| c - Pavement and Maintenance Studies | 226 |
| 2 - RECOMMENDATIONS | 227 |
| APPENDIX A - AXLE LOAD DISTRIBUTION BY TEST SECTION (40 TABLES) | 229 |
| APPENDIX B - AXLE WEIGHT DISTRIBUTION AT WIM SITES (3 TABLES) . | 271 |
| REFERENCES | 277 |
| LIST OF ABBREVIATIONS | 279 |
| LIST OF FIGURES | 281 |
| LIST OF TABLES AND EXHIBITS | 285 |
| TABLE OF CONTENTS | 289 |

August 1977 Research on the Interrelationships Between Costs of Highway Construction, Maintenance and Utilization