



## Subject index

---

<b>Absence of clinical disease</b> The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL .....	169–175
<b><i>Aepyceros melampus</i></b> Distribution of endocrine cells in the gut of the impala ( <i>Aepyceros melampus</i> )—J.H. SCHOEMAN, V. DE VOS and G. VAN ASWEGEN .....	31–35
<b>African horsesickness virus</b> Detection of African horsesickness virus and discrimination between two equine orbivirus serogroups by reverse transcription polymerase chain reaction—C.W. BREMER and G.J. VILJOEN .....	1–8
Protein aggregation complicates the development of baculovirus-expressed African horsesickness virus serotype 5 VP2 subunit vaccines—M. DU PLESSIS, M. CLOETE, H. AITCHISON and A.A. VAN DIJK .....	321–329
<b>African monogenean gyrodactylid</b> The African monogenean gyrodactylid genus <i>Macroyrodactylus</i> Malmberg, 1957, and the reporting of three species of the genus on <i>Clarias gariepinus</i> in South Africa—L.F. KHALIL and S.N. MASHEGO .....	223–231
<b>African rhinoceroses</b> Three new species of ciliated Protozoa from the hindgut of both white and black wild African rhinoceroses—W. VAN HOVEN, FRANCES M.C. GILCHRIST, H. LIEBENBERG and C.F. VAN DER MERWE .....	87–95
<b><i>Amblyomma hebraeum</i></b> Immunization of rabbits with <i>Amblyomma hebraeum</i> nymphal homogenates and implications for the host amplification system—S.D. TEMBO .....	97–103
<b>Amplification system</b> Immunization of rabbits with <i>Amblyomma hebraeum</i> nymphal homogenates and implications for the host amplification system—S.D. TEMBO .....	97–103
<b>Anaplasma</b> Observations on the use of <i>Anaplasma centrale</i> for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH .....	81–86
<b><i>Anaplasma centrale</i></b> Observations on the use of <i>Anaplasma centrale</i> for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH .....	81–86
<b>Anaplasmosis</b> Observations on the use of <i>Anaplasma centrale</i> for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH .....	81–86
<b><i>Arctocepalus pusillus</i></b> Light and electron microscopical observations on the terminal airways and alveoli of the lung of the SA (Cape) fur seal <i>Arctocepalus pusillus</i> —J.C. WESSELS and C.C. CHASE .....	253–262

Subject index

**Auxotrophic**

- The production of an auxotrophic marked, plasmid-cured *Salmonella* ser. Typhimurium as a live attenuated vaccine—  
 MARTHA L. VAN DER WALT and A.S. GREEFF ..... 213–220

**Avaritia**

- Morphological confirmation of the separate species status of *Culicoides (Avaritia) nudipalpis* Delfinado, 1961 and *C. (A.) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae)—R. MEISWINKEL and M. BAYLIS ..... 9–16

**Babesia/babesiosis**

- Isolation and characterization of a *Babesia* species from *Rhipicephalus evertsi evertsi* ticks picked off a sable antelope (*Hippotragus niger*) which died of acute babesiosis—T. HOVE, N. SITHOLE, D. MUNODZANA and S. MASAKA ..... 75–80

**Baculovirus**

- Protein aggregation complicates the development of baculovirus-expressed African horsesickness virus serotype 5 VP2 subunit vaccines—M. DU PLESSIS, M. CLOETE, H. AITCHISON and A.A. VAN DIJK ..... 321–329

**Besnoitiosis**

- An epidemic of Besnoitiosis in cattle in Kenya—A.N. NJAGI, C.M. NDARATHI, P.N. NYAGA and L.K. MUNGA ..... 133–136

**Biochemical values**

- Serum biochemical values of farmed ostrich (*Struthio camelus*) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA ..... 189–193

**Birds**

- Ixodid tick infestations of wild birds and mammals on a game ranch in Central Province, Zambia—U. ZIEGER, I.G. HORAK, A.E. CAULDWELL and A.C. UYS ..... 113–124

**Bluetongue**

- Selection of an scFv phage antibody that recognizes bluetongue virus from a large synthetic library and its use in ELISAs to detect viral antigen and antibodies—W. VAN WYNGAARDT and D.H. DU PLESSIS ..... 125–131

- Some epidemiological and economic aspects of a bluetongue-like disease in cattle in South Africa—1995/96 and 1997—B.J.H. BARNARD, G.H. GERDES and R. MEISWINKEL ..... 145–151

- A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI ..... 243–251

**Bluetongue virus**

- Selection of an scFv phage antibody that recognizes bluetongue virus from a large synthetic library and its use in ELISAs to detect viral antigen and antibodies—W. VAN WYNGAARDT and D.H. DU PLESSIS ..... 125–131

- A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI ..... 243–251

**Bluetongue-like disease**

- Some epidemiological and economic aspects of a bluetongue-like disease in cattle in South Africa—1995/96 and 1997—B.J.H. BARNARD, G.H. GERDES and R. MEISWINKEL ..... 145–151

**Bontebok**

- Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER ..... 205–211

**Bontebok National Park**

- Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER ..... 205–211

**Bot fly larvae**

- Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK ..... 137–141

- Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER ..... 205–211

**Botshabelo**

- Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK ..... 285–289

**Botswana**

- Serum biochemical values of farmed ostrich (*Struthio camelus*) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA ..... 189–193

- Coccidia oocysts in the faeces of farmed ostrich (*Struthio camelus*) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA ..... 281–284

<b>Bovine</b>	
The clinical efficacy of enrofloxacin in the treatment of experimental bovine pneumonic pasteurellosis—P.N. THOMPSON, S.R. VAN AMSTEL and M. HENTON .....	105–112
<b>Canine parvovirus</b>	
Antigenic and genetic analysis of canine parvoviruses in southern Africa—A. STEINEL, E.H. VENTER, M. VAN VUUREN, C.R. PARRISH and U. TRUYEN .....	239–242
<b>Cape fur seal</b>	
Light and electron microscopical observations on the terminal airways and alveoli of the lung of the SA (Cape) fur seal <i>Arctocephalus pusillus</i> —J.C. WESSELS and C.C. CHASE .....	253–262
<b>Cardiac glycoside intoxication</b>	
Suspected cardiac glycoside intoxication in sheep and goats in Namibia due to <i>Ornithogalum nanodes</i> (Leighton)—C. BAMHARE .....	25–30
<b>Cattle</b>	
Observations on the use of <i>Anaplasma centrale</i> for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH .....	81–86
An epidemic of Besnoitiosis in cattle in Kenya—A.N. NJAGI, C.M. NDARATHI, P.N. NYAGA and L.K. MUNGA .....	133–136
Some epidemiological and economic aspects of a bluetongue-like disease in cattle in South Africa—1995/96 and 1997—B.J.H. BARNARD, G.H. GERDES and R. MEISWINKEL .....	145–151
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL .....	169–175
The efficacy of used engine oil against ticks on cattle—KARIN DREYER, L.J. FOURIE and D.J. KOK .....	275–279
Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK .....	285–289
Individual host variations in tick infestations of cattle in a resource-poor community—KARIN DREYER, L.J. FOURIE and D.J. KOK .....	291–296
<b>Central Province</b>	
Dynamics of free-living ixodid ticks on a game ranch in the Central Province, Zambia—U. ZIEGER, I.G. HORAK and A.E. CAULDWELL .....	49–59
Ixodid tick infestations of wild birds and mammals on a game ranch in Central Province, Zambia—U. ZIEGER, I.G. HORAK, A.E. CAULDWELL and A.C. UYS .....	113–124
Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK .....	137–141
<b>Ceratopogonidae</b>	
Morphological confirmation of the separate species status of <i>Culicoides (Avaritia) nudipalpis</i> Delfinado, 1961 and <i>C. (A.) imicola</i> Kieffer, 1913 (Diptera: Ceratopogonidae)—R. MEISWINKEL and M. BAYLIS .....	9–16
<b>Chicks</b>	
Coccidia oocysts in the faeces of farmed ostrich ( <i>Struthio camelus</i> ) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA .....	281–284
<b>Cichlid fishes</b>	
Pentastomid infections in cichlid fishes in the Kruger National Park and the description of the infective larva of <i>Subtriquetra rileyi</i> n. sp.—K. JUNKER, J. BOOMKER and D.G. BOOYSE .....	159–167
<b>Clarias garlepinus</b>	
The African monogenean gyrodactylid genus <i>Macrogyrodactylus</i> Malmberg, 1957, and the reporting of three species of the genus on <i>Clarias garlepinus</i> in South Africa—L.F. KHALIL and S.N. MASHEGO .....	223–231
<b>Coccidia oocysts</b>	
Coccidia oocysts in the faeces of farmed ostrich ( <i>Struthio camelus</i> ) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA .....	281–284
<b>Communal grazing areas</b>	
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL .....	169–175
<b>Community</b>	
Individual host variations in tick infestations of cattle in a resource-poor community—KARIN DREYER, L.J. FOURIE and D.J. KOK .....	291–296

<b><i>Culicoides Avaritia nudipalpis</i></b>	
Morphological confirmation of the separate species status of <i>Culicoides (Avaritia) nudipalpis</i> Delfinado, 1961 and <i>C. (A.) imicola</i> Kieffer, 1913 (Diptera: Ceratopogonidae)—R. MEISWINKEL and M. BAYLIS .....	9–16
<b>Diptera: Ceratopogonidae</b>	
Morphological confirmation of the separate species status of <i>Culicoides (Avaritia) nudipalpis</i> Delfinado, 1961 and <i>C. (A.) imicola</i> Kieffer, 1913 (Diptera: Ceratopogonidae)—R. MEISWINKEL and M. BAYLIS .....	9–16
<b>Electron microscopical observations</b>	
Light and electron microscopical observations on the terminal airways and alveoli of the lung of the SA (Cape) fur seal <i>Arctocephalus pusillus</i> —J.C. WESSELS and C.C. CHASE .....	253–262
<b>ELISA</b>	
Selection of an scFv phage antibody that recognizes bluetongue virus from a large synthetic library and its use in ELISAs to detect viral antigen and antibodies—W. VAN WYNGAARDT and D.H. DU PLESSIS .....	125–131
<b>Endemic stability</b>	
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL .....	169–175
<b>Endocrine cells</b>	
Distribution of endocrine cells in the gut of the impala ( <i>Aepyceros melampus</i> )—J.H. SCHOEMAN, V. DE VOS and G. VAN ASWEGEN .....	31–35
<b>Engine oil</b>	
The efficacy of used engine oil against ticks on cattle—KARIN DREYER, L.J. FOURIE and D.J. KOK .....	275–279
<b>Enrofloxacin</b>	
The clinical efficacy of enrofloxacin in the treatment of experimental bovine pneumonic pasteurellosis—P.N. THOMPSON, S.R. VAN AMSTEL and M. HENTON .....	105–112
<b>Epidemiology</b>	
Models for heartwater epidemiology: Practical implications and suggestions for future research—T. YONOW, C.C. BREWSTER, J.C. ALLEN and M.I. MELTZER .....	263–273
Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK .....	285–289
<b>Equine orbivirus</b>	
Detection of African horsesickness virus and discrimination between two equine orbivirus serogroups by reverse transcription polymerase chain reaction—C.W. BREMER and G.J. VILJOEN .....	1–8
<b>Farmers</b>	
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL .....	169–175
<b>Foot-and-mouth disease</b>	
Detection and characterization of foot-and-mouth disease virus in sub-Saharan Africa—A.D.S. BASTOS .....	37–47
<b>Fosfomycin</b>	
Correlation between ability of <i>Ornithobacterium rhinotracheale</i> to agglutinate red blood cells and susceptibility to fosfomycin—S.L. FITZGERALD, J.M. GREYLING and R.R. BRAGG .....	317–324
<b>Fowl typhoid</b>	
Comparison of immune responses of two <i>Salmonella gallinarum</i> strains viewed as possible vaccines for fowl typhoid in Kenya—LILLY C. BEBORA, P.N. NYAGA and C.O. KIMORO .....	67–73
<b>Free-living ixodid ticks</b>	
Dynamics of free-living ixodid ticks on a game ranch in the Central Province, Zambia—U. ZIEGER, I.G. HORAK and A.E. CAULDWELL .....	49–59
<b>Free State Province</b>	
Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK .....	285–289
Tick diversity, abundance and seasonal dynamics in a resource-poor urban environment in the Free State Province—KARIN DRYER, G.J. FOURIE and D.J. KOK .....	305–316
<b>Gekkonidae</b>	
<i>Spauligodon timbavatiensis</i> n. sp. (Nematoda: Pharyngodonidae) from <i>Pachydactylus iturneri</i> (Sauria: Gekkonidae) in the Northern Province, South Africa—S.F.B.N. HERING-HAGENBECK and J. BOOMKER .....	153–158

- Goats**  
Suspected cardiac glycoside intoxication in sheep and goats in Namibia due to *Ornithogalum nanodes* (Leighton)—C. BAMHARE ..... 25–30
- Heartwater**  
The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN, G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN ..... 177–187  
Models for heartwater epidemiology: Practical implications and suggestions for future research—T. YONOW, C.C. BREWSTER, J.C. ALLEN and M.I. MELTZER ..... 263–273
- Helminths**  
Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK ..... 137–141
- Hindgut**  
Three new species of ciliated Protozoa from the hindgut of both white and black wild African rhinoceroses—W. VAN HOVEN, FRANCES M.C. GILCHRIST, H. LIEBENBERG and C.F. VAN DER MERWE ..... 87–95
- Hippotragus niger**  
Isolation and characterization of a *Babesia* species from *Rhipicephalus evertsi evertsi* ticks picked off a sable antelope (*Hippotragus niger*) which died of acute babesiosis—T. HOVE, N. SITHOLE, D. MUNODZANA and S. MASAHA ..... 75–80
- Host variation**  
Individual host variations in tick infestations of cattle in a resource-poor community—KARIN DREYER, L.J. FOURIE and D.J. KOK ..... 291–296
- Imicola Kieffer**  
Morphological confirmation of the separate species status of *Culicoides (Avaritia) nudipalpis* Delfinado, 1961 and *C. (A.) imicola* Kieffer, 1913 (Diptera: Ceratopogonidae)—R. MEISWINKEL and M. BAYLIS ..... 9–16
- Immune response**  
Comparison of immune responses of two *Salmonella gallinarum* strains viewed as possible vaccines for fowl typhoid in Kenya—LILLY C. BEBORA, P.N. NYAGA and C.O. KIMORO ..... 67–73
- Immunization**  
Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A. TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DALGLEISH ..... 81–86  
Immunization of rabbits with *Amblyomma hebraeum* nymphal homogenates and implications for the host amplification system—S.D. TEMBO ..... 97–103
- Impala**  
Distribution of endocrine cells in the gut of the impala (*Aepyceros melampus*)—J.H. SCHOEMAN, V. DE VOS and G. VAN ASWEGEN ..... 31–35
- Ixodid ticks**  
Dynamics of free-living ixodid ticks on a game ranch in the Central Province, Zambia—U. ZIEGER, I.G. HORAK and A.E. CAULDWELL ..... 49–59  
Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER ..... 205–211
- Kenya**  
An epidemic of Besnoitiosis in cattle in Kenya—A.N. NJAGI, C.M. NDARATHI, P.N. NYAGA and L.K. MUNGA ..... 133–136
- Krimpsiekte**  
Krimpsiekte in a sheep following a single dose of *Tylecodon ventricosus* (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGAR and ELIZABETH RETIEF ..... 17–23
- Kruger National Park**  
Pentastomid infections in cichlid fishes in the Kruger National Park and the description of the infective larva of *Subtriquetra rileyi* n. sp.—K. JUNKER, J. BOOMKER and D.G. BOOYSE ..... 159–167
- Larva**  
Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK ..... 137–141  
Pentastomid infections in cichlid fishes in the Kruger National Park and the description of the infective larva of *Subtriquetra rileyi* n. sp.—K. JUNKER, J. BOOMKER and D.G. BOOYSE ..... 159–167  
Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER ..... 205–211

<b>Life-cycle</b>	
Experimental studies on the life-cycle of <i>Sebekia wedli</i> (Pentastomida: Sebekidae)—K. JUNKER, J. BOOMKER and D.G. BOOYSE .....	233–237
<b>Macrogyrodactylus</b>	
The African monogenean gyrodactylid genus <i>Macrogyrodactylus</i> Malmberg, 1957, and the reporting of three species of the genus on <i>Clarias gariepinus</i> in South Africa—L.F. KHALIL and S.N. MASHEGO .....	223–231
<b>Namibia</b>	
Suspected cardiac glycoside intoxication in sheep and goats in Namibia due to <i>Ornithogalum nanodes</i> (Leighton)—C. BAMHARE .....	25–30
<b>Nematoda</b>	
<i>Spauligodon timbavatiensis</i> n. sp. (Nematoda: Pharyngodonidae) from <i>Pachydactylus iturneri</i> (Sauria: Gekkonidae) in the Northern Province, South Africa—S.F.B.N. HERING-HAGENBECK and J. BOOMKER .....	153–158
<b>Nudipalpis Delfinado</b>	
Morphological confirmation of the separate species status of <i>Culicoides (Avaritia) nudipalpis</i> Delfinado, 1961 and <i>C. (A.) imicola</i> Kieffer, 1913 (Diptera: Ceratopogonidae)—R. MEISWINKEL and M. BAYLIS .....	9–16
<b>Ornithobacterium rhinotracheale</b>	
Correlation between ability of <i>Ornithobacterium rhinotracheale</i> to agglutinate red blood cells and susceptibility to fosfomycin—S.L. FITZGERALD, J.M. GREYLING and R.R. BRAGG .....	317–324
<b>Ornithogalum nanodes</b>	
Suspected cardiac glycoside intoxication in sheep and goats in Namibia due to <i>Ornithogalum nanodes</i> (Leighton)—C. BAMHARE .....	25–30
<b>Ostrich</b>	
Serum biochemical values of farmed ostrich ( <i>Struthio camelus</i> ) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA .....	189–193
Coccidia oocysts in the faeces of farmed ostrich ( <i>Struthio camelus</i> ) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA .....	281–284
<b>Parasites</b>	
Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER .....	205–211
<b>Pentastomid infections</b>	
Pentastomid infections in cichlid fishes in the Kruger National Park and the description of the infective larva of <i>Subtriquetra rileyi</i> n. sp.—K. JUNKER, J. BOOMKER and D.G. BOOYSE .....	159–167
<b>Pentastomida: Sebekidae</b>	
Experimental studies on the life-cycle of <i>Sebekia wedli</i> (Pentastomida: Sebekidae)—K. JUNKER, J. BOOMKER and D.G. BOOYSE .....	233–237
<b>Pharyngodonidae</b>	
<i>Spauligodon timbavatiensis</i> n. sp. (Nematoda: Pharyngodonidae) from <i>Pachydactylus iturneri</i> (Sauria: Gekkonidae) in the Northern Province, South Africa—S.F.B.N. HERING-HAGENBECK and J. BOOMKER .....	153–158
<b>Pneumonic pasteurellosis</b>	
The clinical efficacy of enrofloxacin in the treatment of experimental bovine pneumonic pasteurellosis—P.N. THOMPSON, S.R. VAN AMSTEL and M. HENTON .....	105–112
<b>Polymerase chain reaction (PCR)</b>	
Detection of African horsesickness virus and discrimination between two equine orbivirus serogroups by reverse transcription polymerase chain reaction—C.W. BREMER and G.J. VILJOEN .....	1–8
A nucleotide-specific polymerase chain reaction assay to differentiate rabies virus biotypes in South Africa—L.H. NEL J. BINGHAM, J.A. JACOBS and J.B. JAFTHA .....	297–303
<b>Protozoa</b>	
Three new species of ciliated Protozoa from the hindgut of both white and black wild African rhinoceroses—W. VAN HOVEN, FRANCES M.C. GILCHRIST, H. LIEBENBERG and C.F. VAN DER MERWE .....	87–95
<b>Rabies virus biotypes</b>	
A nucleotide-specific polymerase chain reaction assay to differentiate rabies virus biotypes in South Africa—L.H. NEL J. BINGHAM, J.A. JACOBS and J.B. JAFTHA .....	297–303
<b>Rabbits</b>	
Immunization of rabbits with <i>Amblyomma hebraeum</i> nymphal homogenates and implications for the host amplification system—S.D. TEMBO .....	97–103

- Red blood cells**  
Correlation between ability of *Ornithobacterium rhinotracheale* to agglutinate red blood cells and susceptibility to fosfomycin—S.L. FITZGERALD, J.M. GREYLING and R.R. BRAGG ..... 317–324
- Rhinoceros**  
Three new species of ciliated Protozoa from the hindgut of both white and black wild African rhinoceroses—W. VAN HOVEN, FRANCES M.C. GILCHRIST, H. LIEBENBERG and C.F. VAN DER MERWE ..... 87–95
- Rhipicephalus evertsi evertsi***  
Isolation and characterization of a *Babesia* species from *Rhipicephalus evertsi evertsi* ticks picked off a sable antelope (*Hippotragus niger*) which died of acute babesiosis—T. HOVE, N. SITHOLE, D. MUNODZANA and S. MASAKA ..... 75–80
- Sable antelope**  
Isolation and characterization of a *Babesia* species from *Rhipicephalus evertsi evertsi* ticks picked off a sable antelope (*Hippotragus niger*) which died of acute babesiosis—T. HOVE, N. SITHOLE, D. MUNODZANA and S. MASAKA ..... 75–80
- Salmonella* ser. Typhimurium**  
The production of an auxotrophic marked, plasmid-cured *Salmonella* ser. Typhimurium as a live attenuated vaccine—MARTHA L. VAN DER WALT and A.S. GREEFF ..... 213–220
- Salmonella gallinarum***  
Comparison of immune responses of two *Salmonella gallinarum* strains viewed as possible vaccines for fowl typhoid in Kenya—LILLY C. BEBORA, P.N. NYAGA and C.O. KIMORO ..... 67–73
- Saudi Arabia**  
A study on bluetongue virus infection in Saudi Arabia using sentinel ruminants—E.M.E. ABU ELZEIN, H. AITCHISON, A.I. AL-AFALEQ, A.M. AL-BASHIR, A.O. IBRAHIM and F.M.T. HOUSAWI ..... 243–251
- Seasonal dynamics**  
Tick diversity, abundance and seasonal dynamics in a resource-poor urban environment in the Free State Province—KARIN DRYER, G.J. FOURIE and D.J. KOK ..... 305–316
- Sebekia wedli***  
Experimental studies on the life-cycle of *Sebekia wedli* (Pentastomida: Sebekidae)—K. JUNKER, J. BOOMKER and D.G. BOOYSE ..... 233–237
- Sebekidae**  
Experimental studies on the life-cycle of *Sebekia wedli* (Pentastomida: Sebekidae)—K. JUNKER, J. BOOMKER and D.G. BOOYSE ..... 233–237
- Serum**  
Serum biochemical values of farmed ostrich (*Struthio camelus*) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA ..... 189–193
- Sheep**  
Krimpsiekte in a sheep following a single dose of *Tylecodon ventricosus* (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGGAAR and ELIZABETH RETIEF ..... 17–23  
Suspected cardiac glycoside intoxication in sheep and goats in Namibia due to *Ornithogalum nanodes* (Leighton)—C. BAMHARE ..... 25–30
- South Africa**  
Some epidemiological and economic aspects of a bluetongue-like disease in cattle in South Africa—1995/96 and 1997—B.J.H. BARNARD, G.H. GERDES and R. MEISWINKEL ..... 145–151  
*Spauligodon timbavatiensis* n. sp. (Nematoda: Pharyngodonidae) from *Pachydactylus iturneri* (Sauria: Gekkonidae) in the Northern Province, South Africa—S.F.B.N. HERING-HAGENBECK and J. BOOMKER ..... 153–158  
Review of tsetse flies and trypanosomosis in South Africa—KARIN KAPPMEIER, E.M. NEVILL and R.J. BAGNALL ..... 195–203  
Parasites of domestic and wild animals in South Africa. XXXV. Ixodid ticks and bot fly larvae in the Bontebok National Park—I.G. HORAK and J. BOOMKER ..... 205–211  
The African monogenean gyrodactylid genus *Macrogryodactylus* Malmberg, 1957, and the reporting of three species of the genus on *Ciarias gariepinus* in South Africa—L.F. KHALIL and S.N. MASHEGO ..... 223–231  
Light and electron microscopical observations on the terminal airways and alveoli of the lung of the SA (Cape) fur seal *Arctocephalus pusillus*—J.C. WESSELS and C.C. CHASE ..... 253–262  
A nucleotide-specific polymerase chain reaction assay to differentiate rabies virus biotypes in South Africa—L.H. NEL J. BINGHAM, J.A. JACOBS and J.B. JAFTHA ..... 297–303
- Southern Africa**  
Antigenic and genetic analysis of canine parvoviruses in southern Africa—A. STEINEL, E.H. VENTER, M. VAN VUUREN, C.R. PARRISH and U. TRUYEN ..... 239–242

<b><i>Spauligodon timbavatiensis</i> n. sp.</b>	
<i>Spauligodon timbavatiensis</i> n. sp. (Nematoda: Pharyngodonidae) from <i>Pachydactylus iturneri</i> (Sauria: Gekkonidae) in the Northern Province, South Africa—S.F.B.N. HERING-HAGENBECK and J. BOOMKER .....	153–158
<b>Strain</b>	
Comparison of immune responses of two <i>Salmonella gallinarum</i> strains viewed as possible vaccines for fowl typhoid in Kenya—LILLY C. BEBORA, P.N. NYAGA and C.O. KIMORO .....	67–73
<b><i>Struthio camelus</i></b>	
Serum biochemical values of farmed ostrich ( <i>Struthio camelus</i> ) in Botswana—E.Z. MUSHI, M.G. BINTA, R.G. CHABO, J.F.W. ISA and L. MODISA .....	189–193
Coccidia oocysts in the faeces of farmed ostrich ( <i>Struthio camelus</i> ) chicks in Botswana—E.Z. MUSHI, J.F.W. ISA, R.G. CHABO, M.G. BINTA, R.W. KAPAATA, R.T. NDEBELE and K.C. CHAKALISA .....	281–284
<b>Sub-Saharan Africa</b>	
Detection and characterization of foot-and-mouth disease virus in sub-Saharan Africa—A.D.S. BASTOS .....	37–47
<b><i>Subtriquetra rileyi</i></b>	
Pentastomid infections in cichlid fishes in the Kruger National Park and the description of the infective larva of <i>Subtriquetra rileyi</i> n. sp.—K. JUNKER, J. BOOMKER and D.G. BOOYSE .....	159–167
<b>Synthetic library</b>	
Selection of an scFv phage antibody that recognizes bluetongue virus from a large synthetic library and its use in ELISAs to detect viral antigen and antibodies—W. VAN WYNGAARDT and D.H. DU PLESSIS .....	125–131
<b>Terminal airways</b>	
Light and electron microscopical observations on the terminal airways and alveoli of the lung of the SA (Cape) fur seal <i>Arctocephalus pusillus</i> —J.C. WESSELS and C.C. CHASE .....	253–262
<b>Thaba Nchu</b>	
Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK .....	285–289
<b>Tick diversity</b>	
Tick diversity, abundance and seasonal dynamics in a resource-poor urban environment in the Free State Province—KARIN DRYER, G.J. FOURIE and D.J. KOK .....	305–316
<b>Tick-borne disease</b>	
Epidemiology of tick-borne diseases of cattle in Botshabelo and Thaba Nchu in the Free State Province—KARIN DREYER, L.J. FOURIE and D.J. KOK .....	285–289
The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne disease—G.A. TICE, N.R. BRYSON, C.G. STEWART, B. DU PLESSIS and D.T. DE WAAL .....	169–175
<b>Tick infestations</b>	
Ixodid tick infestations of wild birds and mammals on a game ranch in Central Province, Zambia—U. ZIEGER, I.G. HORAK, A.E. CAULDWELL and A.C. UYS .....	113–124
Individual host variations in tick infestations of cattle in a resource-poor community—KARIN DREYER, L.J. FOURIE and D.J. KOK .....	291–296
<b>Trypanosomosis</b>	
Review of tsetse flies and trypanosomosis in South Africa—KARIN KAPPMEIER, E.M. NEVILL and R.J. BAGNALL .....	195–203
<b>Tsetse flies</b>	
Review of tsetse flies and trypanosomosis in South Africa—KARIN KAPPMEIER, E.M. NEVILL and R.J. BAGNALL .....	195–203
<b><i>Tylecodon ventricosus</i></b>	
Krimpsiekte in a sheep following a single dose of <i>Tylecodon ventricosus</i> (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGAAR and ELIZABETH RETIEF .....	17–23
<b>Tyledoside D</b>	
Krimpsiekte in a sheep following a single dose of <i>Tylecodon ventricosus</i> (Burm. f.) Toelken and the isolation of tyledoside D from this plant species—C.J. BOTHA, T.S. KELLERMAN, R. ANITRA SCHULTZ, G.L. ERASMUS, R. VLEGGAAR and ELIZABETH RETIEF .....	17–23
<b>Ungulates</b>	
Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER, A.E. CAULDWELL and I.G. HORAK .....	137–141



**Urban environment**

- Tick diversity, abundance and seasonal dynamics in a resource-poor urban environment in the Free State Province—  
KARIN DREYER, G.J. FOURIE and D.J. KOK ..... 305–316

**Used engine oil**

- The efficacy of used engine oil against ticks on cattle—KARIN DREYER, L.J. FOURIE and D.J. KOK ..... 275–279

**Vaccines**

- Comparison of immune responses of two *Salmonella gallinarum* strains viewed as possible vaccines for fowl typhoid  
in Kenya—LILLY C. BEBORA, P.N. NYAGA and C.O. KIMORO ..... 67–73

- Protein aggregation complicates the development of baculovirus-expressed African horsesickness virus serotype 5  
VP2 subunit vaccines—M. DU PLESSIS, M. CLOETE, H. AITCHISON and A.A. VAN DIJK ..... 321–329

**Viruses**

- Antigenic and genetic analysis of canine parvoviruses in southern Africa—A. STEINEL, E.H. VENTER, M. VAN VUUREN,  
C.R. PARRISH and U. TRUYEN ..... 239–242

**Zambia**

- Dynamics of free-living ixodid ticks on a game ranch in the Central Province, Zambia—U. ZIEGER, I.G. HORAK and  
A.E. CAULDWELL ..... 49–59

- Ixodid tick infestations of wild birds and mammals on a game ranch in Central Province, Zambia—U. ZIEGER, I.G. HO-  
RAK, A.E. CAULDWELL and A.C. UYS ..... 113–124

- Helminths and bot fly larvae of wild ungulates on a game ranch in Central Province, Zambia—U. ZIEGER, J. BOOMKER,  
A.E. CAULDWELL and I.G. HORAK ..... 137–141

**Zimbabwe**

- Observations on the use of *Anaplasma centrale* for immunization of cattle against anaplasmosis in Zimbabwe—J.A.  
TURTON, T.C. KATSANDE, M.B. MATINGO, W.K. JORGENSEN, U. USHEWOKUNZE-OBATOLU and R.J. DAL-  
GLEISH ..... 81–86

- The distribution of heartwater in the highveld of Zimbabwe, 1980–1997—T.F. PETER, B.D. PERRY, C.J. O'CALLAGHAN,  
G.F. MEDLEY, W. SHUMBA, W. MADZIMA, M.J. BURRIDGE and S.M. MAHAN ..... 177–187