



Subject index

Acari

- Acquisition of protective immunity in *Geochelone pardalis* against *Amblyomma marmoreum* (Acari: Ixodidae) nymphal ticks—S.D. TEMBO and A. KIWANUKA 1–4

Actinobacillus

- Strains of *Actinobacillus* spp. from diseases of animals and ostriches in Zimbabwe—K. MOHAN, P. MUVAVARIRWA and A. PAWANDIWA 195–199

Aepyceros melampus

- Morphological evidence for infection of impala, *Aepyceros melampus*, platelets by a rickettsia-like organism—L. DU PLESSIS, F. REYERS and K. STEVENS 317–318

African buffaloes

- Parafilariosis in African buffaloes (*Syncerus caffer*)—D.F. KEET, J. BOOMKER, N.P.J. KRIEK, G. ZAKRISSON and D.G.A. MELTZER 217–225

African elephant

- Ulcerative pododermatitis in free-ranging African elephant (*Loxodonta africana*) in the Kruger National Park—D.F. KEET, D.G. GROBLER, J.P. RAATH, J. GOUWS, J. CARSTENS and J.W. NESBIT 25–32

AHV-1 DNA

- Detection of AHV-1 DNA in lung sections from blue wildebeest (*Connochaetes taurinus*) calves by in situ hybridization—ANITA L. MICHEL, J.J. VAN DER LUGT, R.G. BENGIS and V. DE VOS 235–238

Amblyomma marmoreum

- Acquisition of protective immunity in *Geochelone pardalis* against *Amblyomma marmoreum* (Acari: Ixodidae) nymphal ticks—S.D. TEMBO and A. KIWANUKA 1–4

Anas capensis

- Helminth fauna of *Anas undulata*, *Anas erythrorhyncha*, *Anas capensis* and *Anas smithii* at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN 125–133

- A comparison of the helminth communities in *Anas undulata*, *Anas erythrorhyncha*, *Anas capensis* and *Anas smithii* at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN 161–173

Anas erythrorhyncha

- Helminth fauna of *Anas undulata*, *Anas erythrorhyncha*, *Anas capensis* and *Anas smithii* at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN 125–133

- A comparison of the helminth communities in *Anas undulata*, *Anas erythrorhyncha*, *Anas capensis* and *Anas smithii* at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN 161–173

Anas smithii

- Helminth fauna of *Anas undulata*, *Anas erythrorhyncha*, *Anas capensis* and *Anas smithii* at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN 125–133

- A comparison of the helminth communities in *Anas undulata*, *Anas erythrorhyncha*, *Anas capensis* and *Anas smithii* at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN 161–173

Anas undulata	
Helminth fauna of <i>Anas undulata</i> , <i>Anas erythrorhyncha</i> , <i>Anas capensis</i> and <i>Anas smithii</i> at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN	125–133
A comparison of the helminth communities in <i>Anas undulata</i> , <i>Anas erythrorhyncha</i> , <i>Anas capensis</i> and <i>Anas smithii</i> at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN	161–173
Anatidae (African)	
A checklist of helminths from the respiratory system and gastrointestinal tracts of African Anatidae—S.J. ALEXANDER and J.D. McLAUGHLIN	5–16
Animal factors	
Assessment of bovine hoof conformation and its association with lameness, animal factors and management practices on small-scale dairy farms in Kiambu district, Kenya—T. GITAU, S.M. MBIUKI and J.J. McDERMOTT	135–140
Animal tissues	
Development of the OPgun™ for bombardment of animal tissues—K.A. BRAYTON, G.C. BOTHMA, S.W. VOGEL and B.A. ALLSOPP	153–156
Animals	
Antibodies against some viruses of domestic animals in southern African wild animals—B.J.H. BARNARD	95–110
Strains of <i>Actinobacillus</i> spp. from diseases of animals and ostriches in Zimbabwe—K. MOHAN, P. MUVAVARIRWA and A. PAWANDIWA	195–199
Animals (carrier)	
In vitro cultivation of <i>Babesia equi</i> : detection of carrier animals and isolation of parasites—E. ZWEYGARTH, M.C. JUST and D.T. DE WAAL	51–56
Antibodies	
Comparison of ELISA and HI for detection of antibodies against Wesselsbron disease virus—R. WILLIAMS, M. SCHOEMAN, A. VAN WYK, K. ROOS and E.J. JOSEMANS	245–250
Antibody conjugates	
The binding potential of commercial antibody conjugates with sera of various small terrestrial mammals—A. PRETORIUS, M.J. OELOFSEN, M.S. SMITH and E. VAN DER RYST	201–203
Antigens	
Effects of growth conditions and incubation times on the expression of antigens of <i>Haemophilus paragallinarum</i> which are detected by monoclonal antibodies—R.R. BRAGG, L. COETZEE and J.A. VERSCHOOR	57–63
Arctocephalus pusillus (Schreber, 1776)	
The endocrine pancreas of the Cape fur seal, <i>Arctocephalus pusillus</i> (Schreber, 1776): an immunocytochemical study—C.P. ERASMUS and G. VAN ASWEGEN	239–242
Asinine strain	
Failure to establish chronic infection of the reproductive tract of the male horse with a South African asinine strain of equine arteritis virus (EAV)—J.T. PAWESKA	17–24
Avian testis	
The structure of the interstitial tissue of the active and resting avian testis—T.A. AIRE	291–299
<i>Babesia equi</i> : In vitro cultivation of <i>Babesia equi</i> : detection of carrier animals and isolation of parasites—E. ZWEYGARTH, M.C. JUST and D.T. DE WAAL	51–56
Barberspan	
Helminth fauna of <i>Anas undulata</i> , <i>Anas erythrorhyncha</i> , <i>Anas capensis</i> and <i>Anas smithii</i> at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN	125–133
A comparison of the helminth communities in <i>Anas undulata</i> , <i>Anas erythrorhyncha</i> , <i>Anas capensis</i> and <i>Anas smithii</i> at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN	161–173
Binding potential	
The binding potential of commercial antibody conjugates with sera of various small terrestrial mammals—A. PRETORIUS, M.J. OELOFSEN, M.S. SMITH and E. VAN DER RYST	201–203
Blood vaccine	
Evaluation of a 3 ml heartwater (cowdriosis) infective blood vaccine dose—M.P. COMBRINK, D.T. DE WAAL and P.C. TROSKIE	309–311
Blue wildebeest	
Detection of AHV-1 DNA in lung sections from blue wildebeest (<i>Connochaetes taurinus</i>) calves by in situ hybridization—ANITA L. MICHEL, J.J. VAN DER LUGT, R.G. BENGIS and V. DE VOS	235–238

- Bluetongue virus**
Toxorhynchites-fluorescent antibody system for the detection of bluetongue virus from *Culicoides* midges (Diptera: Ceratopogonidae)—A. HABIBUR RAHMAN and R. MANICKAM 301–307
- Bovine hoof conformation**
Assessment of bovine hoof conformation and its association with lameness, animal factors and management practices on small-scale dairy farms in Kiambu district, Kenya—T. GITAU, S.M. MBIUKI and J.J. McDERMOTT 135–140
- Burkina Faso**
Camallanus polypteri n. sp. (Nematoda: Camallanidae) in freshwater fishes from Burkina Faso—G.B. KABRÉ and A.J. PETTER 33–37
- Calves**
Detection of AHV-1 DNA in lung sections from blue wildebeest (*Connochaetes taurinus*) calves by in situ hybridization—ANITA L. MICHEL, J.J. VAN DER LUGT, R.G. BENGIS and V. DE VOS 235–238
Pathological changes in calves that died from experimental water intoxication—E.M. NJOROGÉ, J.M. MARIBEL and P.N. MBUGUA 111–114
- Camallanidae**
Camallanus polypteri n. sp. (Nematoda: Camallanidae) in fresh water fishes from Burkina Faso—G.B. KABRÉ and A.J. PETTER 33–37
- Camallanus polypteri* n. sp.**
Camallanus polypteri n. sp. (Nematoda: Camallanidae) in freshwater fishes from Burkina Faso—G.B. KABRÉ and A.J. PETTER 33–37
- Candidate baits**
Acceptance of candidate baits by domestic dogs for delivery of oral rabies vaccines—S.B. LINHART, G.M. BAER, J.M. BALDERASTORRES, R.M. ENGEMAN, E. FLORES COLLINS, F.X. MESLIN, C.L. SCHUMACHER, A-H. TAWHEEL (EL-) and J.C. WLODKOWSKI 115–124
- Canine visceral leishmaniosis**
Canine visceral leishmaniosis: first case in Zambia—K. MATSUKAWA, L. CHITI, M. YOSHIMA and P.D. SAYER 77–79
- Cape fur seal**
The endocrine pancreas of the Cape fur seal, *Arctocephalus pusillus* (Schreber, 1776): an immunocytochemical study—C.P. ERASMUS and G. VAN ASWEGEN 239–242
- Cattle**
Cryopreservation of sheathed third-stage larvae of *Oesophagostomum radiatum* (nodular worm of cattle)—G.A.P. TITOY, L.J. VAN RENSBURG and M.F. VAN STRIJP 157
The humoral immune response in cattle after immunization with a multivalent IBR/PI₃/ *Pasteurella haemolytica* A1 leukotoxin vaccine—M.W. ODENDAAL, S. MORRIS, E. DU PREEZ and H. AITCHISON 205–212
- Central Mongolia**
Prevalence of equine piroplasmiasis in Central Mongolia—A. AVARZED, D.T. DE WAAL, I. IGARASHI, A. SAITO, T. OYAMADA, Y. TOYODA and N. SUZUKI 141–145
- Cercariae**
Schistosoma mattheei infection in cattle: The course of the intestinal syndrome, and an estimate of the lethal dose of cercariae—J.A. VAN WYK, L.J. VAN RENSBURG and L.P. HEITMANN 65–75
- Checklist**
A checklist of helminths from the respiratory system and gastrointestinal tracts of African Anatidae—S.J. ALEXANDER and J.D. McLAUGHLIN 5–16
- Chickens**
Predation of livestock ticks by chickens as a tick-control method in a resource-poor urban environment—KARIN DREYER, L.J. FOURIE and D.J. KOK 273–276
- Chronic infection**
Failure to establish chronic infection of the reproductive tract of the male horse with a South African asinine strain of equine arteritis virus (EAV)—J.T. PAWESKA 17–24
- Climatic regions**
Seasonal abundance and parity of stock-associated *Culicoides* species (Diptera: Ceratopogonidae) in different climatic regions in southern Africa in relation to their viral vector potential—G.J. VENTER, E.M. NEVILL and T.C. DE K. VAN DER LINDE 259–271

Connochaetes taurinus	
Detection of AHV-1 DNA in lung sections from blue wildebeest (<i>Connochaetes taurinus</i>) calves by in situ hybridization—ANITA L. MICHEL, J.J. VAN DER LUGT, R.G. BENGIS and V. DE VOS	235–238
Cotyledoside	
Krimpsiekte, associated with thalamic lesions, induced by the neurotoxic cardiac glycoside, cotyledoside, isolated from <i>Tylecodon wallichii</i> (Harv.) Toelken subsp. <i>wallichii</i> —C.J. BOTHA, J.J. VAN DER LUGT, G.L. ERASMUS, T.S. KELLERMAN, R. ANITRA SCHULTZ and R. VLEGGAR	189–194
Crocodyles	
<i>Salmonella</i> isolated from crocodiles and other reptiles during the period 1985–1994 in South Africa—MARTHA L. VAN DER WALT, F.W. HUCHZERMEYER and HELENA C. STEYN	277–283
Cryopreservation	
Cryopreservation of third-stage larvae of <i>Strongylus vulgaris</i> (large strongyle of horses)—G.A.P. TITTOY and L.J. VAN RENSBURG	159–160
Cryopreservation of sheathed third-stage larvae of <i>Oesophagostomum radiatum</i> (nodular worm of cattle)—G.A.P. TITTOY, L.J. VAN RENSBURG and M.F. VAN STRIJP	157
Culicoides imicola-free zone	
Discovery of a <i>Culicoides imicola</i> -free zone in South Africa: preliminary notes and potential significance—R. MEISWINKEL	81–86
Culicoides	
Some factors governing the entry of <i>Culicoides</i> spp. (Diptera: Ceratopogonidae) into stables—B.J.H. BARNARD ...	227–233
Seasonal abundance and parity of stock-associated <i>Culicoides</i> species (Diptera: Ceratopogonidae) in different climatic regions in southern Africa in relation to their viral vector potential—G.J. VENTER, E.M. NEVILL and T.C. DE K. VAN DER LINDE	259–271
Culicoides midges	
Toxorhynchites-fluorescent antibody system for the detection of bluetongue virus from <i>Culicoides</i> midges (Diptera: Ceratopogonidae)—A. HABIBUR RAHMAN and R. MANICKAM	301–307
Dairy farms	
Assessment of bovine hoof conformation and its association with lameness, animal factors and management practices on small-scale dairy farms in Kiambu district, Kenya—T. GITAU, S.M. MBIUKI and J.J. McDERMOTT	135–140
Diptera: Glossinidae	
The control of <i>Glossina morsitans morsitans</i> (Diptera: Glossinidae) in a settled area in Petauke District (Eastern Province, Zambia) using odour-baited targets—P. VAN DEN BOSSCHE	251–257
Diptera: Ceratopogonidae	
Some factors governing the entry of <i>Culicoides</i> spp. (Diptera: Ceratopogonidae) into stables—B.J.H. BARNARD ...	227–233
Seasonal abundance and parity of stock-associated <i>Culicoides</i> species (Diptera: Ceratopogonidae) in different climatic regions in southern Africa in relation to their viral vector potential—G.J. VENTER, E.M. NEVILL and T.C. DE K. VAN DER LINDE	259–271
Toxorhynchites-fluorescent antibody system for the detection of bluetongue virus from <i>Culicoides</i> midges (Diptera: Ceratopogonidae)—A. HABIBUR RAHMAN and R. MANICKAM	301–307
Diseases	
Strains of <i>Actinobacillus</i> spp. from diseases of animals and ostriches in Zimbabwe—K. MOHAN, P. MUVAVARIRWA and A. PAWANDIWA	195–199
Domestic and wild dogs	
Seroepidemiological survey of sympatric domestic and wild dogs (<i>Lycaon pictus</i>) in Tsumkwe District, north-eastern Namibia—K. LAURENSEN, J. VAN HEERDEN, P. STANDER and M.J. VAN VUUREN	313–316
Domestic dogs	
Acceptance of candidate baits by domestic dogs for delivery of oral rabies vaccines—S.B. LINHART, G.M. BAER, J.M. BALDERASTORRES, R.M. ENGEMAN, E. FLORES COLLINS, F.X. MESLIN, C.L. SCHUMACHER, A-H. TAWHEEL (EL-) and J.C. WLODKOWSKI	115–124
Donkey mares	
Effect of the South African asinine-94 strain of equine arteritis virus (EAV) in pregnant donkey mares and duration of maternal immunity in foals—J.T. PAWESKA	147–152
ELISA	
Comparison of ELISA and HI for detection of antibodies against Wesselsbron disease virus—R. WILLIAMS, M. SCHOEMAN, A. VAN WYK, K. ROOS and E.J. JOSEMANS	245–250

- Endocrine**
The endocrine pancreas of the Cape fur seal, *Arctocephalus pusillus* (Schreber, 1776): an immunocytochemical study—C.P. ERASMUS and G. VAN ASWEGEN 239-242
- Equine piroplasmosis**
Prevalence of equine piroplasmosis in Central Mongolia—A. AVARZED, D.T. DE WAAL, I. IGARASHI, A. SAITO, T. OYAMADA, Y. TOYODA and N. SUZUKI 141-145
- Equine arteritis virus (EAV)**
Failure to establish chronic infection of the reproductive tract of the male horse with a South African asinine strain of equine arteritis virus (EAV)—J.T. PAWESKA 17-24
Effect of the South African asinine-94 strain of equine arteritis virus (EAV) in pregnant donkey mares and duration of maternal immunity in foals—J.T. PAWESKA 147-152
- Escherichia coli**
Escherichia coli serotypes in pigs in South Africa—M.M. HENTON and M.M. ENGELBRECHT 175-187
- Estimate**
Schistosoma mattheei infection in cattle: The course of the intestinal syndrome, and an estimate of the lethal dose of cercariae—J.A. VAN WYK, L.J. VAN RENSBURG and L.P. HEITMANN 65-75
- Experimental infection**
Experimental infection of vaccinated slaughter ostriches with virulent Newcastle disease virus—D.J. VERWOERD, G.H. GERDES, A. OLIVIER and R. WILLIAMS 213-216
- Experimental water intoxication**
Pathological changes in calves that died from experimental water intoxication—E.M. NJOROGI, J.M. MARIBEI and P.N. MBUGUA 111-114
- Foals**
Effect of the South African asinine-94 strain of equine arteritis virus (EAV) in pregnant donkey mares and duration of maternal immunity in foals—J.T. PAWESKA 147-152
- Freshwater fishes**
Camallanus polypteri n. sp. (Nematoda: Camallanidae) in freshwater fishes from Burkina Faso—G.B. KABRÉ and A.J. PETTER 33-37
- Gastrointestinal tracts**
A checklist of helminths from the respiratory system and gastrointestinal tracts of African Anatidae—S.J. ALEXANDER and J.D. McLAUGHLIN 5-16
- Geochelone pardalis**
Acquisition of protective immunity in *Geochelone pardalis* against *Amblyomma marmoreum* (Acari: Ixodidae) nymphal ticks—S.D. TEMBO and A. KIWANUKA 1-4
- Glossina morsitans morsitans**
The control of *Glossina morsitans morsitans* (Diptera: Glossinidae) in a settled area in Petauke District (Eastern Province, Zambia) using odour-baited targets—P. VAN DEN BOSSCHE 251-257
- Growth conditions**
Effects of growth conditions and incubation times on the expression of antigens of *Haemophilus paragallinarum* which are detected by monoclonal antibodies—R.R. BRAGG, L. COETZEE and J.A. VERSCHOOR 57-63
- Haemophilus paragallinarum**
Effects of growth conditions and incubation times on the expression of antigens of *Haemophilus paragallinarum* which are detected by monoclonal antibodies—R.R. BRAGG, L. COETZEE and J.A. VERSCHOOR 57-63
- Heartwater (cowdriosis)**
Evaluation of a 3 ml heartwater (cowdriosis) infective blood vaccine dose—M.P. COMBRINK, D.T. DE WAAL and P.C. TROSKIE 309-311
- Helminth communities**
A comparison of the helminth communities in *Anas undulata*, *Anas erythrorhyncha*, *Anas capensis* and *Anas smithii* at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN 161-173
- Helminth fauna**
Helminth fauna of *Anas undulata*, *Anas erythrorhyncha*, *Anas capensis* and *Anas smithii* at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN 125-133
- Helminths**
A checklist of helminths from the respiratory system and gastrointestinal tracts of African Anatidae—S.J. ALEXANDER and J.D. McLAUGHLIN 5-16

Subject index

Parasites of South African wildlife. XV. Helminths of scrub hares, <i>Lepus saxatilis</i> in the Kruger National Park—J. BOOMKER, I.G. HORAK and D.G. BOOYSE	285–290
HI	
Comparison of ELISA and HI for detection of antibodies against Wesselsbron disease virus—R. WILLIAMS, M. SCHOEMAN, A. VAN WYK, K. ROOS and E.J. JOSEMANS	245–250
Horses	
Cryopreservation of third-stage larvae of <i>Strongylus vulgaris</i> (large strongyle of horses)—G.A.P. TITTOY and L.J. VAN RENSBURG	159–160
<i>Houttuynia struthionis</i>	
A scanning electron-microscope examination of the scolex of <i>Houttuynia struthionis</i> —H.J. FOURIE, A.F. VAN AMELSFORT, L.M. MICHAEL and J.F. PUTTERILL	47–50
Humoral immune response	
The humoral immune response in cattle after immunization with a multivalent IBR/PI ₃ / <i>Pasteurella haemolytica</i> A1 leukotoxin vaccine—M.W. ODENDAAL, S. MORRIS, E. DU PREEZ and H. AITCHISON	205–212
IBR	
The humoral immune response in cattle after immunization with a multivalent IBR/PI ₃ / <i>Pasteurella haemolytica</i> A1 leukotoxin vaccine—M.W. ODENDAAL, S. MORRIS, E. DU PREEZ and H. AITCHISON	205–212
Immunity	
Acquisition of protective immunity in <i>Geochelone pardalis</i> against <i>Amblyomma marmoreum</i> (Acari: Ixodidae) nymphal ticks—S.D. TEMBO and A. KIWANUKA	1–4
Immunization	
The humoral immune response in cattle after immunization with a multivalent IBR/PI ₃ / <i>Pasteurella haemolytica</i> A1 leukotoxin vaccine—M.W. ODENDAAL, S. MORRIS, E. DU PREEZ and H. AITCHISON	205–212
Immunocytochemical study	
The endocrine pancreas of the Cape fur seal, <i>Arctocephalus pusillus</i> (Schreber, 1776): an immunocytochemical study—C.P. ERASMUS and G. VAN ASWEGEN	239–242
Impala	
Morphological evidence for infection of impala, <i>Aepyceros melampus</i> , platelets by a rickettsia-like organism—L. DU PLESSIS, F. REYERS and K. STEVENS	317–318
<i>In vitro</i> cultivation	
<i>In vitro</i> cultivation of <i>Babesia equi</i> : detection of carrier animals and isolation of parasites—E. ZWEYGARTH, M.C. JUST and D.T. DE WAAL	51–56
In situ hybridization	
Detection of AHV-1 DNA in lung sections from blue wildebeest (<i>Connochaetes taurinus</i>) calves by in situ hybridization—ANITA L. MICHEL, J.J. VAN DER LUGT, R.G. BENGIS and V. DE VOS	235–238
Incubation times	
Effects of growth conditions and incubation times on the expression of antigens of <i>Haemophilus paragallinarum</i> which are detected by monoclonal antibodies—R.R. BRAGG, L. COETZEE and J.A. VERSCHOOR	57–63
Infection	
Morphological evidence for infection of impala, <i>Aepyceros melampus</i> , platelets by a rickettsia-like organism—L. DU PLESSIS, F. REYERS and K. STEVENS	317–318
Interstitial tissue	
The structure of the interstitial tissue of the active and resting avian testis—T.A. AIRE	291–299
Intestinal syndrome	
<i>Schistosoma mattheei</i> infection in cattle: The course of the intestinal syndrome, and an estimate of the lethal dose of cercariae—J.A. VAN WYK, L.J. VAN RENSBURG and L.P. HEITMANN	65–75
Ixodidae	
Acquisition of protective immunity in <i>Geochelone pardalis</i> against <i>Amblyomma marmoreum</i> (Acari: Ixodidae) nymphal ticks—S.D. TEMBO and A. KIWANUKA	1–4
Kenya	
Assessment of bovine hoof conformation and its association with lameness, animal factors and management practices on small-scale dairy farms in Kiambu district, Kenya—T. GITAU, S.M. MBIUKI and J.J. MCDERMOTT	135–140

- Kiambu district**
Assessment of bovine hoof conformation and its association with lameness, animal factors and management practices on small-scale dairy farms in Kiambu district, Kenya—T. GITAU, S.M. MBIUKI and J.J. McDERMOTT 135–140
- Krimpsiekte**
Krimpsiekte, associated with thalamic lesions, induced by the neurotoxic cardiac glycoside, cotyledoside, isolated from *Tylecodon wallichii* (Harv.) Toelken subsp. *wallichii*—C.J. BOTHA, J.J. VAN DER LUGT, G.L. ERASMUS, T.S. KELLERMAN, R. ANITRA SCHULTZ and R. VLEGGAR 189–194
- Kruger National Park**
Ulcerative pododermatitis in free-ranging African elephant (*Loxodonta africana*) in the Kruger National Park—D.F. KEET, D.G. GROBLER, J.P. RAATH, J. GOUWS, J. CARSTENS and J.W. NESBIT 25–32
Parasites of South African wildlife. XV. Helminths of scrub hares, *Lepus saxatilis*; in the Kruger National Park—J. BOOMKER, I.G. HORAK and D.G. BOOYSE 285–290
- Lameness**
Assessment of bovine hoof conformation and its association with lameness, animal factors and management practices on small-scale dairy farms in Kiambu district, Kenya—T. GITAU, S.M. MBIUKI and J.J. McDERMOTT 135–140
- Lepus saxatilis**
Parasites of South African wildlife. XV. Helminths of scrub hares, *Lepus saxatilis* in the Kruger National Park—J. BOOMKER, I.G. HORAK and D.G. BOOYSE 285–290
- Lethal dose**
Schistosoma mattheei infection in cattle: The course of the intestinal syndrome, and an estimate of the lethal dose of cercariae—J.A. VAN WYK, L.J. VAN RENSBURG and L.P. HEITMANN 65–75
- Livestock ticks**
Predation of livestock ticks by chickens as a tick-control method in a resource-poor urban environment—KARIN DREYER, L.J. FOURIE and D.J. KOK 273–276
- Loxodonta africana**
Ulcerative pododermatitis in free-ranging African elephant (*Loxodonta africana*) in the Kruger National Park—D.F. KEET, D.G. GROBLER, J.P. RAATH, J. GOUWS, J. CARSTENS and J.W. NESBIT 25–32
- Lung sections**
Detection of AHV-1 DNA in lung sections from blue wildebeest (*Connochaetes taurinus*) calves by in situ hybridization—ANITA L. MICHEL, J.J. VAN DER LUGT, R.G. BENIGIS and V. DE VOS 235–238
- Lycaon pictus**
Seroepidemiological survey of sympatric domestic and wild dogs (*Lycaon pictus*) in Tsumkwe District, north-eastern Namibia—K. LAURENSEN, J. VAN HEERDEN, P. STANDER and M.J. VAN VUUREN 313–316
- Male horse**
Failure to establish chronic infection of the reproductive tract of the male horse with a South African asinine strain of equine arteritis virus (EAV)—J.T. PAWESKA 17–24
- Mammals**
The binding potential of commercial antibody conjugates with sera of various small terrestrial mammals—A. PRETORIUS, M.J. OELOFSEN, M.S. SMITH and E. VAN DER RYST 201–203
- Management practices**
Assessment of bovine hoof conformation and its association with lameness, animal factors and management practices on small-scale dairy farms in Kiambu district, Kenya—T. GITAU, S.M. MBIUKI and J.J. McDERMOTT 135–140
- Maternal immunity**
Effect of the South African asinine-94 strain of equine arteritis virus (EAV) in pregnant donkey mares and duration of maternal immunity in foals—J.T. PAWESKA 147–152
- Monoclonal antibodies**
Effects of growth conditions and incubation times on the expression of antigens of *Haemophilus paragallinarum* which are detected by monoclonal antibodies—R.R. BRAGG, L. COETZEE and J.A. VERSCHOOR 57–63
- Morphological evidence**
Morphological evidence for infection of impala, *Aepyceros melampus*, platelets by a rickettsia-like organism—L. DU PLESSIS, F. REYERS and K. STEVENS 317–318
- Multivalent vaccine**
The humoral immune response in cattle after immunization with a multivalent IBR/PI₁/Pasteurella haemolytica A1 leukotoxin vaccine—M.W. ODENDAAL, S. MORRIS, E. DU PREEZ and H. AITCHISON 205–212

- Namibia**
 Aspects of rabies epidemiology in Tsumkwe District, Namibia—K. LAURENSEN, J. ESTERHUYSEN, P. STANDER and J. VAN HEERDEN 39–45
 Seroepidemiological survey of sympatric domestic and wild dogs (*Lycaon pictus*) in Tsumkwe District, north-eastern Namibia—K. LAURENSEN, J. VAN HEERDEN, P. STANDER and M.J. VAN VUUREN 313–316
- Nematoda**
Camallanus polypteri n. sp. (Nematoda: Camallanidae) in freshwater fishes from Burkina Faso—G.B. KABRÉ and A.J. PETTER 33–37
- Neurotoxic cardiac glycoside**
 Krimpsiekte, associated with thalamic lesions, induced by the neurotoxic cardiac glycoside, cotyledoside, isolated from *Tylecodon wallichii* (Harv.) Toelken subsp. *wallichii*—C.J. BOTHA, J.J. VAN DER LUGT, G.L. ERASMUS, T.S. KELLERMAN, R. ANITRA SCHULTZ and R. VLEGGAAAR 189–194
- Newcastle disease**
 Experimental infection of vaccinated slaughter ostriches with virulent Newcastle disease virus—D.J. VERWOERD, G.H. GERDES, A. OLIVIER and R. WILLIAMS 213–216
- Nodular worm**
 Cryopreservation of sheathed third-stage larvae of *Oesophagostomum radiatum* (nodular worm of cattle)—G.A.P. TITOY, L.J. VAN RENSBURG and M.F. VAN STRIJP 157
- Non-human primates**
 Sparganosis in non-human primates—D. CHAI, I. FARAH and G. MUCHEMI 243–244
- Odour-baited targets**
 The control of *Glossina morsitans morsitans* (Diptera: Glossinidae) in a settled area in Petauke District (Eastern Province, Zambia) using odour-baited targets—P. VAN DEN BOSSCHE 251–257
- Oesophagostomum radiatum***
 Cryopreservation of sheathed third-stage larvae of *Oesophagostomum radiatum* (nodular worm of cattle)—G.A.P. TITOY, L.J. VAN RENSBURG and M.F. VAN STRIJP 157
- OPgun™**
 Development of the OPgun™ for bombardment of animal tissues—K.A. BRAYTON, G.C. BOTHMA, S.W. VOGEL and B.A. ALLSOPP 153–156
- Oral rabies vaccines**
 Acceptance of candidate baits by domestic dogs for delivery of oral rabies vaccines—S.B. LINHART, G.M. BAER, J.M. BALDERASTORRES, R.M. ENGEMAN, E. FLORES COLLINS, F.X. MESLIN, C.L. SCHUMACHER, A-H. TAWEEL (EL-) and J.C. WLODKOWSKI 115–124
- Ostriches**
 Strains of *Actinobacillus* spp. from diseases of animals and ostriches in Zimbabwe—K. MOHAN, P. MUVAVARIRWA and A. PAWANDIWA 195–199
 Experimental infection of vaccinated slaughter ostriches with virulent Newcastle disease virus—D.J. VERWOERD, G.H. GERDES, A. OLIVIER and R. WILLIAMS 213–216
- Pancreas**
 The endocrine pancreas of the Cape fur seal, *Arctocephalus pusillus* (Schreber, 1776): an immunocytochemical study—C.P. ERASMUS and G. VAN ASWEGEN 239–242
- Parafilariosis**
 Parafilariosis in African buffaloes (*Syncerus caffer*)—D.F. KEET, J. BOOMKER, N.P.J. KRIEK, G. ZAKRISSON and D.G.A. MELTZER 217–225
- Parasites**
In vitro cultivation of *Babesia equi*: detection of carrier animals and isolation of parasites—E. ZWEYGARTH, M.C. JUST and D.T. DE WAAL 51–56
 Parasites of South African wildlife. XV. Helminths of scrub hares, *Lepus saxatilis* in the Kruger National Park—J. BOOMKER, I.G. HORAK and D.G. BOOYSE 285–290
- Pasteurella haemolytica***
 The humoral immune response in cattle after immunization with a multivalent IBR/PI₁/*Pasteurella haemolytica* A1 leukotoxin vaccine—M.W. ODENDAAL, S. MORRIS, E. DU PREEZ and H. AITCHISON 205–212
- Pathological changes**
 Pathological changes in calves that died from experimental water intoxication—E.M. NJOROGI, J.M. MARIBEI and P.N. MBUGUA 111–114

- Petauke District**
The control of *Glossina morsitans morsitans* (Diptera: Glossinidae) in a settled area in Petauke District (Eastern Province, Zambia) using odour-baited targets—P. VAN DEN BOSSCHE 251–257
- PI3**
The humoral immune response in cattle after immunization with a multivalent IBR/PI₃/ *Pasteurella haemolytica* A1 leukotoxin vaccine—M.W. ODENDAAL, S. MORRIS, E. DU PREEZ and H. AITCHISON 205–212
- Pigs**
Escherichia coli serotypes in pigs in South Africa—M.M. HENTON and M.M. ENGELBRECHT 175–187
- Platelets**
Morphological evidence for infection of impala, *Aepyceros melampus*, platelets by a rickettsia-like organism—L. DU PLESSIS, F. REYERS and K. STEVENS 317–318
- Potential significance**
Discovery of a *Culicoides imicola*-free zone in South Africa: preliminary notes and potential significance—R. MEIS-WINKEL 81–86
- Rabies epidemiology**
Aspects of rabies epidemiology in Tsumkwe District, Namibia—K. LAURENSEN, J. ESTERHUYSEN, P. STANDER and J. VAN HEERDEN 39–45
- Reproductive tract**
Failure to establish chronic infection of the reproductive tract of the male horse with a South African asinine strain of equine arteritis virus (EAV)—J.T. PAWESKA 17–24
- Reptiles**
Salmonella isolated from crocodiles and other reptiles during the period 1985–1994 in South Africa—MARTHA L. VAN DER WALT, F.W. HUCHZERMAYER and HELENA C. STEYN 277–283
- Resource-poor urban environment**
Predation of livestock ticks by chickens as a tick-control method in a resource-poor urban environment—KARIN DREYER, L.J. FOURIE and D.J. KOK 273–276
- Respiratory system**
A checklist of helminths from the respiratory system and gastrointestinal tracts of African Anatidae—S.J. ALEXANDER and J.D. MCLAUGHLIN 5–16
- Rickettsia-like organism**
Morphological evidence for infection of impala, *Aepyceros melampus*, platelets by a rickettsia-like organism—L. DU PLESSIS, F. REYERS and K. STEVENS 317–318
- Salmonella**
Salmonella isolated from crocodiles and other reptiles during the period 1985–1994 in South Africa—MARTHA L. VAN DER WALT, F.W. HUCHZERMAYER and HELENA C. STEYN 277–283
- Scanning electron-microscope**
A scanning electron-microscope examination of the scolex of *Houttuynia struthionis*—H.J. FOURIE, A.F. VAN AMELSFORT, L.M. MICHAEL and J.F. PUTTERILL 47–50
- Schistosoma mattheei** infection
Schistosoma mattheei infection in cattle: The course of the intestinal syndrome, and an estimate of the lethal dose of cercariae—J.A. VAN WYK, L.J. VAN RENSBURG and L.P. HEITMANN 65–75
- Scolex**
A scanning electron-microscope examination of the scolex of *Houttuynia struthionis*—H.J. FOURIE, A.F. VAN AMELSFORT, L.M. MICHAEL and J.F. PUTTERILL 47–50
- Scrub hares**
Parasites of South African wildlife. XV. Helminths of scrub hares, *Lepus saxatilis* in the Kruger National Park—J. BOOMKER, I.G. HORAK and D.G. BOOYSE 285–290
- Seasonal abundance**
Seasonal abundance and parity of stock-associated *Culicoides* species (Diptera: Ceratopogonidae) in different climatic regions in southern Africa in relation to their viral vector potential—G.J. VENTER, E.M. NEVILL and T.C. DE K. VAN DER LINDE 259–271
- Sera**
The binding potential of commercial antibody conjugates with sera of various small terrestrial mammals—A. PRETORIUS, M.J. OELOFSEN, M.S. SMITH and E. VAN DER RYST 201–203

Seroepidemiological survey	
Seroepidemiological survey of sympatric domestic and wild dogs (<i>Lycaon pictus</i>) in Tsumkwe District, north-eastern Namibia—K. LAURENSEN, J. VAN HEERDEN, P. STANDER and M.J. VAN VUUREN	313–316
South African asinine-94 strain	
Effect of the South African asinine-94 strain of equine arteritis virus (EAV) in pregnant donkey mares and duration of maternal immunity in foals—J.T. PAWESKA	147–152
South African wildlife	
Parasites of South African wildlife. XV. Helminths of scrub hares, <i>Lepus saxatilis</i> in the Kruger National Park—J. BOOMKER, I.G. HORAK and D.G. BOOYSE	285–290
South Africa	
Discovery of a <i>Culicoides imicola</i> -free zone in South Africa: preliminary notes and potential significance—R. MEIS-WINKEL	81–86
Helminth fauna of <i>Anas undulata</i> , <i>Anas erythrorhyncha</i> , <i>Anas capensis</i> and <i>Anas smithii</i> at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN	125–133
A comparison of the helminth communities in <i>Anas undulata</i> , <i>Anas erythrorhyncha</i> , <i>Anas capensis</i> and <i>Anas smithii</i> at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN	161–173
<i>Escherichia coli</i> serotypes in pigs in South Africa—M.M. HENTON and M.M. ENGELBRECHT	175–187
<i>Salmonella</i> isolated from crocodiles and other reptiles during the period 1985–1994 in South Africa—MARTHA L. VAN DER WALT, F.W. HUCHZERMEYER and HELENA C. STEYN	277–283
Southern Africa	
Seasonal abundance and parity of stock-associated <i>Culicoides</i> species (Diptera: Ceratopogonidae) in different climatic regions in southern Africa in relation to their viral vector potential—G.J. VENTER, E.M. NEVILL and T.C. DE K. VAN DER LINDE	259–271
Southern African	
Antibodies against some viruses of domestic animals in southern African wild animals—B.J.H. BARNARD	95–110
Sparganosis	
Sparganosis in non-human primates—D. CHAI, I. FARAH and G. MUCHEMI	243–244
Stables	
Some factors governing the entry of <i>Culicoides</i> spp. (Diptera: Ceratopogonidae) into stables—B.J.H. BARNARD ...	227–233
Strongyle	
Cryopreservation of third-stage larvae of <i>Strongylus vulgaris</i> (large strongyle of horses)—G.A.P. TITTOY and L.J. VAN RENSBURG	159–160
<i>Strongylus vulgaris</i>	
Cryopreservation of third-stage larvae of <i>Strongylus vulgaris</i> (large strongyle of horses)—G.A.P. TITTOY and L.J. VAN RENSBURG	159–160
Structure	
The structure of the interstitial tissue of the active and resting avian testis—T.A. AIRE	291–299
<i>Syncerus caffer</i>	
Parafilariosis in African buffaloes (<i>Syncerus caffer</i>)—D.F. KEET, J. BOOMKER, N.P.J. KRIEK, G. ZAKRISSON and D.G.A. MELTZER	217–225
Thalamic lesions	
Krimpsiekte, associated with thalamic lesions, induced by the neurotoxic cardiac glycoside, cotyledoside, isolated from <i>Tylecodon wallichii</i> (Harv.) Toelken subsp. <i>wallichii</i> —C.J. BOTHA, J.J. VAN DER LUGT, G.L. ERASMUS, T.S. KELLERMAN, R. ANITRA SCHULTZ and R. VLEGGGAAR	189–194
Third-stage larvae	
Cryopreservation of sheathed third-stage larvae of <i>Oesophagostomum radiatum</i> (nodular worm of cattle)—G.A.P. TITTOY, L.J. VAN RENSBURG and M.F. VAN STRIJP	157
Tick-control method	
Predation of livestock ticks by chickens as a tick-control method in a resource-poor urban environment—KARIN DREYER, L.J. FOURIE and D.J. KOK	273–276
Ticks (nymphal)	
Acquisition of protective immunity in <i>Geochelone pardalis</i> against <i>Amblyomma marmoreum</i> (Acari: Ixodidae) nymphal ticks—S.D. TEMBO and A. KIWANUKA	1–4

Toxorhynchites-fluorescent antibody system	
Toxorhynchites-fluorescent antibody system for the detection of bluetongue virus from <i>Culicoides</i> midges (Diptera: Ceratopogonidae)—A. HABIBUR RAHMAN and R. MANICKAM	301–307
Tsumkwe District	
Aspects of rabies epidemiology in Tsumkwe District, Namibia—K. LAURENSEN, J. ESTERHUYSEN, P. STANDER and J. VAN HEERDEN	39–45
Seroepidemiological survey of sympatric domestic and wild dogs (<i>Lycaon pictus</i>) in Tsumkwe District, north-eastern Namibia—K. LAURENSEN, J. VAN HEERDEN, P. STANDER and M.J. VAN VUUREN	313–316
Third-stage larvae	
Cryopreservation of third-stage larvae of <i>Strongylus vulgaris</i> (large strongyle of horses)—G.A.P. TITTOY and L.J. VAN RENSBURG	159–160
Toelken subsp. <i>wallichii</i>	
Krimpsiekte, associated with thalamic lesions, induced by the neurotoxic cardiac glycoside, cotyledoside, isolated from <i>Tylecodon wallichii</i> (Harv.) Toelken subsp. <i>wallichii</i> —C.J. BOTHA, J.J. VAN DER LUGT, G.L. ERASMUS, T.S. KELLERMAN, R. ANITRA SCHULTZ and R. VLEGGGAAR	189–194
<i>Tylecodon wallichii</i> (Harv.)	
Krimpsiekte, associated with thalamic lesions, induced by the neurotoxic cardiac glycoside, cotyledoside, isolated from <i>Tylecodon wallichii</i> (Harv.) Toelken subsp. <i>wallichii</i> —C.J. BOTHA, J.J. VAN DER LUGT, G.L. ERASMUS, T.S. KELLERMAN, R. ANITRA SCHULTZ and R. VLEGGGAAR	189–194
Ulcerative pododermatitis	
Ulcerative pododermatitis in free-ranging African elephant (<i>Loxodonta africana</i>) in the Kruger National Park—D.F. KEET, D.G. GROBLER, J.P. RAATH, J. GOUWS, J. CARSTENS and J.W. NESBIT	25–32
Viral vector potential	
Seasonal abundance and parity of stock-associated <i>Culicoides</i> species (Diptera: Ceratopogonidae) in different climatic regions in southern Africa in relation to their viral vector potential—G.J. VENTER, E.M. NEVILL and T.C. DE K. VAN DER LINDE	259–271
Viruses	
Antibodies against some viruses of domestic animals in southern African wild animals—B.J.H. BARNARD	95–110
Wesselsbron disease virus	
Comparison of ELISA and HI for detection of antibodies against Wesselsbron disease virus—R. WILLIAMS, M. SCHOEMAN, A. VAN WYK, K. ROOS and E.J. JOSEMANS	245–250
Wild animals	
Antibodies against some viruses of domestic animals in southern African wild animals—B.J.H. BARNARD	95–110
Seroepidemiological survey of sympatric domestic and wild dogs (<i>Lycaon pictus</i>) in Tsumkwe District, north-eastern Namibia—K. LAURENSEN, J. VAN HEERDEN, P. STANDER and M.J. VAN VUUREN	313–316
Wild dogs	
Seroepidemiological survey of sympatric domestic and wild dogs (<i>Lycaon pictus</i>) in Tsumkwe District, north-eastern Namibia—K. LAURENSEN, J. VAN HEERDEN, P. STANDER and M.J. VAN VUUREN	313–316
Zambia	
Canine visceral leishmaniosis: first case in Zambia—K. MATSUKAWA, L. CHITI, M. YOSHIMA and P.D. SAYER	77–79
The control of <i>Glossina morsitans morsitans</i> (Diptera: Glossinidae) in a settled area in Petauke District (Eastern Province, Zambia) using odour-baited targets—P. VAN DEN BOSSCHE	251–257
Zimbabwe	
Strains of <i>Actinobacillus</i> spp. from diseases of animals and ostriches in Zimbabwe—K. MOHAN, P. MUVAVARIRWA and A. PAWANDIWA	195–199