

**Vegetation ecology of the seasonal floodplains in the Okavango Delta,
Botswana.**

by

Mpaphi Casper Bonyongo.

Submitted in partial fulfillment
of the requirements for the degree

MASTER OF SCIENCE

in the

Faculty of Biological and Agricultural Sciences

Department of Botany

University of Pretoria

PRETORIA

Supervisor: Prof. G. J. Bredenkamp

March 1999



TABLE OF CONTENTS

CHAPTER 1

1. Introduction	1
1.2. General objectives	6
1.3. Hypothesis.....	6

CHAPTER 2

Study area	
2.1. Location and General description.....	7
2.2. Climate.....	11
2.3 Geology and Soils.....	18
2.4. Topography.....	19
2.5. Hydrology	19
2.6. Vegetation.....	21

CHAPTER 3

**CLASSIFICATION AND DESCRIPTION OF FLOODPLAIN VEGETATION IN
THE OKAVANGO DELTA**

3.1. Introduction.....	23
3.2. Objectives.....	26
3.3. Methods	27
3.4. Results	28
3.4.1. Classification	28
3.4.2. Description of the plant communities	29
3.5. Discussion	42
3.6. Conclusion	45

CHAPTER 4

FACTORS DETERMINING VEGETATION ZONATION IN THE SEASONAL FLOODPLAINS OF THE OKAVANGO DELTA.

4.1. Introduction.....	47
4.2. Objectives.....	52
4.3. Methods.....	52
4.3.1. Elevation.....	52
4.3.2. Duration and Depth of flooding.....	53
4.3.3. Soil pH, extractable Na, P, K, Ca, Mg.....	53
4.3.4. Ordination.....	53
4.4. Results:.....	53
4.4.1. Elevation, duration of flooding and depth of flooding.....	53
4.4.2. Soil pH, Na, P, K, Ca, Mg.....	56
4.4.3. Ordination.....	60
4.4.4. Statistical analysis.....	64
4.5. Discussion.....	71
4.6. Conclusion.....	74

CHAPTER 5

QUALITY, QUANTITY AND UTILISATION OF FORAGE IN THE SEASONAL FLOODPLAINS OF THE OKAVANGO DELTA.

5.1. Introduction.....	75
5.2. Objectives.....	82
5.3. Methods.....	82
5.3.1. Forage quality through chemical analysis.....	82

5.3.2. Forage yield and utilisation	83
5.4. Results:	85
5.4.1 Chemical analysis to determine forage quality	85
5.4.2. Forage yield using Disc pasture meter.	90
5.4.3. Utilisation of individualspecies.....	104
5.4.4. Correlation of forage utilisation with forage quality (single factor analysis)....	106
5.5. Discussion.	110
5.6. Conclusion	114

CHAPTER 6

General Discussion and conclusions.....	77
Acknowledgements	119
Summary	120
References.....	122
Appendices.....	136

LIST OF FIGURES

Fig. 2.1. Topography and vegetative zonation of the Okavango Fan (Stainstreet *et al*, 1993)..... 10

Fig. 2.2. Monthly average values for maximum and minimum temperature measured at Maun Station (Period of measurements 1986 to 1997; Source: Botswana Meteorological Services)..... 12

Fig. 2.3. Monthly average values for maximum and minimum temperature measured at Shakawe Station (Period of measurements 1986 to 1997; Source: Botswana Meteorological Services)..... 13

Fig. 2.4. Monthly average Relative Humidity in Maun (period of measurements: 1986 to 1997; source: Botswana Meteorological Services)..... 14

Fig. 2.5. Monthly average Relative Humidity in Shakawe (period of measurements: 1986 to 1997; source: Botswana Meteorological Services)..... 15

Fig. 2.6. Mean monthly rainfall for Maun and Shakawe Stations (period of measurement: 1986 to 1997; source: Botswana Meteorological services)..... 16

Fig. 2.7. Annual rainfall for Maun and Shakawe Stations. (Period of measurement: 1986 to 1997; source: Botswana meteorological Services)..... 17

Fig. 3.1. Schematic cross -section showing the location of vegetation communities in relation to each other and the channel. 29

Fig.3.2. Vegetation of the *Cyperus articulatus-Schoenoplectus corymbosus* community..... 31

Fig. 3.3. Vegetation of the *Alternanthera sessilis- Ludwigia stolonifera* community..... 33

Fig. 3.4. Vegetation of the *Miscanthus junceus-Digitaria scalarum* community..... 34

Fig. 3.5. Vegetation of the *Paspalidium obtusifolium-Panicum repens* community..... 36

Fig. 3.6. Vegetation of the <i>Setaria sphacelata</i> - <i>Eragrostis inamoena</i> community.....	37
Fig. 3.7. Vegetation of the <i>Veteveria nigriatiana</i> - <i>Setaria sphacelata</i>	39
Fig. 3.8. Vegetation of the <i>Imperata cylindrica</i> - <i>Setaria sphacelata</i> community.....	40
Fig. 3.9. Vegetation of the <i>Sporobolus spicatus</i> community.....	41
Fig. 4.1. The relative position of the syntaxa along the first two axes of the ordination of floristic data.....	62
Fig. 4.2 The DECORANA ordination of the releves of the wet areas (primary floodplain).....	63
Fig.4.3. Figure illustrating statistical interaction of resistance in different communities in different seasons.....	66
Fig 4.4. Figure illustrating no statistical interaction on pH in different seasons.....	67
Fig 5.1. Calibration curve for <i>Eragrostis inamoena</i> - <i>Setaria sphacelata</i> community at maturity.....	91
Fig 5.2. Calibration curve for <i>Eragrostis inamoena</i> - <i>Setaria sphacelata</i> community shortly before flooding.....	91
Fig 5.3. Calibration curve for <i>Eragrostis inamoena</i> - <i>Setaria sphacelata</i> community after flooding.....	92
Fig 5. 4. Combined calibration curve for the <i>Eragrostis inamoena</i> - <i>Setaria sphacelata</i> community for data collected at maturity, before flooding and after flooding.....	92
Fig 5.5. Calibration curve for <i>Sporobolus spicatus</i> y.....	93
Fig 5.6. Calibration curve for <i>Sporobolus spicatus</i> community before flooding.....	93
Fig 5.7. Calibration curve for <i>Sporobolus spicatus</i> community after floods.....	94
Fig. 5.8. Combined calibration curve for <i>Sporobolus spicatus</i> community for data collected at maturity, before flooding and after flooding.....	94
Fig 5.9. Calibration curve for <i>Paspalidium obtusifolium</i> - <i>Panicum repens</i> community at maturity.....	95

Fig 5.10. Calibration curve for <i>Paspalidium obtusifolium</i> - <i>Panicum repens</i> community shortly before flooding before flooding	95
Fig 5.11. Calibration curve for <i>Paspalidium obtusifolium</i> - <i>Panicum repens</i> community after flooding.....	96
Fig. 5.12. Combined calibration for the <i>Paspalidium obtusifolium</i> - <i>Panicum repens</i> for data collected at maturity, before flooding and after flooding community	96
Fig 5.13. The calibration curve for <i>Imperata cylindrica</i> - <i>Setaria sphacelata</i> community at maturity.....	97
Fig 5.14. Calibration curve for <i>Imperata cylindrica</i> - <i>Setaria sphacelata</i> community shortly before flooding.....	97
Fig. 5.15. Calibration curve for <i>Imperata cylindrica</i> - <i>Setaria sphacelata</i> community after flooding.....	98
Fig. 5.16. Combined calibration for <i>Imperata cylindrica</i> - <i>Setaria sphacelata</i> community for data collected at maturity, before flooding and after flooding.....	98
Fig. 5.17. Bar chart showing the variations in herbage yield (Kg/ha) of the four communities from which yield was estimated.....	103.
Fig 5.18. Regression curve of correlation between % IVDMD and mean grazing intensity.....	107
Fig 5.19. Regression curve of correlation between NDF and mean grazing intensity....	107
Fig 5.20. Regression curve of correlation between ADF and mean grazing intensity....	108
Fig 5.21. Regression curve for correlation between ADL and grazing intensity	108
Fig 5.22. Regression curve for correlation between ASH and grazing intensity.....	109
Fig . 5.23. Regression curve of correlation between crude protein and grazing intensity.....	109

LIST OF TABLES

Table 3.1. Phytosociological table for floodplain vegetation of the Okavango Delta.....	43
Table 4.1. Table showing mean elevation above sealevel (EASL, n = 5), mean elevation above riverbed (EARB, n = 5), mean duration of flooding (DF, n = 5), mean maximum depth of flooding (MDpF n = 20) for flooding seasons 1996 and 1997 in each zone or community type.....	55
Table 4.2. Table showing mean chemical properties of soils after flooding.....	57
Table 4.3. Results of the chemical properties of soils before flooding.....	58
Table 4.4. Results of the chemical properties of soil middle of the rainy season.....	59
Table 4.5. Table showing the results of analysis of variance ($p = 0.05$).....	64
Table 4.6. Table showing the results of multiple comparison to determine statistical significance for variables with no interactions. Figures with the same superscripts are not significantly different.....	68
Table 4.7. Table showing the multiple comparison for resistance. Figures with the same superscripts are not significantly different.....	69
Table 4.8. Table showing the multiple comparison for magnesium Figures with the same superscripts are not significantly different.....	70
Table 5.1. Table showing results of plant chemical analysis.....	88
Table 5.2. Regression analysis: ($Y_1 = mx + c$) obtained at maturity (mid April) with a standard disc pasture meter in the floodplain vegetation.....	99
Table 5.3. Regression analysis: ($Y_1 = mx + c$) obtained shortly before flooding (mid June) with a standard disc pasture meter in the floodplain vegetation.....	100
Table 5.4. Regression analysis: ($Y_1 = mx + c$) obtained after flooding (mid November) with a standard disc pasture meter in the floodplain vegetation.....	101
Table 5.5. Combined regression analysis: ($Y_1 = mx + c$) obtained before flooding, after flooding and middle of the raining season with a standard disc pasture meter in the floodplainvegetation.....	102
Table 5.6. Table showing utilisation of individual plant species using the percentage grazed and ranking system.....	105