

References

- Adams, D. (1980). *The restaurant at the end of the universe*.
- Adcock, D. S. and Mcdowall, I. C. (1957). The mechanism of filter pressing and slip casting. *Journal of the American Ceramic Society*, **40** (10), 355-362.
- Aksay, I. A. and Schilling, C. H. (1984). Mechanics of colloidal filtration. In *Advances in ceramics*, (ed. J. A. Mangels and G. L. Messing), Volume 9, *Forming of ceramics*, pp. 85-93. American Ceramic Society, Westerville.
- Aksay, I. A., Lange, F. F., and Davis, B. I. Uniformity of Al₂O₃-ZrO₂ composites by colloidal filtration. *Communications of the American Ceramic Society*.
- Atkins, P. W. (1990). *Physical chemistry*, (4th edn). Oxford University Press, Oxford.
- Axén, N. and Jacobson, J. (1994). A model for the wear resistance of multiphase materials. *Wear*, **174**, 187-199.
- Baldoni, B. G., Wayne, S. F., and Buljan, S. T. (1986). *ASLETrans*. **29**, 347-352.
- Besson, J. and Abouaf, M. (1991). Grain growth enhancement in alumina during hot isostatic pressing. *Acta Metall. Mater.* , **39** (10), 2225-2234.
- Blau, P. J. (1989). *Friction and wear transitions of materials*. Noyes, Park Ridge.
- Cameron, C. P. and Raj, R. (1990). Better sintering through green-state deformation processing. *Journal of the American Ceramic Society*, **73** (7), 2032-2037.
- Chou, C. and Senna, M. (1987). Correlation between rheological behavior of aqueous suspensions of Al₂O₃ and properties of cast bodies: effect of dispersant and ultrafine powders. *American Ceramic Society Bulletin*.
- Chu, M., Bhushan, B., and De Jonghe, L. C. (1992). Processing of diamond/alumina composites for low wear applications. *Journal of Materials Research*, **7** (11), 3010-3018.
- Chuanzhen, H. and Xing, A. (1996). Development of advanced composite tool material. *Materials Research Bulletin*, **31** (8), 951-956.
- Coble, R. L. (1961). Sintering crystalline solids. I. Intermediate and final stage diffusion models. *Journal of Applied Physics*, **32** (5), 787-792.
- Davies, G. J. (1972). Graphitization of diamond at zero pressure and at a high temperature. Ph. D. Thesis. University of Reading.
- Davies, G. J. and Evans, T. (1972). Graphitization of diamond at zero pressure and at a high temperature. *Proceedings of the Royal Society of London*, **A328**, 413-427.
- Deeg, E. (1953). Die Scherbenbildung beim Schlicker-Giessprozess als Diffusionsproblem. *Ber. DKG*, **30**, 129-138.
- Dietzel, A. and Mostetzky, H. (1956). Vorgänge beim Wasserentzug aus einem keramischen Schlicker durch die Gipsform. *Ber. DKG*, **33**, 7-18.
- Dörre, E. and Hübner, H. (1984). *Alumina*. Springer-Verlag, Berlin.

- Einstürzende Neubauten (1992). *Interim*. Mute. New York.
- Evans, S. (1994a). Reactivity of diamond surfaces. In *Properties and growth of diamond*, (ed. G. Davies), pp. 64-67. INSPEC, London.
- Evans, S. (1994b). Graphitisation of diamond surfaces. In *Properties and growth of diamond*, (ed. G. Davies), pp. 68-69. INSPEC, London.
- Evans, T. (1979). Changes produced by high temperature treatment of diamond. In *The properties of diamond*, (ed. J. E. Field), pp. 403-24. Academic, New York.
- Evans, T. and Phaal, C. (1962). *Proc. Fifth Biennial Conf. on Carbon*, pp. 147-153. Pennsylvania State University.
- Fries, R. and Rand, B. Slip casting and filter pressing. In *Materials science and technology*, (ed. R. W. Cahn, P. Haasen, and E. J. Kramer), Volume 17A, *Processing of ceramics*, (volume ed. R. J. Brook), pp. , VCH.
- Garbers-Craig, A. (1996). Notes accompanying a course on refractories at the University of Pretoria.
- Gubarevich, T. M. and Tyshetskaya, A. V (1992). Synthesis and study of oxide-ultradispersed diamond systems. *Zhurnal Prikladnoi Khimii*, **65**, (1), 34-37. (Translation. Plenum Publishing.)
- Hampton, J. H. D., Savage, S. B., and Drew, R. A. L. (1988). Experimental analysis and modelling of slip casting. *Journal of the American Ceramic Society*, **71** (12), 1040-1045.
- Hampton, J. H. D., Savage, S. B., and Drew, R. A. L. (1992). Experimental analysis of fine particle migration during ceramic filtration processes. *Journal of the American Ceramic Society*, **75** (10), 2726-2732.
- Heertjes, P. M. (1964). Filtration. *Transactions of the Institution of Chemical Engineers*, **42** (12), T266-T274.
- Howes, V. R. (1962). The graphitization of diamond. *Proceedings of the Physical Society*, **80**, 648-662.
- Hutchings, I. M. (1992). *Tribology: Friction and wear of engineering materials*. Edward Arnold, London.
- Ikegami, T., Kotani, K., and Eguchi, K. (1987). Some roles of MgO and TiO₂ in densification of a sinterable alumina. *Journal of the American Ceramic Society*, **70** (12), 885-890.
- ISO 3685: Tool-life testing with single point turning tools*, (1993, 2nd edn). International Organization for Standardization, Geneva.
- Katz, A. J. and Thompson, A. H. (1986). Quantitive prediction of permeability in rock. *Physical Review B*, **34** (11), 8179-8181.
- Katz, A. J. and Thompson, A. H. (1987a). Prediction of rock electrical conductivity from mercury injection measurements. *Journal of Geophysical Research*, **92** (B1), 599-607.

- Katz, A. J. and Thompson, A. H. (1987b). Mercury injection in porous media: A resistance Devil's staircase with percolation geometry. *Phys. Lett.*, **58** (1), 29-32.
- Knight, D. S. and White, W. B. (1989). Characterization of diamond films by Raman spectroscopy. *J. Mater. Res.*, **4**, (2), 385-393.
- Krell, A. and Blank, P. (1995). Grain size dependence of hardness in dense submicrometer alumina. *Journal of the American Ceramic Society*, **78** (4), 1118-1120.
- Kume, S., Suzuki, K., and Yoshida, H. (1992). Preparation of diamond-alumina composite by hot isostatic pressing. *Reports of the Government Industrial Research Institute, Nagoya*, **41**, (3), 99-105. (In Japanese. The information quoted is from a literature search abstract.)
- Lancaster, J. K. (1990). Material-specific wear mechanisms: relevance to wear modeling. *Wear*, **141**, 159-183.
- Lange, F. F. and Miller, K. T. (1987). Pressure filtration: consolidation kinetics and mechanics. *American Ceramic Society Bulletin*, **66** (10), 1498-1504.
- Lawn, B. R., Evans, A. G., and Marshall, D. B. (1980). Elastic/plastic indentation damage in ceramics: The median/radial crack system. *Journal of the American Ceramic Society*, **63**, 574-581.
- Letoit, A (a.k.a. Kombuis, K.) (1994). *Niemandsland & beyond!*. Shifty and Tic...Tic...Bang.
- Li, X. S. and Low, I. M. (1994). Evaluation of advanced alumina-based ceramic tool inserts when machining high tensile steel. *Journal of Materials Science*, **29**, 3121-3127.
- Li, X. S., Low, I. M., Wager, J. G., and Perera, D. S. (1993). Cutting performance of ceramic coated tools in machining high tensile steel. *MD*, **44**, 101-110.
- Liu, J. and Ownby, P. D. (1991). Normal-pressure hot-pressing of α -alumina-diamond composites. *Journal of the American Ceramic Society*, **74**, (10), 2667-68.
- Lukasiewicz, S. J. and Reed, J. S. (1988). Specific permeability of porous compacts as described by a capillary model. *Journal of the American Ceramic Society*, **71** (11), 1008-1014.
- McColm, I. J. (1990). *Ceramic hardness*. Plenum. New York.
- McColm, I. J. *Ceramic science for materials technologists*. Leonard Hill.
- Msibi, C (1997). *Green body formation of a ceramic composite material by colloidal processing routes*. M Sc Thesis, University of the Witwatersrand.
- Noma, T. and Sawaoka, A. (1984). Toughening in very high pressure sintered diamond-alumina composite. *Journal of Materials Science*, **19**, 2319-22.
- Noma, T. and Sawaoka, A. (1985). Effect of heat treatment on fracture toughness of alumina-diamond composites sintered at high pressures. *Journal of the American Ceramic Society*, **68**, (2), C36-C37.
- Ownby, P. D. Engineering properties of diamond and graphite. *Journal of the American Ceramic Society*.

- Paul, P. (1960). Prediction of elastic constants of multiphase materials. *Transactions of the Metallurgical Society of AIME*, **218**, 36-41.
- Perry, R. H. and Green, D. (ed.) (1984). *Perry's Chemical Engineers' Handbook*, (6th edn). McGraw-Hill, New York.
- Petzow, G. (1976). *Metallographic etching*. American Society for Metals, Metals Park.
- Pierson, H. O. (1993). *Handbook of carbon, graphite, diamond and fullerenes*. Noyes, Park Ridge.
- Roosen, A. and Bowen, H. K. (1988). Influence of various consolidation techniques on the green microstructure and sintering behavior of alumina powders. *Journal of the American Ceramic Society*, **71** (11), 970-977.
- Schwelm, M. (1992). Untersuchungen zur Dispergierbarkeit und zum Druckschlickerguss von Si_3N_4 mit Y_2O_3 - Al_2O_3 Sinteradditiven. Ph. D. thesis. University of Stuttgart.
- Shin, D., Orr, K. K., and Schubert, H. (1990). Microstructure-mechanical property relationships in hot isostatically pressed alumina and zirconia toughened alumina. *Journal of the American Ceramic Society*, **73** (5), 1181-1188.
- Singh, C. K. and Vajpayee, S. (1980). Evaluation of flank wear on cutting tools. *Wear*, **62**, 247-254.
- Smith, J. M. (1981). *Chemical Engineering Kinetics*, (3rd edn). McGraw-Hill, Auckland.
- Smith, P. A. and Haber, R. A. (1995). Effect of particle packing on the filtration and rheology behavior of extended size distribution alumina suspensions. *Journal of the American Ceramic Society*, **78** (7), 1737-1744.
- Smith, P. A. and Haerle, A. G. (1995). Particle crowding analysis of slip casting, *Journal of the American Ceramic Society*, **78** (3), 809-812.
- Smith, P. A., Kerch, H., Krueger, S., Long, G. G., Keller, J., and Haber, R. A., (1994). Pore sizes and filtration rates from two alumina slips. *Journal of the American Ceramic Society*, **77** (7), 1777-1782.
- Sozin, Y. I., Simkin, E. S., and Ositinskaya, T.D. (1992). On the Graphitization of diamond. *Sverkhtverdye Materialy*, **14**, (4), 62-64.
- Stachowiak, G. W. and Stachowiak, G. B. (1994). Wear behaviour of ceramic cutting tools. *Key Engineering Materials*, **96**, 137-164.
- Tiller, F. M. and Tsai, C. (1986). Theory of filtration of ceramics: I, Slip casting. *Journal of the American Ceramic Society*, **69** (12), 882-887.
- Turning and boring tools*, pp. 16-17. Toshiba. (Marketing pamphlet).
- Uematsu, K., Itakura, K., Uchida, N., Saito, K., Miyamoto, A., and Miyashita, T. (1990). Hot isostatic pressing of alumina and examination of the hot isostatic pressing map. *Journal of the American Ceramic Society*, **73** (1), 74-78.

- Velamakanni, B. V. and Lange, F. F. (1991). Effect of interparticle potentials and sedimentation on particle packing density of bimodal distributions during pressure filtration. *Journal of the American Ceramic Society*, **74** (1), 166-172.
- Watson, J. D. and Crick F. H. C. (1953). Molecular structures of nucleic acids. *Nature*.
- Yeh, T. and Sacks, M. D. (1988a). Low-temperature sintering of aluminum oxide. *Journal of the American Ceramic Society*, **71** (10), 841-844.
- Yeh, T. and Sacks, M. D. (1988b). Effect of particle size distribution on the sintering of alumina. *Journal of the American Ceramic Society*, **71** (12), c484-c487.