

URBAN NATURE CONSERVATION

UNFOLDING THE LANDSCAPE



by warno rüde

Submitted in fulfillment of part of the requirements for the degree of Masters (Professional) in Landscape Architecture Faculty of Engineering, Built Environment and Information Technology, University of Pretoria

Mentor: Frans van Wyk
Study Leader: Prof Karel Bakker

TABLE OF CONTENT

list of figures	ii
chapter I. – preliminaries	1
1. – introduction	
2. – urban culture	
3. – urban landscape	
4. – energy	
5. – conservation	
chapter II. – project brief	9
1. – project vision	
2. – client profile	
3. – problems & objectives	
4. – research components	
5. – project limitations	
chapter III. – context & analyses	14
1. – vision for the Apies River	
2. – IDP	
3. – national water acts	
4. – greenway master plan	
5. – Apies River urban analyses	
chapter IV. – master plan	36
1. – developing the master plan	
2. – upgrading the Apies River	
3. – treatment zones	
4. – master plan development	
chapter V. – design interpretation	50
1. – squares and plazas	
2. – designing the plaza	
3. – user comfort	
4. – plaza elements	
chapter VI. – detail design	59
1. – Apies River Plaza – Detail Design	
conclusion	78
list of references	79



fig 1.1: green island (By author)
 fig 1.2: the greening of space left over after development (By author)
 fig 1.3: farmland (By author)
 fig 1.4: urban Amazon (M. Goulart)
 fig 1.5: landform & soil conservation (M. Goulart)
 fig 1.6: urban conservation area (By author)
 fig 2.1: aerial photo
 fig 2.2: site location (By author)
 fig 2.3: view to the poort (Nel, 2004, p.167)
 fig 3.1: Apies River logo (Holm, 1999, p.10)
 fig 3.2: connection (By author)
 fig 3.3: preservation (By author)
 fig 3.4: the Apies River (By author)
 fig 3.5: the Site (By author)
 fig 3.6: Anatomy of the Greenway (By author)
 fig 3.7: View to the poort (Nel, 2004, p.167)
 fig 3.8: Land Use along river (By author)
 fig 3.9: Unused Green open space (By author)
 fig 3.10: Article about moving the Graveyard (Meyer, 2006)
 fig 3.11: Conserving existing nature and urban environment (By author)
 fig 3.12: Movement and transport (By author)
 fig 3.13: Dominated by cars and trains, no safe pedestrian or cycle movement (By author)
 fig 3.14: Infrastructure and services in bad condition and not aesthetically pleasing (By author)
 fig 3.15: No public furniture and informal pedestrian movement (By author)
 fig 3.16: No safe river crossings for pedestrians, vehicle crossings used for pedestrian movement (By author)
 fig 3.17: A great need for public 'meeting' places (By author)
 fig 4.1: Sediment embankment. (By author)
 fig 4.2: Early 20th century, Poort as a dam. (Nel, 2004)
 fig 4.3: cut and fill (Rehabilitation document)
 fig 4.4: concrete lined canal (Rehabilitation document)
 fig 4.5: auxiliary flood bypass (Rehabilitation document)
 fig 4.6: berming (Rehabilitation document)
 fig.4.7: berm position (By author)

fig.4.8 the houses are situated away from the river for security and away from flooding (By author)
 fig.4.9: capturing existing (By author)
 fig.4.10: familiarizing the site (By author)
 fig.4.11: harvesting form (By author)
 fig.4.12: Holm Jordaan masterplan for the Rainbow Junction project proposal (By author)
 fig.4.13: Aesthetics of agricultural land (By author)
 fig.4.14: first design interpretation (By author)
 fig.4.15: final masterplan (By author)

fig.5.1: This fig indicates how hierarchy of open spaces can form one grand green island in a urban environment. In this scenario the green spaces are linked by means of the Apies River. It gives the opportunity to plant and animal species to migrate from one spot to another. (By author)
 fig.5.2: Good street-to-plaza visibility (By author)
 fig.5.3: Dania Park, Malmo, Sweden. (Asensio,2005)
 fig.5.4: Piccadilly Gardens, Manchester, UK (Asensio,2005)
 fig.5.5: Passeig Garcia Faria, Barcelona, Spain. (Asensio,2005)
 fig.5.6: Cufar Square, Jesenice, Slovenia (Asensio,2005)
 fig.5.7: Sun and rain shelters can be sculptural elements that you place throe out the plaza. This example is situated in Georg Freundorfer Plaza, Munich, Germany. (Asensio,2005)
 fig.5.8: Plaza users should be protected from harsh winds with planting and canopies.
 fig.5.9: Barrel Warehouse Park, Waterloo, Canada. Good balance between hard and soft landscape. (Asensio,2005)
 fig.5.10: A Plaza seat can have any form and be maid of many materials. The seat can also have more than on function.

fig.6.1: Indicates position of the Apies River Plaza
 fig.6.2: Apies River Plaza
 fig.6.3: Apies River Plaza
 fig.6.4: taxi stop
 fig.6.5: Transportation Zone
 fig.6.6: Exit from taxi stop

fig.6.7: Entrance to taxi stop (By author)
fig.6.8: durable materials (By author)
fig.6.9: Section of Taxi Stop (By author)
fig.6.10: Market Structure (By author)
fig.6.11: Of-shutter concrete (By author)
fig.6.12: Bright coloured tiles (By author)
fig.6.13: The Arrival Square (By author)
fig.6.14: View of Tree Canopy and Market Structure (By author)
fig.6.15: Entrance to Plaza (By author)
fig.6.16: pre-cast concrete tree grids in arrival square (By author)
fig.6.17: Section & Plan of Market Structure (By author)
fig.6.18: Front view of Earth Mounds (By author)
fig.6.19: Earth Mounds (By author)
fig.6.20: Section through Earth Mounds (By author)
fig.6.21: View to the large trees in front of Earth Mounds (By author)
fig.6.22: Rock cladding on Earth Mound (By author)
fig.6.23: Example of an Earth Mound (Asensio,2005)
fig.6.24: View of Water Square (By author)
fig.6.25: Water Square (By author)
fig.6.26: Spouts at night (Asensio,2005)
fig.6.27: Possible Tar & tile surface (Asensio)
fig.6.28: Section through Water Square (By author)
fig.6.29: Interactive spouts (Asensio,2005)
fig.6.30: View of Restaurant & Café square (By author)
fig.6.31: Restaurant & Café square (By author)
fig.6.32: Restaurant & Café square framed by seating walls (By author)
fig.6.33: Section through Restaurant & Café square (By author)
fig.6.34: Green canopy over seating area (By author)
fig.6.35: Example of seating walls (By author)
fig.6.36: View to Plaza Park (By author)
fig.6.37: The Plaza Park (By author)
fig.6.38: Park activities
fig.6.39: Walkways through park (By author)
fig.6.40: open space between park and sport facility (By author)

fig.6.41: Tree canopy in park (By author)
fig.6.42: View from walkway to underpass (By author)
fig.6.43: Main walkway underpass (By author)
fig.6.44: Wall treatment in underpass (By author)
fig.6.45: Anti slip studs in pavement (By author)
fig.6.46: Section trough underpass (By author)
fig.6.47: Large opening in underpass (By author)