

REFERENCES

- ALLREDGE, J.R. & RATTI, J.T. 1992. Further comparison of some statistical techniques for analysis of resource selection. *Journal of Wildlife Management* 56: 1-9.
- ANDERSON, J. 1997. Impala *Aepyceros melampus*. In: G. Mills & L. Hes (Eds), *The Complete Book of Southern African Mammals* (pp 271 – 273). Struik Winchester, Cape Town.
- ANDERSON, J.L. & POOLEY, E.S. 1977. Some plant species recorded from nyala rumena in Ndumu Game Reserve. *Lammergeyer* 23: 40-45.
- ANDERSON, J.L. 1978. Aspects of the ecology of the nyala *Tragelaphus angasi* Gray, 1849 in Zululand. Ph.d. thesis, London University, London.
- ANDERSON, J.L. 1980. The social organisation and aspects of behaviour of the nyala *Tragelaphus angasi* Gray 1849. *Z. Saugetierk* 45:90-123.
- BAILLIE, J. & GROOMBRIDGE, B. 1996. IUCN red data list of threatened animals. Gland, Switzerland, IUCN.
- BALMFORD, A., MOORE, J.L., BROOKS, T., BURGESS, N., HANSEN, L.A., WILLIAMS, P. & RAHBEK, C. 2001. Conservation Conflicts Across Africa. *Science* 291: 2616-2619.
- BARNES, K.N. 2000. The Eskom red data book of birds of South Africa, Lesotho and Swaziland. BirdLife South Africa, Johannesburg.
- BEGON, M., HARPER, J.L. & TOWNSEND, C.R. 1996. Ecology: individuals, populations and communities. Third edition, Blackwell Science, Cambridge.
- BENNETT, A.F., HINSLEY, S.A., BELLAMY, P.E., SWETNAM, R.D. & MAC NALLY, R. 2004. Do regional gradients in land-use influence richness, composition and turnover of bird assemblages in small woods? *Biol. Conserv.* 119: 191-206.
- BEYERS, G.R., STEINHORST, R.K. & KRAUSMAN, P.R. 1984. Clarification of a technique for analysis of utilization-availability data. *Journal of Wildlife Management* 48: 1050-1053.
- BOTHMA, J. du P. 2002. Counting wild animals. In: J. du P. Bothma (Ed.), *Game Ranch Management*, Fourth edition (pp. 335 – 357). Van Schaik, Pretoria.
- BOTHMA, J. du P. 2002. Harvesting wild animals. In: J. du P. Bothma (Ed.), *Game Ranch Management*, Fourth edition (pp. 358 – 381). Van Schaik, Pretoria.
- BOTHMA, J. du P., VAN ROOYEN, N. & DU TOIT, J.G. 2002. Antelope and other smaller herbivores. In: J. du P. Bothma (Ed.), *Game Ranch Management*, Fourth edition (pp. 149 – 175). Van Schaik, Pretoria.

- BOTHMA, J. du P., VAN ROOYEN, N. & VAN ROOYEN, M.W. 2004. Using diet and plant resources to set wildlife stocking densities in African savannas. *Wildlife Society Bulletin*. 32: 840-851.
- BOWLAND, A.E. 1990. The response of red duikers *Cephalophus natalensis* to drive counts. *Koedoe* 33: 47-53.
- BOWLAND, A.E. 1997. Red duiker *Cephalophus natalensis*. In: G. Mills & L. Hes (Eds), *The Complete Book of Southern African Mammals* (pp. 260). Struik Winchester, Cape Town.
- BRAY, J.R. & CURTIS, J.T. 1957. An ordination of the upland forest communities of southern Wisconsin. *Ecol. Monogr.* 27: 325-349.
- BROOKS, T.M., MITTERMEIER, R.A., MITTERMEIER, C.G., DA FONSECA, G.A.B., RYLANDS, A.B., KONSTANT, W.R., FLICK, P., PILGRIM, J., OLDFIELD, S., MAGIN, G. & HILTON-TAYLOR, G. 2002. Habitat Loss and Extinction in the Hotspots of Biodiversity. *Conservation Biology* 16: 909-923.
- BRUNER, A.G., GULLISON, R.E., RICE, R.E. & DE FONSECA, G.A.B. 2001. Effectiveness of Parks in Protecting Tropical Biodiversity. *Science* 291: 125-128.
- BRUTON, M.N. & COOPER, K.H. (Eds) 1980. *Studies on the Ecology of Maputaland*. Rhodes University & Wildlife Society of S.A., Grahamstown & Durban.
- BUCKLAND, S.T., ANDERSON, D.R., BURNHAM, K.P. & LAAKE, J.L. 1994. Distance sampling estimating abundance of biological populations. Chapman & Hall, London.
- CAUGHLEY, G. & SINCLAIR, A.R.A. 1994. *Wildlife Ecology and Management*. Blackwell Science, USA.
- CHOWN, S.L., VAN RENSBURG B.J., GASTON K.J., RODRIGUES, A.S.L. & VAN JAARSVELD, A.S. 2003. Energy, Species Richness and Human population size: Conservation implication at a national scale. *Ecol. Appl.* 13: 1233-1241.
- CLANCY, P.A. 1996. The birds of southern Mozambique. African Bird Book Publishing, KwaZulu-Natal.
- CLARK, K.R. 1993. Non-parametric multivariate analysis of change in community structure. *Aust. J. Ecol.* 18: 117-143.
- CLARK, K.R. & WARWICK, R.M. 1994. *Change in Marine Communities: An Approach to Statistical Analysis and Interpretation*. Natural Environmental Research Council, UK.
- COX, C.B. & MOORE, P.D. 1994. *Biogeography: An Ecological and Evolutionary Approach*. Fifth edition. Blackwell Scientific Publishing, Oxford.

- DEKKER, B., VAN ROOYEN, N. & BOTHMA, J. du P. 1996. Habitat partitioning by ungulates on a game ranch in the Mopani veld. *S. Afr. J. Wildl. Res.* 26: 117-122.
- DUFRÈNE, M. & LEGENDRE, P. 1997. Species assemblages and indicator species: the need for a flexible asymmetrical approach. *Ecol. Monogr.* 67: 345-366.
- EDITORIAL 2003. Introduction to systematic conservation planning in the Cape Floristic Region. *Biol. Conserv.* 112: 1-13.
- ESRI Inc. 1998. Environmental Systems Research Institute. California, Redlands.
- ESTES, R.D. 1997. The Behavior Guide to African Mammals. Russel Friedman Books, Halfway House.
- EVERARD, D.A., VAN WYK, G.F. & MIDGLEY, J.J. 1994. Disturbance and the diversity of forests in Natal, South Africa: lessons for their utilization. *Strelitzia* 1: 275-285.
- FRIEDMANN, Y. & DALY, B. (Eds) 2004. Red Data Book of the Mammals of South Africa: A Conservation Assessment. CBSG Southern Africa, Conservation Breeding Specialist Group (SSC/IUCN), Endangered Wildlife Trust, South Africa.
- FÜRSTENBURG, D. 1997. Impala *Aepyceros melampus*. *Game and Hunt* 3: 6-7, 31.
- FÜRSTENBURG, D. 2002. Bontsebra "Burchell's zebra" (*Equus burchelli antiquorum*). *Game and Hunt* 8: 8-9, 43.
- FÜRSTENBURG, D. 2002. Njala "Nyala" (*Tragelaphus scriptus angasi*). *Game and Hunt* 8: 8-9, 11.
- GAGNON, M. & CHEW, A.E. 2000. Dietary preferences in extant African Bovidae. *J. Mammal.* 81: 490-511.
- GASTON, K.J. 1994. Rarity. Chapman & Hall, London.
- GASTON, K.J. 2000. Global patterns in biodiversity. *Nature* 405: 220-227.
- GASTON, K.J., RODRIGUES, A.S.L., VAN RENSBURG, B.J., KOLEFF, P. & CHOWN, S.L. 2001. Complementary representation and zones of ecological transition. *Ecol. Lett.* 4: 4-9.
- GAUGRIS, J.Y., MATTHEWS, W.S., VAN ROOYEN, M.W. & BOTHMA, J. du P. 2004. The vegetation of Tshanini Game Reserve and a comparison with equivalent units in the Tembe Elephant Park in Maputaland, South Africa. *Koedoe* 47: 9-29.
- GRUBB, P. 1993. Order Perissodactyla. In: D.E. Wilson & D.M. Reeder (Eds), *Mammal Species of the World: A Taxonomic and Geographic Reference*, Second edition (pp. 403). Smithsonian Institution Press, Washington DC.
- GRUBB, P. 1999. Types and type localities of ungulates named from southern Africa. *Koedoe* 42: 13-45.

- HANSEN, A.J. & ROTELLA, J.J. 2002. Biophysical Factors, Land Use, and Species Viability in and around Nature Reserves. *Conserv. Biol.* 16: 1112-1122.
- HARCOURT, A.H., PARKS, S.A. & WOODROFFE, R. 2001. Human density as an influence on species/area relationships: double jeopardy for small African reserves? *Biodiv. Conserv.* 10: 1011-1026.
- HARRISON, J.A., ALLAN, D.G., UNDERHILL, L.G., HERREMANS, M., TREE, A.J., PARKER, V. & BROWN, C.J. 1997. The Atlas of Southern African Birds, 1. Birdlife South Africa, Johannesburg.
- HEARNE, J. & MCKENZIE, M. 2000. Compelling reasons for game ranching in Maputaland. In: H.H.T. Prins (Ed.), *Wildlife Conservation by Sustainable use* (pp. 417-438). Kluwer Academic Publishers, Boston.
- HUGO, M.L., VILJOEN, A.T. & MEEUWIS, J.M. 1997. *The Ecology of Natural Resource Management*. Kagiso, Pretoria.
- HUSTON, M.A. 2001. People and biodiversity in Africa. *Science* 293: 1591.
- JACOBS, J. 1974. Quantitative measurement of food selection. *Oecologia* 14: 413-417.
- JOUBERT, S.C.J. 2002. Animal behaviour. In: J. du P. Bothma (Ed.), *Game Ranch Management*, Fourth edition (pp 280-286). Van Schaik, Pretoria.
- KINGDON, J. 1997. *The Kingdon Field Guide to African Mammals*. Academic Press, San Diego.
- KIRKWOOD, D. & MIDGLEY, J.J. 1999. The floristics of Sand Forest in northern KwaZulu-Natal, South Africa. *Bothalia* 29: 293-304.
- KWAZULU-NATAL NATURE CONSERVATION SERVICES 1997. Tembe-Ndumo complex management and development plan. KwaZulu-Natal Nature Conservation Services, KwaZulu-Natal, South Africa.
- LAWSON, D. 1986. The ecology and conservation of suni in Natal. PhD thesis, University of Natal, Pietermaritzburg.
- LOMBARD, A.T. 1995. The problems with multi-species conservation: do hotspots, ideal reserves and existing reserves coincide? *S. Afr. J. Zool.* 30: 145-63.
- LOW, A.B. & REBELO, A.G. (Eds) 1996. *Vegetation of South Africa, Lesotho and Swaziland*. Dept. Environmental Affairs and Tourism, Pretoria, South Africa.
- MAC NALLY, R. 1997. Monitoring forest bird communities for impact assessment: the influence of sampling intensity and spatial scale. *Biol. Conserv.* 82: 355-367.
- MADDOCK, A. & BENN, G.A. 2000. Identification of Conservation-Worthy Areas in Northern Zululand, South Africa. *Conserv. Biol.* 14: 155-166.
- MARGULES, C.R. & PRESSEY, R.L. 2000. Systematic conservation planning. *Nature* 405: 243-253.

- MATTHEWS, W.S. 2000. Large herbivore population estimates for Tembe Elephant Park: October 2000. Unpublished report, KwaZulu-Natal Nature Conservation Services.
- MATTHEWS, W.S. 2002. Large herbivore population estimates for Tembe Elephant Park: October 2002. Unpublished report, KwaZulu-Natal Nature Conservation Services.
- MATTHEWS, W.S. 2004. Large herbivore population estimates for Tembe Elephant Park: October 2003. Unpublished report, KwaZulu-Natal Nature Conservation Services.
- MATTHEWS, W.S., VAN WYK, A.E., VAN ROOYEN, N. & BOTHA, G.A. 2001. Vegetation of the Tembe Elephant Park, Maputaland, South Africa. *S. Afr. J. Bot.* 67: 573-594.
- MCGEOCH, M.A., VAN RENSBURG, B.J. & BOTES, A. 2002. The verification and application of bioindicators: a case study of dung beetles in a savanna ecosystem. *J. Appl. Ecol.* 39: 661-672.
- MCKINNEY, M.L. 2002. Effects of national conservation spending and amount of protected area on species threat rates. *Biol. Conserv.* 16: 539-543.
- MEFFE, G.K. & CARROLL, C.R. 1997. Principles of Conservation Biology. Second edition. Sinauer Associates, Inc., Massachusetts.
- MILLS, G. & HES, L. 1997. The Complete Book of Southern African Mammals. Struik Winchester, Cape Town.
- MOLL, E.J. 1977. The vegetation of Maputaland: a preliminary report on the plant communities and their present and future conservation status. *Trees S. Afr.* 29: 31-58.
- MYERS, N., MITTERMEIER, R.A., MITTERMEIER, C.G., DA FONSECA, G.A.B. & KENT, J. 2000. Biodiversity hotspots for conservation priorities. *Nature* 403: 853-858.
- NEWMARK, W.D. 1996. Insularization of Tanzanian Parks and the local extinction of large mammals. *Conserv. Biol.* 10: 1549-1556.
- OWEN-SMITH, N. 1997. Kudu *Tragelaphus strepsiceros*. In: G. Mills & L. Hes (Eds), The Complete Book of Southern African Mammals (pp 271 – 273). Struik Winchester, Cape Town.
- PARKS, S.A. & HARCOURT, H. 2002. Reserve size, local human density, and mammalian extinctions in U.S. protected areas. *Conserv. Biol.* 16: 800-808.
- PIENAAR, D.J., BOTHMA, J. du P. & THERON, G.K. 1992. Landscape preference of the white rhinoceros in the southern Kruger National Park. *Koedoe* 35: 1-7.

- PIENAAR, U. de V. 1974. Habitat-preference in South African antelope species and its significance in natural and artificial distribution patterns. *Koedoe* 17: 185-195.
- POYNTON, J.C. 1961. Biogeography of south-east Africa. *Nature* 189: 801-803.
- REYERS, B. 2004. Incorporating anthropogenic threats into evaluations of regional biodiversity and prioritisation of conservation areas in the Limpopo Province, South Africa. *Biol. Conserv.* 118: 521-531.
- RODRIGUES, A.S.L., ANDELMAN, S.J., BAKARR, M.I., BOITANI, L., BROOKS, T.M., COWLING, R.M., FISHPOOL, L.D.C., DA FONSECA, G.A.B., GASTON, K.J., HOFFMANN, M., LONG, J.S., MARQUET, P.A., PILGRIM, J.D., PRESSEY, R.L., SCHIPPER, J., SECHREST, W., STUART, S.N., UNDERHILL, L.G., WALLER, R.W., WATTS, M.E.J. & YAN, X. 2004. Effectiveness of the global protected area network in representing species diversity. *Nature* 428: 640-643.
- ROTENBERRY, J.T. & WIENS, J.A. 1980. Habitat structure, patchiness, and avian communities in north American steppe vegetation: A multivariate analysis. *Ecology* 61: 1228-1250.
- SCHULZE, R.E. 1982. Agrohydrology and agroclimatology of Natal. Agricultural catchments Research Unit, Report 14. University of Natal, Pietermaritzburg, South Africa.
- SCOGINGS, P.F., THERON, G.K. & BOTHMA, J. du P. 1990. Two quantitative methods of analysing ungulate habitat data. *S. Afr. J. Wildl. Res.* 20: 9-13.
- SKINNER, J.D. & SMITHERS, R.H.N. 1990. The Mammals of the Southern African Subregion. University of Pretoria, South Africa.
- SOIL CLASSIFICATION WORKING GROUP 1991. Soil Classification: a taxonomic system for South Africa. Memoirs of the Agricultural Natural Resources of South Africa No. 15. Department of Agricultural Development, Pretoria.
- SOULÉ, M.E. 1991. Conservation: tactics for a constant crisis. *Science* 253: 744-750.
- STUART, C. & STUART, T. 1996. Africa's Vanishing Wildlife. Southern Book Publishers, Halfway House.
- TAINTON, N. M. 1999. Veld Management in South Africa. University of Natal Press, Pietermaritzburg.
- TARR, J.A., VAN ROOYEN, M.W. & BOTHMA, J. du P. 2004. The response of *Phragmites australis* to harvesting pressure in the Muzi Swamp of the Tembe Elephant Park, South Africa. *Land Degrad. Develop.* 15: 487-497.
- UNDP. 2003. South Africa Human Development Report 2003. Oxford University Press, Oxford.
- VAN DER WALT, P. 2004. Sandwoud. *Game and Hunt* 10: 14-16.

- VAN OUDTSOORN, F. 1999. Guide to Grasses of Southern Africa. Briza Publications, Pretoria.
- VAN RENSBURG, B.J., CHOWN, S.L., VAN JAARSVELD, A.S. & MCGEOCH, M.A. 2000. Spatial variation and biogeography of sand forest avian assemblages in South Africa. *J. Biogeogr.* 27: 1385-1401.
- VAN RENSBURG, B.J., ERASMUS, B.F., VAN JAARSVELD, A.S., GASTON, K.J. & CHOWN, S.L. 2004. Conservation during times of change: interactions between birds, climate, and people in South Africa. *S. Afr. J. Sci.* 100: 266-272.
- VAN RENSBURG, B.J., MCGEOCH, M.A., CHOWN, S.L. & VAN JAARSVELD, A.S. 1999. Conservation of heterogeneity among dung beetles in the Maputaland Centre of Endemism, South Africa. *Biol. Conserv.* 88: 145-153.
- VAN ROOYEN, A.F. 1990. The diet, habitat selection and body condition of impala *Aepyceros melampus* and nyala *Tragelaphus angasi* in Zululand. M.Sc. (Zoology) thesis, University of Pretoria, Pretoria.
- VAN ROOYEN, N., BREDENKAMP, G.J. & THERON, G.K. 1996. Veld management. In: J. du P. Bothma (Ed.), Game Ranch Management, Third edition (pp 539-572). Van Schaik, Pretoria.
- VAN WYK, A.E. 1994. Maputaland-Pondoland region. In: S.D. Davis, V.H. Heywood & A.C. Hamilton (Eds), Centres of plant diversity: a guide and strategy for their conservation (pp. 227-235). Oxford University Press, Oxford.
- VAN WYK, A.E. 1996. Biodiversity of the Maputaland Centre. In: L.J.G. van der Maesen., X. M. van der Burgt & J. M. van Medenbach de Rooy (Eds), The biodiversity in African savannahs (pp 198-207). Kluwer Academic Publishers, Dordrecht.
- VAN WYK, A.E. & SMITH, G.F. 2001. Regions of Floristic Endemism in Southern Africa: a review with emphasis on succulents. UMDAUS Press, Hatfield.
- VINCENT, J., HITCHINS, P.M., BIGALKE, R.C. & BASS, A.J. 1977. Studies on a population of nyala. *Lammergeyer* 9: 5-17.
- WATKEYS, M.K., MASON, T.R. & GOODMAN, P.S. 1993. The role of geology in the development of Maputaland, South Africa. *J. Afr. Earth Sci.* 16: 205-221.
- WDPA CONSORTIUM 2004. World Database on Protected Areas. Copyright World Conservation Union (IUCN) and UNEP-World Conservation Monitoring Centre (UNEP-WCMC).
- WENTZEL, J.J., BOTHMA, J. du P. & VAN ROOYEN, N. 1991. Characteristics of the herbaceous layer in preferred grazing areas of six herbivore species in the south-eastern Kruger National Park. *Koedoe* 34: 51-59.

WORLD CONSERVATION MONITORING CENTRE 1997. United Nations list of protected areas for South Africa [online]. Available at: http://www.unep-wcmc.org/protected_areas/data/un_97_list.html.

WYNBERG, G.R. 2002. A decade of biodiversity conservation and use in South Africa: tracking progress from the Rio Earth Summit to the Johannesburg World Summit on Sustainable Development. *S. Afr. J. Sci.* 98: 233-243.