

REFERENCES

- Anthes RA (1977) A cumulus parameterization scheme utilizing a one-dimensional cloud model. *Mon. Weather Rev.* **117** 1423-1438.
- Anthes RA, Hsie EY and Kuo YH (1987) Description of the Penn State/NCAR Mesoscale Model Version 4 (MM4). Technical Note NCAR/TN-282+STR, National Centre for Atmospheric Research, Boulder, Colorado, 66 pp.
- Anthes RA, Kuo YH, Hsie EY, Low-Nam SS and Bettge TW (1989) Estimation of episodic and climatological skill and uncertainty in regional numerical models. *Quart. J. Roy. Meteor.* **115** 770-792.
- Arakawa A (1972) Design of the UCLA General Circulation Model. Numerical Simulation of Weather and Climate, Technical Report No. 7. Department of Meteorology, University of California, Los Angeles.
- Asnani GC (1993) *Tropical Meteorology* (Pune, India).
- Bates JR and McDonald A (1982) Multiply-Upstream, Semi-Lagrangian Advection Schemes: Analysis and Application to a Multi-Level Primitive Equation Model. *Mon. Wea. Rev.* **110** 1831-1842.
- Bates JR, Semazzi FHM, Higgins RW, Barros SRM (1990) Integration of the shallow water equations on the sphere using a vector semi-Lagrangian scheme with a multigrid solver. *Mon. Wea. Rev.* **118** 1615-1627.
- Bermejo R and Staniforth A (1992) The conversion of semi-Lagrangian advection schemes to quasi-monotone schemes. *Mon. Wea. Rev.* **120** 2622-2632.
- Bourke W (1974) A multi-level spectral model. I. Formulation and hemispheric integrations. *Mon. Wea. Rev.* **102** 687-701.
- Carnahan B, Luther HA and Wilkes JO (1969) *Applied Numerical Methods*. Wiley, 604 pp.
- Charnock H (1955) Wind stress on a water surface. *Quart. J. Roy. Meteor. Soc.* **81** 639-640.
- Chouinard C, Beland M and McFarlane N (1986) A simple gravity wave drag parameterisation of use in medium-range weather forecast models. *Atmos. Ocean* **24** 91-110.
- Coiffier J, Chapalet P and Marie N (1987) A study of various quasi-Lagrangian techniques for numerical models. *Proc. of ECMWF Workshop on Techniques for Horizontal Discretization in Numerical Weather Prediction Models*, Shinfield Park, Reading, United Kingdom, European Centre for Medium-Range Weather Forecasts, 377 pp.

- Corby GA, Gilchrist A and Newson RL (1972) A general circulation model of the atmosphere suitable for long period integration. *Quart. J. Roy. Meteor. Soc.* **98** 809-832.
- Courtier P and Geleyn J-F (1988) A global numerical weather prediction with variable resolution: application to the shallow water equations. *Quart. J. Roy. Meteor. Soc.* **114** 1321-1346.
- Crimp SJ, Lutjeharms JRE, Mason SJ (1998) Sensitivity of a tropical-temperate trough to sea-surface temperature anomalies in the Agulhas retroreflection region. *Water SA.* **24** 93-100.
- Crimp SJ and Mason SJ (2000) The extreme precipitation event of 11 to 16 February 1996 over South Africa. Submitted to *Meteorology and Atmospheric Physics*.
- Crimp SJ, Joubert AM and Tennant W (2000) Air mass transport and associated moisture sources during cyclone Demoina, January 1984. Submitted to *Water SA*.
- Crowley WP (1968) Numerical Advection Experiments. *Mon. Wea. Rev.* **96** 1-11.
- Davies HC (1976) A lateral boundary formulation for multi-level prediction models. *Quart. J. Roy. Meteor. Soc.* **102** 405-418.
- Deardorff JW (1977) A parameterisation of ground-surface moisture content for use in atmospheric prediction models. *J. Appl. Meteorol.* **16** 1181-1185.
- Déqué M and Piedlievre J Ph (1995) High resolution climate simulations over Europe. *Climate Dyn* **11** 321-339.
- Dickenson RE, Errico RM, Giorgi F and Bates GT (1989) A regional climate model for the western United States. *Clim. Change* **15** 383-422 1989.
- Dorman JL and Sellers PJ (1989) A global climatology of albedo, roughness length and stomatal resistance for atmospheric general circulation models as represented by the simple biosphere model (SiB). *J. Appl. Meteorol.* **28** 833-855.
- Ellis R and Gulick D (1994) *Calculus with Analytic Geometry*. Harcourt Brace College Publishers, United States of America, 1024 pp.
- Engelbrecht FA and Rautenbach CJdeW (2000) Perspektief vir genestelde klimaatmodellering oor suidelike Afrika. *SA Tydskrif vir Wetenskap en Kuns* **19** 47-51.
- Engelbrecht FA and Rautenbach CJdeW (2001) The contribution of extra-tropical sea-surface temperature anomalies to the 1996/97 model simulated

rainfall and mean sea-level pressure over South Africa and adjacent oceans. Accepted conditionally by *Water SA*.

Errico R and Baumhefner D (1987) Predictability experiments using a high resolution limited-area model. *Mon. Wea. Rev.* **115** 408-418.

Fels SB and Schwarzkopf MD (1975) The simplified exchange approximation: a new method for radiative transfer. *J. Atmos. Sci.* **32** 1475-1488.

Fritsch JM and Chappell CF (1980) Numerical prediction of convectively driven mesoscale pressure systems, Convective parameterization. *J. Atmos. Sci.* **37** 1722-1733.

Gadd AJ (1978a) A split explicit integration scheme for numerical weather prediction. *Quart. J. Roy. Meteor. Soc.* **104** 569-582.

Gadd AJ (1978b) A numerical advection scheme with small phase speed errors. *Quart. J. Roy. Meteor. Soc.* **104** 583-594.

Garstang M, Kelbe BE, Emmitt GD and London WB (1987). Generation of convective storms over the escarpment of northeastern South Africa. *Mon. Wea. Rev.* **115** 429-443.

Giorgi F (1990) On the simulation of regional climate using a limited area model nested in a general circulation model. *J. Clim.* **3** 941-963.

Giorgi F (1991) Sensitivity of simulated summertime precipitation over the western United States to different physics parameterizations. *Mon. Wea. Rev.* **119** 2870-2888.

Giorgi F and Mearns LO (1991) Approaches to the simulation of regional climate change: A review. *Rev. Geophys.* **29** 191-216.

Giorgi F and Marinucci MR (1991) Validation of a regional atmospheric model over Europe: Sensitivity of wintertime and summertime simulation to selected physics parameterizations and lower boundary conditions. *Quart. J. Roy. Meteor. Soc.* **117** 1171-1206.

Giorgi F, Bates GT and Nieman SJ (1993a) The multiyear surface climatology of a regional atmospheric model over the western United States. *J. Climate* **6** 75-95.

Giorgi F, Marinucci MR and Bates GT (1993b) Development of a second-generation regional climate model (RegCM2). Part I: Boundary-layer and radiative transfer processes. *Mon. Wea. Rev.* **121** 2794-2813.

Giorgi F, Marinucci MR, Bates GT and DeCanio G (1993c) Development of a second-generation regional climate model (RegCM2). Part II: Cumulus cloud and assimilation of lateral boundary conditions. *Mon. Wea. Rev.* **121** 2814-2832.

Giorgi F, Brodeur CS and Bates GT (1994) Regional climate change scenarios over the United States produced with a nested regional climate model. *J. Clim.* **7** 375-399.

Giorgi F (1995) Perspectives for regional earth system modelling. *Global and Planetary Change* **10** 23-42.

Giorgi F and Mearns LO (1999) Introduction to special section: Regional climate modeling revisited. *J. Geophys. Res.* **104** 6335-6352.

Gordon HB (1981) A flux formulation of the spectral atmospheric equations suitable for use in long-term climate modelling. *Mon. Wea. Rev.* **109** 56-64.

Gordon HB (1983) Synoptic cloud variations in a low resolution spectral atmospheric model. *J. Geophys. Res.* **88** 6563-6575.

Haltiner GJ and Williams RT (1980) *Numerical Prediction and Dynamic Meteorology*. 2nd ed. John Wiley & Sons, Inc., New York, 477pp.

Horel JD, Pechmann JB, Hahmann AN and Geisler JE (1994) Simulations of the Amazon Basin circulation with a regional model. *J. Climate* **7** 56-71.

Hoskins BJ and Simmons AJ (1975). A multi-layer spectral model and the semi-implicit method. *Quart. J. Roy. Meteor. Soc.* **101** 637-655.

Hostetler SW, Giorgi F, Bates GT and Bartlein PJ (1994) Lake-atmosphere feedbacks associated with paleolakes Bonneville and Lahontan. *Science* **263** 665-668.

Houghton JT, Jenkins GJ and Ephraums JJ (1990) Climate change: The IPCC Scientific Assessment. WMO/UNEP Report of Working Group I of the IPCC, Cambridge University Press 365 pp.

Jackson SP (1954) Sea breezes in South Africa. *S.A. Geogr. Jour.* **36** 13-23.

Jenkins GS and Barron EJ (1997) Global climate model and coupled regional climate model simulations over the eastern United States: GENESIS and RegCM2 simulations. *Global and Planetary Change* **15** 3-32.

Jones RG, Murphy JM and Noguer M (1995) Simulation of climate change over Europe using a nested regional climate model. I: Assessment of control climate, including sensitivity to location of lateral boundaries. *Quart. J. Roy. Meteor. Soc.* **121** 1413-1449.

Joubert AM (1997) Simulations by the Atmospheric Model Intercomparison Project of atmospheric circulation over southern Africa. *Int. J. Climatol.* **17** 1129-1154.

Joubert AM, Katzfey JJ, McGregor JL and Nguyen KC (1998) Simulating mid-summer climate over southern Africa using a nested regional climate model. Unpublished paper.

Joubert AM, Katzfey JJ, McGregor JL (1999) Daily rainfall simulations over South Africa using a nested regional climate model. Water Research Commission Report No **K5/805/0/1**, 1-86.

Juang H-M and Kanamitsu M (1994) The NMC nested regional spectral model. *Mon. Wea. Rev.* **122** 3-26.

Jury MR and Pathack B (1996) Drought over South Africa and Indian Ocean SST: Statistical and GCM results. *The Global Atmosphere and Ocean System* **4** 47-63.

Kaas E (1987) The construction of and tests with a multi-level, semi-Lagrangian and semi-implicit limited area model. Diploma thesis, Geophysics Institute, Copenhagen University 117pp.

Kalnay E and others (1996) The NCEP/NCAR 40-year reanalysis Project. *Bull Amer. Meteorol. Soc.* **77** 437-472.

Katzfey JJ (1995) Simulation of extreme New Zealand precipitation events. Part I. Sensitivity to orography and resolution. *Mon. Wea. Rev.* **123** 737-754.

Katzfey JJ (1995) Simulation of extreme New Zealand precipitation events. Part II. Mechanisms of precipitation development. *Mon. Wea. Rev.* **123** 755-775.

Keyser D and Uccellini LW (1987) Regional models: emerging research tools for synoptic meteorologists. *Bulletin of American Meteorological Society* **68** 306-320.

Kida H, Koide T, Sasaki H, and Chiba M (1991) A new approach for coupling a limited area model to a GCM for regional climate simulations. *J. Meteor. Soc. Japan* **69** 723-728

Kondo J, Saigusa N and Sato T (1990) A parameterisation of the evaporation from bare soil surfaces. *J. Appl. Meteorol.* **29** 385-389.

Kowalczyk EA, Garratt JR and Krummel PB (1994) Implementation of a soil-canopy scheme into the CSIRO GCM – regional aspects of the model response. Tech. Pap. **32** 59pp. Commonwealth Sci. and Ind. Res. Org., Melbourne.

Krishnamurti TN, Ramanathan Y, Pan H-L, Pasch RJ and Molinari J (1980) Cumulus parameterization and rainfall rates. *Mon. Wea. Rev.* **108** 465-472.

Kuo HL (1974) Further studies of the parameterization of the influence of cumulus convection on large-scale flow. *J. Atmos. Sci.* **31** 1232-1240.

Lax PD and Wendroff B (1960) Systems of conservation laws. *Comm. Pure Appl. Math* **13** 217-237.

Leonard BP, Lock AP and MacVean MK (1996) Conservative explicit unrestricted-time-step multidimensional constancy-preserving advection schemes. *Mon. Wea. Rev.* **124** 2588-2606.

Leslie LM, Mills GA, Logan LW, Kelly GAM, McGregor JL, Gauntlett DJ, Sardie JM and Manton MJ (1985) A high resolution primitive equations NWP model for operations and research. *Australian Meteorological Magazine* **33** 11-35.

Leung LR, Wigmosta MS, Ghan SJ, Epstein DJ and Vail LW (1996) Application of a subgrid orographic precipitation/surface hydrology scheme to a mountain watershed. *J. Geophys. Res.* **101** 12803-12817.

Louis JF (1979) A parametric model of vertical eddy fluxes in the atmosphere. *Bound.-Layer Meteor.*, **17** 187-202.

Lynch AH, Chapman WL, Walsh JE and Weller G (1995) Development of a regional model of the western Arctic. *J. Climate* **8** 1555-1570.

Marinucci MR, Giorgi F, Beniston M, Wild M, Tschuck P, Ohmura A and Bernasconi A (1995). High resolution simulations of January and July climate over the western Alpine region with a nested regional climate system. *Theor. Appl. Climatol.* **51** 119-138.

Mason SJ, Lindesay JA and Tyson PD (1994) Simulating drought in southern Africa using sea surface temperature variations. *Water SA* **20** 15-22.

McDonald A (1984) Accuracy of Multiply-Upstream, Semi-Lagrangian Advective Schemes. *Mon. Wea. Rev.* **112** 1267-1275.

McDonald A (1987) Accuracy of Multiply-Upstream, Semi-Lagrangian Advective Schemes II. *Mon. Wea. Rev.* **115** 1446-1450.

McDonald A and Bates JR (1987) Improving the estimate of departure position in a two time-level semi-Lagrangian semi-implicit model. *Mon. Wea. Rev.* **115** 737-739.

McDonald A and Bates JR (1989) Semi-Lagrangian integration of a gridpoint shallow water model on the sphere. *Mon. Wea. Rev.* **117** 130-137.

McGregor JL and Leslie LM (1977) On the selection of grids for semi-implicit schemes. *Mon. Wea. Rev.* **105** 236-238.

McGregor JL, Leslie LM and Gauntlett DJ (1978) The ANMRC limited-area model: consolidated formulation and operational results. *Mon. Wea. Rev.* **106** 427-438.

McGregor JL (1987) Accuracy and initialization of a two-time-level split semi-Lagrangian model. In Short- and Medium-Range Numerical Weather Prediction, T. Matsunu (ed.). **Special Volume** of the *Journal of Meteorological Society of Japan*. 233-246.

McGregor JL and Walsh (1991) Summertime climate simulations for the Australian region using a nested model. Proc. Fifth Conf. on Climate Variations, Denver, CO, Amer. Meteor. Soc., 515-518.

McGregor JL (1993) Economical determination of departure points for semi-Lagrangian models. *Mon. Wea. Rev.* **121** 221-230.

MCGREGOR JL and WALSH K (1993) Nested simulations of perpetual January climate over the Australian region. *J. Geophys. Res.* **98** 23283-23290.

McGregor JL, Gordon HB, Watterson IG, Dix MR and Rotstayn LD (1993a) *The CSIRO 9-level Atmospheric General Circulation Model*. CSIRO Division of Atmospheric Research Technical Paper No. **26**, Aspendale, Vic, Australia. 89pp.

McGregor JL, Walsh KJ and Katzfey JJ (1993b) Nested modelling for regional climate studies. In: Jakeman AJ Beck MB McAleer MJ (eds.) *Modelling Change in Environmental Systems*. Chichester: John Wiley, pp. 367-386.

McGregor JL and Walsh KJ (1994) Climate change simulations of Tasmanian precipitation using multiple nesting. *J. Geophys. Res.* **99** 20889-20905.

McGregor JL (1996) Semi-Lagrangian advection on conformal-cubic grids. *Mon. Wea. Rev.* **124** 1311-1322.

McGregor JL (1997a) Regional climate modelling. *Meteorol. Atmos. Phys.* **63** 105-117.

McGregor JL (1997b) Semi-Lagrangian advection on a cubic gnomonic projection of the sphere. In *Numerical Methods in Atmospheric and Oceanic Modelling. The André J. Robert Memorial Volume*. C. Lin, R. Laprise and H. Ritchie, Eds. (companion volume to Atmos.-Ocean) 153-169.

McGregor JL (1999) Regional modelling at CAR: recent developments. BMRC Report No **75** 43-48.

Mesinger F and Arakawa A (1976) Numerical Methods used in Atmospheric Models. Volume 1. GARP Publications series No. 17 64 pp.

Miyakoda K, Hembree GD, Strickler RF and Shulman I (1972) Cumulative results for extended forecast experiments. I. Model performance for winter cases. *Mon. Wea. Rev.* **105** 236-238.

Morton (1971) Stability and convergence in fluid flow problems. *Proc. R. Soc. A* **323** 237-253.

Perkey DJ and Kreitzberg CW (1976) A time-dependant lateral boundary scheme for limited-area primitive equation models. *Mon.Wea.Rev.* **104** 744-755.

Podzun R, Cress A, Majewski D and Renner V (1995) Simulation of European Climate with a limited area model. Part II. AGCM boundary conditions. *Contrib. Atmos. Phys.* **68** 205-225.

Preston-Whyte RA (1969) Sea breeze studies in Natal. *S.A. Geogr. Jour.* **51** 38-48.

Purser RJ and Leslie LM (1988) A semi-implicsit, semi-Lagrangian finite-difference scheme using high-order spatial differencing on a non-staggered grid. *Mon.Wea.Rev* **116** 2069- 2080.

Qian J –H, Giorgil F and Fox-Rabinovitz M (1999) Regional stretched grid generation and its application to the NCAR RegCM. *J. Geophys. Res.* **104**.

Rash PJ, Boville BA and Brasseur GP (1995) A three-dimensional general circulation model with coupled chemistry for the middle atmosphere. *J. Geophys. Res.* **100** 9041-9071.

Rancic M, Purser RJ and Messinger F (1996) A global shallow-water model using an expanded spherical cube: Gnomonic versus conformal coordinates. *Quart. J. Roy. Meteo. Soc.* **122** 959-982.

Rautenbach CJdeW (1999) Introduction of a hybrid vertical co-ordinate to an Atmospheric General Circulation Model. Ph.D.-thesis, University of Pretoria, 149 pp.

Rautenbach CJdeW and Engelbrecht FA (2001) Klimaatevaluasie van die CSIRO-9 Merk II (R21) globale atmosferiese algemene sirkulasie model. Accepted conditionally by *SA Tydskrif vir Wetenskap en Kuns*.

Renwick JA, Katzfey JJ, Nguyen KC and McGregor JL (1997) Regional model simulations of New Zealand climate. *J. Geophys. Res.* **103** 5973-5982.

Ritchie H (1991). Application of the semi-Lagrangian method to a multilevel spectral primitive-equations model. *Quart. J. Roy. Meteor. Soc.* **117** 91-106.

Rivest C and Staniforth A (1994) Spurious Resonant Response of Semi-Lagrangian Discretizations to Orographic forcing: Diagnosis and Solution. *Mon. Wea. Rev.* **122** 366-376.

Robert A, Henderson J and Turnbull C (1972) An explicit time integration scheme for baroclinic models of the atmosphere. *Mon.Wea.Rev* **100** 329-335.

Robert A (1982) A semi-Lagrangian and semi-implicit numerical integration scheme for the primitive meteorological equations. *J. Meteor. Soc. Japan*, **60**, 319-325.

Rowlands IH (1998) *Climate change cooperation in Southern Africa*. Earthscan Publications Limited, London, UK 186 pp.

Sasaki H, Kida H, Koide T and Chiba M (1995) The performance of long term integrations of a limited area model with the spectral boundary coupling method. *J. Meteorol. Soc. Jpn.* **63** 165-181.

Schoenstadt AL (1980) A transfer function analysis of numerical schemes used to simulate geostrophic adjustment. *Mon. Wea. Rev.* **108** 1248-1259.

Schwarzkopf MD and Fels SB (1991) The simplified exchange method revisited: an accurate, rapid method for computation of infrared cooling rates and fluxes. *J. Geophys. Res.* **96** 9075-9096.

Simmons AJ and Hoskins BJ (1978). Stability of the Semi-Implicit Method of Time Integration. *Mon. Wea. Rev.* **106** 405-412.

Smolarkiewicz PK (1982) The multidimensional Crowley advection scheme. *Mon. Wea. Rev.* **113** 1050-1065.

Staniforth A, Côté J and Pudykiewicz J (1987) Comments on Smolarkiewicz's Deformational flow. *Mon. Wea. Rev.* **115** 894-900.

Staniforth A and Côté J (1991) Semi-Lagrangian integration schemes for atmospheric models-A review. *Mon. Wea. Rev.* **106** 439-477.

Tanguay M, Yakimiw E, Ritchie H and Robert A (1992) Advantages of spatial averaging in semi-implicit semi-Lagrangian schemes. *Mon. Wea. Rev.* **120** 113-123.

Tatsumi Y (1986) A spectral limited-area model with time-dependant lateral boundary conditions and its application to a multi-level primitive equation model. *J. Meteor. Soc. Japan* **64** 637-664.

Temperton C and Staniforth A (1987) An efficient two-time-level semi-Lagrangian semi-implicit integration scheme. *Quart. J. Roy. Meteor. Soc.* **113** 1025-1039.

Thuburn J (1993) Use of a flux-limited scheme for vertical advection in a GCM. *Quart. J. Roy. Meteor. Soc.* **119** 469-487.

Tyson PD (1966) Examples of local air circulations over Cato Ridge during July 1965. *S.A. Geogr. Jour.* **48** 13.

Tyson PD (1968) Southeasterly winds over Natal. *Jour. for Geogr.* **111** 237-246.

Tyson PD (1986) *Climatic Change and Variability over Southern Africa*. Oxford University Press, Cape Town, 220 pp.

Van Heerden J, Rautenbach CJdeW and Truter MM (1995) Techniques for seasonal and longer term rainfall prediction in South Africa. Water Research Commission Report No **373/1/92**, 1-51.

Vinnikov K Ya and Yeserkepova IB (1991) Soil moisture: empirical data and model results. *J. Climate* **4** 66-79.

Vukicevic T and Paegle J (1989) The influence of one-way interacting lateral boundary conditions upon predictability of flow in bounded numerical models. *Mon. Wea. Rev.* **117** 340-350.

Walsh K and McGregor JL (1995) January and July Climate simulations over the Australian region using a limited area model. *J. Climate* **8** 2387-2403.

Walsh K and McGregor JL (1996) Simulations of Antarctic Climate using a limited area model. *J. Geophys. Res.* **101** 19039-19108.

Walsh K and McGregor JL (1997) An assessment of simulations of climate variability over Australia with a limited area model. *Int. J. Climatol* **17** 201-223.

Welander P (1959) Studies of the general development of motion in a two-dimensional, ideal fluid. *Tellus* **7** 141-156.

Wiin-Nielsen A (1959) On the application of trajectory methods in numerical forecasting. *Tellus* **11** 180-196.