

# References

- [1] M. C. Brain and P. Cochrane, “Wavelength-routed optical networks using coherent transmission,” in *Proc. IEEE ICC*, (Philadelphia), pp. 26–31, Jun. 1988.
- [2] G. R. Hill, “A wavelength routing approach to optical communications networks,” in *Proc. IEEE INFOCOM*, (New Orleans), pp. 354–362, Mar. 1988.
- [3] S. Baroni and P. Bayvel, “Wavelength requirements in arbitrarily connected wavelength-routed optical networks,” *J. Lightwave Technol.*, vol. 15, pp. 242–251, Feb. 1997.
- [4] R. A. Barry and P. A. Humblet, “On the number of wavelengths and switches in all-optical networks,” *IEEE Trans. Commun.*, vol. 42, pp. 583–591, Feb.-Apr. 1994.
- [5] J. Doucette and W. D. Grover, “Influence of modularity and economy-of-scale effects on design of mesh-restorable DWDM optical networks,” *IEEE J. Select. Areas in Commun.*, vol. 18, pp. 1912–1923, Oct. 2000.
- [6] B. Mukherjee, D. Banerjee, S. Ramamurthy, and A. Mukherjee, “Some principles for designing a wide-area WDM optical network,” *IEEE/ACM Trans. Networking*, vol. 4, pp. 684–696, Oct. 1996.

- 
- [7] J. A. Bannister, L. Fratta, and M. Gerla, "Topological design of the wavelength-division optical network," in *Proc. IEEE INFOCOM*, (San Francisco), pp. 1005–1013, Jun. 1990.
- [8] R. J. Vetter, K. A. Williams, and D. H. C. Du, "Topological design of optically switched WDM networks," in *Proc. LCN*, (Minneapolis), pp. 114–127, Oct. 1991.
- [9] Y. Hu and M. Mezhoudi, "Cost effectively design an optical network based on optical signal noise ratio (OSNR) requirement," in *Proc. NFOEC*, (Baltimore), pp. 1035–1042, Jul. 2001.
- [10] R. Ramaswami and K. N. Sivarajan, "Design of logical topologies for wavelength-routed all-optical networks," in *Proc. IEEE INFOCOM*, (Boston), pp. 1316–1325, Apr. 1995.
- [11] L. Rapp and H. Jäger, "Physical and network aspects concerning the number of wavelengths in WDM systems," in *Proc. Int'l Zurich Seminar on Broadband Communication*, (Zurich), pp. 63–68, Feb. 1998.
- [12] T. K. Tan and J. K. Pollard, "Determination of minimum number of wavelengths required for all-optical WDM networks using graph colouring," *IEE Electron. Lett.*, vol. 31, pp. 1895–1897, Oct. 1995.
- [13] D. Banerjee and B. Mukherjee, "Wavelength-routed optical networks: Linear formulation, resource budgeting tradeoffs, and a reconfiguration study," in *IEEE/ACM Trans. Networking* (598-607, ed.), (5), 8, Oct. 2000.
- [14] D. R. Hjelm, A. Royset, and B. J. Slagsvold, "How many wavelengths does it take to build a wavelength routed optical network?," in *Proc. ECOC*, (Oslo), pp. 27–30, Sep. 1996.

- 
- [15] O. Gerstel, P. Lin, and G. Sasaki, "Combined WDM and SONET network design," in *Proc. IEEE INFOCOM*, (New York), pp. 734–743, Mar. 1999.
- [16] T. El-Bawab, M. O'Mahony, and A. Jayasumana, "A European multiwavelength optical network," in *Proc. ISCC*, (Alexandria), pp. 568–573, Jul. 1997.
- [17] A. D. Gazendam and F. W. Leuschner, "Statistical clustering in the design of logical topologies for wide-area optical networks," in *Proc. IEEE AFRICON*, (George), pp. 209–210, Oct. 2002.
- [18] T. E. Stern and K. Bala, *Multiwavelength optical networks: a layered approach*. Addison-Wesley, 1999.
- [19] R. C. Alferness, H. Kogelnik, and T. H. Wood, "The evolution of optical systems: Optics everywhere," *Bell Labs Tech. J.*, pp. 188–202, Jan.-Mar. 2000.
- [20] A. M. Glass, D. J. DiGiovanni, T. A. Strasser, A. J. Stentz, R. E. Slusher, A. E. White, A. R. Kortan, and B. J. Eggleton, "Advances in fiber optics," *Bell Labs Tech. J.*, pp. 168–187, Jan.-Mar. 2000.
- [21] Anritsu Corporation, *MS9720A WDM network tester datasheet: No. MS9720A-E-A-1-(3.00)*, February 2000.
- [22] A. D. Gazendam, "The application of MEMS technology in optical routers," tech. rep., University of Pretoria, South Africa, 2001.
- [23] A. N. Netravali, "When networking becomes second nature: the next 25 years...and beyond," *Bell Labs Tech. J.*, pp. 203–214, Jan.-Mar. 2000.
- [24] R. Ramaswami and K. N. Sivarajan, "Optimal routing and wavelength assignment in all-optical networks," in *Proc. IEEE INFOCOM*, (Toronto), pp. 970–979, Jun. 1994.

- 
- [25] American National Standards Institute, Inc., *T1.105-1995 Synchronous Optical Network (SONET) - Basic description including multiplex structure, rates, and formats*, Oct. 1995.
- [26] International Communication Union, *Recommendation G.707/Y.1322 - Network node interface for the synchronous digital hierarchy (SDH)*, Oct. 2000.
- [27] International Communication Union, *Recommendation G.692 - Optical interfaces for multichannel systems with optical amplifiers*, Oct. 1998.
- [28] G. Klaoudatos, M. Devetsikiotis, and I. Lambadaris, “Automated modeling of broadband network data using the QTES methodology,” in *Proc. IEEE ICC*, (Vancouver), pp. 397–403, Jun. 1999.
- [29] N. K. Groschwitz and G. C. Polyzos, “A time series model of long-term NSFNET backbone traffic,” in *Proc. IEEE ICC*, (New Orleans), pp. 1400–1404, May 1994.
- [30] S. Basu, A. Mukherjee, and S. Klivansky, “Time series models for internet traffic,” in *Proc. IEEE INFOCOM*, (San Francisco), pp. 611–620, Mar. 1996.
- [31] K. C. Claffy, G. C. Polyzos, and H.-W. Braun, “Traffic characteristics of the T1 NSFNET backbone,” in *Proc. IEEE INFOCOM*, (San Francisco), pp. 885–892, Mar. 1993.
- [32] R. Dutta and G. N. Rouskas, “On optimal traffic grooming in WDM rings,” in *Proc. ACM SIGMETRICS*, (Cambridge), pp. 164–174, Jun. 2001.
- [33] O. Gerstel, R. Ramaswami, and G. H. Sasaki, “Cost-effective traffic grooming in WDM rings,” *IEEE/ACM Trans. Networking*, vol. 8, pp. 618–630, Oct. 2000.
- [34] X. Zhang and C. Qiao, “An effective and comprehensive approach for traffic grooming and wavelength assignment in SONET/WDM rings,” *IEEE/ACM Trans. Networking*, vol. 8, pp. 608–617, Oct. 2000.

- 
- [35] H.-W. Tzeng, J.-L. Chen, and N.-K. Chen, "Traffic grooming in WDM networks using genetic algorithm," in *Proc. SMC*, (Tokyo), pp. I.1003–1006, Oct. 1999.
- [36] J. Wang, V. R. Vemuri, W. Cho, and B. Mukherjee, "Improved approaches for cost-effective traffic grooming in WDM ring networks: Non-uniform traffic and bidirectional ring," in *Proc. IEEE ICC*, (New Orleans), pp. 1295–1299, June 2000.
- [37] B. J. Wilson, N. G. Stoffel, J. L. Pastor, M. J. Post, K. H. Liu, T. Li, K. A. Walsh, J. Y. Wei, and Y. Tsai, "Multiwavelength optical networking management and control," *J. Lightwave Technol.*, vol. 18, pp. 2038–2057, Dec. 2000.
- [38] Y. Wang and Y. Yang, "Multicasting in a class of multicast-capable WDM networks," in *Proc. IEEE ICCCN*, (Las Vegas), pp. 184–191, Oct. 2000.
- [39] S. Baroni, P. Bayvel, and J. E. Midwinter, "Influence of physical connectivity on the number of wavelengths in dense wavelength-routed optical networks," in *Proc. OFC*, (San Jose), pp. Tu.25–26, Feb. 1996.
- [40] C. Zhou and Y. Yang, "Multicast communication in a class of wide-sense nonblocking optical WDM networks," in *Proc. IEEE ICCCN*, (Lafayette), pp. 321–328, Oct. 1998.
- [41] S. Baroni and P. Bayvel, "Key topological parameters for the wavelength-routed optical network design," in *Proc. ECOC*, (Oslo), pp. 2.277–280, Sep. 1996.
- [42] V. Anand and C. Qiao, "Dynamic establishment of protection paths in WDM networks, part I," in *Proc. IEEE ICCCN*, (Las Vegas), pp. 198–204, Oct. 2000.
- [43] J. Cao, S. Vander Wiel, B. Yu, and Z. Zhu, "A scalable method for estimating network traffic matrices from link counts," tech. rep., Bell Laboratories, Lucent Technologies, 2001.

- 
- [44] R. Chaki and U. Bhattacharya, "Design of a new scalable topology for multihop optical networks," in *Proc. IEEE TENCON*, (Kuala Lumpur), pp. II.482–487, Sep. 2000.
- [45] M. W. Maeda, "Management and control of transparent optical networks," *IEEE J. Select. Areas in Commun.*, vol. 16, pp. 1008–1023, Sep. 1998.
- [46] A. W. Bragg and W. Chou, "Real-time computation of empirical autocorrelation, and detection of non-stationary traffic conditions in high-speed networks," in *Proc. IEEE ICCCN*, (Las Vegas), pp. 212–219, Sep. 1995.
- [47] W. S. Cleveland and D. X. Sun, "Internet traffic data," *J. American Statistical Association*, vol. 95, no. 451, pp. 979–985, 2000.
- [48] American National Standards Institute, Inc., *T1.105.01-2000 Synchronous Optical Network (SONET) - Automatic Protection Switching*, Mar. 2000.
- [49] E. Drakopoulos, "Enterprise network planning and design: Methodology and application," white paper, Bell Laboratories, Lucent Technologies, 1999.
- [50] S. Baroni, P. Bayvel, and R. J. Gibbens, "Restoration capacity for resilient wavelength-routed optical transport networks," in *Proc. IEEE/LEOS Summer Topical Meetings*, pp. 31–32, 1998.
- [51] O. Crochat and J.-Y. Le Boudec, "Design protection for WDM optical networks," *IEEE J. Select. Areas in Commun.*, vol. 16, pp. 1158–1165, Sep. 1998.
- [52] S. Gangxiang, S. K. Bose, C. Tee Hiang, and L. Chao, "Designing wdm optical network for reliability: Routing light paths efficiently for path protection," in *Proc. OFC*, (Baltimore), pp. Th.50–52, Mar. 2000.

- 
- [53] T. Shiragaki and H. Saito, "Optimum protection architectures for reliable dense-WDM lightwave networks," in *Proc. IEEE ICC*, (Atlanta), pp. 181–186, Jun. 1998.
- [54] I. Rubin and J. Ling, "Failure protection methods for optical meshed-ring communications networks," *IEEE J. Select. Areas in Commun.*, vol. 18, pp. 1950–1960, Oct. 2000.
- [55] S. Baroni, P. Bayvel, R. J. Gibbens, and S. K. Korotky, "Analysis and design of resilient multifiber wavelength-routed optical transport networks," *J. Lightwave Technol.*, vol. 17, pp. 743–758, May 1999.
- [56] D. Mitra and Q. Wang, "Generalized network engineering: Optimal pricing and routing for multi-service networks," tech. rep., Bell Laboratories, Lucent Technologies, 2001.
- [57] A. Fumagalli, I. Cerutti, M. Tacca, D. Montgomery, I. Chlamtac, and K. Pathak, "CATO: Trans-layer dense wavelength division multiplexing (DWDM) network optimization," in *Proc. OFC*, (Baltimore), pp. 378–380, Mar. 2000.
- [58] M. C. Sinclair, "NoMaD: an optical network optimisation, modelling and design toolset," tech. rep., Department of Electrical Systems Engineering, University of Essex, UK, 1998.
- [59] J. H. Ward, "Hierarchical grouping analysis for applications," *J. American Statistical Association*, vol. 58, pp. 236–244, 1963.
- [60] Statistics South Africa, *Statistical release P9149: Remuneration of employees and turnover according to the levies received by district councils, metropolitan councils and regional councils by magisterial district - Quarter ended 31 March 2001*, June 2001.

- [61] P. Schmitz and T. Stylianides, "Mapping crime levels and court efficiency per magisterial district in South Africa," in *Proc. International Crime Mapping Research Conference*, (Denver), Dec. 2002.

# Bibliography

- M. Ali, *Transmission-efficient design and management of wavelength-routed optical networks*. Kluwer Academic Publishers, 2001.
- R. Bhandari, *Survivable networks: algorithms for diverse routing*. Kluwer Academic Publishers, 1999.
- Edited by G. De Marchis and R. Sabella, *Optical networks: design and modelling*. Kluwer Academic Publishers, 1999.
- D. Derickson, *Fiber optic test and measurement*. Prentice Hall PTR, 1998.
- W. Goralski, *Optical networking & WDM*. Osborne/McGraw-Hill, 2001.
- G. Keiser, *Optical fiber communications*. McGraw-Hill, 2000.
- J.M. Senior, *Optical fiber communications: principles and practice*. Prentice Hall, 1985.
- Edited by K.M. Sivalingam and S. Subramaniam, *Optical WDM networks: principles and practice*. Kluwer Academic Publishers, 2000.
- T.E. Stern and K. Bala, *Multiwavelength optical networks: a layered approach*. Addison-Wesley, 1999.