

Diversity and phytogeography of the moss flora of southern Africa

Part 1 Text

by

Jacques van Rooy

Submitted in partial fulfilment of the requirements for the degree

Philosophiae Doctor

in the Faculty of Natural, Agricultural and Information Sciences

(Department of Botany)

University of Pretoria

Pretoria

Promotor: Prof. Dr. A.E. van Wyk

March 2000



b14314535

Diversity and phylogeography of the moss flora
of southern Africa

Part I Text

by
Jacques van Rooy

Submitted in partial fulfillment of the requirements for the degree

Philosophiae Doctor

in the Faculty of Natural, Agricultural and Information Sciences
(Department of Botany)

University of Pretoria
Pretoria

Promotor: Prof. Dr. A.E. van Wyk

AKADEMIESE INLIGTINGSDIENS UNIVERSITEIT VAN PRETORIA	
2000-07-18	
Klaasnommer	ZAPR. 588.096 8
Aanwinstnommer	115276097 VAN ROOY

Brief Table of Contents

PART 1 TEXT

List of tables iii

List of figures vi

Chapter 1 Introduction 1

Chapter 2 Materials and methods 12

Chapter 3 Diversity and endemism in the moss flora of southern 32

Chapter 4 Bryogeographic regions in southern Africa 109

Chapter 5 Floristic elements in the moss flora of southern Africa 189

Chapter 6 General discussion and conclusions 246

Summary 255

Opsomming 257

Literature references 259

Acknowledgements 302

Curriculum vitae 303

PART 2 TABLES, FIGURES, AND APPENDICES

Tables 308

Figures 344

Appendices 413

I A revised checklist of the mosses of southern Africa 413

II The moss floras of the bryogeographic (floristic) regions (TWINSPAN
5+) of southern Africa 442

III Composition of the bryogeographic (floristic) elements (TWINSPAN
3+) of southern Africa 475

List of Tables

- Table 1.** Selected literature references to several aspects of the study area 308
- Table 2.** Some of the most important and most recent checklists and related publications consulted for the world distributions of southern African mosses in the MOSS database 309
- Table 3.** Number of genera and species/infraspecific taxa, and the largest genera and their number of species/infraspecific taxa, in the 54 families of southern African mosses. Families are in alphabetical order 312
- Table 4.** Numbers and percentages of southern African mosses in the African regions of Hollis & Brummit (1992) 314
- Table 5.** The 10 (11) largest moss families in southern Africa according to the number of genera in each. The number of species in each family as well as the largest genus, with its number of species, are also listed 315
- Table 6.** The 10 largest moss families in southern Africa according to the number of species in each 316
- Table 7.** The 10 largest southern African moss genera according to the number of species/infraspecific taxa each 316
- Table 8.** The 10 most frequently collected mosses in southern Africa according to the number of specimens in PRECIS 317
- Table 9.** The 10 moss species in PRECIS which occur in the largest number of grid squares 317
- Table 10.** List of aquatic/semi-aquatic mosses in Glen *et al.* (1999) 318
- Table 11.** Endemism in the moss families of southern Africa 321
- Table 12.** Species/infraspecific endemism in the moss genera in southern Africa 323
- Table 13.** Comparison between moss and vascular plant diversity and endemism in the Flora of Southern Africa area 330
- Table 14.** Floristic diversity and endemism in the four bryogeographic Regions of southern Africa 331
- Table 15.** Floristic diversity and endemism in the eight bryogeographic Domains of southern Africa 332

- Table 16.** Comparison between the moss flora (this study) and vascular plant flora (Goldblatt 1978 and White 1983, as summarised by Beentje *et al.* 1994) of the Zambezian Region (regional centre of endemism) 334
- Table 17.** Comparison between the moss flora of the Afromontane Region (this study) and the vascular plant floras of the (whole) Afromontane archipelago-like regional centre of endemism (Region) of White (1983), and the Maputaland-Pondoland Region of Van Wyk (1994) as summarised by Beentje *et al.* (1994) 334
- Table 18.** Comparison between the moss flora of the Drakensberg Domain and the flora of the Maputaland-Pondoland Region of Van Wyk (1994) as summarised by Beentje *et al.* (1994) 335
- Table 19.** Comparison between the moss flora of the Cape Domain and the vascular plant flora of the Cape Region (Bond & Goldblatt 1984) 335
- Table 20.** Comparison between the moss flora (this study) and vascular plant flora (White 1983, Hilton-Taylor 1987) of the Karoo-Namib Region 335
- Table 21.** Comparison between the moss flora (this study) and vascular plant flora (Hilton-Taylor 1996) of the Western Cape Domain 336
- Table 22.** Comparison between the moss flora of the Highlands Region (this study) and the vascular plant flora of the Kalahari-Highveld transition zone (White 1983) 336
- Table 23.** Comparison between the moss flora (this study) and vascular plant flora (Killick 1994, Beentje *et al.* 1994) of the Drakensberg Alpine Domain (Region) 336
- Table 24.** Eigenvalues and gradient lengths (in SD units) for the four principal axes of the TWINSPAN 3+ and TWINSPAN 5+ DCA ordinations 337
- Table 25.** Abundance of the Eastern Highlands Element in the Biomes of southern Africa 337
- Table 26.** Abundance of the Cape Element in the Biomes of southern Africa 338
- Table 27.** Abundance of the Afromontane Grassland Element in the Biomes of southern Africa 338
- Table 28.** Abundance of the Afromontane Forest Element in the Biomes of southern Africa 339

- Table 29.** Abundance of the Mont Aux Sources Subelement in the Biomes of southern Africa 339
- Table 30.** Abundance of the Widespread Subelement in the Biomes of southern Africa 340
- Table 31.** Abundance of the West Coast Subelement in the Biomes of southern Africa 340
- Table 32.** Abundance of the Boland Subelement in the Biomes of southern Africa 341
- Table 33.** Abundance of the Disjunct Cape Peninsula Subelement in the Biomes of southern Africa 341
- Table 34.** Abundance of the Drakensberg Subelement in the Biomes of southern Africa 342
- Table 35.** Abundance of the Widespread Afromontane Subelement in the Biomes of southern Africa 342
- Table 36.** Abundance of the Tropical Afromontane Subelement in the Biomes of southern Africa 343
- Table 37.** Percentages of FSA endemics in the Elements and Subelements of southern African mosses 343

List of Figures

- Figure 1.** The Flora of Southern Africa (study) area 344
- Figure 2.** The Biomes of southern Africa according to Rutherford & Westfall (1986) and Rutherford (1997) 345
- Figure 3.** The geographic area in southern Africa from which less than five species/infraspecific taxa have been recorded 346
- Figure 4.** Centres of vascular plant diversity and endemism in southern Africa, from Van Wyk & Van Wyk (1997) 347
- Figure 5.** The geographic distribution of southern African moss families showing the number of families per $\frac{1}{2}^{\circ}$ grid square 348
- Figure 6.** The geographic distribution of southern African moss genera showing the number of genera per $\frac{1}{2}^{\circ}$ grid square 349
- Figure 7.** The geographic distribution of southern African mosses showing the number of species/infraspecific taxa per $\frac{1}{2}^{\circ}$ grid square 350
- Figure 8.** The joint geographic distribution of southern African mosses with the number of moss species/infraspecific taxa per $\frac{1}{2}^{\circ}$ grid square divided into six intervals 351
- Figure 9.** Centres of moss species/infraspecific diversity in southern Africa 352
- Figure 10.** Venn diagram showing the distribution of southern African moss species/infraspecific taxa in the three basic types of substrate (saxicolous, terricolous and corticolous) 353
- Figure 11.** Altitudinal distribution of southern African mosses as represented by specimen data in PRECIS 354
- Figure 12.** Altitudinal distribution of southern African mosses, as represented by specimen data in PRECIS, along a geographic transect in KwaZulu-Natal 355
- Figure 13.** The geographic distribution of the moss genera (and family) endemic to the Flora of Southern Africa area 356
- Figure 14.** The geographic distribution of southern African endemics (moss species/infraspecific taxa endemic to the FSA area) showing the number of endemics per $\frac{1}{2}^{\circ}$ grid square 357
- Figure 15.** Centres of moss endemism in southern Africa 358

- Figure 16.** The distribution of narrow moss endemics (species/infraspecific taxa more or less restricted to an area the size of 1° grid square) per ½° grid square, showing the centres of narrow moss endemism in southern Africa 359
- Figure 17.** The *main phytochoria of Africa and Madagascar* according to White (1983) 360
- Figure 18.** The *Biogeographical Provinces of the Afrotropical Realm* according to Udvardy (1975) 361
- Figure 19.** The *phytochorological subdivision of southern Africa* according to Werger (1978) 362
- Figure 20.** The *phytogeographical division of Africa* by Denys (1979, 1980) 363
- Figure 21.** The seven *Mountain Domains of the Afromontane Region* according to Denys (1979) 364
- Figure 22.** The *phytogeographical regions of southern Africa* according to Goldblatt (1978) and Cowling & Hilton-Taylor (1997) 365
- Figure 23.** The *Florenreiche* of Herzog (1926) as mapped by Miller (1982) 366
- Figure 24.** The *phytogeographical division of Africa, Madagascar and neighbouring islands* by Ochi (1973) 367
- Figure 25.** The *bryofloristic kingdoms of the world* according to Schofield (1992) 368
- Figure 26.** Dendrogram of the TWINSPAN Complete classification of grid squares into bryofloristic regions 369
- Figure 27.** The bryogeographic regions delimited at the first three divisions of the TWINSPAN Complete grid classification (regions 1/2, 2/1 and 3/2 or end groups 1, 10 and 11) 370
- Figure 28.** The two main bryogeographic regions in southern Africa (regions 4/2 and 4/3) as delimited by the TWINSPAN Complete grid classification (4th level of division, regions 2 & 3) 371
- Figure 29.** The four main bryogeographic regions in southern Africa (regions 5/2, 5/3, 5/4 and 5/5) as delimited by the TWINSPAN Complete grid classification (5th level of division, groups 2–5) 372
- Figure 30.** The eight main bryogeographic regions in southern Africa (end groups or regions 2-9) delimited by the TWINSPAN Complete grid classification 373

- Figure 31.** Dendrogram of the TWINSPAN 3+ classification of grid squares into bryofloristic regions 374
- Figure 32.** The two main bryogeographic regions in southern Africa (regions 1/1 and 1/2) as delimited by the TWINSPAN 3+ grid classification (1st level of division, groups 1 & 2) 375
- Figure 33.** The Bryogeographic Regions of southern Africa as delimited by the TWINSPAN 3+ grid classification (2nd level of division, groups 1–4) 376
- Figure 34.** The Bryogeographic Domains of southern Africa as delimited by the TWINSPAN 3+ grid classification (3rd level of division, groups 1–8) 377
- Figure 35.** Dendrogram of the TWINSPAN 5+ classification of grid squares into bryofloristic regions 378
- Figure 36.** The two main bryogeographic regions in southern Africa (regions 1/1 and 1/2) as delimited by the TWINSPAN 5+ grid classification (1st level of division, groups 1 & 2) 379
- Figure 37.** The Bryogeographic Regions of southern Africa as delimited by the TWINSPAN 5+ grid classification (2nd level of division, groups 1–4) 380
- Figure 38.** The Bryogeographic Domains of southern Africa as delimited by the TWINSPAN 5+ grid classification (3rd level of division, groups 1–8) 381
- Figure 39.** Hierarchical classification of the bryofloristic Regions and Domains of southern Africa 382
- Figure 40.** Distribution of TWINSPAN 5+ Regions along the first two axes of a DCA ordination of TWINSPAN 5+ grid squares 383
- Figure 41.** Geographic patterns of change in the composition of the moss floras of the TWINSPAN 3+ regions along DCA ordination axis 1 384
- Figure 42.** Geographic patterns of change in the composition of the moss floras of the TWINSPAN 3+ regions along DCA ordination axis 2 385
- Figure 43.** Geographic patterns of change in the composition of the moss floras of the TWINSPAN 3+ regions along DCA ordination axis 3 386
- Figure 44.** Geographic patterns of change in the composition of the moss floras of the TWINSPAN 3+ regions along DCA ordination axis 4 387
- Figure 45.** Geographic patterns of change in the composition of the moss floras of the TWINSPAN 5+ regions along DCA ordination axis 1 388

- Figure 46.** Geographic patterns of change in the composition of the moss floras of the TWINSPAN 5+ regions along DCA ordination axis 2 389
- Figure 47.** Geographic patterns of change in the composition of the moss floras of the TWINSPAN 5+ regions along DCA ordination axis 3 390
- Figure 48.** Geographic patterns of change in the composition of the moss floras of the TWINSPAN 5+ regions along DCA ordination axis 4 391
- Figure 49.** Dendrogram of the TWINSPAN 3+ classification of species into bryofloristic elements 392
- Figure 50.** The geographic distribution of bryofloristic element 1/1 (TWINSPAN 3+ species classification, 1st level of division, group 1) 393
- Figure 51.** The geographic distribution of bryofloristic element 1/2 (TWINSPAN 3+ species classification, 1st level of division, group 2) 394
- Figure 52.** The geographic distribution of the Eastern Highlands Element or element 2/1 (TWINSPAN 3+ species classification, 2nd level of division, group 1) 395
- Figure 53.** The geographic distribution of the Cape Element or element 2/2 (TWINSPAN 3+ species classification, 2nd level of division, group 2) 396
- Figure 54.** The geographic distribution of the Afromontane Grassland Element or element 2/3 (TWINSPAN 3+ species classification, 2nd level of division, group 3) 397
- Figure 55.** The geographic distribution of the Afromontane Forest Element or element 2/4 (TWINSPAN 3+ species classification, 2nd level of division, group 4) 398
- Figure 56.** The geographic distribution of the Mont Aux Sources Subelement or element 3/1 (TWINSPAN 3+ species classification, 3rd level of division, group 1) 399
- Figure 57.** The geographic distribution of the Widespread Subelement or element 3/2 (TWINSPAN 3+ species classification, 3rd level of division, group 2) 400
- Figure 58.** The geographic distribution of the West Coast Subelement or element 3/3 (TWINSPAN 3+ species classification, 3rd level of division, group 3) 401
- Figure 59.** The geographic distribution of the Boland Subelement or element 3/4 (TWINSPAN 3+ species classification, 3rd level of division, group 4) 402

- Figure 60.** The geographic distribution of the Disjunct Cape Peninsula Subelement or element 3/5 (TWINSpan 3+ species classification, 3rd level of division, group 5) 403
- Figure 61.** The geographic distribution of the Drakensberg Subelement or element 3/6 (TWINSpan 3+ species classification, 3rd level of division, group 6) 404
- Figure 62.** The geographic distribution of the Widespread Afromontane Subelement or element 3/7 (TWINSpan 3+ species classification, 3rd level of division, group 7) 405
- Figure 63.** The geographic distribution of the Tropical Afromontane Subelement or element 3/8 (TWINSpan 3+ species classification, 3rd level of division, group 8) 406
- Figure 64.** Hierarchical classification of the bryofloristic Elements and Subelements of southern Africa 407
- Figure 65.** Summarized two-way table of the TWINSpan 3+ results 408
- Figure 66.** Distribution of TWINSpan 3+ Elements along the first two axes of a DCA ordination of TWINSpan 3+ species 409
- Figure 67.** Geographic distribution of species with extreme low (negative) and extreme high (positive) values along the first DCA axis of the TWINSpan 3+ species ordination 410
- Figure 68.** Geographic distribution of species with extreme low (negative) and extreme high (positive) values along the 3rd DCA axis of the TWINSpan 3+ species ordination 411
- Figure 69.** Geographic distribution of species with extreme low (negative) and extreme high (positive) values along the 4th DCA axis of the TWINSpan 3+ species ordination 412