

REFERENCES

- AGANGA, A.A. & AUTLWETSE, M.N., 2000. Utilization of sorghum forage, millet forage, veldt grass and buffel grass by Tswana sheep and goats when fed *Lablab purpureus* as protein supplement. *Asian-Aust. J. Anim. Sci.* 13: 1035-1188.
- AGARWAL, S.K. & RASTOGI, R.P., 1974. Triterpenoid saponins and their genus. *Phyto-Chem.*, 13: 2623-2645.
- AHN, J.H., ROBERTSON, B.M., ELLIOT, R., GUTTERIDGE, R.C. & FORD, C.W., 1989. Quality assessment of tropical browse legumes: Tannin and protein degradation. *Anim. Feed Sci. Technol.* 27: 147-156.
- AKIN, D.E., ROBINSON, E.L., BARTON, F.E. & HIMMELSBACH, D.S., 1977. Changes with maturity in anatomy, histochemistry, chemistry and tissue digestibility of bermudagrass plant parts. *J. Agric. Food Chem.*, 25: 179-186.
- ALLEN, M. & OBA, M., 1996. Fiber digestibility of forages. 7th Minnesota Nutrition Conference Protiva Tech. Symp. Ext. Special Programs, Bloomington, MN. Univ. Minnesota, St Paul. pp. 151-171.
- ANDREWS, F.W., 1952. The flowering plants of the Anglo-Egyptian Sudan. J. Bunge and Co., Scotland.
- A.O.A.C., 1990. Official methods of analyses (15th ed.). Association of Official Analytical Chemist., Virginia: U.S.A.
- BALLARD, R.A., SIMPSON, R.J. & PEARCE, G.R., 1990. Losses of the digestible components of annual ryegrass (*Lolium rigidum* Gaudin) during senescence. *Aust. J. Agric. Res.* 41: 719-731.

BAMUALIM, A., JONES, R.J. & MURRAY, R.M., 1980. Nutritive value of tropical browse legumes in the dry season. *Proc. Aust. Soc. Anim. Prod.* 13: 229-232.

BAMUALIM, A., 1981. Nutritive value of some tropical browse species in the wet and dry season. M.Sc. dissertation. James Cook. University of Queensland. No. 167.

BARRY, T.N. & BLANEY, B.J., 1987. Secondary compounds of forage. Eds. Hacker, J.B. & Ternouth, J.H., *Nutrition of Herbivores*, Academic Press, Australia, pp. 91-119.

BARTHA, R., 1970. *Fodder plants of the Sahel Zone of Africa*, Weltforum Verlag, Munchen.

BERG, C.C. & HILL, R.R., 1989. Maturity effect on yield and quality of spring harvested orchard grass forage. *Crop Sci.* 29: 944-948.

BLAXTER, K.L., WAINMAN, F.W. & WILSON, R.S., 1961. The regulation of food intake by sheep. *Anim. Prod.* 3: 51-61.

BRANSBY, D.I., 1989. Composition in the design and conduct of grazing experiments. In: *Grazing research: design, methodology and analysis*. CSSA special publication no.16.

BREWBAKER, J.L., HEDGE, N., HUTTON, E.N., JONES, R.J., LOWRY, J.B., MOOG, F. & VAN DEN BELDT, R., 1985. *Leucaena – Forage Production and Use*. NFTA, Hawaii. pp. 39.

BREWBAKER, J.L., 1986. Nitrogen fixing trees for fodder and browse in Africa. In: *Alley farming in humid and sub-humid tropics*. Eds. Kang, B.T. & Raymonds, L. Proceedings of a workshop held at Ibadan, Nigeria, 10-14 March 1986. IDRC, Ottawa, pp. 55-70.

BULO, D., WARREN, B.E. & IVORY, D.A., 1985. Nutritive value assessment of grass and legume species Balai Penelitian Ternak, Ciawi, Indonesia. Annual Report- Forage Research Project. pp. 40-41.

BUXTON, D.R., MERTENS, D.R. & MOORE, K.J., 1995. Forage quality for ruminants: Plant and animal considerations. *Prod. Anim. Sci.* 11: 121.

CAMPLING, R.C. & LEAN, I.J., 1983. Food characteristics that limit voluntary intake. In: Nutritional Physiology of Farm Animals. Eds. Rook, J.A.F. & Thomas, P.C., Longman, London.

CATCHPOOLE, V.R. & HENZELL, E.F., 1971. Silage and silage making from tropical herbage species, *Herbage Abstr.* 41: 213-221.

CHEEKE, P.R., 1995. Biological effects of feed and forage saponins and their impact on animal production. Symposium on saponins: Chemistry and biological activity, *American Chemical Society*, Chicago, August 22-25.

CHESWORTH, J., 1992. The tropical agriculturalist. CTA. Wageningen. The Netherlands. pp.170.

CHURCH, D.C., 1980. Digestive physiology and nutrition of ruminants. Vol: 3, Practical nutrition. 2nd edition Prentice- Hall, New Jersey.

COLEMAN, S.W., LIPPKE, H.G. & GILL, M., 1990. Estimating the nutritive potential of forages. In: Nutritional Ecology of Herbivores. Eds. Jung, H.G. & Fahey, G.C., *Proc. 5th Int. Symp. Nutr. Herb. American Soc. Anim. Sci.*, Illinois, pp. 647-695.

CROWDER, L.V. & CHHEDA, H.R., 1982. Tropical grassland husbandry. Longman; London and New York.

DADO, R.G. & ALLEN, M.S., 1996. Enhanced intake and production of cows offered ensiled alfalfa with higher digestibility. *J. Dairy Sci.* 79: 418-428.

DEVENDRA, C., 1988. Forage supplements: Nutritional significance and utilization for draught, meat and milk production in buffaloes. Proceedings Second World Buffalo Congress, Indian Council of Agricultural Research, New Delhi, Vol. 2 pp. 409-423.

DEVENDRA, C., 1989. The nutrition of and feeding strategies for sheep in Asia: In: *Proc. Sheep Prod. in Asia*. Philippines Council for Agriculture Research and Development Resource. Eds. Devendra, C. & Faylon, P.S. Book Series No. 80, pp. 21-42.

DIAS FILHO, M.B., CRSI, M., CUSSATO, S. & PINHEIRO C., 1991. *In vitro* organic matter digestibility and crude protein content of *Panicum maximum* jacq. cv. *tobiata* under water stress. *Pesqui. Agropecu. Bras.* 26(10): 1725-1729.

D'MELLO, J.P.F. & ACAMOVIC, T., 1989. *Leucaena leucocephala* in poultry nutrition. *Anim. Feed Sci. Technol.* 26: 1-28.

DOUGALL, H.W, DRYSDALE, V.M. & GLOVER, P.E., 1964. The chemical composition of Kenya browse and pasture forage. *E. Afr. Wildlife J.* 2: 85-125.

DOUGALL, H.W. & BODGAN, A.V., 1958. The chemical composition of the grasses of Kenya. *E. Afr. Agric. J.* 25: 17-23.

DOUGALL, H.W. & BODGAN, A.V., 1966. The chemical composition of some leguminous plants grown in the herbage nursery at Kitale, Kenya, *E. Afr. Agric. J.* 32. No.1: 45-49.

DUKE, J.A., 1977. Phytotoxin tables. *CRC Critical Reviews in Toxicology* 5: 189-237.

DUKE, J.A., 1983. Handbook of Energy Crops. <http://www.hort.purdue.edu/newcrop/duke-energy/medicago-sativa.html#cultivation>.

EAGAN, A.R., WANAPAT, M., DOYLE, P.T., DIXON, R.M. & PEARCE, G.R., 1986. Production limitation of intake, digestibility and of passage. In: Forage in Southeast Asia and South Pacific Agriculture. Eds. Blair, G.J., Ivory, D.A. & Evans, T.R., ACIAR Proceedings No.12 Canberra, pp. 104-110.

ENGELS, E.A.N. & VAN DER MERWE, F.J., 1967. Application of an *in vitro* technique to South African forages with special reference to the effect of certain factors on the result. *S. Afr. J. Agric. Sci.* 10, 983.

ENGELS, E.A.N., 1972. A study of the nutritive value of natural and sown pastures in the Central Orange Free State with special reference to the energy requirements of sheep. PhD. Thesis, University of Stellenbosch.

EVANS, D.O. & ROTAR, P.P., 1987. Productivity of *Sesbania* species. *Trop. Agric. (Trinidad)* 64: 193-200.

EVANS, T.R. & WILSON, J.R., 1984. Some responses of grasses to water stress and their implications for herbage quality and animal liveweight gain. In: The Impact of Climate on Grasses Production and Quality. Eds. H. Riley & A.O. Skjelvag, Norwegian State *Agric Res.* St. As, Norway.

EVANS, D.O., 2002. Sustainable Agriculture in Hawaii. Green Manure: Legume. Lablab. <http://www.2.ctahr.Hawaii.edu/sustainag/sustainableAg/Greenmanure/lablab.asp>.

EVERIST, S.L., 1969. Use of fodder trees and shrubs. Queensland Department of Primary Industry, Advisory leaflet: No. 1024.

FACHNEY, G.J., 1992. Application of the double-marker method for measuring digesta kinetics to rumen sampling in sheep following a dose of the markers or the end of their continuous infusion. *Aust. J. Agric. Res.* 28: 1055.

FORBES, J.M., 1986. The voluntary food intake of farm animals. Butterworths, London.

FORBES, J.M., 1995. Voluntary food intake and diet selection in farm animals. CAB International, Wallingford, UK.

FORD, C.W., MORRISON, I.M. & WILSON, J.R., 1979. Temperature effects on lignin, hemicellulose and cellulose in tropical and temperate grasses. *Aust. J. Agric. Res.* 47: 453-464.

FORWOOD, J.R., MATCHES, A.G. & NELSON, C.J., 1988. Forage yield, non-structural carbohydrates levels, and quality trends of Caucasian Bluestem. *Agron. J.* 80: 135-139.

FOX, D.G., SNIFFEN, C.J., O'CONNOR, J.D., RUSSELL, J.B. & VAN SOEST, P.J., 1990. The Cornell net carbohydrates and protein system for evaluating cattle diets. Search Agriculture. Cornell University. *Agric. Exp. Stn. No. 34.* Ithaca. N.Y.

GARTNER, R.J.W. & HURWOOD, I.S., 1976. The tannin and oxalic contents of *Acacia aneura* and their possible effects on sulphur and calcium availability. *Aust. Vet. J.* 52: 194-196.

GILL, M. & ROMNEY, D., 1994. The relationship between the control of meal size and the control of daily intake in ruminants. *Livestock Prod. Sci.* 39: 13-18.

GOODCHILD, A.V., 1990. Use of leguminous foliage to supplement low quality roughage for ruminants. PhD thesis, The University of Queensland.

GUPTA, P.C. & PRADHAN, K., 1975. A note on the comparative nutritive value of legume and non-legume forage. *Indian J. Anim. Sci.* 45: 290-291.

GUTTERIDGE, R.C. & SHELTON, H.M., 1994. Forage Tree legume in tropical agriculture. CAB. International. Wallingford. Oxon, UK.

HAAFAT, M.A. & HASSANI, M., 1966. Paper presented to the Arab Scientific Congress, Baghdad.

HAUDE, M.E., 1997. Identification and classification of colorants used during Mexico's early Colonial period. Book and Paper Group Annual Vol. 16. The American Institute of Conservation, pp 16-05.

HEANEY, D.P., PRITCHARD, G.I. & PIGDEN, W.J., 1968. Variability in *ad libitum* forage intake by sheep. *J. Anim. Sci.* 27: 159-164.

HEGARTY, M.P. & POUND, A.W., 1968. Indospicine, a new hepatotoxic amino acid from *Indigofera spicata*. *Nature*, 217: 354-355.

HEGARTY, M.P., SCHINCKEL, P.G. & COURT, R.D., 1964. Reaction of sheep to the consumption of *Leucaena glauca* and to its toxic principle Mimosine. *Aust. J. Agric. Res.* 15: 135-167.

HENZELL, E.F., 1962. Nitrogen fixation and transfer by some tropical and temperate pastures legumes. *Aust. J. Exp. Agric. Anim. Husb.* 2: 132-140.

HILL, G.D., 1971. *Leucaena leucocephala* for pastures in the tropics, *Herbage Abstr.* 41: 111-119.

HIREMATH, N.B., 1981. Subabool (*Leucaena leucocephala*)- A wonder plant. *Indian Dairyman*, 33: 351-356.

HOFFMAN, P.C., SHAVER, R.D., COMBS, D.K, UNDERSANDER, D.J., BAUMAN, L.M. & SEEGER, T.K., 2001. *Focus on forage*. Vol. 3: No. 10.

HUTTON, E.M., 1970. Tropical pastures. *Adv. Agron.* 22: 1-73.

IBRAHIM, K.M., 1981. Shrubs for fodder production. In: *Advances in Food Producing System for Arid and Semi-arid Lands*. Academic Press Inc. pp.601-642.

ILLIUS, A.W. & ALLEN, M.S., 1994. Assessing forage quality using integrated models of intake and digestion by ruminants. In: *Forage Quality, Evaluation and Utilization*. Eds. Fahey, G.C., Collins, M., Mertens, D.R. & Moser, L.E., *Am. Soc. of Agron., Crop Sci. Soc. of Am., Soil Sci. Soc. of Am.*, Madison, Wisconsin, pp. 869-890.

ILLIUS, A.W., 1998. Advantages and retreats in specifying the constraints on intake in grazing ruminants. In: *Proc. of XVIII Int. Grassl Congress*. Vol. III. Eds. Buchanan-Smith, J.G., Bailey & McCoughy Association Management Centre Calgary. pp.39-44.

ISARASENEE, A, SHELTON, H.M. & JONES, R.M., 1984. Accumulation of edible forage of *Leucaena leucocephala* cv. Peru over late summer and autumn for use as dry season feed. *Leucaena Research Report* 5, 3-4.

JONES, R.J., 1969. A note on the *in vitro* digestibility of two tropical legumes- *Phaseolus atro-purpureus* and *Desmodium intortum*. *J. Aust. Int. Agric. Sci.* 35:62.

JONES, R.J., 1979. The value of *Leucaena leucocephala* as a feed for ruminants in the tropics. *World Anim. Review* 31: 13-23.

JOYCE, J.P., BRUNSWICK, L. & PARKER, J., 1973. Feeding value of lucerne. *Proc. N.Z Soc. Anim. Prod.* 32: 54.

JUNG, H.G. & ALLEN, M.S., 1995. Characteristics of plant cell walls affecting intake and digestibility of forage by ruminants. *J. Anim. Sci.* 73: 2774-2790.

KABAIJA, E. & SMITH, O.B., 1989. Influence of season and age of regrowth on the mineral profile of *Gliricidia sepium* and *Leucaena leucocephala*. *Trop. Agric.* 66: 125-128.

KARACHI, M., 1997. Growth and nutritive value of *Lablab purpureas* accessions in semi-arid Kenya. *Trop. Grassl.* 31: 214-218.

KHAMSEEKHIEW, B., LIANG, J.B., WONG, C.C. & JALAN, Z.A., 2001. Ruminal and intestinal digestibility of some tropical legume forages. *Asian-Aust. J. Anim. Sci.* 14: 321-325.

KRUGER, A.J., 1991. *Leucaena leucocephala* and *Desmanthus virgatus*: Useful species for the production of forage protein by subsistence farmers. In: *African Agroforestry: Emphasis on Southern Africa*. Ed. Koen J.H., Environmental forum report of Forest Biome Group. pp. 57-68.

LAREDO, M.A. & MINSON, D.J., 1973. The voluntary intake, digestibility and retention time by sheep of leaf and stem fractions of five grasses. *Aust. J. Agric. Res.* 24: 875-888.

LENG, R.A., 1986. Determining the nutritive value of forage. ACIAR Proceedings No. 12, Canberra, pp. 111-123.

LENG, R.A., 1990. Factors affecting the utilization of "poor quality" forage by ruminants particularly under tropical conditions. *Nutr. Res. Rev.* 3: 277-303.

LENG, R.A., 1997. Tree foliage in ruminant nutrition. Animal Production and Health paper No. 139, FAO, Rome.

LIOGIER, H.A., 1990. *Plantas Medicinales de Puerto Reis Caribe*. Inc San Juan, PR. pp. 566.

LOWRY, J.B., MARYANTO, N. & TANGENDAJA, B., 1983. Antolysis of Mimosine to 3-hydroxy-4 (1H) Pyridone in green tissue of *Leucaena leucocephala*. *J. feed Sci. Agric.* 34: 529-533.

LOWRY, B., 1987. The leucaena story- a biological solution to a toxicity problem- An account of one man's belief. *Aust. Sci. Magazine* 4: 53-58.

LUKHELE, M.S. & VAN RYSSSEN, J.B.J., 2002. The chemical composition and potential nutritive value of the foliage of four subtropical tree species in Southern Africa for ruminants. *S.A. J. Anim. Sci.* 33. No. 2 pp.132-141.

MacPHERSON, A., 2000. Trace-minerals status of forages. In: *Forage Evaluation in Ruminant Nutrition*. Eds. By Givens, D.I., Owen, E., Oxford, R.F.E. & Omed, H.M. CAB International, pp. 345-371.

MARTEN, G.C., BUXTON, D.R. & BARNES, R.F., 1988. Feeding value (Forage Quality). In: *Alfalfa and Alfalfa Improvement*. Monograph No. 29. *Am. Soc. Agron.*, Madison, WI 53711.

McDONALD, W.J.F. & TERNOUTH, J.H., 1979. Laboratory analysis of the nutritive value of western Queensland browse feeds. *Aust. J. Husb.* 18: 344.

McDONALD, P., EDWARDS, R.A. & GREENNAGH, J.F.D., 2002. *Animal Nutrition*. 6th ed. Longman, New York.

McDONALD, R.C. & WILSON, K.R., 1980. Dry matter yield, digestibilities, mineral levels and cattle growth rates on green fed oats at different stages of development. *N. Z J. Exp. Agric.* 8: 105-109.

McDOWELL, L.R., 1985. Nutrition of grazing ruminants in warm climates. Academic Press, San Diego, pp. 524.

McDOWELL, L.R., 1992. Minerals in animal and human nutrition. Academic Press. San Diego, pp. 524.

McDOWELL, L.R., 1997. Minerals for grazing ruminants in tropical regions, 3rd edn. University of Florida, Gainesville, Florida, USA, pp. 81.

McLEOD, M.N. & MINSON, D.J., 1978. The accuracy of the pepsin-cellulose technique for estimating the dry matter digestibility *in vivo* of grasses and legumes. *Anim. Feed Sci. Technol.* 3: 277-287.

McMANUS, J., DAVIS, K. BEARS, J., GEOFFRY, S., LILLEY, T. & HASLAM, E., 1985. Polyphenol interactions. Part 1. Introduction; some observation on the reversible complexation of Polyphenol with proteins and polysaccharides. *J. Chem. Soc. Perkin Transcript II*, 1429-1437.

McMENIMAN, N.P. & LITTLE, D.A., 1974. Studies on the supplementary feeding of sheep consuming mulga (*Acacia aneura*) 1. The provision of phosphorus and molasses supplements under grazing conditions. *Aust. J. Exp. Agric. Anim. Husb.* 14:316-321.

McNEILL, D.M., OSBORNE, N., KOMOLONG, M. & NANKERVIS, D., 1998. Condensed tannins in the genus *Leucaena* and their nutritional significance. In: *Leucaena – Adaptation, Quality and Farming System*. Eds. Shelton, H.M., Gutteridge, R.C., Mullen, B.F. & Brey, R.A., Proceedings of Workshop held in Hanoi, Vietnam. ACIAR Proceedings No. 86, pp. 205-214.

MEISSNER, H.H., VAN NIEKERK, W.A., SPREETH, E.B. & KOSTER, H.H., 1989. Voluntary intake of several planted pastures by sheep and an assessment of NDF and IVDOM as possible predictors of intake. *J.Grassl. Soc.S.A.* 6: 156.

MEISSNER, H.H., KOSTER, H.H., NIEWOUDT, S.H. & COERTZE, R.J., 1991. Effect of energy supplementation on intake and digestion of early and mid-season rye grass and Panicum/Smuts finger hay and on *in sacco* disappearance of various forage species. *S. Afr. J. Anim. Sci.* 21: 33.

MEISSNER, H.H., SMUTS, M. & COERTZE, R.J., 1995. Characterization and efficiency of fast growing feedlot steers fed different dietary energy concentrations. *J. Anim. Sci.* 73:931.

MERTENS, D.R., 1992. Non-structural and structural carbohydrates. Large Dairy Herd Management. ADSA, Champaign, IL 9Van horn and Wilcox, (ed).

METSON, A.J., 1978. Seasonal variation in chemical composition of pasture. I. Calcium, magnesium, potassium, sodium and phosphorus. *J. Agric.Res.* 21: 341-353.

MILFORD, R. & MINSON, D.J., 1966. The feeding value of tropical pastures. In: Tropical Pastures. Ed by: Davies, W. and Skidmore, C.L. Faber and Faber, London.

MILFORD, R. & MINSON, D.J., 1968. The effect of age and method of hay making on the digestibility and voluntary intake in forage legumes. In: Tropical Forage Legumes. Eds. Skerman, P.J., Cameroon, D.G. & Riveros, F., FAO plant production and protection series, No.2 Rome, pp. 185-193.

MINSON, D.J., 1990. Forage in ruminant nutrition. Academic Press California.

MOORE, K.J. & H.G. JUNG., 2001. Lignin and fibre digestion. *J. Range Man.* 54:420-430.

MURPHY, A.M & COLUCCI, P.E., 1999, A tropical forage solution to poor quality ruminant diets: A review of *Lablab purpureus*. *Livestock Res. Rural Dev.* (11) 2.

- NOCEK, J.E. & RUSSELL, J.B., 1988. Protein and energy as an integrated system. Relationship of ruminal protein and carbohydrate availability to microbial synthesis and milk production. *J. Dairy Sci.* 71: 2070-2107.
- NORIS, K.H., BARNES, R.F., MOORE, J.E. & SHENK, J.S., 1976. Predicting forage quality by infrared reflectance spectroscopy. *J. Anim. Sci.* 43: 889-897.
- NORTON, B.W., 1994. Anti-nutritive and toxic factors in forage tree legumes. In: Forage Tree Legumes in Tropical Agriculture Eds: R.C Gutteridge & H.M Shelton. CAB International; Oxford, UK. Pp. 202-215
- NORTON, B.W., KAMAU, F.K. & ROSEVEAR, R., 1992. The nutritional value of some tree legumes as supplements and sole feed for goats. *Proc. of the sixth A.A.A.P Anim. Sci. Cong.*, 23-28 November 1992. Volume III, pp. 151.
- NRC., 1985. Nutrients requirements of sheep, 6th edn. National Academy Press. Washington, D.C., USA.
- NRC., 1996. Nutrient requirements of beef cattle (7th ed). National Academy Press, Washington DC., USA.
- NRC., 2001. Nutrient requirements of dairy cattle. 7th rev. ed. Natl. Acad. Sci., Washington D.C., USA.
- NSAHLAI, I.V., KHAITHO, R.J. & WILLIAMS, B.A., 1997. Relationships between preference, rumen degradability, gas production and chemical composition of browsers. *Agrofesstry Systeems.* 39: 129-144.
- OAKS, A.J., 1968. *Leucaena leucocephala*-description, culture, utilization, *Adv. Front Pl. Sci.* 20: 1-114.

OBA, M. & ALLAN, M.S, 1999. Effects of brown midrib 3 mutation in corn silage on dry matter intake and productivity of high yielding dairy cows. *J. Dairy Sci.* 82 (in press).

ØRSKOV, E.R. & McDONALD.I, 1979. The estimation of protein degradation in the rumen from the incubation measurement weighted according to rate of passage. *J. Agric. Sci.*, Cambridge, 92: 499-503.

PARSONS, A.J., JOHNSON, I.R. & HARVEY, A., 1988. Use of model to optimize the interaction between frequency and severity of intermittent defoliation and to provide a fundamental comparison of the continuous and intermittent defoliation of grass. *Grassl. Forage Sci.* 43: 49-60.

PARSONS, A.J. & PENNING, P.D., 1988. The effect of the duration of regrowth on photosynthesis, leaf death and the average rate of growth in a rotationally grazed sward. *Grass Forage Sci.* 43: 15-27.

PHILLIPS, W.A., RAO, S.C., FITCH, J.Q. & MAYAIX, H.S., 2002. Digestibility and dry matter intake containing alfalfa and kenaf. *J. Anim. Sci.*, 80: 2989-2995.

PLUCKNETT, D.C., 1970. Productivity of tropical pastures in Hawaii, *Proc. 11th Int. Grassld Congr.*, Surfers Paradise, 1970, A38-A49.

POSSINGHAM, J.V., GROOT OBBINK, J. & JONES, R.K., 1971. Tropical legumes and vesicular arbuscular mycorrhiza. *J. Aust. Inst. Agric. Sci.* 37: No.2, 160-161.

PRICHARD, D.A., STOCKS, D.C., O'SULLIVAN, B.M., MARTIN, P.R., HURWOOD, I.S. & O'ROURKE, P.K., 1988. The effect of Polyethylene glycol (PEG) on wool growth and live weight of sheep consuming a Mulga diet. *Proc. Aust. Soc. Anim. Prod.* 17: 290-293.

PROVENZA, F.D., BURRIT, E.A., CLAUSEN, T.P., BRYANT, J.P., REICHARDT, P.B. & DISTEL, R.A., 1990. Conditional flavor aversion: A mechanism for goats to avoid condensed tannins in blackbush. *American Nature*. 136: 810-828.

REED, J.D., SOLLER, H. & WOODWARD, A., 1990. Fodder tree and straw diets for sheep: intake, growth, digestibility and the effect Phenolics on nitrogen utilization. *Anim. Feed Sci. Technol.* 30: 39-50.

REED, J.D., 1995. Nutritional toxicology of tannins and related Polyphenol in forage legumes. Pharmacology/Toxicology Symposium on toxic legumes. *J. Anim. Sci.* 73: 1516-1528.

REED, J.D., KRUEGER, C., RODRIGUEZ, G. & HANSON, J., 2000. Secondary plant compounds and forage evaluation. In: Forage Evaluation in Ruminant Nutrition. Eds. Givens, D.I., Owen, E., Oxford, R.F.E. & Omed, H.M., CAB International, pp. 433-448.

REID, R.L., JUNG, G.A. & THAYNE, W.V., 1988. Relationship between nutritive quality and fibre components of cool season and warm season forages: Retrospective study. *J. Anim. Sci.* 66:1275-1291.

REIS, P.J., TUNKS, D.A. & HEGARTY, M.P., 1975. Fate of mimosine administered orally to sheep and its effectiveness as a defleecing agent. *Aust. J. Bio. Sci.* 28: 495-501.

RELLING, E.A., VAN NIEKERK, W.A., COERTZE, R.J. & RETHMAN, N.F.G., 2001. An evaluation of *Panicum maximum* cv. Gatton: 2. The influence of stage and maturity on diet selection, intake and rumen fermentation in sheep. *S. Afr. J. Anim. Sci.* 31: 85-91.

RITTNER, U. & REED, J.D., 1992. Phenolics and *in vitro* degradability of protein and fibre in West African browse. *J. Sci. Food Agric.* 21: 28.

ROBERTSON, J.B. & VAN SOEST, P.J., 1981. The detergent system of analysis and its application to human foods. In: *The Analysis of Dietary Fibre in Food*. Eds. James, W.P.T. & Theander, O., Marcel Dekker, New York. pp. 123-158.

ROBERTSON, B.M., 1988. The nutritive value of five browse legumes fed as supplements to goats offered a basal rise straw diet. Master of Agricultural Studies Thesis. The University of Queensland.

ROBINSON, P.J., 1985. *Trees and Fodder crops*. Institute of Terrestrial Ecology, Huntington, U.K.

ROBBINS, C.T., 1993. *Wildlife feeding and nutrition*. 2nd ed. Academic Press, New York.

ROUX, C.Z. & MEISSNER, H.H., 1984. Growth and feed intake patterns. The derived theory. In: *Herbivores Nutrition in the Subtropics and Tropics*. Eds. F.M.C. Gilchrist & R.I. Mackie. The Science Press, Graighall, pp. 67.

RUIZ, T.M., BERNAL, E., STAPLES, C.R. SOLLENBERGER, L.E. & GALLER, R.N., 1995. Effect of dietary neutral detergent fiber concentration and forage source on performance of lactating cows. *J. Dairy Sci.* 78:305.

SAMUEL, M.L., 1989. *Statistics for the life sciences*. Collier MacMillan Publishers, London, UK.

SAS., 2001. *Statistical Analysis System User's Guide: (Statistics Version 8)* SAS Institute Inc, Cary, North Carolina, USA.

SCA, 1990. *Feeding standards for Australian Livestock Ruminants*. Standing Committee on Agriculture and CSIRO, Melbourne, pp. 266.

SHEHU, Y., ALHASSAN, W.S., PAL, U.R. & PHILLIPS, C.J.C., 2001. Yield and chemical composition response of *Lablab purpureus* to nitrogen, phosphorus and potassium fertilizers. *Trop. Grassl*, 35: 180-185.

SKERMAN, P.J., 1970. *Stylosanthes mucronata* Willd., an important natural perennial legume in Eastern Africa. *Proc. XI Int. Grassl. Congr.* 196-198.

SKERMAN, P.J., 1977. Tropical forage legumes. FAO Plant Production and Protection. Rome.

SMITH, F.W., VAN DEN BERG, P.J., GONZALEZ, A., ANDREW, C.S. & PLATERS, W.H.J., 1992. Foliar symptoms of nutrient disorders in the tropical shrub legume *Leucaena leucocephala*. Division of Tropical Crops and Pastures. Technical Paper No. 43, CSIRO, Australia.

TABE, L.M., HIGGINS, C.M., MACNABB, W.C. & HIGGINS, T.J.V., 1993. Genetic engineering for grain and nutritive value. *Genetica*, 90: 181-200.

TANNER, J.C., REED, J.D. & OWEN, E., 1990. The nutritive value of fruits (pods with seeds) from four *Acacia* spp. Compared with extracted noug (*Guizotia abyssinica*) meal as supplements to maize stover for Ethiopian Highland sheep. *Anim. Prod.* 51: 127-133.

THOMAS, C. & THOMAS, P.C., 1985. Factors affecting the nutritive value of grass silages. Chapter 13. In *Recent Advances in Animal Nutrition*. Haresign. Butterworths, London.

THOMPSON, F.N. & STUEDEMANN, J.A., 1993. Pathophysiology of fescue toxicosis. *Agriculture Ecosystem and the Environment*, 44: 263-281.

THORTON, R.F. & MINSON, D.J., 1973. The relationship between apparent retention time in the rumen, voluntary intake and apparent digestibility of legume grass diets in sheep. *Aust. J. Agric. Res.* 24, 889-898.

TILLEY, J.M.A. & TERRY, R.A., 1963 A stage technique for *in vitro* digestion of forage crops. *J. British Grassl. Soc.*, 18: 104-111.

TUDSRI, S., ISHII, Y., NUMAGUCHI, H. & PRASANPANICH, S., 2002. The effect of cutting interval on the growth of *Leucaena leucocephala* and three associated grasses in Thailand. *Trop. Grassl.*, 36: 90-96.

VAN RENSBURG, H.J., 1968. Palatability of plants in Zambia. Govt. Printer. Lusaka.

VAN SOEST, P.J., 1982. Nutritional ecology of the ruminant. Chapter 13. O and B Books, Inc. Corvallis, O.R.

VAN SOEST, P.J., 1987. Practical aspects of forage quality. Page 90 in Proc. Southwest Nutr. Conf. Temp, AZ.

VAN SOEST, P.J., 1994. Nutritional ecology of the ruminant, 2nd ed. Cornell University Press. Ithaca, N.Y, 9.

WEDEKIND, K.J. & BAKER, D.H., 1990. Effect of varying calcium and phosphorus levels on manganese utilization. *Poultry Sci.* 69: 977.

WEIS, W.P., 1993. Symposium: Prevailing concepts in energy utilization by ruminants: Predicting energy values of feeds. *J. Dairy Sci.* 76: 1802-1811.

WILDIN, J.H., 1985. Tree *Leucaena*-Permanent high quality pastures. Queensland Department of Primary Industries, Rockhampton, pp 8.

WILMAN, D. & ASIEDU, F.H.K., 1983. Growth, nutritive value and selection by sheep of sainfoin, red clover, lucerne and hybrid ryegrass. *J. Agric. Sci. (Camb)*. 100:15.

WILSON, A.D., 1977. A review of browse in the nutrition of grazing animals. *J. Range Man.* 22: 23-28.

WILSON, J.R., 1983. Effect of water stress on *in vitro* dry matter digestibility and chemical composition of herbage of tropical pasture specie. *Aust. J. Agric. Res.* 34(4): 377-390.

WOODWARD, A. & REED., J.D., 1995. Intake and digestibility for sheep and goat consuming supplementary, *Acacia brevispica* and *Sesbania sesban*. *Anim. Feed Sci. Technol.*56:207-217.