

## LITERATURE REFERENCES

- ANDERSON, H.M. 1976. A review of the Bryophyta from the Upper Triassic Molteno Formation, Karroo Basin, South Africa. *Palaeontologia Africana* 19: 21—30.
- ANDERSON, J.M. & ANDERSON, H.M. 1985. Palaeoflora of southern Africa. *Prodromus of South African Megafloras, Devonian to Lower Cretaceous*. pp. 423. Balkema, Rotterdam.
- ARNELL, S. 1952. Hepaticae collected in South and West Africa (1951). New and little known species. *Botaniska Notiser* 105: 307—315.
- ARNELL, S. 1953. Notes on South African Hepaticae. *Extrait de la Revue Bryologique et Lichénologique* T. XXII fasc. 1—2.
- ARNELL, S. 1956. Hepaticae collected by O. Hedberg *et al.* *Arkiv för Botanik* 3: 555, 556.
- ARNELL, S. 1957. Hepaticae collected in South-West Africa by Prof. Dr O.H. Volk. *Mitteilungen der Botanischen Staatssammlung München* 16: 262—272.
- ARNELL, S. 1961. List of the Hepaticae of the Canary Islands. *Svensk botanisk Tidskrift* 55: 379—393.
- ARNELL, S. 1963a. *Hepaticae of South Africa*. pp. 411. Swedish Natural Science Council, Stockholm.
- ARNELL, S. 1963b. Some Hepatics new to Egypt. *Botaniska Notiser* 116: 7—10.
- ASAKAWA, Y., SUIRE, C., TOYOTA, M., TOKUNAGA, N., TAKEMOTO, T., HATTORI, S. & MIZUTANI, M. 1980. Chemosystematics of bryophytes 5. The distribution of terpenoids and aromatic compounds in European and Japanese Hepaticae. *Journal of the Hattori Botanical Laboratory* 48: 285-303.
- AUSTIN, C.F. 1870. Characters of some new Hepaticae (mostly North American) together with notes on a few imperfectly described species. *Proceedings of the Academy of Natural Sciences Philadelphia* 21 ('Dec. 1869'): 218—234.
- AUSTIN, C.F. 1879. Notes on hepaticology. *Bulletin of the Torrey Botanical Club* 6: 301—306.
- BAPNA, K.R. & KACHROO, P. 1975. Further studies on genus *Riccia* in India. *Journal of the Indian Botanical Society* 54: 219—224.
- BERRIE, G.K. 1964. Experimental studies on polyploidy in liverworts. 1. The *Riccia fluitans* complex. *The Bryologist* 67: 146—152.
- BERRIE, G.K. 1975. The biology of a West African species of *Riccia* L. *Journal of Bryology* 8: 443—454.
- BEST, E.B. 1990. The Bryophyta of Zimbabwe - an annotated check-list. *Kirkia* 13: 293—318.
- BISCHLER, H. 1988. Relationships in the order Marchantiales (Hepaticae). *Journal of the Hattori Botanical Laboratory* 64: 47—57.
- BISCHLER, H. & JOVET-AST, S. 1981. The biological significance of morphological characters in Marchantiales (Hepaticae). *The Bryologist* 84: 208—215.
- BISCHOFF, W. 1835. Bemerkungen über die Lebermoose, vorzüglich aus den Gruppen der Marchantieen und Riccieen. *Nova Acta Academiae Caesareae Leopoldino-Carolinae Germanicae Naturae Curiosorum* 17: 911—1018.
- BORNEFELD, T. 1984. Chromosomenanalyse der Gattung *Riccia* von Sud- und SW-Afrika und allgemeine Bemerkungen zur Zytogenetik der Lebermoose. *Nova Hedwigia* 40: 313—328.

- BORNEFELD, T. 1987. The natural system of the Marchantiales based upon cytogenetical and morphological evidence. *Nova Hedwigia* 45: 41—52.
- BORNEFELD, T. 1989. The *Riccia* species of S- and SW-Africa. Chromosome numbers and composition of the chromosome sets. *Nova Hedwigia* 48: 371—382.
- BOULAY, M. 1904. *Muscinées de la France, Deuxième Partie. Hépatiques*. pp. 224. Paris.
- BRAUN, A. 1821. Bemerkungen über einige Lebermoose. *Flora* 2: 754—757.
- BRUNNTHALER, J. 1913. Ergebnisse einer botanischen Forschungsreise nach Deutsch-Ostafrika und Süd-Afrika (Kapland, Natal und Rhodesia). Teil 1, p. 14 (Hepaticae bearbeitet von F. Stephani). *Denkschriften der kaiserlichen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftlichen Klasse* 88: 724.
- CAMPBELL, E.O. 1975. Notes on the Liverwort family Ricciaceae in New Zealand. *Tuatara* 21: 121—129.
- CAMPBELL, E.O. 1977. Further notes on the Liverwort family Ricciaceae in New Zealand. *Tuatara* 22: 222—232.
- CAMUS, F. 1892. Sur le *Riccia nigrella* DC. *Bulletin de la Société Botanique de France* 39: 212—230.
- CASARES-GIL., A. 1919. *Flora Ibérica-Briofitas* (part 1). pp. 775. Madrid.
- COETZEE, J.A. 1978. Climatic and biological changes in south-western Africa during the late Cainozoic. In: E.M. Van Zinderen Bakker & J.A. Coetzee (editors), *Palaeocology of Africa and the surrounding islands* 10: 13—29.
- COETZEE, J.A. 1983. Intimations on the Tertiary vegetation of Southern Africa. *Bothalia* 14: 345—354.
- CORDA, A.K.J. 1828. Genera Hepaticarum : Die Gattungen der Lebermoose. In: Opiz, P.M. (ed.), *Naturalientausch* (12) *Beiträge zur Naturgeschichte* (1): 643—655. Prague. Reprinted in *Annals of Bryology* 1938, 10: 9—15.
- CRANDALL-STOTLER, B. 1981. Morphology/anatomy of hepatics and anthocerototes. *Advances in Bryology* 1: 315—398.
- DE CANDOLLE, A.P. & LAMARCK, J.B. 1815. *Flore Française*, (edn. 5) 6: 1—662.
- DEWEY, R.M. 1988. Electrophoretic studies in *Riccia* subgenus *Riccia* (Hepaticopsida : Ricciaceae). *The Bryologist* 91: 344—353.
- DILLENIIUS, J.J. 1741. *Historia Muscorum, in Qua Circiter Sexcentae Species Veteres et Novae ad Sua Genera Relatae Describuntur, et Iconibus Genuinis Illustrantur: cum Appendice et Indice Synonymorum*. pp. 576. Oxford.
- DINTER, K. 1926—1927. Index der aus Deutsch-Südwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XX. *Repertorium specierum novarum regni vegetabilis* 23: 130—137.
- DOUIN, C. & TRABUT, L. 1919. 'Deux Hépatiques peu connues'. *Revue Générale de Botanique* 31: 321—328.
- DUMORTIER, B.C.J. 1874. Hepaticae Europae. *Bulletin de la Société r. de botanique de Belgique* 13: 1—203.
- DUTHIE, A.V. & GARSIDE, S. 1937. Studies in South African Ricciaceae I. *Transactions of the Royal Society of South Africa* 24: 93—133.
- DUTHIE, A.V. & GARSIDE, S. 1939. Studies in South African Ricciaceae II. *Transactions of the Royal Society of South Africa* 27: 17—28.
- DU TOIT, A.L. 1937. *Our wandering continents. An hypothesis of continental drifting*. pp. 366. Oliver and Boyd, Edinburgh & London.
- EDWARDS, D. & LEISTNER, O.A. 1971. A degree reference system for citing biological records in southern Africa. *Mitteilungen der Botanischen Staatssammlung München* 10: 501—509.

- ENGEL, J.J. & SCHUSTER, R.M. 1973. On some tidal zone Hepaticae from South Chile, with comments on marine dispersal. *Bulletin of the Torrey Botanical Club* 100: 29—35.
- EVANS, A.W. 1922. Recent studies on certain *Riccia* species. *The Bryologist*. Vol. XXV: 81—87.
- FRAKES, L.A. 1979. *Climates throughout geological time*. pp. 310. Elsevier. Amsterdam, Oxford, New York.
- FREY, W. & KÜRSCHNER, H. 1988. Bryophytes of the Arabian Peninsula and Socotra. Studies in Arabian bryophytes 12. *Nova Hedwigia* 46: 37—120.
- FRYE, T.C. & CLARKE, L. 1937. Hepaticae of North America. *University of Washington Publications in Biology* 6: 1—162.
- GEISSLER, P. & BISCHLER, H. (editors). 1990. Index Hepaticarum. *Racemigemma* to *Zoopsis*. Vol. 12. J. Cramer. Berlin, Stuttgart.
- GOLDBLATT, P. 1978. An analysis of the flora of southern Africa: its characteristics, relationships and origins. *Annals of the Missouri Botanical Garden* 65: 535—589.
- GOTTSCHKE, C.M., LINDENBERG, J.B.G. & NEES ab ESENBECK, C.G. 1844—1847. *Synopsis Hepaticarum*. pp. 835. Hamburg, Meissner. Reprinted 1967, Cramer, Lehre.
- GREUTER, W., BURDET, H.M., CHALONER, W.G., DEMOULIN, V., GROLLE, R., HAWKS-WORTH, D.L., NICHOLSON, D.G., SILVA, P.C., STAFLEU, F.A., VOSS, E.G. & McNEILL, J. 1988. *International Code of Botanical Nomenclature*. Adopted by the Fourteenth International Botanical Congress Berlin, July—August 1987. Koeltz Scientific Books, Königstein, Germany.
- GROLLE, R. 1976. Verzeichnis der Lebermoose Europas und benachbarter Gebiete. *Feddes Repertorium* 87: 171—279.
- GROLLE, R. 1983a. Nomina generica Hepaticarum, references, types and synonymies. *Acta botanica Fennica* 121: 1—62.
- GROLLE, R. 1983b. Hepatics of Europe including the Azores. *Journal of Bryology* 12: 403—459.
- HARTUNG, W., WEILER, E.W. & VOLK, O.H. 1987. Immunochemical evidence that Abscisic Acid is produced by several species of Anthocerotae and Marchantiales. *The Bryologist* 90: 393—400.
- HÄSSEL DE MENÉNDEZ, G.G. 1963. Estudio de las Anthocerotales y Marchantiales de la Argentina. *Opera Lilloana* 7: 1—297.
- HAYNES, C.C. 1920. Illustrations of six species of *Riccia* with the original descriptions. *Bulletin of the Torrey Botanical Club* 47: 279—287.
- HOFFMAN, G.F. 1795. *Deutschlands Flora, Crypt.* ed. II. Teil für das Jahr 1795. pp. 200.
- HOWE, M.A. 1898. New American Hepaticae. *Bulletin of the Torrey Botanical Club* 25: 183—192.
- HOWE, M.A. 1899. The Hepaticae and Anthocerotae of California. *Memoirs of the Torrey Botanical Club* 7: 13—33.
- HUNECK, S. 1983. Chemistry and biochemistry of Bryophytes. In: R.M. Schuster (editor), *New Manual of Bryology* 1: 1—116. The Hattori Botanical Laboratory, Nichinan, Miyazaki, Japan.
- INOUE, H. 1960. Studies in spore germination and the earlier stages of gametophyte development in the Marchantiales. *Journal of the Hattori Botanical Laboratory* 23: 148—191.
- ISOVIITA, P. 1970. Dillenius's *Historia Muscorum* as the basis of hepatic nomenclature, and S.O. Lindberg's collection of Dillenian Bryophytes. *Acta Botanica Fennica* 89: 1—28.
- ISTCHENKO, T.A. & SCHLJAKOV, P.N. 1979. Marchantialean liverworts from the Middle Devonian of Podolia. *Paleontology Journal* 3: 114—125 (as quoted in Krassilov & Schuster 1984).
- JONES, E.W. 1957. African Hepatics XIII. The Ricciaceae in Tropical Africa. *Transactions of the British Bryological Society* 3: 208—227.
- JONES, E.W. 1985. African Hepatics XXXV. Some new or little-known species and some noteworthy records. *Journal of Bryology* 13: 497—508.

- JONES, E.W. & HARRINGTON, A.J. 1983. The hepatics of Sierra Leone and Ghana. *Bulletin of the British Museum (Natural History), (Botany)* 11: 215—289.
- JOVET-AST, S. 1964. *Riccia crystallina* L. emend. Raddi et *Riccia cavernosa* Hoffm. emend. Raddi (Note preliminaire). *Revue bryologique et lichénologique* 33: 459—483.
- JOVET-AST, S. 1966. *Riccia crystallina* L. emend. Raddi et *Riccia cavernosa* Hoffm. emend. Raddi. II. *Revue bryologique et lichénologique* 34: 82—90.
- JOVET-AST, S. 1967a. Compléments à l'étude du *Riccia perssonii* Kahn. *Revue bryologique et lichénologique* 35: 149—157.
- JOVET-AST, S. 1967b. *Bryophyta*. In: E. Boureau (editor), *Traité de Paléobotanique* 2: 17—186. Masson. Paris.
- JOVET-AST, S. 1969. Le caryotype des Ricciaceae. *Revue bryologique et lichénologique* 36: 673—689.
- JOVET-AST, S. 1975. Précisions sur les caractères de deux *Riccia* du sous-genre *Thallocarpus*. *Revue bryologique et lichénologique* 41: 449—456.
- JOVET-AST, S. 1983. *Riccia trichocarpa* Howe et *Riccia canescens* Steph. *Cryptogamie, Bryologique et Lichénologique* 4: 37—46.
- JOVET-AST, S. 1985. A propos des techniques de preparation des specimens de Ricciaceae (Hépatique). *Taxon* 34: 267, 268.
- JOVET-AST, S. 1986. La *Riccia* de la Région Méditerranéenne. *Cryptogamie, Bryologique et Lichénologique* 7: 283—431.
- JOVET-AST, S. 1987. Vers une classification phylogenetique des especes du genre *Riccia*. *The Bryologist* 90: 321—330.
- KAHN, S.A. 1955. *Riccia perssonii* S.A. Kahn: a new and interesting species from East Pakistan. *Svensk botanisk tidskrift* 49: 433—436.
- KAHN, S.A. 1957. Studies in the Ricciaceae of East Pakistan 1. New and little known species of *Riccia*. *The Bryologist* 60: 28—32.
- KASHYAP, S.R. & SETHI, M.L. 1923. A new liverwort from Madras. *Journal of the Indian Botanical Society* 3: 201—203.
- KLINGGRÄFF, von, H.E.M. 1858. *Die höheren Cryptogamen Preussens*. Ein Beitrag zur Flora der Provinz. pp. 220. Königsberg.
- KRAUSS, F. 1846. Pflanzen des Cap- und Natal-Landes, gesammelt und zusammengestellt von Dr Ferdinand Krauss. *Flora* 29: 129—138.
- KOHN, G., VANDEKERKHOVE, O., HARTMAN, E. & BEUTELMANN, P. 1988. Acetylenic fatty acids in the Ricciaceae (Hepaticae). *Phytochemistry* 27: 1049—1051.
- KOPONEN, T., ISOVIITA, B. & LAMMES, T. 1977. The Bryophytes of Finland: an annotated checklist. *Flora Fennica* 6: 1—77.
- KRASSILOV, V.A. & SCHUSTER, R.M. 1984. Paleozoic and Mesozoic Fossils. In: R.M. Schuster, (editor), *New Manual of Bryology* 2: 1172—1193. The Hattori Botanical Laboratory, Nichinan, Miyazaki, Japan.
- LACEY, W.S. 1968. Fossil bryophytes. *Biological Review* 44: 189—205.
- LACOUTURE, C. 1905. *Hépatiques de la France*. pp. 78. Paris. Paul Klincksieck.
- LADYZHENSKAJA, K.I. 1943. *Ricciocarpus velutinus* (Wilson) Steph. and its role in the family Ricciaceae. *Journal of Botany USSR* 28: 3—9.
- LADYZHENSKAJA, K.I. 1967. *Riccia campbelliana* Howe (Hepaticae) in USSR. *Novitates systematicae plantarum non vascularium* 1967: 316—321.
- LEHMANN, J.G.C. 1829. Hepaticarum Capensium a C.F. Ecklon. *Linnaea* IV: 357—371.
- LEHMANN, J.C.G. 1833. Muscorum Hepaticorum species novae et minu cognitae. Novarum et minus cognitarium stirpium. *Pugillus* IV: 1—64, J.A. Meissner, Hamburg.
- LEITGEB, H. 1881. Untersuchungen über die Lebermoose. VI Heft. *Die Marchantieen und allgemeine Bemerkungen über die Lebermoose*. pp. 158. Jena.

- LEVIER, E. 1894. *Tessellina pyramidata* e *Riccia macrocarpa*. *Bollettino della Societa botanica italiana* 5: 114, 115.
- LEVIER, E. 1902. *Riccia crozalsii* Lev. n. sp. *Revue Bryologique et Lichénologique* 29: 73—76.
- LIND, E.M. & MORRISON, M.E.S. 1974. *East African Vegetation*. pp. 257. Longman, London.
- LINDBERG, S.O. 1874. *Manipulus Muscorum Secundus. Notiser Sällskap pro Fauna et Flora Fennica Förhandlingar* 13: 353—418.
- LINDBERG, S.O. 1879. *Musci Scandinavici in systemate novo naturali dispositi*. pp. 50. Uppsala.
- LINDENBERG, J.B.G. 1829. Synopsis Hepaticarum Europaeorum. *Nova Acta Academiae Caesareae Leopoldino-Carolinae Germanicae Naturae Curiosorum*. Suppl. 14: 1—133.
- LINDENBERG, J.B.G. 1836. Monographie der Riccieen. *Nova Acta Academiae Caesareae Leopoldino-Carolinae Germanicae Naturae Curiosorum* 18: 361—504.
- LINDLEY, H. 1847. *The Vegetable Kingdom*. 3: 1—911.
- LINNAEUS, C. 1753. *Species Plantarum*. pp. 1200. Bradbury & Evans.
- LONGTON, R.E. & SCHUSTER, R.M. 1983. Reproductive Biology. In: R.M. Schuster (editor), *New Manual of Bryology* 1: 386—462. The Hattori Botanical Laboratory, Nichinan, Miyazaki, Japan.
- LUNDBLAD, B. 1954. Contributions to the geological history of the Hepaticae. Fossil Marchantiales from the Rhaetic-Liassic coal mines of Skromberga (Prov. of Scania), Sweden. *Svensk botanisk tidskrift* 48: 381—417.
- LUNDBLAD, B. 1959. On *Ricciisporites tuberculatus* and its occurrence in certain strata of the Höllviken II boring in S.W. Scania. *Grana Palinology* 2: 1—10.
- McALLISTER, F. 1916. The morphology of *Thallocarpus curtisii*. *Bulletin of the Torrey Botanical Club* 43: 117—126.
- MACVICAR, S.M. 1926. *The student's handbook of British hepatics*. pp. 464. Eastbourne. Reprinted 1964.
- MAGILL, R.E. 1990. Glossarium Polyglottum Bryologiae. A multilingual glossary for bryology. *Monographs in Systematic Botany* 33: 1—297.
- MAGILL, R.E. & SCHELPE, E.A. 1979. The bryophytes of Southern Africa. *Memoirs of the Botanical Survey of South Africa* 43: 1—39.
- MARKHAM, K.R., ZINSMEISTER, H.D. & MUES, R. 1978. Luteolin 7-glucuronide-3-mono(trans) ferulylglucoside and other unusual flavonoids in the aquatic liverwort complex, *Riccia fluitans*. *Phytochemistry* 17: 1601—1604.
- MASSALONGO, C. 1912. Le Ricciaceae della Flora italiana. *Atti del Reale Istituto Veneto di Scienze, Lettere ed Arti* 71: 823—892.
- MICHELI, P.A. 1729. *Nova Plantarum Genera*. pp. 234. Florintiae.
- MILLER, H.A. 1979. The phylogeny and distribution of the Musci. In: G.C.S. Clarke & J.G. Duckett (editors), *Bryophyte Systematics*. Special Volume 14: 11—39. Academic Press, London.
- MÜLLER, K. 1951—1958. *Die Lebermoose Europas, in Rabenhorsts Kryptogamenflora* 6: 416—471.
- NA-THALANG, O. 1980. A revision of the genus *Riccia* (Hepaticae) in Australia. *Brunonia* 3: 61—140.
- NEES VON ESENBECK, C.G. 1838. *Naturgeschichte der Europäischen Lebermoose* 4: 389—444.
- NEHIRA, K. 1983. Spore germination, protonema development and sporeling development. In: R.M. Schuster (editor), *New Manual of Bryology* 1: 343—385. The Hattori Botanical Laboratory, Nichinan, Miyazaki, Japan.
- NEWTON, M.E. 1983. Cytology of the Hepaticae and Anthocerotae. In: R.M. Schuster (editor), *New Manual of Bryology* 1: 117—148. The Hattori Botanical Laboratory, Nichinan, Miyazaki, Japan.



- NEWTON, M.E. 1990. Genetic structure of hepatic species. *Botanical Journal of the Linnean Society* 104: 215—229.
- PANDÉ, S.K. & UDAR, R. 1958. Genus *Riccia* in India II. Species of *Riccia* from South India with description of a new species and notes on the synonymy of some recently described ones. *Proceedings of the National Institute for Science of India* 24: 79-88.
- PEROLD, S.M. 1986a. Ricciaceae. *Pteroriccia* Schust., should it be upheld? *Bothalia* 16: 63, 64.
- PEROLD, S.M. 1986b. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 7. *Riccia congoana* Steph. and its synonyms. *Bothalia* 16: 193—201.
- PEROLD, S.M. 1989a. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 11. *R. montana* and *R. alboporosa*, two new white-scaled species of the group 'Squamatae'. *Bothalia* 19: 9—16.
- PEROLD, S.M. 1989b. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 12. *R. albolimbata* and the status of *R. albosquamata*, white-scaled species originally described by Arnell. *Bothalia* 19: 17—25.
- PEROLD, S.M. 1989c. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 13. A new species, *R. hantamensis*, in section *Pilifer*, and a new record for *R. alatospora*. *Bothalia* 19: 157—160.
- PEROLD, S.M. 1989d. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 14. *R. concava*, section *Pilifer* Volk. *Bothalia* 19: 161—165.
- PEROLD, S.M. 1989e. Spore-wall ornamentation as an aid in identifying the southern African species of *Riccia* (Hepaticae). *Journal of the Hattori Botanical Laboratory* 67: 109—201.
- PEROLD, S.M. 1990a. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 16. *R. albomarginata* and *R. simii* sp. nov. *Bothalia* 20: 31—39.
- PEROLD, S.M. 1990b. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 17. New species in the section *Pilifer*: *R. ampullacea*, *R. elongata* and *R. trachyglossum*. *Bothalia* 20: 167—174.
- PEROLD, S.M. 1990c. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 18. New species in the section *Pilifer* from the NW Cape: *R. furfuracea*, *R. vitrea* and *R. namaquensis*. *Bothalia* 20: 175—183.
- PEROLD, S.M. 1990d. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 19. Two new species: *R. pulveracea*, section *Pilifer*, and *R. bicolorata*, section *Riccia*, group 'Squamatae'. *Bothalia* 20: 185—190.
- PEROLD, S.M. 1990e. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 20. *R. albovestita* and its synonyms, *R. duthieae* and *R. sarcosa*. *Bothalia* 20: 191—196.
- PEROLD, S.M. 1990f. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 21. *R. stricta* stat. nov. and *R. purpurascens*, subgenus *Ricciella*. *Bothalia* 20: 197—206.
- PEROLD, S.M. 1991a. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 22. *R. rubricollis* validated, typified and described. *Bothalia* 21: 51—54.
- PEROLD, S.M. 1991b. Studies in the genus *Riccia* (Marchantiales) for southern Africa. 23. *R. bullosa* Link ex Lindenberg: typification and a full description. *Bothalia* 21:00. In press.
- PEROLD, S.M. 1991c. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 24. *R. moenkemeyeri*, subgenus *Ricciella*; new records for southern Africa. *Bothalia* 21:00. In press.
- PEROLD, S.M. & VOLK, O.H. 1988a. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 8. *R. campbelliana* (subgenus *Riccia*), newly recorded for the region. *Bothalia* 18: 37—42.
- PEROLD, S.M. & VOLK, O.H. 1988b. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 9. *R. nigrella* and the status of *R. capensis*. *Bothalia* 18: 43—49.
- POYNTON, J.C. 1983. The dispersal versus vicariance debate in biogeography. *Bothalia* 14: 455—460.

- RADDI, G. 1818. Novarum vel rariorum ex Cryptogamia stirpium in agro Florentino collectarum Decades duae. *Opuscoli scientifici di Bologna* 2: 349—361.
- RAUH, W. & BUCHLOH, G. 1961. *Riccia atromarginata* Lev. var. *jovet-astii* var. nov. *Revue bryologique et lichénologique* 30 74—79.
- REICHENBACH, H.G.L. 1828. *Botanik für Damen, Künstler und Freunde*. pp. 248. Leipzig.
- REICHENBACH, H.G.L. 1841. *Der Deutsche Botaniker. Das Herbarienbuch*. pp. 213. Dresden & Leipzig.
- SCHIFFNER, V. 1893. Hepaticae (Lebermoose) in Engler & Prantl, *Die Natürlichen Pflanzenfamilien* 1(3): 3—141. (publication date Sept. 1893 fide Stafleu 1972).
- SCHMIDEL, C.C. 1793. *Icones plantarum et Analyses Partim aeri incisae atque vivis coloribus insignitae*. Ed. 2. pp. 280.
- SCHUSTER, R.M. 1966. *The Hepaticae and Anthocerotae of North America*. Vol. 1. pp. 802. Columbia University Press, New York.
- SCHUSTER, R.M. 1972. Continental movements, 'Wallace's line' and Indomalayan-Australasian dispersal of land plants: some eclectic concepts. *Botanical Review* 38: 3—86.
- SCHUSTER, R.M. 1979. The phylogeny of the Hepaticae. In: G.C.S. Clarke & J.G. Duckett, (editors), *Bryophyte Systematics*. Special Vol. 14: 41—82. Academic Press, London & New York.
- SCHUSTER, R.M. 1982. Endemism in hepatic flora of Gondwanaland. *Journal of the Hattori Botanical Laboratory* 52: 3—35.
- SCHUSTER, R.M. 1983. Phytogeography of the Bryophyta. In: R.M. Schuster (editor), *New Manual of Bryology* 1: 463—626. The Hattori Botanical Laboratory, Nichinan, Miyazaki, Japan.
- SCHUSTER, R.M. 1984. Evolution, phylogeny and classification of the Hepaticae. In: R.M. Schuster (editor), *New Manual of Bryology* 2: 892—1070. The Hattori Botanical Laboratory, Nichinan, Miyazaki, Japan.
- SCHUSTER, R.M. 1984. Diagnoses of some new taxa of Hepaticae. *Phytologia* 56: 65—74.
- SCHUSTER, R.M. 1985. Some new taxa of Hepaticae. *Phytologia* 57: 408—414.
- SCHWEINITZ, von, L.D., 1821. *Specimen Florae Americanae Septentrionalis Cryptogamicae Sistens Muscus Hepaticos Huc Usque in America Septentrionali Observatos*. pp. 27. Raleigh, N.C.
- SCOTT, G.A.M. & BRADSHAW, J.A. 1986. Australian liverworts (Hepaticae): annotated list of binomials and check-list of published species with bibliography. *Brunonia* 8: 1—171.
- SEPPELT, R.D. 1974. *Riccia crystallina* in South Australia. *The Bryologist* 77: 224—229.
- SEPPELT, R.D. 1983. The status of *Riccia areolata* and *R. longiciliata*, two recently described species. *Lindbergia* 9: 117—120.
- SÉRGIO, C. 1991. *Riccia macrocarpa* Levier na peninsula Ibérica e Macaronésia. Estudo Taxonómico, Corológico e seu interesse fitogeográfico. Perspectiva Biogeográfica da Flora Briológica Ibérica. *Actes del Simposi Internacional de Botanica Pius Font i Quer, 1988*. 1: 223—227.
- SEYFERT, C.K. & SIRKIN, L.A. 1979. *Earth history and plate tectonics*. pp. 600. Harper & Row, New York.
- SILER, M.B. 1934. Chromosome numbers in certain Ricciaceae. *Proceedings of the national Academy of Science, Washington* 20: 603—607.
- SIM, T.R. 1915. South African Hepaticae or Liverworts. *South African Journal of Science* 12: 426—447.
- SIM, T.R. 1926. The Bryophyta of South Africa. *Transactions of the Royal Society of South Africa* 15: 1—475. Cape Town.
- SIM, T.R. 1932. South African Bryophyta. Further Notes. *Transactions of the Royal Society of South Africa* 20: 15, 16.
- SMITH, A.J.E. 1978. Cytogenetics, biosystematics and evolution in the Bryophyta. *Advances in Botanical Research* 6: 195—276.

- STAFLEU, F.A. 1972. The volumes on Cryptogams of "Engler & Prantl". *Taxon* 21: 501—511.
- STEINKAMP, M.P. & DOYLE, W.T. 1979. Spore wall ultrastructure in four species of the liverwort *Riccia*. *American Journal of Botany* 66: 546—556.
- STEPHANI, F. 1898. Species Hepaticarum. *Bulletin de l'Herbier Boissier* 6: 309—411.
- STEPHANI, F. 1913. Ergebnisse einer botanischen Forschungsreise nach Deutsch-Ostafrika und Süd-Afrika von Joseph Brunnthaler. *Denkschriften der Kaiserlichen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse* 88: 724.
- SUIRE, C. & ASAKAWA, Y. 1980. Chemotaxonomy of bryophytes: a survey. In: G.C.S. Clarke & J.G. Duckett, (editors), *Bryophyte Systematics*. Special Vol. 14: 446—477.
- SZWEYKOWSKI, J. 1982. Genetic differentiation of liverwort populations and its significance for bryotaxonomy and bryogeography. *Journal of the Hattori Botanical Laboratory* 53: 21—28.
- TATUNO, S. 1941. Zytologische untersuchungen über die Lebermoose von Japan. *Journal Scientifica Hiroshima Univ.* 4: 73—187.
- TATUNO, S. 1959. Chromosomen von *Takakia lepidozoides* und eine Studie zur Evolution der Chromosomen der Bryophyten. *Cytologia* 24: 138—147.
- TEWARI, S.D. & PANT, G. 1983. *Riccia curtisii* (Aust.) James from Kumaon Himalayas. *Current Science* 52: 164, 165.
- THAITONG, O. 1982. Fine structure of spore wall in fourteen species of *Riccia*. *Journal of the Hattori Botanical Laboratory* 53: 133—146.
- TOWNROW, J.A. 1959. Two Triassic bryophytes from South Africa. *Journal of South African Botany* 25: 1—22.
- TRABUT, L.C. 1916. Le sapin du Maroc. Reprinted in *Bulletin de la station des recherches forestières du Nord de l'Afrique* 1(4): 131—136.
- TREVISAN DE SAINT-LEON, V. 1877. Schema di una nuova Classificazione delle Epatiche. *Memorie del Reale Istituto Lombardo di Scienze e Lettere Ser. 3,4*: 383—451.
- VANDEN BERGHEN, C. 1952. Note sur un *Riccia* de Mauritanie. *Revue Bryologique et Lichénologique* 21: 242, 243.
- VANDEN BERGHEN, C. 1972. Hépatiques et Anthocérotes. *Résultats scientifiques de l'exploration hydrobiologique du Bassin Lac Bangweolo & Luapula* 8: 1—202.
- VAN ZANTEN, B.O. 1984. Some considerations on the feasibility of long-distance transport in bryophytes. *Acta Botanica Neerlandica* 33: 231, 232.
- VAN ZANTEN, B.O. & GRADSTEIN, S.R. 1988. Experimental dispersal geography of neotropical liverworts. *Beiheft zur Nova Hedwigia* 90: 41—94.
- VAN ZANTEN, B.O. & PóCS, T. 1981. Distribution and dispersal of bryophytes. *Advances in Bryology* 1: 479—562.
- VIANNA, E.C. 1981. O Genero *Riccia* (Marchantiales) no Rio Grande Do Sul, Brasil. I. Sungen. *Ricciella e Thallocarpus*. *Rickia* 9: 71—80.
- VITT, D.H. 1984. Classification of the Bryopsida. In: R.M. Schuster (editor), *New Manual of Bryology* 2: 696—759. The Hattori Botanical Laboratory, Nichinan, Miyazaki, Japan.
- VITT, D.H., GRADSTEIN, S.R. & IWATSUKI, Z. 1985. Compendium of Bryology. A world listing of herbaria, collectors, bryologists and current research. *Bryophytorum Bibliotheca* 30: 1—355.
- VOLK, O.H. 1981. Beiträge zur Kenntnis der Lebermoose (Hepaticae) aus Südwestafrika (Namibia). II. *Mitteilungen der Botanischen Staatssammlung München* 17: 245—252.
- VOLK, O.H. 1983. Vorschlag für eine Neugliederung der Gattung *Riccia* L. *Mitteilungen der Botanischen Staatssammlung München* 19: 453—465.
- VOLK, O.H. 1984a. Beiträge zur Kenntnis der Marchantiales in Südwest-Afrika/Namibia. IV. Zur Biologie einiger Hepaticae mit besonderer



- Berücksichtigung der Gattung *Riccia*. *Nova Hedwigia* 39: 117—143.
- VOLK, O.H. 1984b. Pflanzenvergesellschaftungen mit *Riccia*-Arten in Südwestafrika (Namibia). *Vegetatio* 55: 57—64.
- VOLK, O.H. & PEROLD, S.M. 1984. Studies in the genus *Riccia* (Marchantiales) from the south-west Cape (*R. parvo-areolata* Volk & Perold and *R. villosa* Steph.). *Bothalia* 15: 117—124.
- VOLK, O.H. & PEROLD, S.M. 1985. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 1. Two new species of the section *Pilifer*: *R. duthieae* and *R. alatospora*. *Bothalia* 15: 531—539.
- VOLK O.H. & PEROLD, S.M. 1986a. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 2. A new species of the section *Pilifer*: *R. sarcosa*. *Bothalia* 16: 23—27.
- VOLK, O.H. & PEROLD, S.M. 1986b. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 3. *R. schelpei*, a new species in the new subgenus *Chartacea*. *Bothalia* 16: 29—33.
- VOLK, O.H. & PEROLD S.M. 1986c. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 4. Three endemic species, *R. natalensis* Sim, *R. microciliata* sp. nov. and *R. mammifera* sp. nov. *Bothalia* 16: 169—180.
- VOLK, O.H. & PEROLD, S.M. 1986d. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 5. *R. rosea*, a new species of the group 'Squamatae' (section *Riccia*, subgenus *Riccia*). *Bothalia* 16: 181—185.
- VOLK, O.H. & PEROLD S.M. 1986e. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 6. *R. hirsuta*, a new species, in a new section. *Bothalia* 16: 187—191.
- VOLK, O.H., PEROLD, S.M. & BORNEFELD, T. 1988. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 10. Two new white-scaled species of the group 'Squamatae': *R. argenteolimbata* and *R. albornata*. *Bothalia* 18: 155—163.
- VOLK O.H. & PEROLD, S.M. 1990. Studies in the genus *Riccia* (Marchantiales) from southern Africa. 15. *R. hirsuta* and *R. tomentosa* sp. nov., two distinct species previously treated as one. *Bothalia* 20: 23—29.
- VON BREITENBACH, F. 1986. Notes on the arborescent Proteaceae of southern Africa. *Journal of Dendrology* 6: 1—45.
- WATSON, E.V. 1964. *The structure and life of Bryophytes*. pp. 192. Hutchinson & Co., London.
- WILSON, W. 1839. *Hooker, Icones Plantarum* 3: t. 249.
- WURZEL, G. & BECKER, H. 1989. Sesquiterpene lactones from in vitro cultures of the liverwort *Ricciocarpos natans*. *Journal of the Hattori Botanical Laboratory* 67: 373—375.