# **List of Figures**

## Introduction

Figure a: Trialectic context (Adapted from (Soja 1996:74) Figure b: Physical static model of space (Grobler 2006)

## **Chapter 1**

Figure 1-1: Donkin Reserve location (Nelson Mandela Metropolitan Municipality 2000)

Figure 1-2: Donkin Reserve aerial view (Nelson Mandela Metropolitan Municipality 2000)

Figure 1-3: Donkin Reserve view west to east (Grobler 2004)

Figure 1-4: Donkin Reserve plan and section (Grobler 2005)

# **Chapter 2**

Figure 2-1: Spatial vocabulary and precedent table (Chapter 3)

Figure 2-2: Enriching the spatial quality criteria and precedent table (Chapter 4)

## **Chapter 3**

- Figure 3-1: Point (architectural and urban (Grobler 2005)
- Figure 3-2: Constitutional Court landmark ito city (Constitutional Court 2004:84)
- Figure 3-3: Constitutional Court landmarks (Constitutional Court 2004:84)
- Figure 3-4: Whiteinch Cross tower (Holden 2003:67)
- Figure 3-5: Emphasis and hierarchy (Grobler 2005)
- Figure 3-6: Melrose Arch node (Krige 2002:23)
- Figure 3-7: Constitutional Court nodes Adapted from (Makin & Masojada 2004:10)
- Figure 3-8: Philippi Lansdowne public space (Philippi Lansdowne public space project, Cape Town 2003:58)
- Figure 3-9: Point to line (Grobler 2005)
- Figure 3-10: Garden Pavilion plan (Garden Pavilion 2000:22)
- Figure 3-11: Garden Pavilion verticality (Garden Pavilion 2000:23)
- Figure 3-12: Axis and focal point (architectural and urban) (Grobler 2005)
- Figure 3-13: Constitutional Court exhibition steps Adapted from (Noble 2004:21)
- Figure 3-14: Constitutional Court Great African Steps Adapted from (Makin & Masojada 2004:11)
- Figure 3-15: Sendero del Pinar de la Algaida (Mostaedi [s.a.]:171)
- Figure 3-16: Sendero del Pinar de la Algaida (Mostaedi [s.a.]:171)
- Figure 3-17: Sendero del Pinar de la Algaida (Mostaedi [s.a.]:173)
- Figure 3-18: Constitutional Court courtyard lines Adapted from (Constitutional Court 2004:84)
- Figure 3-19: Castelvecchio (Los 2002:79)

- Figure 3-20: Philippi Lansdowne public space (Philippi Lansdowne public space project, Cape Town 2003:58)
- Figure 3-21: Philippi Lansdowne public space (Philippi Lansdowne public space project, Cape Town 2003:58)
- Figure 3-22: Whiteinch Cross levels (Spens 2003:195)
- Figure 3-23: Glass Shutter House linearity (Webb 2005:85)
- Figure 3-24: Constitutional Court lines Adapted from (Lipman 2004:17)
- Figure 3-25: Garden Pavilion lines (An Architecture of discovery 2002:37)
- Figure 3-26: Architectural interior planes (Grobler 2005)
- Figure 3-27: Urban interior planes (Grobler 2005)
- Figure 3-28: Constitutional Court foyer planes Adapted from (Lipman 2004:17)
- Figure 3-29: Sendero del Pinar de la Algaida (Mostaedi [s.a.]:175)
- Figure 3-30: Glass Shutter House closed (Webb 2005:82)
- Figure 3-31: Glass Shutter House opened (Webb 2005:83)
- Figure 3-32: Melrose Arch building facades (Krige 2002:27)
- Figure 3-33: Whiteinch Cross planes (Holden 2003:70)
- Figure 3-34: Whiteinch Cross spatial arrangement (Spens 2003:195)
- Figure 3-35: Castelvecchio platforms (Los 2002:79)
- Figure 3-36: Urban spatial definition (Grobler 2005)
- Figure 3-37: Melrose Arch edge (Melrose Arch 1999:31)
- Figure 3-38: Constitutional Court foyer seating Adapted from (Lipman 2004:17)
- Figure 3-39: Philippi Lansdowne public space grid (Philippi public space project, Cape Town 2003:58)
- Figure 3-40: Glass Shutter House volume (Webb 2005:84)
- Figure 3-41: Garden Pavilion (An Architecture of discovery 2002:37)

#### Chapter 4

- Figure 4-1: Cluster and nodal spaces (Grobler 2005)
- Figure 4-2: Constitutional Court plan linear and cluster spaces Adapted from (Makin & Masojada 2004:10)
- Figure 4-3: Sendero del Pinar de la Algaida (Mostaedi [s.a.]:175)
- Figure 4-4: Sendero del Pinar de la Algaida scale (Mostaedi [s.a.]:174)
- Figure 4-5: Sendero del Pinar de la Algaida plan (Mostaedi [s.a.]:169)
- Figure 4-6: Constitutional Court large scale (Makin & Masojada 2004:9)
- Figure 4-7: Garden Pavilion small scale (Garden Pavilion 2000:23)
- Figure 4-8: Philippi Lansdowne public space human scale (Philippi Lansdowne public space project 2003:58)
- Figure 4-9: Urban scale (Grobler 2005)
- Figure 4-10: Garden Pavilion residential scale (An Architecture of discovery 2002:37)
- Figure 4-11: Melrose Arch urban scale (Krige 2002:23)
- Figure 4-12: Constitutional Court scale and proportion (The Constitutional Court, Johannesburg

2004/2005:20)

- Figure 4-13: Ratio 1:2 (Grobler 2005)
- Figure 4-14: Glass Shutter House colour (Webb 2005:85)
- Figure 4-15: Philippi Lansdowne public space (Philippi Lansdowne public space project, Cape Town 2003:57)
- Figure 4-16: Constitutional Court foyer colour (Lipman 2004:17)
- Figure 4-17: Sendero del Pinar de la Algaida (Mostaedi [s.a.]:173)
- Figure 4-18: Sendero del Pinar de la Algaida (Mostaedi [s.a.]:175)
- Figure 4-19: Constitutional Court courtyard (Grobler 2005)
- Figure 4-20: Constitutional Court entrance (Grobler 2005)
- Figure 4-21: Louvres and artwork (Grobler 2005)
- Figure 4-22: Melrose Ardch (Krige 2002:19)
- Figure 4-23: Castelvecchio (Los 2002:82)
- Figure 4-24: Whiteinch Cross (Holden 2003:69)
- Figure 4-25: Castelvecchio (Los 2002:79)
- Figure 4-26: Metal grills (Castelvecchio) (Los 2002:80)
- Figure 4-27: Cangrande (Los 2002:82)
- Figure 4-28: Constitutional Court foyer texture (Lipman 2004:17)
- Figure 4-29: Sendero del Pinar de la Algaida (Mostaedi [s.a.]:168)
- Figure 4-30: Garcen Pavilion interior (An Architecture of discovery 2002:37)
- Figure 4-31: Joe Gqabi station square planes (Klitzner 2005:26)
- Figure 4-32: Joe Ggabi station square view (Klitzner 2005:27)
- Figure 4-33: Whiteinch Cross (Holden 2003:70)
- Figure 4-34: Whiteinch Cross seats (Spens 2003:197)
- Figure 4-35: Whiteinch Cross water (Holden 2003:68)
- Figure 4-36: Constitutional Court foyer light (Grobler 2005)
- Figure 4-37: Constitutional Court materials (Lipman 2004:17)
- Figure 4-38: Castelvecchio old and new materials (Los 2002:85)
- Figure 4-39: Castelvecchio old and new materials (Los 2002:89)
- Figure 4-40: Sendero del Pinar de la Algaida (Mostaedi [s.a.]:171)
- Figure 4-41: Sendero del Pinar de la Algaida (Mostaedi [s.a.]:175)
- Figure 4-42: Constitutional Sourt foyer clerestory (Grobler 2005)
- Figure 4-43: Constitutional Court foyer natural light (Constitutional Court 2005:33)
- Figure 4-44: Philippi Lansdowne public space (Philippi Lansdowne public space project, Cape Town 2003:58)
- Figure 4-45: Castelvecchio sculpture gallery (Los 2002:79)
- Figure 4-46: Castelvecchio window (Los 2002:85)
- Figure 4-47: Whiteinch Cross night time (Holden 2003:69)
- Figure 4-48: Whiteinch Cross day time (Holden 2003:68)
- Figure 4-49: Constitutional Court visual links urban Adapted from (Makin & Masojada 2004:11)

- Figure 4-50: Constitutional Court visual links architectural Adapted from (Lipman 2004:17)
- Figure 4-51: Philippi Lansdowne public space framing views (Philippi Lansdowne public space project, Cape Town 2003:56)
- Figure 4-52: Sendero del Pinar de la Algaida (Mostaedi [s.a.]:168)
- Figure 4-53: Glass Shutter House indirect link (Webb 2005:82)
- Figure 4-54: Glass Shutter House direct link (Webb 2005:83)

#### Chapter 5

- Figure 5-1: Point within architectural interiors (Grobler 2006) (Lipman 2004:17), Adapted from (Makin & Masojada 2004:10), (Grobler 2005) Figure 5-2: Point within urban interiors (Grobler 2006) (Constitutional Court 2004:84), Adapted from (Constitutional Court 2004:84), (Grobler 2005 Figure 5-3: Line within architectural interiors (Grobler 2006) Adapted from (Noble 2004:21), (Grobler 2005), (Grobler 2005) Figure 5.4: Line within urban interiors (Grobler 2006) Adapted from (Makin & Masojada 2004:11), (Grobler 2005), (Grobler 2005) Figure 5.5: Plane within architectural interiors (Grobler 2006) Adapted from (Lipman 2004:17), Adapted from (Lipman 2004:17), (Grobler 2005) Figure 5.6: Plane within urban interiors (Grobler 2006) Adapted from (Makin & Masojada 2004:9), (Grobler 2005), (Grobler 2005) Figure 5.7: Volume within architectural interiors (Grobler 2006) (Lipman 2004:17), Adapted from (Lipman 2004:17), (Grobler 2005) Figure 5.8: Volume within urban interiors (Grobler 2006) (Constitutional Court 2004:84), Adapted from (Constitutional Court 2004:84), (Grobler 2005) Figure 5.9: Shape and size within architectural interiors (Grobler 2006) (Constitutional Court 2004:81), Adapted from (Makin & Masojada 2004:10), (Grobler 2005) Figure 5.10: Shape and size within urban interiors (Grobler 2006) (Constitutional Court 2004:84), Adapted from (Makin & Masojada 2004:10), (Grobler 2005) Figure 5.11: Proportion and scale within architectural interiors (Grobler 2006) (Noble 2004:21), Adapted from (The Constitutional Court 2004/5:20), (Grobler 2005) Figure 5.12: Proportion and scale within urban interiors (Grobler 2006) (Constitutional Court 2004:81), Adapted from (The Constitutional Court 2004/5:20), (Grobler 2005) Figure 5.13: Colour within architectural interiors (Grobler 2006) (Lipman 2004:17)
- Figure 5.14: Colour within urban interiors (Grobler 2006) (Makin & Malojada 2004:9)
- Figure 5.15: Texture within architectural interiors (Grobler 2006) (Lipman 2004:17)
- Figure 5.16: Texture within urban interiors (Grobler 2006)

(Constitutional Court 2004:84)

Figure	5.17:	Finish	material	within	architectur	al interiors	Grobler 2006)	)
-	(Lipm	an 2004:	17)					

- Figure 5.18: Finish material within urban interiors (Grobler 2006) (Constitutional Court 2004:81)
- Figure 5.19: Light and shade within architectural interiors (Grobler 2006) (Grobler 2005), (Grobler 2005)
- Figure 5.20: Light and shade within urban interiors (Grobler 2006) (Constitutional Court 2004:84)
- Figure 5.21: Views and vistas within architectural interiors (Grobler 2006) Adapted from (Noble 2004:21), Adapted from (Noble 2004:21), (Grobler 2005)
- Figure 5.22: Views and vistas within urban interiors (Grobler 2006) Adapted from (Makin & Masojada 2004:11), Adapted from (Makin & Masojada 2004:11), (Grobler 2005)

# **Chapter 6**

Figure 6-1: 1849 Map of Port Elizabeth (Harradine 2002:36)

Figure 6-2: View by J.F. Cronfield (1823) (Harradine 2002:20)

Figure 6-3: Donkin Reserve location (no.126) (Oberholzer 1972:132)

Figure 6-4: Donkin Reserve section (Grobler 2005)

Figure 6-5: Donkin Reserve view 1897 (Port Elizabeth Main Library [s.a.])

- Figure 6-6: Donkin Reserve aerial view 1940s (Port Elizabeth Main Library [s.a.])
- Figure 6-7: Donkin Reserve view 1965 (Port Elizabeth Main Library [s.a.])
- Figure 6-8: Port Elizabeth Opera House (Grobler 2005)
- Figure 6-9: Grand Hotel (Grobler 2005)
- Figure 6-10: Victorian Houses (Grobler 2005)
- Figure 6-11: Restaurant (Grobler 2005)
- Figure 6-12: Restaurant (Grobler)
- Figure 6-13: Edward Hotel (Grobler 2005)
- Figure 6-14: Grey Institute (Grobler 2005)
- Figure 6-15: Panoramic view (Grobler 2005)
- Figure 6-16: Pyramid and Light House (Grobler 2005)
- Figure 6-17: Donkin Reserve stairs (Grobler 2005)
- Figure 6-18: Chapel Street gradient (Grobler 2005)
- Figure 6-19: Donkin Reserve benches (Grobler 2005)
- Figure 6-20: Donkin Reserve gradient (Grobler 2005)
- Figure 6-21: Industries (Grobler 2005)
- Figure 6-22: Donkin Reserve lamps (Grobler 2005)
- Figure 6-23: Donkin Reserve nodes (Grobler 2005)

Figure 6-24: Donkin Reserve pathways (Grobler 2005)

- Figure 6-25: Plan of the Donkin Reserve analysis of elements (Grobler 2005)
- Figure 6-26: Section of the Donkin Reserve analysis of elements (Grobler 2005)
- Figure 6-27: Primary node (Grobler 2005)
- Figure 6-28: Primary node (Grobler 2005)
- Figure 6-29: Landmarks (Grobler 2005)
- Figure 6-30: Donkin Reserve axes (Grobler 2005)
- Figure 6-31: Donkin Street houses (Grobler 2005)
- Figure 6-32: Donkin Reserve section containment (Grobler 2005)
- Figure 6-33: Volumetric containment (Grobler 2005)
- Figure 6-34: Plan of the Donkin Reserve analysis of variables (Grobler 2005)
- Figure 6-35: Section of the Donkin Reserve analysis of variables (Grobler 2005)
- Figure 6-36: Donkin Reserve shape and size Adapted from (Nelson Mandela Metropolitan Municipality 2000)
- Figure 6-37: Donkin Reserve lack of containment (Grobler 2005)
- Figure 6-38: Donkin Reserve colour (Grobler 2005)
- Figure 6-39: Donkin Reserve texture (Grobler 2005)
- Figure 6-40: Donkin Reserve finish material (Grobler 2005)
- Figure 6-41: Donkin Reserve light and shade (Grobler 2005)
- Figure 6-42: Donkin Reserve views and vistas (Grobler 2005)
- Figure 6-43: Improving points (Grobler 2005)
- Figure 6-44: Improving nodes and links (Grobler 2005)
- Figure 6-45: Improving nodes (Grobler 2005)
- Figure 6-46: Improving line (Grobler 2005)
- Figure 6-47: Improving plane (Grobler 2005)
- Figure 6-48: Improving volume (Grobler 2005)
- Figure 6-49: Improving shelter (Grobler 2005)
- Figure 6-50: Improving size (Grobler 2005)
- Figure 6-51: Improving scale and proportion (Grobler 2005)
- Figure 6-52: Framing the view (Grobler 2005)
- Figure 6-53: Visual overview (Grobler 2005)