

## ACKNOWLEDGEMENTS

First of all I would like to thank Professor Gretel van Rooyen for all her support and patience and for simply being the best supervisor a student could wish for.

Many thanks go also to Professor Wouter van Hoven for his support and for letting me do my research on Ngamba Island, Lake Victoria, Uganda.

Sincere thanks are also due to Professor J. du P. Bothma for supporting me financially and with his advice.

There are no words to thank Mrs Liset Swanepoel who with all her understanding, support and friendship always helped me to get through the task of completing this never ending thesis.

Lots of thanks are also due to Professor Ian Meiklejohn who went through the immense effort of producing brilliant maps from my GPS readings and other sources.

Thanks also to Ben Orban who advised me to use the 'varying quadrat plot method' for the analysis of the Ngamba Island vegetation.

Utmost thanks are due to Mrs. Olivia Wanyamaganyi and Mrs. Mary Namaganda at the Herbarium of the Department of Botany, Makerere University, Kampala, Uganda, for the most efficient identification of the collected woody and herbaceous vegetation samples.

Thanks as well to Barend Erasmus for providing me with a number of data on the climate of Uganda.

Thanks as well to Mrs. Miranda Deutschländer for all her help and advice in the data analysis of my vegetation data.

Thank you to Dr Johan van der Waals for the analysis of the soil samples and his advice.

Many thanks to Peter Jenkins for the detailed information of the 'destructive power' of chimpanzees.

Many thanks as well to Annie Olivecrona for allowing me to use pictures from the Sweetwaters Chimpanzee Sanctuary, Nanyuki, Kenya.

Thanks also to Karl Amman for allowing me to use a number of his photographs.

Thanks as well to Markus Walter for providing me with recent data on chimpanzee numbers in the wild and in captivity.

Thanks are due as well to Sarah Marshall for providing me with her data on the food choice of Ngamba Island chimpanzees and for allowing me to use them in my thesis.

Thanks also to Dr Pascal Gagneux and Dr Marcel Hladik for allowing me to use their data in my thesis and for all their information.

In Uganda I would like to thank very sincerely Debby Cox, Monty (Cherie) Montgomery and Wilhelm Möller for allowing me to conduct my research on Ngamba Island, for all their support and for a great time.

Many thanks as well to Peter Möller for taking his time and his plane to fly me over Ngamba Island to get an impression of the vegetation and have the chance to take aerial photographs.

Lots of thanks go to Stani, Manani, Francis, Robert, Gerald, Susan and Peter and everybody else working and volunteering on the island for all their help and support and for making this time so very special.

Also thanks to all the chimps who taught me so much about their faith and their culture and for being great pals.

Special thanks are due to my parents for always supporting and encouraging me in my work and for being them.

## LIST OF REFERENCES

- ALBRECHT, H. 1976. Chimpanzees in Uganda. *Oryx*, 13:357-61.
- AMMANN, K. 1997-1998. Conservation in Central Africa: time for a more business-like approach? *African Primates*, 3:2-6.
- APE ALLIANCE. 1998. *The African bushmeat trade – a recipe for extinction*. Cambridge: Fauna & Flora International.
- AUGSBURGER, C.K. 1984a. Seedling survival of tropical tree species: interactions of dispersal distance, light-gaps, and pathogens. *Ecology*, 65:1705-12.
- AUGSBURGER, C.K. 1984b. Light requirements of neotropical seedlings: a comparative study of growth and survival. *Journal of Ecology*, 72:777-95.
- BADA, S.O. 1989. Fitting the Chapman-Richard Model to growth data of some secondary species in a mixed tropical forest. *Discovery and Innovation*, 1:66-70.
- BAKER, K.C. & EASLEY, S.P. 1996. An analysis of regurgitation and reingestion in captive chimpanzees. *Applied Animal Behaviour Science*, 49:403-15.
- BALDWIN, L.A. & TELEKI, G. 1973. Field research on chimpanzees and gorillas: a historical, geographical and bibliographical listing. *Primates*, 14:315-30.
- BALDWIN, P.J., SABATER PI, J., MCGREW, W.C. & TUTIN, C.E.G. 1981. Comparisons of nests made by different populations of chimpanzees (*Pan troglodytes*). *Primates*, 22:474-86.
- BALDWIN, P.J., MCGREW, W.C. & TUTIN, C.E.G. 1982. Wide-ranging chimpanzees at Mt. Assirik, Senegal. *International Journal of Primatology*, 3:367-85.
- BEARDER, S.K. 1991. *Primate conservation and wildlife management*, in *Primate responses to environmental change*, by H.O. Box (ed.). London: Chapman and Hall. Chapter 11: 199-211.

- BERMEJO, M. 1999. Status and conservation of primates in Odzala National Park, Republic of the Congo. *Oryx*, 33:323-31.
- BLOOMSMITH, M.A. & LAMBETH, S.P. 1995. Affects of predictable versus unpredictable feeding schedules on chimpanzee behavior. *Applied Animal Behaviour Science*, 44:65-74.
- BLUNDELL, M. 1982. *The wild flowers of Kenya*. London: William Collins Sons & Co Ltd.
- BOLWIG, N. 1959. A study of the nests built by mountain gorilla and chimpanzees. *South African Journal of Science*, unknown, 55:286-91.
- BORNER, M. 1985. The rehabilitated chimpanzees of Rubondo island. *Oryx*, 19:151-4.
- BOTHMA, J. DU P. 1996. *Game ranch management*. Pretoria: van Schaik Publishers.
- BOWEN-JONES, E. 1997-1998. A review of the commercial bushmeat trade with emphasis on central/west Africa and the great apes. *African Primates*, Supplement, 3:1-42.
- BROWN, L.H. 1981. The conservation of forest islands in areas of high human density. *African Journal of Ecology*, 19:27-32.
- BUTZER, K.W., ISAAC, G.L., RICHARDSON, J.L. & WASHBOURN-KAMAU, C. 1972. Radiocarbon dating of East African lake levels. *Science*, 175:1069-76.
- CARTER, J. 1988. Freed from keepers and cages, chimps come of age on Baboon Island. *Smithsonian*, unknown:36-49.
- CENTRE FOR RESOURCE AND ENVIRONMENTAL STUDIES. 1996. *A topographic and climate data base for Africa – Version 1.1*. Canberra: Australian National University.
- CHAPMAN, C.A. 1989. Primate seed dispersal: the fate of dispersed seeds. *Biotropica*, 21:148-54.
- CHAPMAN, C.A., CHAPMAN, L.J., WRANGHAM, R.W., HUNT, K., GEBO, D. & GARDNER, L. 1992. Estimators of fruit abundance of tropical trees. *Biotropica*, 24:527-31.

- CHAPMAN, C.A., WHITE, F.J. & WRANGHAM, R.W. 1994. Party size in chimpanzees and bonobos: a reevaluation of theory based on two similarly forested sites, in *Chimpanzee cultures*, by R.W. Wrangham, W.C. McGrew, F.B.M. de Waal & P. Heltne (eds). Cambridge: Harvard University Press in Cooperation with The Chicago Academy of Sciences. 41-58.
- CHAPMAN, C.A. & CHAPMAN, L.J. 1996. Frugivory and the fate of dispersed and non-dispersed seeds of six African tree species. *Journal of Tropical Ecology*, 12:491-504.
- CHAPMAN, C.A. & CHAPMAN, L.J. 1997. Forest regeneration in logged and unlogged forests of Kibale National Park, Uganda. *Biotropica*, 29:396-412.
- CHIMPANZEE SANCTUARY AND WILDLIFE CONSERVATION TRUST (CSWCT). 1999. *Annual Report: October 1998 - September 1999*. Ngamba Island Chimpanzee Sanctuary, Entebbe, Uganda.
- CLUTTON-BROCK, T.H. 1977. Some aspects of intraspecific variation in feeding and ranging behaviour in primates, in *Primate ecology: studies of feeding and ranging behaviour in lemurs, monkeys and apes*, by T.H. Clutton-Brock (ed.). London: Academic Press. Chapter 18: 539-56.
- CLUTTON-BROCK, T.H. & HARVEY, P.H. 1977. Species differences in feeding and ranging behaviour in primates, in *Primate ecology: studies of feeding and ranging behaviour in lemurs, monkeys and apes*, T.H. Clutton-Brock (ed.). London: Academic Press. Chapter 19:557-84.
- COATES-ESTRADA, R., ESTRADA, A. & MERITT, D. JR. 1993. Foraging by parrots (*Amazona autumnalis*) on fruits of *Stemmadenia donnell-smithii* (Apocynaceae) in the tropical rain forest of Los Tuxtlas, Mexico. *Journal of Tropical Ecology*, 9:121-4.
- COE, J.C. 1992. Advances in facility design for great apes in zoological gardens, in *Chimpanzee conservation and public health: environments for the future*, by J. Erwind & J.C. Landon (eds). Rockville, MD: Diagon Corporation/Bioqual Inc. 95-102.

- COETZEE, B.J. & GERSTENBACH, W.P.D. 1977. Technique for describing woody vegetation composition and structure in inventory type classification, ordination and animal habitat surveys. *Koedoe* 20:67-75.
- COLLINS, D.A. & MCGREW, W.C. 1988. Habitats of three groups of chimpanzees (*Pan troglodytes*) in western Tanzania compared. *Journal of Human Evolution*, 17:553-74.
- COX, D., ROSEN, R., MONTGOMERY, C. & SEAL, U.S. (eds) 2000. *Chimpanzee Sanctuary Guidelines and Management Workshop: Report*. Apple Valley, Minn.: Conservation Breeding Specialist Group (IUCN/SSC).
- DE STEVEN, D. & WRIGHT, S.J. 2002. Consequences of variable reproduction for seedling recruitment in three neotropical tree species. *Ecology*, 83:2315-27.
- DEUTSCHER WETTERDIENST. 2001. Synopsdaten der Stationen ENTEBBE AIRPORT (63 705) und JINJA (63 682), Uganda, für den Zeitraum 01.01.1990 – 31.12.2000 und 01.01.1990 – 31.08.2000. Offenbach: Referat Datenservice.
- DE WAAL, F.B.M. 1994. Chimpanzee's adaptive potential: a comparison of social life under captive and wild conditions, in *Chimpanzee cultures*, by R.W. Wrangham, W.C. McGrew, F.B.M. de Waal & P. Heltne (eds). Cambridge: Harvard University Press in Cooperation with The Chicago Academy of Sciences. 243-60.
- DIAMOND, A.W. 1981. Reserves as oceanic islands: lessons from conserving some East African montane forests. *African Journal of Ecology*, 19:21-25.
- DORAN, D.M & HUNT, K.D. 1994. Comparative locomotor behavior of chimpanzees and bonobos: species and habitat differences, in *Chimpanzee cultures*, by R.W. Wrangham, W.C. McGrew, F.B.M. de Waal & P. Heltne (eds). Cambridge: Harvard University Press in Cooperation with The Chicago Academy of Sciences. 93-108.
- ECHROMA, E., ROSEN, N. & MILLER, P. (eds). 1997. *Conserving the chimpanzees of Uganda: Population and habitat viability assessment for Pan troglodytes schweinfurthii*. Apple Valley, Minn.: Conservation Breeding Specialist Group (IUCN/SSC).

- EGGELING, W.J. 1947. Observations on the ecology of the Budongo rain forest, Uganda. *Journal of Ecology*, 34:20-87.
- EGGELING, W.J. 1951. *The indigenous trees of the Uganda Protectorate*. 2nd edition, revised and enlarged by I.R. Dale. Entebbe, Uganda: The Government Printer.
- ELSE, J.G. 1991. Nonhuman primates as pests, in *Primates responses to environmental change*, by H.O. Box (ed.). London: Chapman and Hall. Chapter 8:155-65.
- ERWIN, J. 1992. An introduction to chimpanzees and their environments, in *Chimpanzee conservation and public health: environments for the future*, J. Erwin & J.C. Landon (eds). Rockville, MD: Diagon Corporation/Bioqual Inc. 1-5
- ESTRADA, A. & COATES-ESTRADA, R. 1986. Frugivory by howling monkeys (*Alouatta palliata*) at Las Luxtlas, Mexico: dispersal and fate of seeds, in *Frugivores and seed dispersal*, by A. ESTRADA & T.H. FLEMING (eds). Dordrecht: Dr. W. Junk Publishers. 93-104.
- EWEL, J. 1980. Tropical succession: manifold routes to maturity. *Biotropica*, 12:2-7.
- FONS, W.L. 1940. Influence of forest cover on wind velocity. *Journal of Forestry*, 38:481-486.
- FOUTS, R. & TUKEL MILLS, S. 1997. *Next of kin. What chimpanzees have taught me about who we are*. New York: William Morrow.
- FRUTH, B & HOHMANN, G. 1994. Comparative analyses of nest building behavior in bonobos and chimpanzees, in *Chimpanzee cultures*, by R.W. Wrangham, W.C. McGrew, F.B.M. de Waal & P. Heltne (eds). Cambridge: Harvard University Press in Cooperation with The Chicago Academy of Sciences. 109-28.
- GAGNEUX, P., GONDER, M.K., GOLDBERG, T.L. & MORIN, P.A. (2001). Gene flow in wild chimpanzee populations: what genetic data tell us about chimpanzee movement over space and time. *Philosophical Transactions of the Royal Society of London B*, 356:889-97.

- GAUTIER-HION, A., DUPLANTIER, J.-M., QURIS, R., FEER, F., SOURD, C., DECOUX, J.-P., DUBOST, G., EMMONS, L., ERARD, C., HECKETSWEILER, P., MOUNGAZI, A., ROUSSILHON, C. & THIOLLAY, J.-M. 1985. Fruit characters as a basis of fruit choice and seed dispersal in a tropical forest vertebrate community. *Oecologia*, 65:324-37.
- GAUTIER-HION, A., GAUTIER, J.-P. & MAISELS, F. 1993. Seed dispersal versus seed predation: an inter-site comparison of two related African monkeys. *Vegetatio*, 107/108:237-44.
- GHIGLIERI, M.P. 1984. *The chimpanzees of Kibale forest - a field study of ecology and social structure*. New York: Columbia University Press.
- GOLD, K.C. 1992. Chimpanzee exhibits in zoological parks, in *Chimpanzee conservation and public health: environments for the future*, by J. Erwind & J.C. Landon (eds). Rockville, MD: Diagon Corporation/Bioqual Inc. 103-11
- GONDER, M.K., OATES, J.F., DISOTELL, T.R., FORSTNER, M.R.J., MIRALES, J.C. & MELNICK, D.J. 1997. A new west African chimpanzee species? *Nature*, 388:337.
- GOODALL, J. 1986. *The chimpanzees of Gombe - patterns of behaviour*. Cambridge: The Belknap Press of Harvard University Press.
- GOODALL, J. 1989. Area status report Tanzania, in *Understanding chimpanzees*, by P.G. Heltne & L.A. Marquardt (eds). Cambridge: Harvard University Press in Cooperation with The Chicago Academy of Sciences. 360-1.
- GOODALL, J. 1994a. Foreword, in *Chimpanzee cultures*, by R.W. Wrangham, W.C. McGrew, F.B.M. de Waal & P. Heltne (eds). Cambridge: Harvard University Press in Cooperation with The Chicago Academy of Sciences. xv-xxi.
- GOODALL, J. 1994b. Postscript - conservation and the future of chimpanzee and bonobo research in Africa, in *Chimpanzee cultures*, by R.W. Wrangham, W.C. McGrew, F.B.M. de Waal & P. Heltne (eds). Cambridge: Harvard University Press in Cooperation with The Chicago Academy of Sciences. 397-404.
- GOODALL, J. 1998. *Through a window*. London: Phoenix. Paperback edition.



- GRIESER JOHNS, B. 1996. Responses of chimpanzees to habituation and tourism in the Kibale Forest, Uganda. *Biological Conservation*, 78:257-62.
- GUST, D.A. 1989. Uncertain availability of preferred food affects choice in a captive group of chimpanzees (*Pan troglodytes*). *American Journal of Primatology*, 17:165-71.
- HAMILTON, A.C. 1974. Distribution patterns of forest trees in Uganda and their historical significance. *Vegetatio*, 29: 21-35.
- HAMILTON, A.C. 1976. The significance of patterns of distribution shown by forest plants and animals in Tropical Africa for the reconstruction of upper pleistocene palaeo-environments: a review. *Palaeoecology of Africa and of the surrounding islands and Antarctica*, 9:63-97.
- HAMILTON, A.C. 1981. The quarternary history of African forests: its relevance to conservation. *African Journal of Ecology*, 19:1-6.
- HAMILTON, A.C. 1992. *History of forests and climate*, in *The conservation atlas of tropical forests: Africa*, by J.A. Sayer, C.S. Harcourt & N.M. Collins (eds). New York: Simon & Schuster. Chapter 2:17-25.
- HANNAH, A.C. & MCGREW, W.C. 1991. Rehabilitation of captive chimpanzees, in *Primate responses to environmental change*, by H.O. Box (ed.). London: Chapman & Hall. Chapter 9:167-86.
- HARCOURT, C.S. 1992. *Uganda*, in *The conservation atlas of tropical forests: Africa*, by J.A. Sayer, C.S. Harcourt & N.M. Collins (eds). New York: Simon & Schuster. Chapter 31:262-9.
- HART, J.A. & HALL, J.S. 1996. Status of Eastern Zaire's forest parks and reserves. *Conservation Biology*, 10:316-27.
- HASHIMOTO, C. 1995. Population census of the chimpanzees in the Kalinzu Forest, Uganda: comparison between methods with nest counts. *Primates*, 36:477-88.
- HEDIGER, H. 1950. *Wild animals in captivity*. New York: Dore Publications.

- HELTNE; P.G. 1994. *Preface*, in *Chimpanzee cultures*, by R.W. Wrangham, W.C. McGrew, F.B.M. de Waal & P. Heltne (eds). Cambridge: Harvard University Press in Cooperation with The Chicago Academy of Sciences. xi-xiv.
- HERRERA, C.M. 1986. Vertebrate-dispersed plants: why they don't behave the way they should, in *Frugivores and seed dispersal*, by A. ESTRADA & T.H. FLEMING (eds). Dordrecht: Dr. W. Junk Publishers. 5-18.
- HEWES, J.J. & BECKWITH, J. 1974. *Build your own playground: a sourcebook of play sculptures, designs, and concepts from the work of Jay Beckwith*. Boston: Houghton Mifflin.
- HILL, M.O. 1973. Reciprocal averaging: an eigenvector method of ordination. *Journal of Ecology*, 61:237-49.
- HILL, M.O. 1979a. TWINSpan - a fortran program for detrended multivariate data in an ordered two way table by classification of the individuals and attributes. Ithaca: Cornell University.
- HILL, M.O. 1979b. DECORANA - a fortran program for detrended correspondence analysis and reciprocal averaging. Ithaca: Cornell University.
- HLADIK, A. 1978. Phenology of leaf production in rain forest of Gabon: distribution and composition of food for foliovores, in *The ecology of arboreal foliovores*, by G.G. Montgomery (ed.). Washington D.C.: Smithsonian Institution Press. 51-71.
- HLADIK, C.M. 1973. Alimentation et activité d'un groupe de chimpanzés réintroduits en forêt gabonaise. *La Terre et la Vie*, 27:343-413.
- HLADIK, C.M. 1974. La vie d'un groupe de chimpanzés dans la forêt du Gabon. *Science et Nature*, 121:5-14.
- HLADIK, C.M. 1977. Chimpanzees of Gabon and Chimpanzees of Gombe: some comparative data on the diet, in *Primate ecology: studies of feeding and ranging behaviour in lemurs, monkeys and apes*, by T.H. Clutton-Brock (ed.). London: Academic Press. Chapter 16: 481-501.

- HLADIK, C.M. & HLADIK, A. 1967. Observations sur le rôle des primates dans la dissémination des végétaux de la forêt gabonaise. *Biologia gabonica*, 3:43-58.
- HLADIK, C.M. & VIROBEN, G. 1974. L'alimentation protéique du Chimpanzé dans son environnement forestier naturel. *Compte rendues hebdomadaires des scéances de l'Académie des Sciences, Série D*, 279:1475-8.
- HOWE, H.F. 1989. Scatter- and clump-dispersal and seedling demography: hypothesis and implications. *Oecologia*, 79:417-26.
- HOWE, H.F. 1993. Specialized and generalized dispersal systems: where does 'the paradigm' stand? *Vegetatio*, 107/108:3-13.
- IDANI, G. 1986. Seed dispersal by pygmy chimpanzees (*Pan paniscus*): a preliminary report. *Primates*, 27:441-7.
- ISABIRYE-BASUTA, G. 1988. Food competition among individuals in a free-ranging chimpanzee community in Kibale Forest, Uganda. *Behaviour*, 105:135-47.
- ISABIRYE-BASUTA, G. 1989. Feeding ecology of chimpanzees in the Kibale Forest, Uganda, in *Understanding chimpanzees*, by P.G. Heltne & L.A. Marquardt (eds). Cambridge: Harvard University Press in Cooperation with The Chicago Academy of Sciences. 116-27.
- IUCN 2000 Red List of Threatened Species™. 2000a. *Results List*. Internet: <http://www.redlist.cymbiont.ca/resultlistextended.asp>. Access: 4. June 2001
- IUCN 2000 Red List of Threatened Species™. 2000b. 1994 *Categories & Criteria*. Internet: [http://www.redlist.org/categories\\_criteria.html](http://www.redlist.org/categories_criteria.html). Access: 4. June 2001.
- JANSON, C.H. 1983. Adaptation of fruit morphology to dispersal agents in neotropical forests. *Science*, 219:187-9.
- JANZEN, D.H. 1969. Seed-eaters versus seed size, number, toxicity and dispersal. *Evolution*, 23:1-27.

- JANZEN, D.H. 1970. Herbivores and the number of tree species in tropical forests. *The American Naturalist*, 104:501-28.
- JANZEN, D.H. 1982. Removal of seeds from horse dung by tropical rodents: influence of habitat and amount of dung. *Ecology*, 63:1887-1900.
- JANZEN, D.H. 1986. Mice, big mammals, and seeds: it matters who defecates what where, in *Frugivores and seed dispersal*, by A. Estrada & T.H. Fleming (eds). Dordrecht: Dr. W. Junk Publishers. 251-71.
- JOHNS, A.D. & SKORUPA, J.P. 1987. Responses of rain-forest primates to habitat disturbances: a review. *International Journal of Primatology*, 8:157-91.
- KATENDE, A.B., BIRNIE, A. & TENGNÄS, B. 1995. *Useful trees and shrubs for Uganda - Identification, propagation and management for agricultural and pastoral communities - Technical Handbook No.10*. Nairobi: Regional Soil Conservation Unit, RSCU/SIDA.
- KATENDE, A.B., SSEGAWA P. & BIRNIE, A. WITH HOLDING, C. & TENGNÄS, B. 1999. *Wild food plants and mushrooms of Uganda*. Nairobi: Regional Land and Management Unit (RELMA), Swedish International Development Cooperation Agency (SIDA).
- KENDALL, R.L. 1969. An ecological history of the Lake Victoria basin. *Ecological Monographs*, 39:21-76.
- KENT, M. & COKER, P. 1996. *Vegetation description and analysis - A practical approach*. Chichester: John Wiley & Sons.
- KINGDON, J. 1997. *The Kingdon field guide to African mammals*. San Diego, CA: Academic Press.
- KITYO, R.M. 1998. *Ngamba Island Chimpanzee Sanctuary - environmental impact assessment of the proposed sanctuary*. Entebbe:Chimpanzee Sanctuary and Wildlife Conservation Trust.
- KORTLANDT, A. 1960/61. Can lessons from the wild improve the lot of captive chimpanzees? *International Zoo Yearbook*, 2:76-80.

- KORTLANDT, A. 1962. Chimpanzees in the wild. *Scientific American*, 206:128-38.
- KORTLANDT, A. 1984. Habitat richness, foraging range and diet in chimpanzees and some other primates, in *Food acquisition and processing in primates*, by D.J. Chivers, B.A. Wood & A. Bilsborough (eds). New York: Plenum Press. Chapter 5:119-59.
- KORTLANDT, A. 1997-1998. Pygmy chimpanzee, bonobo or gracile chimpanzee: what's in a name? *African Primates*, 3:28-35.
- LAMB, H.H. 1966. Climate in the 1960's: changes in the world wind circulation reflected in prevailing temperatures, rainfall patterns and the levels of the African lakes. *The Geographical Journal*, 132:183-212.
- LANGDALE-BROWN, I., OSMASTON, H.A. & WILSON, J.G. 1964. *The vegetation of Uganda and its bearing on land-use*. Entebbe, Uganda: The Government of Uganda.
- LATINEN, K. 1989. Demography of chimpanzees in captivity, in *Understanding chimpanzees*, by P.G. Heltne & L.A. Marquardt (eds). Cambridge: Harvard University Press in Cooperation with The Chicago Academy of Sciences. 354-59.
- LIND, E.M. & TALLANTIRE, A.C. 1962. *Some common flowering plants of Uganda*. London: Oxford University Press.
- LIND, E.M. & MORRISON, M.E.S. 1974. *East African vegetation*. London: Longman Group Ltd.
- LWANGA, J.S., BUTYNSKI, T.M & STRUHSAKER, T.T. 2000. Tree population dynamics in Kibale Forest Park, Uganda 1975-1998. *African Journal of Ecology*, 38:238-47.
- MAHANEY, W.C., MILNER, M.W., HANCOCK, R.G.V., AUFREITER, S., WRANGHAM, R. & PIER, H.W. 1997. A analysis of geophagy soils in Kibale Forest, Uganda. *Primates*, 38:159-76.

- MALENKY, R.K., KURODA, S., ONO VINEBERG, E. & WRANGHAM, R.W. 1994. The significance of terrestrial herbaceous foods for bonobos, chimpanzees and gorillas, in *Chimpanzee cultures*, by R.W. Wrangham, W.C. McGrew, F.B.M. de Waal & P. Heltne (eds). Cambridge: Harvard University Press in Cooperation with The Chicago Academy of Sciences. 59-76.
- MAPLE, T.L. 1979. Great apes in captivity: the good, the bad and the ugly, in *Captivity and behavior: primates in breeding colonies, laboratories and zoos*, by J. Erwin (eds). New York: Van Nostrand Reinhold Company. 239-72.
- MARSHALL, S. 2000. *Unpublished data*. October, Entebbe (Uganda).
- MARTINEZ-RAMOS, M. & ALVAREZ-BUYLLA, E. 1986. Seed dispersal, gap dynamics and tree recruitment: the case of *Cecropia obtusifolia* at Los Tuxtlas, Mexico, in *Frugivores and seed dispersal*, by A. Estrada & T.H. Fleming (eds). Dordrecht: Dr. W. Junk Publishers. 333-46.
- MATSUMOTO-ODA, A & HAYASHI, Y. 1999. Nutritional aspects of fruit choice by chimpanzees. *Folia Primatologica*, 70:154-62.
- MCGREW, W.C. 1985. Chimpanzee diet - in bad taste? Comment on Rozin and Kennel (1983). *Appetite*, 6:81-4.
- MCGREW, W.C. 1989. Recent research on chimpanzees in West Africa, in *Understanding chimpanzees*, by P.G. Heltne & L.A. Marquardt (eds). Cambridge: Harvard University Press in Cooperation with The Chicago Academy of Sciences. 128-33.
- MCGREW, W.C., BALDWIN, P.J. & TUTIN, C.E.G. 1981. Chimpanzees in a hot, dry and open habitat: Mt. Assirik, Senegal, West Africa. *Journal of Human Evolution*, 10:227-44.
- MCGREW, W.C., BALDWIN, P.J. & TUTIN, C.E.G. 1988. Diet of wild chimpanzees (*Pan troglodytes verus*) at Mt. Assirik, Senegal: I. Composition. *American Journal of Primatology*, 16:213-26.
- MCNAB, B.K. 1963. Bioenergetics and the determination of home range size. *The American Naturalist*, 97:133-40.

- MEDLEY, K.E. 1993. Primate conservation along the Tana river, Kenya: an examination of the forest habitat. *Conservation Biology*, 7:109-21.
- MENZEL, E.W., JR. 1971. Communication about the environment in a group of young chimpanzees. *Folia primatologica*, 15:320-32.
- MENZEL, E.W. 1973. Chimpanzee spatial memory organization. *Science*, 182:943-5.
- MILTON, K. & MAY, M.L. 1976. Body weight, diet and home range area in primates. *Nature*, 259:459-62.
- MYERS, N. 1980. The present status and future prospects of tropical moist forests. *Environmental Conservation*, 7:101-14.
- NEWTON-FISCHER, N.E. 1999. The diet of chimpanzees in the Budongo Forest reserve, Uganda. *African Journal of Ecology*, 37:344-54.
- NISHIDA, T. 1994. Afterword - Review of recent findings on Mahale chimpanzees, in *Chimpanzee cultures*, by R.W. Wrangham, W.C. McGrew, F.B.M. de Waal & P. Heltne (eds). Cambridge: Harvard University Press in Cooperation with The Chicago Academy of Sciences. 373-96.
- NISHIDA, T. & UEHARA, S. 1983. Natural diet of chimpanzees (*Pan troglodytes schweinfurthii*): long-term record from the Mahale Mountains, Tanzania. *African Study Monographs*, 3:109-30.
- NISHIDA, T., WRANGHAM, R.W., GOODALL, J. & UEHARA, S. 1983. Local differences in plant-feeding habits of chimpanzees between the Mahale Mountains and Gombe National Park, Tanzania. *Journal of Human Evolution*, 12:467-80.
- OATES, J.F. 1995. The dangers of conservation by rural development - a case study from the forests of Nigeria. *Oryx*, 29:115-22.
- OPPENHEIMER, J.R. & LANG, G.E. 1969. Cebus monkeys: effect on branching of *Gustavia* trees. *Science*, 169:187-8.

PANNELL, C.M. 1969. The role of equatorial rain forests for conservation and timber production. *Commonwealth Forestry Review*, 68:309-13.

PFEIFFER, A.J. & KOEBNER, L.J. 1978. The resocialisation of single-caged chimpanzees and the establishment of an island colony. *Journal of Medical Primatology*, 7:70-81.

POPMA, J. & BONGERS, F. 1988. The effect of canopy gaps on growth and morphology of seedlings of rain forest species. *Oecologia*, 74:625-32.

PROMED-MAIL. 2001a. Ebola haemorrhagic fever in Gabon – Update. Internet:  
[http://www.promedmail.org/pls/askns/f?...ISPLAY,F2400\\_P1202\\_PUB\\_Mail\\_ID:X,16961](http://www.promedmail.org/pls/askns/f?...ISPLAY,F2400_P1202_PUB_Mail_ID:X,16961).  
Access: 27. February 2002.

PROMED-MAIL ([promed@promedmail.org](mailto:promed@promedmail.org)). 2001b. MRSA-reverse zoonosis-USA, CANADA (02). E-mail to: Schoene, C. ([curschoene@yahoo.com](mailto:curschoene@yahoo.com)). 25. December.

PROMED-MAIL ([promed@promedmail.org](mailto:promed@promedmail.org)) 2002a. Ebola haemorrhagic fever, new diagnostic test. E-mail to: Schoene, C. ([curschoene@yahoo.com](mailto:curschoene@yahoo.com)). 28. February.

PROMED-MAIL ([promed@promedmail.org](mailto:promed@promedmail.org)) 2002b. Monkeypox – Congo DR (Equateur).  
E-mail to: Schoene, C. ([curschoene@yahoo.com](mailto:curschoene@yahoo.com)). 28. February.

RAUB, W. 1992. Health Sciences Research Priorities, in Chimpanzee conservation and public health, by J. Erwin & J.C. Landon (eds). Rockville, MD: Diagnon Corporation/Bioqual Inc. 7-9.

REDSHAW, M.E. & MALLINSON, J.J.C. 1991. Stimulation of natural patterns of behaviour: studies with golden lion tamarins and gorillas, in *Primate responses to environmental change*, by H.O. Box (ed.). London: Chapman & Hall. Chapter 12:217-38.

REYNOLDS, V. & REYNOLDS, F. 1965a. Chimpanzees of the Budongo Forest, in *Primate behavior*, by I. De Vore (ed.). New York: Holt, Rinehart & Winston. Chapter 11:368-424.



- SCHMIDT-NIELSEN, K. 1972. Locomotion: energy cost of swimming, flying and running. *Science*, 177:222-8.
- SCHUPP, E.W. 1988a. Factors affecting post-dispersal seed survival in a tropical forest. *Oecologia*, 76:525-30.
- SCHUPP, E.W. 1988b. Seed and early seedling predation in the forest understory and in treefall gaps. *Oikos*, 51:71-8.
- SCHUPP, E.W. 1993. Quantity, quality and the effectiveness of seed dispersal by animals. *Vegetatio*, 107/108:15-29.
- SCHUPP, E.W. & FROST, E.J. 1989. Differential predation of *Welfia georgii* seeds in treefall gaps and the forest understory. *Biotropica*, 21:200-3.
- SKORUPA, J.P. & KASENENE, J.M. 1984. Tropical forest management: can rates of natural treefalls help guide us? *Oryx*, 18:96-101.
- STEWART-OATEN, A., MURDOCH, W.W. & PARKER, K.R. 1986. Environmental impact assessment: "pseudoreplication" in time? *Ecology*, 67:929-40.
- STRUHSAKER, T.T. 1967. Ecology of vervet monkeys (*Cercopithecus aethiops*) in the Masai-Amboseli Game Reserve, Kenya. *Ecology*, 48:891-904.
- STRUHSAKER, T.T. 1981. Forest and primate conservation in East Africa. *African Journal of Ecology*, 19:99-114.
- STRUHSAKER, T.T. 1987. Forestry issues and conservation in Uganda. *Biological Conservation*, 39:209-34.
- SUGIYAMA, Y. 1989. Population dynamics of chimpanzees at Bossou, Guinea, in *Understanding chimpanzees*, by P.G. Heltne & L.A. Marquardt (eds). Cambridge: Harvard University Press in Cooperation with The Chicago Academy of Sciences. 134-45.

- SUGIYAMA, Y. & KOMAN, J. 1987. A preliminary list of chimpanzees' alimentation at Bossou, Guinea. *Primates*, 28:133-47.
- SUZUKI, A. 1969. An ecological study of chimpanzees in a savanna woodland. *Primates*, 10:103-48.
- SUZUKI, A. 1971. On the problems of conservation of the chimpanzees in East Africa and of the preservation of their environment. *Primates*, 12:415-18.
- TAKASAKI, H. 1983. Seed dispersal by chimpanzees: a preliminary note. *African Study Monographs*, 3:105-8.
- TAKASAKI, H. & UEHARA, S. 1984. Seed dispersal by chimpanzees: supplementary note 1. *African Study Monographs*, 5:91-2.
- TELEKI, G. 1973. The omnivorous chimpanzee. *Scientific American*, 228:32-42.
- TELEKI, G. 1989. Population status of wild chimpanzees (*Pan troglodytes*) and threats to survival, in *Understanding chimpanzees*, by P.G. Heltne & L.A. Marquardt (eds). Cambridge: Harvard University Press in Cooperation with The Chicago Academy of Sciences. 312-53.
- TELEKI, G. 1994. Citation, in *Chimpanzee cultures*, by R.W. Wrangham, W.C. McGrew, F.B.M. de Waal & P. Heltne (eds). Cambridge: Harward University Press in Cooperation with The Chicago Academy of Sciences. v.
- TERBORGH, J. 1986. Community aspects of frugivory in tropical forests, in *Frugivores and seed dispersal*, by A. Estrada & T.H. Fleming (eds). Dordrecht: Dr. W. Junk Publishers. 371-84.
- THOMAS, A.S. 1941. The vegetation of the Sese Islands, Uganda. *Journal of Ecology*, 29:330-53.
- TULLOCH, S. (ed.). 1993. The reader's digest Oxford complete wordfinder. London: The Reader's Digest Association Limited.

- TURNER, R.K. (ed.) 1993. *Sustainable environmental economics and management - Principles and practice*. London: Belhaven Press.
- TUTIN, C.E.G. & FERNANDEZ, M. 1991. Responses of wild chimpanzees and gorillas to the arrival of primatologists: behaviour observed during habituation, in *Primates' responses to environmental change*, by H.O. Box (ed.) London: Chapman & Hall. Chapter 10: 187-97.
- TUTIN, C.E.G., FERNANDEZ, M., ROGERS, M.E., WILLIAMSON, E.A. & MCGREW, W.C. 1991a. Foraging profiles of sympatric lowland gorillas and chimpanzees in the Lopé Reserve, Gabon. *Philosophical Transactions of the Royal Society of London B*, 334: 179-86.
- TUTIN, C.E.G., WILLIAMSON, E.A., ROGERS, M.E. & FERNANDEZ, M. 1991b. A case study of a plant-animal relationship: *Cola lizae* and lowland gorillas in the Lopé Reserve, Gabon. *Journal of Tropical Ecology*, 7:181-99.
- TUTIN, C.E.G., PARNELL, R.J. & WHITE, F. 1996. Protecting seeds from primates: examples from *Diospyros* spp. in the Lopé Reserve, Gabon. *Journal of Tropical Ecology*, 12:371-84.
- VAN HOOFF, J.A.R.A.M. 1973. The Arnhem Zoo chimpanzee consortium: an attempt to create an ecologically and socially acceptable habitat. *International Zoo Yearbook*, 13:195-205.
- VAN ROOSMALEN, M.G.M., MITTERMAIER, R.A. & FLEAGLE J.G. 1988. Diet of the northern bearded saki (*Chiropotes satanas chiropotes*): a neotropical seed predator. *American Journal of Primatology*, 14:11-35.
- VOYSEY, B.C., MCDONALD, K.E., ROGERS, M.E., TUTIN, C.E.G. & PARNELL, R.J. 1999a. Gorillas and seed dispersal in the Lopé Reserve, Gabon. I: Gorilla acquisition by trees. *Journal of Tropical Ecology*, 15:23-38.
- VOYSEY, B.C., MCDONALD, K.E., ROGERS, M.E., TUTIN, C.E.G. & PARNELL, R.J. 1999b. Gorillas and seed dispersal in the Lopé Reserve, Gabon. II: Survival and growth of seedlings. *Journal of Tropical Ecology*, 15:39-60.

- WAHRIG-BURFEIND, R. 1991. *Wahrig Fremdwörterlexikon*. Gütersloh: Bertelsmann Lexikon Verlag GmbH.
- WERGER, M.J.A. 1974. On concepts and techniques applied in the Zürich-Montpellier method of vegetation survey. *Bothalia*, 11:309-23.
- WHITE, F. 1983. *The vegetation of Africa: a descriptive memoir to accompany the Unesco/AEFTAT/UNSO vegetation map of Africa*. SWITZERLAND:Unesco.
- WHITE, F.J. & WRANGHAM, R.W. 1988. Feeding competition and patch size in the chimpanzee species *Pan paniscus* and *Pan troglodytes*. *Behaviour*, 105:148-64.
- WHITE, L.J.T. 1994a. Patterns of fruit-fall phenology in the Lopé Reserve, Gabon. *Journal of Tropical Ecology*, 10:289-312.
- WHITE, L.J.T. 1994b. The effects of commercial mechanised logging on a transect in lowland rainforest in the Lopé Reserve, Gabon. *Journal of Tropical Ecology*, 10:313-22.
- WILLSON, M.F. & WHELAN, C.J. 1990. Variation in postdispersal survival of vertebrate-dispersed seeds: effects of density, habitat, location, season, and species. *Oikos*, 57:191-8.
- WILSON, M.W. & ELICKER, J.G. 1976. Establishment, maintenance, and behavior of free-ranging chimpanzees on Ossabaw Island, Georgia, U.S.A. *Primates*, 17:451-73.
- WILSON, M. & SCHIPPER, C. 2002. *Ngamba Island chimpanzee sanctuary bird list*. Ngamba Island Chimpanzee Sanctuary, Entebbe, Uganda.
- WRANGHAM, R.W. 1974. Artificial feeding of chimpanzees and baboons in their natural habitat. *Animal Behaviour*, 22:83-93.
- WRANGHAM, R.W. 1977. Feeding behaviour of chimpanzees in Gombe National Park, Tanzania, in *Primate ecology: studies of feeding and ranging behaviour in lemurs, monkeys and apes*, by T.H. Clutton-Brock (ed.). London: Academic Press. Chapter 17: 503-38.

- WRANGHAM, R.W. 1992. Living naturally: aspects of wild environments relevant to captive chimpanzee management, in *Chimpanzee conservation and public health: environments for the future*, by J. Erwind & J.C. Landon (eds). Rockville, MD: Diagon Corporation/Bioqual Inc. 71-81.
- WRANGHAM, R.W. 1994. Overview - ecology, diversity and culture, in *Chimpanzee cultures*, by R.W. Wrangham, W.C. McGrew, F.B.M. de Waal & P. Heltne (eds). Cambridge: Harward University Press in Cooperation with The Chicago Academy of Sciences. 21-4.
- WRANGHAM, R.W. & HISHIDA, T. 1983. *Aspilgia* spp. leaves: a puzzle in the feeding behaviour of wild chimpanzees. *Primates*, 24:276-82.
- WRANGHAM, R.W., CONKLIN, N.L., CHAPMAN, C.A. & HUNT, K.D. 1991. The significance of fibrous food for Kibale Forest chimpanzees. *Philosophical Transactions of the Royal Society of London B*, 334:171-8.
- WRANGHAM, R.W., CONKLIN, N.L., ETOT, G., OBUA, J., HUNT, K.D., HAUSER, M.D. & CLARK, A.P. 1993a. The value of figs to chimpanzees. *International Journal of Primatology*, 14:243-56.
- WRANGHAM, R.W., ROGERS, M.E. & ISABIRYE-BASUTA, G. 1993b. Ape food density in the ground layer in Kibale forest, Uganda. *African Journal of Ecology*, 31:49-57.
- WRANGHAM, R.W., CHAPMAN, C.A. & CHAPMAN, L.J. 1994a. Seed dispersal by forest chimpanzees in Uganda. *Journal of Tropical Ecology*, 10:355-68.
- WRANGHAM, R.W., DE WAAL, F.B.M. & MCGREW, W.C. 1994b. The challenge of behavioral diversity, in *Chimpanzee cultures*, by R.W. Wrangham, W.C. McGrew, F.B.M. de Waal & P. Heltne (eds). Cambridge: Harward University Press in Cooperation with The Chicago Academy of Sciences. 1-18.
- ZWICK, K. & LLOYD, J. 1998a. *Nsadzi Island, Lake Victoria: biological survey*. Frontier-Uganda Baseline Surveys Programme. London: The Society for Environmental Exploration.



ZWICK, K. & LLOYD, J. 1998b. *Ngamba Island, Lake Victoria: biological survey*. Frontier-Uganda Baseline Surveys Programme. London: The Society for Environmental Exploration.



## ANNEX

Table 1: List of woody and herbaceous plant species on Ngamba Island

Woody Vegetation			
Number	Species	Family	Code
1	<i>Aframomum angustifolium</i>	Zingiberaceae	AFRANG
2	<i>Albizia gumnifera</i>	Mimosaceae	ALBGUM
3	<i>Alchornea cordifolia</i>	Euphorbiaceae	ALCCOR
4	<i>Antiaris toxicara</i>	Moraceae	ANTTOX
5	<i>Beilschmedia ugandensis</i>	Lauraceae	BEIUGA
6	<i>Canarium schweinfurthii</i>	Burseraceae	CANSCH
7	<i>Canthium species 1</i>	Rubiaceae	CANSP1
8	<i>Clerodendrum formicarum</i>	Verbenaceae	CLEFOR
9	<i>Clitandra cymulosa</i>	Apocynaceae	CLICYM
10	<i>Clitandra species 1</i>	Apocynaceae	CLISP1
11	<i>Coffea canephora</i>	Rubiaceae	COFCAN
12	<i>Commelina capitata</i>	Commelinaceae	COMCAP
13	<i>Culcasia falcifolia</i>	Araceae	CULFAL
14	<i>Dictyandra arborescens</i>	Rubiaceae	DICARB
15	<i>Dracaena fragrans</i>	Dracaenaceae	DRAFRA
16	<i>Entandrophragma utile</i>	Meliaceae	ENTUTI
17	<i>Eugenia capensis</i>	Myrtaceae	EUGCAP
18	<i>Ficus cf. wildemanniana</i>	Moraceae	FICWIL
19	<i>Ficus ovata</i>	Moraceae	FICOVA
20	<i>Ficus species 1</i>	Moraceae	FICSP1
21	<i>Ficus species 2</i>	Moraceae	FICSP2
22	<i>Galinera saxifraga</i>	Rubiaceae	GALSAX
23	<i>Guarea cedrata</i>	Meliaceae	GUACED
24	<i>Macaranga monandra</i>	Euphorbiaceae	MACMON
25	<i>Millettia dura</i>	Papilionaceae	MILDUR
26	<i>Nephrolepis biserrata</i>	Davalliaceae	NEPBIS
27	<i>Ouratea hiernii</i>	Ochnaceae	OURHIE
28	<i>Oxyanthus speciosus</i>	Rubiaceae	OXYSPE
29	<i>Oxyanthus speciosus var. stenocarpus</i>	Rubiaceae	OXYTE
30	<i>Oxyanthus subpunctatus</i>	Rubiaceae	OXYSUB
31	<i>Pachystela brevipes</i>	Sapotaceae	PACBRE
32	<i>Palisota mannii</i>	Commelinaceae	PALMAN
33	<i>Palisota schweinfurthii</i>	Commelinaceae	PALSCH
34	<i>Peddiea fischeri</i>	Thymelaeaceae	PEDFIS
35	<i>Psychotria mahonii var. puberula</i>	Rubiaceae	PSYMAN
36	<i>Psychotria peduncularis</i>	Rubiaceae	PSYPED
37	<i>Psychotria species 1</i>	Rubiaceae	PSYSP1
38	<i>Rinorea brachypetala</i>	Violaceae	RINBRA
39	<i>Tetrorchidium didymostemon</i>	Euphorbiaceae	TETDID
40	<i>Trichilia species 1</i>	Meliaceae	TRISP1
41	<i>Trilepsium madagascariense</i>	Moraceae	TRIMAD



Table 1: *List of woody and herbaceous plant species on Ngamba Island - continued*

Herbaceous Vegetation		
Number	Species	Family
1	<i>Asystasia gangetica</i>	Acanthaceae
2	<i>Bidens pilosa</i>	Asteraceae
3	<i>Cassia occidentalis</i>	Caesalpiniaceae
4	<i>Cassia species</i>	Caesalpiniaceae
5	<i>Coccinea mildbraedii</i>	Cucurbitaceae
6	<i>Cynodon nienfuensis</i>	Poaceae
7	<i>Cyperus species</i>	Cyperaceae
8	<i>Justicia flava</i>	Acanthaceae
9	<i>Panicum species</i>	Poaceae
10	<i>Paspalum notatum</i>	Poaceae
11	<i>Pavonia patens</i>	Malvaceae
12	<i>Phyllanthus pseudo-niruri</i>	Euphorbiaceae
13	<i>Sida ovata</i>	Malvaceae
14	<i>Sporobolus agrostoides</i>	Poaceae
15	<i>Triumfetta rhombifolia</i>	Tiliaceae



Table 2: List of Ngamba Island chimpanzees' food plant species (following Marshall 2000)

Family	October 1998	December 1999 - May 2000
	Species	Species
Acanthaceae	Asystacia gangetica Justicia flava	Justicia flava
Amaryllidaceae	Scandoxus cinnaberinus	
Anacardiaceae	Pseudospondias microcarpa	
Araceae	Culcasia falcifolia	Culcasia falcifolia
Asclepiadaceae	Mondia whitei	
Asteraceae	Crassocephalum crepidioides Erlangea tomentosa	Erlangea tomentosa
Basellaceae		Basella alba
Caesalpinaceae	Senna occidentalis	
Commelinaceae	Commelina capitata	Commelina africana Polia condensata
Convolvulaceae	Ipomoea cairica	
Cucurbitaceae	Cucumis sp. Lagenaria sphaerica	
Cyperaceae	Cyperus latifolius	
Dracaenaceae	Dracaena fragans	
Euphorbiaceae	Tetrorchidium didymostemon	Tetrorchidium didymostemon
Lamiaceae	Solenostemon latifolius	
Loganiaceae	Anthocleista vogelii	
Malvaceae	Hibiscus physaleides Hibiscus rivularis Hibiscus sp. Sida rhombifolia	
Melastomataceae	Iristemma mauritianum	Guarea cedrata
Meliaceae		Melastomastrum capitatum
Mimosaceae		Albizia gumnifera
Moraceae	Ficus cyathistipula Ficus ottoniifolia	Ficus saussureana Ficus trichopoda
Papilionaceae	Myrianthus holstii Crotalaria pallida Sesbania dummeri	Abrus pulchellus Crotalaria pallida
Passifloraceae	Passiflora edulis	
Phytolaccaceae	Phytolacca dodecandra	
Poaceae		Cyrtococaum multirode



Table 2: *List of Ngamba Island chimpanzees' food plant species - continued*  
 (following Marshall 2000)

Family	October 1998	December 1999 - May 2000
	Species	Species
Rubiaceae	Oxyanthus speciosus	Canthium species 1 Canthium species 2 Dictyandra arborescens Morinda Lucida Tarrena pavettoides Cardiosperum herbaceum
Sapindaceae	Pachystela brevipes	Pachystela brevipes
Sapotaceae	Capscum frutescens	
Solanaceae	Solanum macrocapon Solanum nigrum Solanum terminate	
Tiliaceae	Triumfetta annua Triumfetta tomentosa	
Verbenaceae	Curodendrum silvanum	
Zingeraceae	Aframomum angustifolium	Aframomum angustifolium



Table 3: List of plant species from previous surveys (following Kityo 1998)

Transect 1		Transect 2	
Species	Abundance*	Species	Abundance*
Antiaris toxicara	4	Aframomum angustifolium	10%
Aframomum angustifolium	5%	Aframomum malanthacloa	30%
Aframomum malanthacloa	30%	Alafia ugandensis	1
Annonaceae	1	Anthocleista vogeli	4
Anthocleista vogeli	2	Barteria ficulosa	2
Barteria ficulosa	5	Beilschmedia ugandensis	1
Beilschmedia ugandensis	2	Canthium vulgare	3+
Canarium schweinfurthii	4	Clitandra oweriensis	1
Canthium vulgare	many	Culcasia scandens	70%
Clitandra oweriensis	6	Dictyandra arborescens	1
Coffea eugenioides	5	Dracaena fragrans	2
Culcasia scandens	70%	Eugenia Bukobensis	1
Dictyandra arborescens	2	Ficus cyastipula	1
Dracaena fragrans	many	Ficus dawei	many
Eugenia bukobensis	3	Ficus percifolia	1
Ficus asperifolia	3	Geophillia hirsuta	30%
Ficus cyastipula	6	Guarea cedrata	2
Ficus dawei	4	Oxyanthus speciosus	
Ficus ovata	7	Pachystela brevipes	1
Geophillia hirsuta	10%	Palisota manii	many
Guarea cedrata	many	Rytigenia beniensis	3
Maesopsis eminii	3		
Milicia excelsea	2	Transect 3	
Musanga scoprea	4	Species	Abundance*
Oxyanthus speciosus	many	Aframomum angustifolium	2%
Pachystela brevipes	2	Aframomum malanthacloa	30%
Palisota manii	5	Anthocleista vogeli	2
Saba comorensis	3	Canarium schweinfurthii	1
Tristema species	10+	Dracaena fragrans	many
Vangueria apiculata	1	Eugenia bukobensis	2
		Ficus dawei	many
		Ficus ovata	2
		Ficus percifolia	1
		Ficus sur	1
		Ficus thonningii	2
		Milicia excelsea	1
		Musanga scnepoides	3
		Pachystela brevipes	2
		Passiflora edulis	1
		Rytigenia beniensis	many

\* Results from three one-quarter acre plots: frequencies above three (3) show common plants, while percentages were entered for plants that were very many and constituting a considerable plant cover.



Table 4: List of plant species from previous surveys (following Zwick & Lloyd 1998b)

Species	Abundance*	Species	Abundance*
<b>Family Aspleniaceae</b>		Albizia zygia	
Asplenium aethiopicum		Piptadeniastrum africanum	W
<b>Family Lomariopsidaceae</b>		<b>Family Loganiaceae</b>	
Bolbitis auriculata		Anthocleista schweinfurthii	
Bolbitis gemnifera		<b>Family Melastomataceae</b>	
Lomariopsis warneckii		Melastomastrum capitatum	
<b>Family Acanthaceae</b>		<b>Family Moraceae</b>	
Asystasia gangetica		Ficus thonningii	
Barleria stuhlmanii		<b>Family Ochnaceae</b>	
Dyschoriste sp.		Ouratea densiflora	
Justicia flava		Ouratea hiernii	
<b>Family Agavaceae</b>	W	<b>Family Oleaceae</b>	
Dracaena fragans		Jasminium pauciflorum	W
<b>Family Amaranthaceae</b>	W	<b>Family Piperaceae</b>	
Celosia globosa		Piper guineense	
Cyathula prostrata		<b>Family Poaceae</b>	
<b>Family Apiaceae</b>		Cynodon aethiopicus	
Centella asiatica		Megastachya mucronata	
<b>Family Apocynaceae</b>	W	Panicum heterostachyum	W
Tabernaemontana pachysiphora		Paspalum conjugatum	
<b>Family Araceae</b>	O	<b>Family Polygonaceae</b>	
Culcasia angolensis		Polygonum salcifolium	
Culcasia falcifolia	DW	<b>Family Pontederiaceae</b>	
<b>Family Asclepiadaceae</b>	OW	Eichhornia crassipes	O
Cynanchum oldolinow		<b>Family Rhamnaceae</b>	
<b>Family Asteraceae</b>		Maesopsis eminii	
Erlangea tomentosa		<b>Family Rubiaceae</b>	
Melanthera scandens		Coffea eugenoides	W
Synedrella nodiflora		Dictyandra arborescens	
<b>Family Balsaminaceae</b>	W	Geophila repens	W
Impatiens sp.		Oldenlandia corymbosa	
<b>Family Basellaceae</b>		Oxyanthus speciosus	
Basella alba		Pentas pubiflora	
<b>Family Commelinaceae</b>	W	<b>Family Sapotaceae</b>	
Bufforestia imperforata		Aningeria altissima	
Commelina africana		<b>Family Thymelaeaceae</b>	
Commelina capitata		Peddiea fischeri	
Pollia condensata	W	<b>Family Verbenaceae</b>	
<b>Family Cucurbitaceae</b>		Clerodendrum formicarum	W
Diplocyclos palmatus		<b>Family Zingiberaceae</b>	
<b>Family Cyperaceae</b>		Aframomum angustifolium	A
Cyperus cyperoides		Aframomum luteolatum	W
Cyperus sp.		Aframomum mildbraedii	
<b>Family Euphorbiaceae</b>		Aframomum sp.	F
Alchornea cordifolia			
Argomuelleria macropylla	W		
Croton macrostachus		<b>*Abundance</b>	
Macaranga monandra		D	dominant
Tetrorchidium didymostemon	W	A	abundant
<b>Family Leguminosae</b>	W	F	frequent
Aeschynomene elaphroxylon		O	occasional
		W	widespread



Table 5: List of Ngamba Island Fauna - Mammals (following Zwick & Lloyd 1998b)

<b>Small rodents and shrews</b>			
		<b>Species</b>	<b>Common name</b>
<b>Order</b>	Insectivora		
<b>Family</b>	Soricidae	<i>Crocidura olivieri</i> <i>Crocidura turba</i>	Northern giant musk shrew Southern woodland musk
<b>Order</b>	Rodentia		
<b>Family</b>	Muridae	<i>Grammomys dolichurus</i> <i>Rattus rattus</i>	Common thicket rat Black rat
<b>Bats</b>			
		<b>Species</b>	<b>Common name</b>
<b>Order</b>	Macrochiroptera		
<b>Family</b>	Pteropodidae		
<b>Subfamily</b>	Pteropodinae	<i>Eidolon helvum</i> <i>Micropteropus pusillus</i>	Straw-coloured fruit bat Dwarf-epauletted fruit bat
<b>Order</b>	Microchiroptera		
<b>Family</b>	Nycteridae	<i>Nycteris hispida</i>	Hairy slit-faced bat
	Hipposideridae	<i>Hipposideros ruber</i>	Noack's leaf-nosed bat
	Molossidae	<i>Chaerophon major</i>	Lappet-eared free-tailed bat
<b>Larger Mammals</b>			
		<b>Species</b>	<b>Common Name</b>
<b>Order</b>	Artiodactyla		
<b>Family</b>	Hippopotamidae	<i>Hippopotamus amphibius</i>	Hippopotamus



Table 5: List of Ngamba Island Fauna - Reptiles & Amphibians (following Zwick & Lloyd 1998b)

<b>Reptiles</b>			
		<b>Species</b>	<b>Common name</b>
<b>Order</b>	Sauria		
<b>Family</b>	Gekkonidae	<i>Hemidactylus brookii</i>	House gecko
	Scincidae		
<b>Subfamily</b>	Feylininae	<i>Feylinia currori</i>	Western forest limbless skink
	Lygosomatinae	<i>Mabuya mabuya maculilabris</i>	Speckle-lipped skink
<b>Family</b>	Varanidae	<i>Varanus niloticus</i>	Nile monitor lizard
<b>Order</b>	Serpentes		
<b>Family</b>	Typhloidae	<i>Typhlos angolensis</i>	Angolan blind snake
<b>Amphibians</b>			
		<b>Species</b>	<b>Common name</b>
<b>Order</b>	Anura		
<b>Family</b>	Bufo	<i>Bufo regularis</i>	Square-marked toad
	Hyperoliidae		
<b>Subfamily</b>	Hyperoliinae	<i>Hyperolius kivuensis</i>	Kivu reed frog
		<i>Hyperolius nasutus</i>	Gunther's sharp-nosed reed frog
		<i>Hyperolius viridiflavus</i>	Reed frog
<b>Family</b>	Ranidae		
<b>Subfamily</b>	Raninae	<i>Rana occipitalis</i>	Grooved-crowned bullfrog



Table 5: List of Ngamba Island Fauna - Butterflies following Zwick & Lloyd 1998b)

<b>Butterflies</b>		
<b>Species</b>		
<b>Order</b>	Lepidoptera	
<b>Family</b>	Pieridae	
<b>Subfamily</b>	Colladinae	<i>Catopsila florella</i> <i>Eurema hecabe</i>
<b>Subfamily</b>	Pierinae Lycaenida	<i>Belenois gidica abyssinica</i>
<b>Family</b>	e	
<b>Subfamily</b>	Polyommatae	<i>Anthenae schoutedeni</i> <i>Zizinia antanossa</i>
<b>Family</b>	Nymphalidae	
<b>Subfamily</b>	Danainae	<i>Danaus chrysippus</i>
<b>Subfamily</b>	Satyrinae	<i>Melanitis leda</i>
<b>Subfamily</b>	Nymphalinae	<i>Hypolimnas misippus</i> <i>Junonia o. oenone</i>
<b>Subfamily</b>	Acraeinae	<i>Acraea n. neobule</i>



Table 5: List of Ngamba Island Fauna - Birds - continued (following Wilson & Schipper 2002)

<b>Birds</b>			
<b>Species</b>	<b>Common name</b>	<b>Species</b>	<b>Common name</b>
	<b>Osprey</b>		<b>Sunbirds</b>
	Family - Pandionidae		Family - Nectariniidae
<i>Pandion haliaetus</i>	Osprey	<i>Anthreptes collaris</i>	Collard Sunbird
	<b>Owls</b>	<i>Nectarinia chloropygia</i>	Olive-bellied Sunbird
	Family - Tytonidae	<i>Nectarinia olivacea</i>	Olive Sunbird
<i>Tyto alba</i>	Barn Owl	<i>Nectarinia erythrocerca</i>	Red-chested Sunbird
	<b>Parrots &amp; Cockatoos</b>		<b>Swallows &amp; Martins</b>
	Family - Psittacidae		Family - Hirundinidae
<i>Psittacus erithacus</i>	Grey Parrot	<i>Hirundo angolensis</i>	Angola Swallow
	<b>Pelicans</b>	<i>Hirundo rustica</i>	Barn Swallow
	Family - Pelecanidae	<i>Riparia paludicola</i>	Brown-throated Sand-Martin
<i>Pelecanus onocrotalus</i>	Great White Pelican	<i>Riparia riparia</i>	Common Sand-martin
<i>Pelecanus rufescens</i>	Pink-backed Pelican	<i>Hirundo abyssinica</i>	Lesser Striped Swallow
	<b>Pigeons &amp; Doves</b>		<b>Swifts</b>
	Family - Columbidae		Family - Apodidae
<i>Treron calva</i>	African Grey Pigeon	<i>Apus affinis</i>	Little Swift
<i>Turtur afer</i>	Blue-spotted Wood Dove	<i>Cypsiurus parvus</i>	Palm Swift
<i>Turtur tympanistria</i>	Tambourine Dove		<b>Turacos</b>
<i>Streptopelia semitorquata</i>	Red-eyed Dove		Family - Musophagidae
	<b>Plovers &amp; Lapwings</b>	<i>Crinifer zonurust</i>	Eastern Grey Plain-tain-eater
	Family - Charadriidae		<b>Wagtails</b>
<i>Charadrius hiaticula</i>	Ringeed Plover		Family - Motacillidae
<i>Vanellus lugubris</i>	senegal lapwing	<i>Motacilla aguimp</i>	African Pied Wagtail
<i>Vanellus spinosus</i>	Spur-winged Lapwing	<i>Motacilla flava</i>	Yellow wagtail
<i>Burhinus vermiculatus</i>	Water Thicknee		<b>Warblers &amp; Cisticolas</b>
	<b>Robin Chats</b>		Family - Sylviidae
	Family - Turdidae	<i>Sylvia communis</i>	Common Whitethroat
<i>Cossypha heuglini</i>	Heuglin's Robin Chat	<i>Acrocephalus scirpaceus</i>	Eurasian Reed Warbler
<i>Cossypha niveicapilla</i>	Snowy-headed Robin Chat	<i>Camaroptera brachyura</i>	Grey-backed Camaroptera
	<b>Sandpipers &amp; Snipes</b>	<i>Acrocephalus schoenobeanus</i>	Sedge Warbler
	Family - Scolopacidae	<i>Phylloscopus trochilus</i>	Willow Warbler
<i>Limosa limosa</i>	Black-tailed Godwit	<i>Zosterops senegalensis</i>	Yellow White-eye
<i>Actitis hypoleucos</i>	Common Sandpiper		<b>Weavers &amp; Sparrows</b>
<i>Calidris ferruginea</i>	Curlew Sandpiper		Family - Ploceidae
<i>Tringa ochropus</i>	Green Sandpiper	<i>Ploceus cucullatus</i>	Black-headed Weaver
<i>Tringa nebularia</i>	Green Shank	<i>Passer griseus</i>	Grey-headed Sparrow
<i>Tringa stagnatilis</i>	Marsh Sandpiper	<i>Ploceus castanops</i>	Northern-brown-throated Weaver
<i>Philomachus pugnax</i>	Ruff	<i>Ploceus aurantius</i>	Orange Weaver
	<b>Shrikes</b>	<i>Ploceus pelzelni</i>	Slender-billed Weaver
	Family - Lanidae	<i>Ploceus ocularis</i>	Spectacled Weaver
<i>Lanius collurio</i>	Red-backed Shrike		
	<b>Stilts</b>		
	Family - Recurvirostridae		
<i>Himantopus himantopus</i>	Common Stilt		
	<b>Storks</b>		
	Family - Ciconiidae		
<i>Anastomus lamelligerus</i>	Open-billed Stork		
<i>Leptoptilos crumeniferus</i>	Marabou Stork		
<i>Mycteria ibis</i>	Yellow-billed Stork		
<i>Ciconia abdimii</i>	Abdim's Stork		



Table 6: Braun-Blanquet classification of herbaceous vegetation on Ngamba Island

Sample #	45	14	15	16	11	13	63	34	57	62	25	31	64	32	36	29	65	2	47	46	48	4	3	5	17	20	21	19	43																							
<b>Plant species</b>																																																				
Asystasia gangetica	4	+	1	1	1	+	5	5	5	4	3	3	3	2	+	+	+	4	4	4	2	3	2	2	5	5	5	3																								
Justicia flava	2	3	2	1	1	1	1	+	+	1	3	3	3	2	5	4	2													5																						
Sporobolus agrostoides																			2	2	1	4																														
Sida ovata	1	1																					2	1	2	3	+	+	+																							
Cynodon nienfuensis																					2																															
Panicum sp.																																																+				
Coccinea mildbraedii																					2	5																														
Cassia sp.																								1																												
Microglossa angolensis																					1																															
Kyllinga alba																																																				
Phyllanthus pseudo-niruri	1	+																																																		
Cyperus sp.	2																																																			
Paspalum notatum																																								2												
Phytolacca dodecandra																																																				
Pavonia patens																					1																															
Triumfetta rhombifolia																																																				
Bidens pilosa																																																				
Cassia occidentalis																																																				
Commelina africana																																																				
Erlangea tomentosa																																																				
<b>Bare soil [%]</b>					20	20					10	10					50	20	40	20	20	40					10	20	50					20																		
<b>Vulcanic rock [%]</b>	20	75	75																																																	
<b>Gravel [%]</b>																																																				
<b>Dead branches [%]</b>									5	10									40																																	

Table 6: *Braun-Blanquet classification of herbaceous vegetation on Ngamba Island - continued*

Sample #	6	8	53	54	22	59	60	23	50	18	56	24	58	51	52	1	49	61	26	55	33	35	40	44	28	12	10	7	9	
Plant species																														
<i>Asystasia gangetica</i>			3	3	5	4	3	5	5	5	5	5	4	4	4	4	4	4	3	3										
<i>Justicia flava</i>																					5	5	5	5	4					
<i>Sporobolus agrostoides</i>	5	+																								5	5	3		
<i>Sida ovata</i>																														
<i>Cynodon nienfuensis</i>	1	5																											5	
<i>Panicum sp.</i>																														
<i>Coccinea mildbraedii</i>																														
<i>Cassia sp.</i>																														
<i>Microglossa angolensis</i>									2																					
<i>Kyllinga alba</i>			1	1																										
<i>Phyllanthus pseudo-niruri</i>																														
<i>Cyperus sp.</i>																														
<i>Paspalum notatum</i>																														
<i>Phytolacca dodecandra</i>									2																					
<i>Pavonia patens</i>																														
<i>Triumfetta rhombifolia</i>																														
<i>Bidens pilosa</i>																														
<i>Cassia occidentalis</i>																														
<i>Commelina africana</i>																														
<i>Erlangea tomentosa</i>																														
<i>Bare soil [%]</i>			60	60	15							20		20	20	25	40	60	30	30					40		10	50		
<i>Vulcanic rock [%]</i>				5																										
<i>Gravel [%]</i>			+						70											+										
<i>Dead branches [%]</i>																														



Table 7: List of woody plant species on Nsadzi Island

Number	Species	Family	Code
1	<i>Argomuelleria macrophylla</i>	Euphorbiaceae	ARGMAC
2	<i>Calycosiphonia spathicalyx</i>	Rubiaceae	CALSPA
3	<i>Coffea eugonioides</i>	Rubiaceae	COFEUG
4	<i>Dictyandra arborescens</i>	Rubiaceae	DICARB
5	<i>Eugenia capensis</i> ssp. <i>nyassensis</i>	Myrtaceae	EUGCAP
6	<i>Funtumia africana</i>	Apocynaceae	FUNAFR
7	<i>Menisorus pauciflorus</i>	Thelypteridaceae	MENPAU
8	<i>Monanthes species 1</i>	Annonaceae	MONSP1
9	<i>Olea africana</i>	Oleaceae	OLEAFR
10	<i>Olinea rochetiana</i>	Olineaceae	OLIROC
11	<i>Oncinotis species 1</i>	Apocynaceae	ONCSP1
12	<i>Ouratea bukobensis</i>	Ochnaceae	OURBUK
13	<i>Ouratea hiernii</i>	Ochnaceae	OURHIE
14	<i>Oxyanthus speciosus</i> var. <i>stenocarpus</i>	Rubiaceae	OXYSTE
15	<i>Peddiea fischeri</i>	Thymeliaceae	PEDFIS
16	<i>Rytigynia species cf. bagshawei</i>	Rubiaceae	RHYSP1
17	<i>Tetrorchidium didymostemon</i>	Euphorbiaceae	TETDID
18	<i>Trichilia species 1</i>	Meliaceae	TRISP1
19	<i>Turrea species 1</i>	Meliaceae	TURSP1
20	<i>Turrea vogellioides</i>	Meliaceae	TURVOG
21	<i>Uvaria angolensis</i>	Annonaceae	UVAANG
22	Unknown species 1		QQQSP1
23	Unknown species 2		QQQSP2
24	Unknown species 3		QQQSP3