

References

- Abad, M. J., Ansuategui, M. and Bermejo, P. (2007). Active antifungal substances from natural sources. Issue in Honor of Prof. Atta-ur-Rahman. ARKIVOC, 7, 116 – 145.
- Abdillahi, H.S., Stafford, G.I., Finnie, J.F. and Van Staden, J. (2008). Antimicrobial activity of South African *Podocarpus* species. Journal of Ethnopharmacology. 119, 191 – 194.
- Abdillahi, H.S., Stafford, G.I., Finnie, J.F. and Van Staden, J. (2010). Ethnobotany, phytochemistry and pharmacology of *Podocarpus sensu latissimo* (s.l.). South African Journal of Botany. 76, 1 – 24.
- Abebe, D. and Ayehu, A., 1993. Medicinal Plants and Enigmatic Health Practices of Northern Ethiopia. Addis Ababa, Ethiopia.
- Achenbach, H., Weibal, R and Addae-Mensah, I. (1983). Lignan from *Carissa edulis*. Phytochemistry. In Biological Abstract, 76, 5, 30837 – 38545.
- Aderogba, M.A., McGaw, L.J., Ogundaini, A.O. and Eloff, J.N. (2007). Antioxidant activity and cytotoxicity study of the flavonol glycosides from *Bauhinia galpinii*. Natural Product Research. 21, 591 – 599.
- Ajiki, M., Takamura, K., Hiramatsu, K., Nakai, M., Sasaki, N. and Konishi, S. (1982). Isolation and characterization of parainfluenza 5 virus from a dog. Nippon Juigaku Zasshi. 44, 607 – 618.
- Akesson, A., Lernestedt, J.O., Ringdtn, O., Lonqvist, B. and Wahren, B.(1986). Sensitivity of cytomegalovirus to intravenous foscarnet treatment. Bone Marrow Transplant. 1, 215 – 220.
- Alekshun, M. N. and Levy, S. B. (2007). Molecular Mechanisms of Antibacterial Multidrug Resistance. Cell 128.
- Alemayehu, S. (2001). In vitro studies on extracts of three Ethiopian medicinal plants traditionally used for dermatological disorders. M.Sc. Thesis, Addis Ababa University.
- Aligiannis, N., Kalpotzakis, E., Mitaku, S. and Chinou, I.B. (2001). Composition and antimicrobial activity of the essential oils of two *Origanum* species. Journal of Agricultural and Food Chemistry. 40, 4168 – 4170.
- Al-Kalaldehy, J.Z., Abu-Dahab, R. and Affi, F.U. (2010). Volatile oil composition and antiproliferative activity of *Laurus nobilis*, *Origanum syriacum*, *Origanum vulgare*, and *Salvia triloba* against human breast adenocarcinoma cells. Nutrition Research. 30, 271 – 278.
- Allahverdiyev, A., Duran, N., Ozguven, M. and Koltas, S. (2004). Antiviral activity of the volatile oils of *Melissa officinalis* L. against herpes simplex virus type-2. Phytomedicine. 11, 657 – 661.
- Alley, M.C., Scudiere, D.A., Monks, A., Czerwinski, M., Shoemaker, R. II., and Boyd, M.R. (1986). Validation of an automated microculture tetrazolium assay (MTA) to assess growth and drug sensitivity of human tumor cell lines. Proceeding of the American Association of Cancer Research. 27, 389.
- Amaro-Luis, J. M., Amesty, A., Bahsas, A., and Montealegre, R. (2008). Biflavones from the leaves of *Retrophyllum rospigliosii*. Biochemical Systematics and Ecology. 36. 235 – 237.
- Ames, B. N., McCann, J., & Yamazaki, E. (1975). Methods for detecting carcinogens and mutagens with salmonella-mammalian microsome mutagenicity test. Mutagenesis Research. 31, 347 – 363.
- Anderson, M.E., Mazur, A., Yang, T. and Roden, D.M. (2001). Potassium current antagonist properties and

proarrhythmic consequences of quinolone antibiotics. *The Journal of Pharmacology and Experimental Therapeutics*. 296, 3, 806 – 810.

Andrew, S.E. (2001). Ocular manifestations of feline herpesvirus. *Journal of Feline Medicine and Surgery*. 3, 9 –16.

Antoshechkin, A. (2001). *The Primary Adaptogens*. Clearwater: Ceptima Publishing Co. Inc.

Aqil, F., Khan, M.S.A., Owais, M. and Ahmad, I., (2005). Effect of certain bioactive plant extracts on clinical isolates of *b*-lactamase producing methicillin resistant *Staphylococcus aureus*. *Journal of Basic Microbiology*. 45, 106 – 114.

Arif, T., Mandal, T.K. and Dabur, R. (2011). Natural products: Anti-fungal agents derived from plants. *Opportunity, Challenge and Scope of Natural Products in Medicinal Chemistry*. 283 – 311.

Armaka, M., Papanikolaou, E., Sivropoulou, A. and Arsenakis, M. (1999). Antiviral properties of isoborneol, a potent inhibitor of herpes simplex virus type 1. *Antiviral Research*. 43, 79 – 92.

Arthur, R.R. (2000). Rift Valley fever. In: *Hunter's tropical medicine and emerging disease*, 8th edition. Philadelphia: WB Saunders, 253 – 235.

Bailey, R.R., Kirk, J.A. and Peddie, B.A. (1983). Norfloxacin-induced rheumatic disease. *New Zealand Medical Journal*. 96, 590.

Balandrin, M.F., Kinghorn, A.D. and Farnsworth, N.R. (1993). Plantderived natural products in drug discovery and development: An overview. In: *Human Medicinal Agents from Plants (ACS Symposium Series No. 534)* (Eds. Kinghorn AD and Balandrin MF), 2-12. American Chemical Society Books, Washington, DC.

Balick, M.J. and Cox, P.A. (1997). *Plants, People, and Culture: the Science of Ethnobotany*. Scientific American Library, New York, NY.

Bannerman, R.H.O., Burton, J. and Ch'en W-C. (1983). *Traditional Medicine and Health Care Coverage: A Reader for Health Administrators and Practitioners*. World Health Organization, Geneva.

Barber, M. (1947). Staphylococci infection due to penicillin-resistant strains. *British Medical Journal*. 2, 863 – 865.

Barker, N.P., E.M. Muller and Mill, R. R. (2004). A yellowwood by any other name: molecular systematics and the taxonomy of *Podocarpus* and the Podocarpaceae in southern Africa. *South African Journal of Science*. 100, 629 – 632.

Barnard, D.L., Huffman, J.H., Morris, J.L.B., Wood, S.G., Hughes, B.G., and Sidwell, R.W. (1992). Evaluation of the antiviral activity of anthraquinones, anthrones and anthraquinones against human cytomegalovirus. *Antiviral Research*. 17, 63 – 77.

Barnard, D.L., Smee, D.F., Huffman, J.H., Meyerson, L.R., and Sidwell, R.W. (1993). Anti-herpes virus activity and mode of action of SP-303, a novel plant flavonoid. *Experimental Chemotherapy*. 39, 203 – 211.

Barnard, B.J.H., Munz, E., Dumbell, K. and Prozesky, L. (1994). Lumpy skin disease. In: Coetzer J.A.W., Thomson G.R., Tustin R.C., Kriek N.P.J. (Editors). *Infectious diseases of livestock with special reference to Southern Africa*. Cape Town: Oxford University Press, 604 – 12.

Bartholomew, M.M., Jansen, R.W., Jeffers, L.J., Reddy, K.R., Johnson, L.C., Bunzendahl, H., Condreay, L.D., Tzakis, A.G., Schiff, E.R. and Brown, N.A. (1997). Hepatitis- B-virus resistance to lamivudine given for recurrent infection after orthotopic liver transplantation. *Lancet*. 349, 20 – 22.

Bauer, D.J.L., St. Vincent, L., Kempe, C.H. and Downie, A.W. (1963). Prophylactic treatment of small pox contact with N-methylisatin β -thiosemicarbazone. *Lancet*. 2, 494 – 496.

- Baumgärtner, W. and Aldinger, S. (2005). The pathogenesis of canine distemper virus induced demyelination—a biphasic process. In: Lavi, E., Constantinescu, C.S. (Eds.), *Experimental Models of Multiple Sclerosis*. Springer, New York 871–887.
- Beecher, G. R. (2003). Overview of Dietary Flavonoids: Nomenclature, Occurrence and Intake, *Journal of Nutrition*. 133, 3248.
- Beentje, H.J. (1994). *Kenya Trees, Shrubs and Lianas*. National Museums of Kenya, Nairobi, Kenya, 42 – 43.
- Beggs, W.H., Sarosi, A. and Walker, M.I. (1976). Synergistic action of amphotericin B and rifampin against *Candida* species. *Journal of Infectious Diseases*. 133, 206 – 209.
- Begue, W.J. and Kline R.M. (1972). The use of tetrazolium salts in bioautography procedures. *Journal of Chromatography*. 88, 182 – 184.
- Beineke, A., Puff, C., Seehusen, F. and Baumgärtner, W. (2009). Pathogenesis and immunopathology of systemic and nervous canine distemper. *Veterinary Immunology and Immunopathology*. 127, 1–18.
- Belton, D.J. (2004). The macro-economic impact of a foot-and-mouth disease incursion in New Zealand. In: Shudel, A., Lombard, M. (Eds.), *Control of Infectious Animal Diseases by Vaccination*. Developments in Biologicals. 119, 457 – 461.
- Bent, H. H. (2002). The biochemistry and medical significance of the flavonoids. *Pharmacology and Therapeutics*. 96, 67-202.
- Bentley, M.D., Brackett, S.R. and Chapya, A. (1984). 2- Hydroxyacetophenone: principal root volatile of the East African medicinal plant, *Carissa edulis*. *Journal of Natural Products*. 47, 1056 – 1057.
- Bertrand, M.C.E. (1874). Anatomie comparée des tiges et des feuilles chez le Gnétacées et les Conifères. *Annales des Sciences Naturelle Botanique*. 20, 5 – 153.
- Bontem, M.J.M., Slaughter, S. and Ambergen, A.W. (1998). The role of 'colonisation pressure' in the spreading of vancomycin resistant enterococci: an important infection control variable. *Archives of Internal Medicine*. 158, 1127 – 1132.
- Brummett, R.E. and Fox, K.E. (1989). Minireviews: vancomycin- and erythromycin- induced hearing loss in humans. *Antimicrobial Agents and Chemotherapy*. 33, 791 – 796.
- Brummitt, R.K., Mill, R.R. and Farjon, A. (2004). The significance of 'it' in the nomenclature of the three Tasmanian conifers: *Microcachrys tetragona* and *Microstrobos niphophilis* (Podocarpaceae) and *Diselma archeri* (Cupressaceae). *Taxon*. 53, 529 – 539.
- Buchholz, J.T. and Gray, N.E. (1948). A taxonomic revision of *Podocarpus* I. The sections of the genus and their subdivisions with special reference to leaf anatomy. *Journal of the Arnold Arboretum*. 29, 49 – 63.
- Cacoub, P., Deray, G., Baumelou, A., Le Hoang P., Rozenbaum, W., Gentilini, M., Soubrie, C., Rousselie, R. and Jacob, C. (1988). Acute renal failure induced by foscarnet: 4 cases. *Clinical Nephrology*. 29, 315 – 318.
- Cambie, R.C. and James, M.A. (1967). The taxonomic distribution of biflavonoids. *New Zealand Journal of Science*. 10, 918.
- Campbell, I.D. and Lee, R. (2003). Carnage by computer: the blackboard economics of the 2001 foot and mouth epidemic. *Social and Legal Studies*. 12, 425 – 458.

- Cardoso, C.L., Silva, D.H.S., Castro-Gamboa, I. and Bolzani, V.D.S. (2005). New biflavonoid and other flavonoids from the leaves of *Chimarrhis turbinata* and their antioxidant activities. *Journal of the Brazillian Chemical Society*. 16, 1353 – 1359.
- Carlson, K.C., Mehlmauer, M., Evans, S. and Chandrasoma, P. (1987). Cryptococcal cellulitis in renal transplant recipients. *Journal of American Academy of Dermatologist*. 17, 469 – 472.
- Carr, A. and Cooper, D.A. (2000). Adverse effects of antiretroviral therapy. *Lancet*. 356, 1423 – 30
- Casal, M., Vaquero, M., Rinder, H., Tortoli, E., Grosset, J., Rusch-Gerdes, S., Gutierrez, J. and Jarlier, V. (2005). A case study for multi-drug resistant tuberculosis: risk factor in four European countries. *Microbial Drug Resistance* 11, 62 – 67.
- Castaño, A., Bols, N., Braunbeck, T., Dierickx, P., Halder, M., Isomaa, B., Kawahara, K., Lee, L.E.J., Mothersill, C., P'art, P., Repetto, G., Sintes, J.R., Rufli, H., Smith, R., Wood, C. and Segner, H. (2003). The use of fish cells in ecotoxicology. The report and recommendations of ECVAM workshop 47. *Alternatives Laboratory Animal*. 31, 31– 351.
- Chai, P.C., Long, L.H. and Halliwell, B. (2003). Contribution of hydrogen peroxide to the cytotoxicity of green tea and red wine. *Biochemical and Biophysical Research*. 304, 650 – 654.
- Chambers, H.F. (2001). The changing epidemiology of *Staphylococcus aureus*. *Emerging Infectious Diseases*. 7, 178 – 182.
- Chamilos, G. and Kontoyiannis, D.P. (2005). Update on antifungal drug resistance mechanisms of *Aspergillus fumigatus*. *Drug Resistance Updates*. 8, 344 – 358.
- Chattopadhyay, D. and Naik, T.N. (2007). Antivirals of ethnomedicinal origin: structure– activity relationship and scope. *Mini Review of Medical Chemistry*. 7, 275 – 301.
- Chattopadhyay, D. and Bhattacharya, S.K. (2008). Ethnopharmacology: a new search engine for the development of antivirals from naturaceuticals. In *Handbook of Ethnopharmacology* (Eddouks, M., ed.), 129 – 197, Research Signpost Publication.
- Chattopadhyay, D, Chawla-Sarkar, M., Chatterjee, T., Dey, R.S., Bag, P., Chakraborti, S. and Khan, M.T.H. (2009). Recent advancements for the evaluation of antiviral activities of natural products. *New Biotechnology*. 25, 347 – 368.
- Chopra, R.N., Nayar, S.L. and Chopra, I.C. (1986). *Glossary of Indian Medicinal Plants (including the supplement)*. Council of Scientific and Industrial Research, New Delhi, India.
- Christopher, M.E. and Wong, J.P. (2006). Recent developments in delivery of nucleic acid-based antiviral agents. *Current Pharmaceutical Design*. 12, 1995 – 2006.
- Clemedson, C., Barile, F. A., Chesne, Â.C., Cottin, M., Curren, R., Ferro, M., GoÂ mez-LechoÂ n M-J., Imai, K., Janus, J., Kemp, R. B., Kerszman, G., Kjellstrand, P., Lavrijsen, K., Logemann, P., McFarlane-Abdulla, E., Roguet, R., Segner, H., Thuvander, A., Walum, E. and Ekwall, B. (2000). MEIC Evaluation of Acute Systemic Toxicity. Part VII. Prediction of human toxicity by results from testing of the first 30 reference chemicals with 27 further *in vitro* assays. *Alternatives to Laboratory Animals*. 28, 161 – 200.
- Clement, M.V., Ramalingam, J., Long, L.H. and Halliwell, B. (2001). *In vitro* cytotoxicity of ascorbate depends on the culture medium used to perform the assay and involves hydrogen peroxide. *Antioxidant and Redox Signaling*. 3, 157 – 163.
- Coe, F.G. and Anderson, G.J. (1996). Screening of medicinal plants used by the Garifuna of Eastern Nicaragua for bioactive compounds. *Journal of Ethnopharmacology*. 53, 29 – 50.
- Coen, D.M. (1996). Antiviral drug resistance in herpes simplex virus. *Advances in Experimental and Medical Biology*.

394, 49 – 57.

Collins, F.S., Gray, G.M. and Bucher, J.R. (2008). Toxicology. Transforming environmental health protection. *Science*. 319, 906 - 907.

Conran, J.G., Woods, G.M., Martin, P.G., Dowd, J.M., Quinn, C.J., Gadek, P.A. and Price, R.A. (2000). Generic relationships within and between the gymnosperm families Podocarpaceae and Phyllocladaceae based on an analysis of the chloroplast gene *rbcl*. *Australian Journal of Botany*. 48, 715 – 724.

Cos, P., Vlietinck, A.J., Vanden Berghe, D. and Maes, L. (2006). Anti-infective potential of natural products: how to develop a stronger in vitro “proof-of-concept”. *Journal of Ethnopharmacology*. 106, 290 – 302.

Cosgrove, S.E. and Carmeli, Y. (2003). The impact of antimicrobial resistance on health and economic outcomes. *Clinical and Infectious Diseases*. 36, 1433 – 1437.

Cowan, M.M. (1999). Plant Products as Antimicrobial Agents. *Clinical Microbiology Reviews*. 12, 564 – 582.

Cross, C.C., Halliwell, B., Borish, E.T., Pryor, W.A., Ames, B.N., Saul, R.L., McCord, J.M. and Harman, D. (1987). Davis conference: oxygen radicals and human disease. *Annals of Internal Medicine*. 107, 526 – 545.

Cushnie, T.P.T., and Lamb, A.J., (2005). Antimicrobial activity of flavonoids. *International Journal of Antimicrobial Agents*. 26, 343 – 356.

Davey, P., Hernanz, C., Lynch, W., Malek, M. and Byrne, D. (1991). Human and non-financial costs of hospital-acquired infection. *Journal of Hospital Infection*. 18, 79 – 84.

Davis, J. (1994). Inactivation of antibiotics and the dissemination of resistance genes. *Science*. 264, 375 – 382.

De Groot, H. and Littauer, A. (1989). Hypoxia, reactive oxygen, and cell injury. *Free Radical Biology and Medicine*. 6, 541 – 551.

De Laubenfels, D.J. (1972). Gymnospermes. In *Flore de la Nouvelle-Calédonie et Dépendances*, 4, eds A. Aubreville and J-F. Leroy. Muséum National d'Histoire Naturelle, Paris.

Deby, C. and Margotteaux, G. (1970). Relationship between essential fatty acids and tissue antioxidant levels in mice. *C R Seances Society Biology Filiales*. 165, 2675 – 2681.

Deem, S.L., Spelman, L.H., Yates, R.A., and Montali, R.J. (2000). Canine distemper in terrestrial carnivores. A review. *Journal of Zoo and Wildlife Medicine*. 31, 4, 441 – 451.

Denning, D. W. (1994). Invasive aspergillosis in immunocompromised patients. *Current Opinions in Infectious Diseases*. 7, 456 – 62.

Denning, D.W. (1998). Invasive aspergillosis. *Clinical Infectious Diseases*. 26, 781– 803.

Dessen, A., Guilmi, D., Vernet, A.M. and Dideberg, T.O. (2001). Molecular mechanism of antibiotic resistance in Gram positive pathogens. *Current drug targets. Infectious disorders*. 1, 63 – 77.

DFID, (2000). Target strategic paper: water resources and sanitation. London.

Dold, A. and Cocks, M.L. (2001). Traditional veterinary medicine in the Alice District of the Eastern Cape Province, South Africa. *South African Journal of Sciences*. 97, 375 – 379.

- Domenech, J., Lubroth, J., Eddi, C., Martin, V. and ROGER, F. (1996). Regional and International Approaches on Prevention and Control of Animal Transboundary and Emerging Diseases Annals of New York Academy of Science. 1081, 90 – 107.
- Domingo, E., Escarmis, C., Baranowski, E., Ruiz-Jarabo, C.M., Carrillo, E., Nunez, J.I. and Sobrino, F. (2003). Evolution of foot-and-mouth disease virus. Virus Research. 91, 47 – 63.
- Duguid, J.P., Marmion, B.P. and Swain, R.H.A. (1978). Medical Microbiology. 13th ed. Churchill Livingstone, London.
- Duke, J.A. and Ayensu, E.S. (1985). Medicinal Plants of China. Reference Publications Inc., Algonac, MI, 381.
- Ekwall, B. (1983). Screening of toxic compounds in mammalian cell cultures. Annals of the New York Academy of Sciences. 407, 64 – 77.
- Ekwall, B., Barile, F.A., Castano, A., *et al.*, (1998). MEIC Evaluation of Acute Systemic Toxicity. Part VI. Prediction of human toxicity by rodent LD₅₀ values and results from 61 *in vitro* tests. Alternatives to Laboratory Animals. 26, 617 – 658.
- Electronic Plant Information Centre (ePIC), Royal Botanic Garden, Kew, (2002). <http://epic.kew.org/epic/> (accessed on 10th May, 2009).
- Eloff, J. N. (1998a). Conservation of Medicinal Plants: Selecting Medicinal Plants for Research and Gene Banking. Monographs in systematic botany from the Missouri Garden 71, 209 – 222. In: Conservation of plants Genes III: Conservation, utilisation of African plants.
- Eloff, J.N. (1998b). A sensitive and quick microplate method to determine the minimal inhibitory concentration of plant extracts for bacteria. Planta Medica. 64, 711 – 713.
- Eloff, J.N. (1998c). Which extractant should be used for the screening and isolation of antimicrobial component from plants? Journal of Ethnopharmacology. 60, 1 – 8.
- Eloff, J. N. (1999). The antibacterial activity of 27 southern African members of the *Combretaceae*. South African Journal of Science. 95, 148 – 152.
- Eloff, J.N. (2004). Quantifying the bioactivity of plant extracts during screening and bioassay-guided fractionation. Phytomedicine. 11, 370 – 371.
- Enat, R., Pollack, S., Ben-Arieh, Y., Livni, E. and Barzilai, D. (1980). Cholestatic jaundice caused by cloxacillin: macrophage inhibition factor test in preventing rechallenge with hepatotoxic drugs. British Medical Journal. 280, 982 – 983.
- Endlicher, I. L. (1847). Synopsis Conifarum. Sangalli: Scheitlin and Zollikofer.
- Espinel-Ingroff, A. and Pfaller, M.A. (1995). Antifungal agents and susceptibility testing. In: Murray, P.R., Baron, E.J., Pfaller, M.A., Tenover, F.C., Tenover, R.H. (Eds.), Manual of Clinical Microbiology. ASM Press, Washington, DC, 1405 – 1414.
- Esté, J. A. and Cihlar, T. (2010). Current status and challenges of antiretroviral research and therapy. Antiviral Research. 85, 25 – 33.
- Evermann, J.F., Lincoln, J.D., and McKiernan, A.J. (1980). Isolation of a paramyxovirus from the cerebrospinal fluid of a dog with posterior paresis. Journal of American Veterinary Medical Association. 177, 1132 – 1134.
- Fabricant, D. S. and Farnsworth, N. R. (2001). The Value of Plants Used in Traditional Medicine for Drug Discovery. Environmental Health Perspectives. 109, 1, 69 – 75.

Farber, B.F. and Moellering, R.C. (1983). Retrospective study of the toxicity of preparations of vancomycin from 1974 to 1981. *Antimicrobial Agents and Chemotherapy*. 23, 138 – 41.

Farjon, A. (2001). *World Checklist and Bibliography of Conifers*, 2nd ed. Royal Botanic Gardens, Kew, Surrey.

Farnsworth, N.R., Akerele, O., Bingel, A.S., Soejarto, D.D. and Guo, Z. (1985). Medicinal plants in therapy. *Bulletin of Revue Scientifique et Technique Office Internationale Epizootes the WHO*. 63, 965 – 981.

Farnsworth, N.R. and Soejarto, D.D. (1985). Potential consequences of plant extinction in the United States on the current and future availability of prescription drugs. *Economic Botany*. 39, 231– 240.

Farnsworth, N.R. and Morris, R.W. (1976). Higher plants: The sleeping giants for drug development. *American Journal of Pharmacology*. 147, 46 – 52.

Farnsworth, N.R. (1988). Screening plants for new medicines. In: *Biodiversity* (Eds. Wilson EO and Peters FM), 61 – 73. Academic Press, New York.

Farnsworth, N.R. (1990). The role of ethnopharmacology in drug development. *Ciba Foundation Symposium*. 154, 2 – 11.

Farnsworth, N.R. (1993). Ethnopharmacology and future drug development: the North American experience. *Journal of Ethnopharmacology*. 38, 145 – 152.

Farnsworth, N.R. (1994). Ethnopharmacology and drug development. *Ciba Foundation Symposium*. 185, 42 – 51.

Feigal, D. W., Katz, M. H., Greenspan, D., Westenhouse, J., Winkelstein, W., Lang, W., Samuel, M., Buchbinder, S. P., Hessol, N. A., Lifson, A. R., Rutherford, G. W., Moss, A., Osmond, D., Shiboski, S., and Greenspan, J. S. (1991). The prevalence of oral lesions in HIV-infected homosexual and bisexual men of three San Francisco epidemiological cohorts. *AIDS*, 5, 519 – 525.

Gafner, S., Wolfender, J.L., Mavi, S., Hostettmann, K., (1996). Antifungal and antibacterial chalcones from *Myrica serrata*. *Planta Medica*. 62, 67-69.

Gallis, H.A., Drew, R.H. and Pickard, W. (1990). Amphotericin B: 30 years of clinical experience. *Review of Infectious Diseases*. 12, 308 – 329.

Ganapaty, S., Bharath, C.H. and Laatsch, H. (2010). Des-N-Methylnoracronycine from the roots of *Carissa conjesta* Wight. *International Journal of Green Pharmacy*. 4, 186 – 188.

Gardner, M.E., Fritz, W.L., and Hyland, R.N. (1978). Antibiotic induced seizures: a case attributed to cefazolin: and a review of the literature. *Drug Intell and Clinical Pharmacology*. 12, 268 – 271.

Garner, M.G., Fisher, B.S. and Murray, J.G. (2002). Economic aspects of foot and mouth disease: perspectives of a free country, Australia. *Revue Scientifique et Technique Office Internationale Epizootes*. 21, 625 – 635.

Gaskell, R. and Willoughby, K. (1999). Herpesviruses of carnivores. *Veterinary Microbiology*. 69, 73 – 88.

Gear, J.H. (1979). Hemorrhagic fevers, with special reference to recent outbreaks in southern Africa. *Review of Infectious Diseases*. 1, 571 – 591.

Geiger, H. and Quinn, Ch. (1988). Biflavonoids. In: *The Flavonoids* (J.B. Harborne, ed.). Chapman and Hall, London.

Ghannoum, M.A. and Rice, L.B. (1999). Antifungal agents: mode of action, mechanisms of resistance, and correlation of these mechanisms with bacterial resistance. *Clinical Microbiology Review*. 12, 501 - 517.

- Ghany, M. and Liang, T. J. (2007). Drug Targets and Molecular Mechanisms of Drug Resistance in Chronic Hepatitis B. *Gastroenterology*. 132, 1574 – 1585.
- Gilbert, C., Bestman-Smith, J. and Boivin, G. (2002). Resistance of herpesviruses to antiviral drugs: clinical impacts and molecular mechanisms. *Drug Resistance Update*. 5, 88 – 114.
- Gillespie, S.H and McHugh, T.D. (1997). The biological cost of antimicrobial resistance. *Trends in Microbiology*. 5, 337 – 339.
- Glen, H.F. (2000). Podocarpaceae. In *Seed Plants of Southern Africa: families and genera*, ed. O.A. Leistner. Strelitzia. 10, 30 – 31.
- Global Biodiversity Information System (GBIF). <http://www.gbif.org> (accessed on 15th Jun, 2009).
- Grange, J. M. and Davey, R. W. (1990). Antibacterial properties of propolis (bee glue). *Journal of the Royal Society of Medicine*., 83, 159 – 160.
- Groll, A.H., Shah, P.M., Mentzel, C., Schneider, M., Just Nuebling, G. and Huebner, K., (1996). Trends in the postmortem epidemiology of invasive fungal infections at a University hospital. *Journal of Infection*. 33, 23 – 32.
- Guan, R., Lai, C.L., Leung, N.W.Y., Lim, S.G., Lee, C.M., Ng, K.Y., Chang, T.T., Nicholls, G.J. and Dent, J.C. (2001). Efficacy and safety of 5 years lamivudine treatment of Chinese patients with chronic hepatitis B (abstr). *Journal of Gastroenterology and Hepatology*. 16, 60.
- Habs, M., Habs, H., Berger, M. R., and Schmahl, D. (1984). Negative dose response study for carcinogenicity of orally administered rutin sulphate in Sprague-Dawley rats. *Cancer Letters*. 23, 103 – 108.
- Halliwell, B. (2003). Oxidative stress in cell culture: an under-appreciated problem? *FEBS Letters*. 540, 3 – 6.
- Halliwell, B. and Gutteridge, J.M.C. (2007). *Free Radicals in Biology and Medicine*, fourth ed., Clarendon Press, Oxford, UK.
- Hancock, R.E.W. (2005). Mechanism of action of newer antibiotic for gram-positive pathogens. *Centre for Microbial Diseases and Immunity Research*. 5, 210 – 218.
- Harborne, J.B. and Williams, C.A. (2000). Advances in flavonoid research since 1992. *Phytochemistry*. 55, 481.
- Hawkins, T. (2010). Understanding and managing the adverse effects of antiretroviral therapy. *Antiviral Research*. 85, 201 – 209.
- Hayashi, K., Hayashi, T. and Kojima, I. (1996) A Natural Sulfated Polysaccharide, Calcium Spirulan, Isolated from *Spirulina platensis*: In Vitro and ex Vivo Evaluation of Anti-Herpes Simplex Virus and Anti-Human Immunodeficiency Virus Activities. *Aids Research and Human Retroviruses*. 12, 1463 – 1471.
- Haynes, R.K. and Vonwiller, S.C. (1994). Extraction of artemisinin and artemisinic acid: Preparation of artemether and new analogues. *Transactions of the Royal Society of Tropical Medicine and Hygiene*. 88, 23 – 26.
- Heijnen, C.G., Haenen, G.R., van Acker, F.A., van der Vijgh, W.J. and Bast A. (2001). Flavonoids as peroxynitrite scavengers: the role of the hydroxyl groups. *Toxicology in Vitro*. 15, 3 – 6.
- Hemaiswarya, S., Kruthiventi, A.K. and Doble, M. (2008). Synergism between natural products and antibiotics against infectious diseases. *Phytomedicine*. 15, 639 – 652.

- Heo, S-J. and Jeon, Y-J. (2009). Evaluation of diphlorethohydroxycarmalol isolated from *Ishige okamurae* for radical scavenging activity and its protective effect against H₂O₂-induced cell damage. *Process Biochemistry*. 44, 412 – 418.
- Hill, A.W., Guralnick, R.P., Wilson, M.J.C., Habib, F. and Janies, D. (2009). Evolution of drug resistance in multiple distinct lineages of H5N1 avian influenza. *Infection, Genetics and Evolution*. 9, 169 – 178.
- HIV/AIDS, Joint United Nations Programme on HIV/AIDS. (2008). Report on the Global AIDS Epidemic.
- Hodges, R. (1965). 5,5'-dihydroxy-7,4',7''4''-tetramethoxy-8,31'1-biflavone from *Dacrydium cupressiatum* Lamb. *Australian Journal of Chemistry*. 18, 1491 – 1492.
- Hodges, N. (2002). Pharmaceutical applications of microbiological techniques. In: Aulton, M.E. (Ed.), *Pharmaceutics: The Science of Dosage Form Design*, 2nd ed. Harcourt Publishers Limited, London, 606.
- Hoffman, H.L. and Rathbun, R.C. (2002). Review of the safety and efficacy of voriconazole. *Expert Opinion on Investigational Drugs*. 11, 409 –429.
- Hoogstraal, H., Meegan, J.M., Khalil, G.M. and Adham, F.K. (1979). The Rift Valley fever epizootic in Egypt 1977 / 1978. *Ecological and Entomological Studies. Transactions of the Royal Society of Tropical Medicine and Hygiene*. 73, 624 – 629.
- Houghton, P.J. and Raman, A. (1998). *Laboratory handbook for fractionation of natural extract*. Chapman and Hall, pp 203.
- Howard, D.H., Scott II, R. D., Packard, R. and Jones, D. (2003). The Global Impact of Drug Resistance. *Clinical Infectious Diseases*. 36, 4 – 10.
- Hudson, J.B. (1990). *Antiviral Compounds from Plants*. Boca Raton, Ann Arbor, Boston: CRC Press.
- Huisman, W., Martina, B.E.E., Rimmelzwaan, Gruters, G.F., R.A. and Sterhaus, A.D.M.E. (2009). Vaccine-induced enhancement of viral infections. *Vaccine*, 27, 505 – 512.
- Hunter, P and Wallace, D. (2001). Lumpy skin disease in Southern Africa. A review of the disease and aspects of control. *Journal of South African Veterinary Association*. 72, 68 - 71.
- Ibrahim, H., (1997). Pharmacognostic and biological (analgesic activity) of *Carissa edulis* vahl. Ph.D. Thesis. Ahmadu Bello University Zaria, Nigeria. pp.232
- Ito, S. and Kodama, M. (1976). Norditerpene dilactones from *Podocarpus* species. *Heterocycles*. 4, 595 – 624.
- Itoh, Z., Nakaya, M., Suzuki, T., Arai, H. and Wakabayashi, K. (1984). Erythromycin mimics exogenous motilin in gastrointestinal contractile activity in the dog. *American Journal of Physiology*. 247, 688 – 694.
- Izzedine, H., Launay-Vacher, V. and Deray, G. (2005). Antiviral drug-induced nephrotoxicity. *American Journal of Kidney Diseases*. 45, 5, 804 – 817.
- Jabbour, N., Reyes, J., Kusne, S., Martin, M. and Fung, J. (1996). Cryptococcal meningitis after liver transplantation. *Transplantation*. 61, 146 – 167.
- Jacobson, M.A., O'Donnel, J.J., Brodie, H.R., Wofsy, C. and Mills, J. (1988). Randomized prospective trial of ganciclovir maintenance therapy for cytomegalovirus retinitis. *Journal of Medical Virology*. 25, 3, 339 – 349.
- Jassim, S.A.A. and Najj, M.A. (2003). Novel antiviral agents: a medicinal plant perspective. *Journal of Applied*

Microbiology. 95, 412 – 427.

Johnson, T. (1999). CRC Ethnobotany Desk Reference. CRC Press, p. 646. ISBN: 0-8493-1197-X.

Jones, M.E., Draghi, D.C., Thornsberry, C., Karlowsky, J.A., Sahm, D.F. and Wenzel, R.P. (2004). Emerging resistance among bacterial pathogens in the intensive care unit – a European and North American Surveillance study (2000–2002). *Annals of Clinical Microbiology Antimicrobes*. 3, 14.

Jungkind, D.L., Mortensen, J.E., Frimow, H.S. and Calandra, G.B. (1995). Antimicrobial resistance — a crisis in health care. *Advance in Experimental and Medical Biology*. 390, 1 – 248.

Kaloyanides, G.J. and Pastoriza-Munoz, E. (1980). Aminoglycoside nephrotoxicity. *Kidney International*, 18, 571 – 582.

Kanafani, Z. A. and Perfect, J.R. (2008). Resistance to antifungal agents: mechanisms and clinical impact. *Clinical Infectious Diseases*. 46, 120 – 128.

Kang, S. S., Lee, J. Y., Choi, Y. K., Song, S. S., Kim, J. S., Jeon, S. J., Han, Y. .N, Son, K. H. and Han, B.H. (2005). Neuroprotective effects of naturally occurring biflavonoids. *Bioorganic and Medicinal Chemistry Letters*., 15, 3588 – 3591.

Kelch, D.G. (1997). The phylogeny of the Podocarpaceae based on morphological evidence. *Systematic Botany*. 22, 113 – 131.

Ketsawatsakul, U., Whiteman, M. and Halliwell, B. (2000). A re-evaluation of the peroxynitrite scavenging activity of some dietary phenolics. *Biochemical and Biophysiology Research Communication*. 279, 692 – 699.

Khan, M.T., Ather, A., Thompson, K.D. and Gambari, R. (2005). Extracts and molecules from medicinal plants against herpes simplex viruses. *Antiviral Research*. 67, 107 – 119.

Kim, H.P., Park, H., Son, K. H., Chang, H.W., and Kang, S.S. (2008). Biochemical pharmacology of biflavonoids: implications for anti-inflammatory action. *Archives of Pharmacology Research*. 31, 265 – 273.

Kola, I. and Landis, J. (2004). Can the pharmaceutical industry reduce attrition rates? *Nature Reviews Drug Discovery*. 3, 711 – 715.

Koleff, M.H., Sharpless, L., Vlasnic, J., Pasque, C., Murphy, D., Fraser, V.J. (1997). The impact of nosocomial infection on patient outcomes following cardiac surgery, *Chest* 11. 666 – 675.

Kontoyiannis, D.P. and Lewis R.E. (2002). Antifungal drug resistance of pathogenic fungi. *Lancet*. 359, 1135 – 1144.

Koppal, T. (2004). Advancing in vitro ADME/Tox. *Drug Discovery and Development*. 5, 47.

Kostova, I., Raleva, S., Genova, P. and Argirova, R. (2006). Structure-activity relationships of Synthetic Coumarins as HIV-1. Inhibitors *Bioinorganic Chemistry and Applications* Volume, Article ID 68274, 1 – 9.

Kott, V., Barbini, L., Cruanes, M., Munoz, J.de. D., Vivot, E., Cruanes, J., Martino, V., Ferraro, G., Cavallaro, L. and Campos, R. (1999). Antiviral activity in Argentine medicinal plants. *Journal of Ethnopharmacology*. 64, 79 – 84.

Kotze, M. and Eloff, J.N. (2002). Extraction of antibacterial compounds from *Combretum microphyllum* (Combretaceae). *South African Journal of Botany*. 68, 62 – 67.

Krakovka, S., Axthelm, M.K. and Johnson, G.C. (1985). Canine distemper virus. In: Olsen, R.G., Krakowka, S., Blakeslee, J.R. (Eds.), *Comparative Pathobiology of Viral Diseases*, volume 2. CRC Press, Boca Raton. pp. 137 – 164.

Krauze-Baranowska, M., Baćzek, T., Głó'd, D., Kaliszan, R., and Wollenweber, E. (2004). HPLC Separation of O-Acylated Flavonoids and Biflavones from Some Species of Gymnospermae. *Chromatographia*. 60, 9 – 15.

Kuo, Y-J S-Y H., Wu, M-D., Liao, C-C., Liang, Y-H., Kuo, Y-H, and HO, H-O (2008). Cytotoxic Constituents from *Podocarpus fasciculatus*. *Chemistry and Pharmacology Bulletin*. 56, 4, 585 –588.

Lauder, I.M., Martin, W.B., Gordon, E.D., Lawson, D.D., Campbell, R.S.F., Watrach, A.M., 1954. A survey of canine distemper, *Veterinary. Records*, 66, 607 – 611 and 623 – 631.

Lapidot, T., Walker, M.D. and Kanner, J. (2002). Antioxidant and prooxidant effect of phenolics on β cells invitro. *Journal of Agriculture and Food Chemistry*. 50, 3156 – 3160.

Lee, C.K., Moon, K.H. and Shun K.H. (1998). Screening and isolation of antibiotic resistance inhibitors from herb materials-resistance inhibition of volatile components of Korean aromatic herbs. *Archives of Pharmacal Research*. 21, 62 – 66.

Leistner, O.A., 1966. Podocarpaceae. *Flora of Southern Africa*. 1, 34–41.

Leistner, O.A., Smith G.F. and Glen, H.F. (1995). Notes on *Podocarpus* in southern Africa and Madagascar. *Bothalia*. 25, 233 – 245.

Leung, N.W.Y., Lai, C.L., Chang, T.T., Guan, R., Lee, C.M., Ng, K.Y., Lim, S.G., Wu, P.C., Dent, J.C., Edmundson, S., Condreay, L. and Chien, R.N. (2001). Extended lamivudine treatment in patients with chronic hepatitis B enhances hepatitis B antigen seroconversion rates: results after 3 years of therapy. *Hepatology*. 33, 1527 – 1532.

Levy, S.B. (1992). *The antibiotic paradox. How miracle drugs are destroying the miracle*. New York: Plenum Press.

Levy, S.B. and Marshall, B. (2004). Antibacterial resistance worldwide: causes, challenges and responses. *Nature Medicine*. 10, 122 – 129.

Li Yao-Lan, Shuang-Cheng Ma, Yi-Ting Yang a Shao-Ming Ye and Paul Pui-Hay But (2002). Antiviral activities of flavonoids and organic acid from *Trollius chinensis* Bunge. *Journal of Ethnopharmacology*. 79 365 – 368.

Li, A. P. (2004). A comprehensive approach for drug safety assessment. *Chemico-Biological Interactions*. 150, 27 – 33.

Lin, L-C, Yang, L-L and Chou,C-J. (2003). Cytotoxic naphthoquinones and plumbagic acid glucosides from *Plumbago zeylanica*. *Phytochemistry*. 62, 4, 619 – 622.

Lin, Y.-M., Flavin, M. T., Cassidy, C. S., Mar, A., and Chen, F.C. (2001). Biflavonoids as novel antituberculosis agents. *Bioorganic and Medicinal Chemistry Letters*. 11, 2101– 2104.

Lin Y-M, Anderson, H, Flavin, M. T., and Pai, Y-H, S.(1997). In vitro anti-HIV activity of biflavonoids isolated from *Rhus succedanea* and *Garcinia multiflora*. *Journal of Natural Products*. 60, 884 – 888.

Lohr, J.W., Willsky, G.R. and Acara, A. (1998). Renal drug metabolism. *Pharmacological Review*, 50, 107–141.

Lokuge, B., Lokuge, K. and Faunce, T. (2005). Avian influenza, agriculture trade and WTO rules: the economics of transboundary disease control in developing countries. Working Paper: Centre for Governance of Knowledge and Development.

Long, L.H., Clement, M.V. and Halliwell, B. (2000). Artifacts in cell culture: rapid generation of hydrogen peroxide on addition of (-)-epigallocatechin, (-)-epigallocatechin gallate, (+)-catechin, and quercetin to commonly used cell culture media. *Biochemical and Biophysical Research Communications*. 273, 50 – 53.

Long, L.H., Kirkland, D., Whitwell, J. and Halliwell, B. (2007). Different cytotoxic and clastogenic effects of epigallocatechin gallate in various cell-culture media due to variable rates of its oxidation in the culture medium. *Mutation Research*. 634, 177 – 183.

Long, L.H. and Halliwell B. (2009). Artefacts in cell culture: pyruvate as a scavenger of hydrogen peroxide generated

by ascorbate or epigallocatechin gallate in cell culture media. *Biochemical and Biophysical Research Communication*. 388, 700 – 704.

Lourens, A.C.U., Viljoen, A.M. and Van Heerden, F.R. (2008). South African *Helichrysum* species: a review of the traditional uses, biological activity and phytochemistry. *Journal of Ethnopharmacology*. 119, 630 – 652.

Lurie, A., Ogilvie, M., Townsend, R., Gold, C., Meyer, A.M. and Goldberg, B. (1970). Carbenicillin-induced coagulopathy [letter]. *Lancet*. I, 1114 – 1115.

Ma, S-C., Du, J., But, P. P-H., Deng, X-L., Zhang, Y-W., Ooi, V. E-C., Xu, H-Xi, Lee, S.H-S., and Lee, S. F (2002). Antiviral Chinese medicinal herbs against respiratory syncytial virus. *Journal of Ethnopharmacology*. 79 205 – 211.

Macartney, L., Cornwell, H.J.C., McCandlish, I.A.P. and Thompson, H. (1985). Isolation of a novel paramyxovirus from a dog with enteric disease. *Veterinary Records*. 117, 205 – 207.

Maddrey, W.C. (1999). Safety of combination interferon alfa-2b/ribavirin therapy in chronic hepatitis C-relapsed and treatment-naive patients. *Seminar on Liver Diseases*. 19, 67 – 75.

Magee, A.R, Van Wyk, B.E. and Van Vuuren, S.F. (2007). Ethnobotany and antimicrobial activity of sieketros (*Arctopus* species). *South African Journal of Botany*. 73, 159 – 162.

Maggs, D.J. (2005). Update on pathogenesis, diagnosis, and treatment of feline herpesvirus type 1. *Clinical Techniques and Small Animal Practice*. 20, 94 – 101.

Maregesi, S.M., Pieters, L., Ngassapa, O.D., Apers, S., Vingerhoets, R., Cos, P., Vanden Berghe, D.A. and Vlietinck, A.J. (2008). Screening of some Tanzanian medicinal plants from Bunda district for antibacterial, antifungal and antiviral activities. *Journal of Ethnopharmacology*. 119, 58 – 66.

Markham, K.R., Webby, R.F., Whitehouse, L.A., Molloy, B.P.J., Vilain, C. and Mues, R., (1985). Support from flavonoid glycoside distribution for the division of *Podocarpus* in New Zealand. *New Zealand Journal of Botany*. 23, 1.

Maron, D.M. and Ames, B.N. (1983). Revised methods for the *Salmonella* mutagenicity test. *Mutatagenesis Research*. 113, 173 – 215.

Martins, M.D., Lozano-Chiu, M. and Rex, J.H. (1998). Declining rates of oropharyngeal candidiasis and carriage of *Candida albicans* associated with trends toward reduced rates of carriage of fluconazole-resistant *C. albicans* in human immunodeficiency virus- infected patients. *Clinical Infection and Diseases*. 27, 1291 –12 94.

Masika, P.J. and Afolayan, A.J. (2003). An ethnobotanical study of plants used for the treatment of livestock diseases in the Eastern Cape Province, South Africa. *Pharmaceutical Biology*. 41, 16 – 21.

Masoko, P. and Eloff, J.N. (2005). The diversity of antifungal compounds of six South African *Terminalia* species (Combretaceae) determined by bioautography. *African Journal of Biotechnology*. 4, 1425 – 1431.

Masoko, P., Mdee, L. K., Mampuru, L. J. and Eloff, J. N. (2008). Biological activity of two related triterpenes isolated from *Combretum nelsonii* (Combretaceae) leaves. *Natural Product Research*. 22,12,1074 – 1084.

Matthew, E.F. and Bliziotis, L.A. (2007). Pandrug-resistant Gram-negative bacteria: the dawn of the post-antibiotic era? *International Journal of Antimicrobial Agents*. 29, 630 – 636.

Mbwambo, Z. H., Kapingu, M. C. Moshi, M. J., Francis, M., Apers, S., Cos, P., Ferreira, D., Marais, J. P. J., Vanden Berghe, D., Maes, L., Vlietinck, A., and Pieters, L. (2006). Antiparasitic Activity of Some Xanthenes and Biflavonoids from the Root Bark of *Garcinia lWingstonei*. *Journal of Natural Products*. 69, 369 – 372.

McGaw, L.J, Jäger, A.K. and Van Staden, J., 2000. Antibacterial, anthelmintic and anti-amoebic activity in South African medicinal plants. *Journal of Ethnopharmacology*. 72, 1-2, 247 – 263.

McGaw, L.J. and Eloff, J.N. (2008). Ethnoveterinary use of southern African plants and scientific evaluation of their medicinal properties. *Journal of Ethnopharmacology*. 119, 3, 686 – 99.

McHutchison, J.G. and Poynard, T. (1999). Combination therapy with interferon plus ribavirin for the initial treatment of chronic hepatitis C. *Seminars in Liver Diseases*. 19, 57 – 65.

Medeiros, A.A., (1997). Evolution and dissemination of beta-lactamases accelerated by generations of beta-lactam antibiotics. *Clinical Infectious Diseases*. 24, 1, 19 – 45.

Menéndez-Arias, L. (2010). Molecular basis of human immunodeficiency virus drug resistance: An update. *Antiviral Research*. 85, 210 – 231.

Merrer, J., Santoli, F. and Appere - De Vecchi, C. (2000). "Colonisation pressure" and risk of acquisition of methicillin resistant *Staphylococcus aureus* in a medical intensive care unit. *Infection Control and Hospital Epidemiology*. 21, 718 – 723.

Middleton, E. and Chithan, K. (1993). The impact of plant flavonoids on mammalian biology: implications for immunity, inflammation and cancer. In: *The Flavonoids: Advances in research since 1986* (Ed. Harborne, J. B.). Chapman and Hall, London. 619 – 652.

Miki, K., Nagai, T., Suzuki, K., Tsujimura, R., Koyama, K., Kinoshita, K., Furuhashi, K., Yamada, H., and Takahashi, K. (2007). Anti-influenza virus activity of biflavonoids. *Bioorganic and Medicinal Chemistry Letters*. 17, 772 – 775.

Milman, N. (1978). Acute interstitial nephritis during treatment with penicillin and cephalothin. *Acta Medica Scandinavica*. 203 227 – 230.

Moake, J.L., Butler, C.F., Hewell, G.M, Cheek, J. and Spruell, M.A. (1978). Hemolysis induced by cefazolin and cephalothin in a patient with penicillin sensitivity. *Transfusion*. 18, 369 – 373.

Mosmann, T. (1983). Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *Journal of Immunological Methods*. 65, 55 – 63.

Motsei, M.L., Lindsey, K.L., van Staden, J. and Jäger, A.K. (2003). Screening of traditionally used South African plants for antifungal activity against *Candida albicans*. *Journal of Ethnopharmacology*. 86, 235 – 241.

Mowrey, D (1998). *Herbal Tonic Therapies*. New York: Random House.

Murray, M. (1995). *The healing power of herbs*. Prima Publishing. Rocklin, CA. 162 – 171.

Naithani, R., Huma, L.C., Holland, L.E., Shukla, D., McCormick, D.L., Mehta, R.G. and Moriarty, R.M. (2008). Antiviral activity of phytochemicals: a comprehensive review. *Mini Review in Medicinal Chemistry*. 8, 1106 – 1133.

Nakanishi, K. (2006). Studies in microbial and insect natural products chemistry. *Journal of Natural Medicines*. 60, 2 – 20.

Nawawi, A., Nakamura, N., Hattori, M., Kurokawa, M. and Shiraki, K. (1999). Inhibitory effects of Indonesian medicinal plants on the infection of Herpes Simplex Virus Type 1. *Phytotherapy Research*. 13, 37 – 41.

Ndamba, J., Nyazema, N., Makaza, N., Anderson, C. and Kaondera, K.C. (1994). Traditional herbal remedies used for the treatment of urinary schistosomiasis in Zimbabwe. *Journal of Ethnopharmacology*. 42, 125 – 132.

Nikiforuk, A. (1996). *The fourth horseman: a short history of plagues, scourges, and emerging viruses*. Toronto: Penguin.

- Noor, F., Niklas, J., Müller-Vieira, U. and Heinze, E. (2009). An integrated approach to improved toxicity prediction for the safety assessment during preclinical drug development using Hep G2 cells. *Toxicology and Applied Pharmacology*. 237, 221 – 231.
- Norby, R. (1986). The side effects of cephalosporins. In: Williams JD, editor. *The cephalosporins*. Auckland: Adis.
- Nostro, A., Germano, M.P., D'Angelo, V., Marino, A. and Cannatelli, M.A. (2000). Extraction methods and bioautography for evaluation of medicinal plant antimicrobial activity. *Letters in Applied Microbiology*. 30, 379 – 384.
- Novak, R., Henriques, B., Charpentier, E., Normark, S. and Tuomanen, E. (1999). Emergence of vancomycin tolerance in *Streptococcus pneumoniae*. *Nature*. 399, 590 – 593.
- O'Brien, K., Mattlin, A. J., Lowell, A. M. and Moore, M. J (2008). The Biflavonoid Isoginkgetin is a general inhibitor of pre-mRNA splicing. *The Journal of Biological Chemistry*. 283, 48, 33147– 33154.
- OIE. (2004). *Manual Bulletin Office International Des Epizooties*, Paris, France, World Organization for Animal Health.
- Onorato, I.M. and Axelrod, J.L. (1978). Hepatitis from intravenous high-dose oxacillin therapy: findings in an adult patient population. *Annals of Internal Medicine*. 89, 497 – 500.
- Op de Beck, P, Cartier, G., David, B., Dijoux-Franca, M-G. and Mariotte, A-M. (2003). Antioxidant flavonoids and phenolic acids from leaves of *Leea guineense* G Don (Leeaceae). *Phytotherapy. Research*. 17, 345 – 347.
- Orhan, I., Didem, D. and Berrin, Ö. (2009). Antiviral activity and cytotoxicity of the lipophilic extracts of various edible plants and their fatty acids. *Food Chemistry*. 115, 701 – 705.
- Otte, M.J., Nugent, R. and Mcleod, A. (2004). *Transboundary animal diseases: Assessment of socio-economic impacts and institutional responses*. Livestock policy paper no. 9. Food and Agricultural Organisation. Livestock Information and Policy Branch, AGAL.
- Paarlberg, P.L., Lee, J.G. and Seitzinger, A.H. (2002). Potential revenue impact of an outbreak of foot-and-mouth disease in the United States. *Journal of American Veterinary Medical Association*. 220, 988 – 992.
- Page, C.N. (1989). New and maintained genera in the conifer families Podocarpaceae and Pinaceae. *Notes Royal Botanical Garden. Edinburgh*. 45, 377– 395.
- Paladino, J.A., Sunderlin, J.L., Price, C.S. and Schentag, J.J. (2002) Economic consequences of antimicrobial resistance. *Surgical Infections (Larchmt)*. 3, 259 – 2 67.
- Pankhurst, A. (2000). *Awliyaw: the largest and oldest tree in Ethiopia?* Ethiopia Online, copyright 2000.
- Pannala, A.S., Rice-Evans, C.A., Halliwell, B. and Singh S. (1997). Inhibition of peroxynitrite-mediated tyrosine nitration by catechin polyphenols. *Biochemical and Biophysical Research Communication*. 232, 164 –168.
- Pascaline, J., Mutai, C., Lukhoba, C. and Ouma, G. (2011). Phytochemical constituents of some medicinal plants used by the Nandis of South Nandi district, Kenya. *Journal of Animal and Plant Sciences*. 9, 1201 – 1210.
- Pauly, D.J., Musa, D.M., Lestico, M.R., Lindstrom, M.J. and Hetsko C.M. (1990). Risk of nephrotoxicity with combination vancomycin-aminoglycoside antibiotic therapy. *Pharmacotherapy*. 10, 378 – 382.
- Periti, P., Mazzei, T., Mini, E. and Novelli, A. (1993). Adverse effects of macrolide antibacterials. *Drug Safety*. 9, 346 – 364.
- Perry, B. and Sones, K. (2007). Science for development. Poverty reduction through animal health. *Science*. 315, 333 – 334.

- Petz, L.D. (1978). Immunologic cross-reactivity between penicillins and cephalosporins: a review. *Journal of Infectious Diseases*. 137, 74 – 79.
- Picman, A.K., Schneider, E.F., Pieman, J., 1995. Effect of flavonoids on mycelial growth of *Verticillium albo-atrum*. *Biochemical Systematics and Ecology*. 23, 683 – 693.
- Pilger, R. (1903). Taxaceae. 33-99 in *Das Pflanzenreich IV*, ed. A. Engler. Neudruck: H.R. Engelmann.
- Plotkin, B.J. and Kimball, A.M. (1997). Designing an international policy and legal framework for the control of emerging infectious diseases: first steps. *Emerging Infectious Diseases*. 3, 1 – 9.
- Poynard, T., Marcellin, P., Lee, S.S., Niederau, C., Minuk, G.S., Ideo, G., Bain, V., Heathcote, J., Zuezem, S., Trepo, C. and Albrecht, J. (1998). Randomised trial of interferon alpha2b plus ribavirin for 48 weeks or for 24 weeks versus interferon alpha2b plus placebo for 48 weeks for treatment of chronic infection with hepatitis C virus. International Hepatitis Interventional Therapy Group (IHIT). *Lancet*. 352, 1426 – 1432.
- Prasad, R. and Kapoor, K. (2005). Multidrug resistance in yeast *Candida*. *International Review of Cytology*. 242, 215 – 248.
- Prescott, J.F. (2000). Antimicrobial drug resistance and its epidemiology. In: *Antimicrobial Therapy in Veterinary Medicine*, edn 3. Edited by Prescott JF, Baggot JD, Walker RD. Ames: Iowa State University Press, pp. 27 – 49.
- Pujol, J. (1990). *The herbalist Handbook. African flora. Medicinal plants.* Nature Africa. Durban.
- Quinn, C.J. (1970). Generic boundaries in the Podocarpaceae. *Proceedings of the Linnaean Society of New South Wales*. 94, 166–172.
- Raad, I., Graybill, J.R., Bustamante, A.B., Cornely, O.A., Gaona-Flores, V., Afif, C., Graham, D.R., Greenberg, R.N., Hadley, S., Langston, A., Negroni, R., Perfect, J.R., Pitisuttithum, P., Restrepo, A., Schiller, G., Pedicone, L. and Ullmann, A.J. (2006). Safety of long-term oral posaconazole use in the treatment of refractory invasive fungal infections. *Clinical Infectious Diseases*. 42, 1726 – 1734.
- Rahal, J.J., Urban, C., Horn, D., Freeman, K., Segal-maurer, S., Maurer, J., Noriel Mariano, B.S., Marks, S., Janice, M.B., Dominick, D. and Lim, M. (1998). Class restriction in cephalosporins use to control total cephalosporin resistance in nosocomial *Klebsiella*. *Journal of the American Medical Association*. 280, 1233 – 1237.
- Randall, R.E., Young, O.F., Goswami, K.K.A. and Russell, W.C. (1987). Isolation and characterization of monoclonal antibodies to simian virus 5 and their use in revealing antigenic differences between human, canine, and simian isolates. *Journal of General Virology*. 68, 2769 – 2780.
- Rees, K.R. (1980). Cells in culture in toxicity testing: a review. *Journal of the Royal Society of Medicine*. 73, 261 – 264.
- Rex, J.H., Rinaldi, M. and Pfaller, M. (1995). Resistance of *Candida* species to fluconazole. *Antimicrobial Agents and Chemotherapy*. 39, 1 – 8.
- Rice, L.B. (2006). Antimicrobial resistance in Gram-positive bacteria. *The American Journal of Medicine*, 119, 11 – 19.
- Rice-Evans, C. (2000). *Wake up to flavonoids.* London: Royal Society of Medicine (Editor).
- Richards, M.J., Edwards, J.R., Culver, D.H. and Gayness, R.P. (1999). Nosocomial infection in medical intensive care units in the United States. National nosocomial infection surveillance system. *Critical Care Medicine*. 27, 887 – 892.

- Riley, M. (1994). Maori Healing and Herbal: New Zealand Ethnobotanical Sourcebook. Viking Sevenses, New Zealand, pp. 474 – 476.
- Rivier, L. and Bruhn, J. (1979). Editorial. Journal of Ethnopharmacology, 1. Rizvi, S.H.M., Rahman, W., Okigawa, M. and Kawano, N. (1974). Biflavones from *Podocarpus neriifolius*. Phytochemistry.13, 1990.
- Robbers, J., Speedie, M. and Tyler, V. (1996). Pharmacognosy and Pharmacobiotechnology. Williams and Wilkins, Baltimore, pp. 1 – 14.
- Roeder, P.L. and Obi, T.U. (1999). Recognizing peste des petits ruminants: a field manual. FAO Animal Health Manual. 5, 28.
- Roy, S.K., Qasim, M.A., Kamil, M. and Ilyas, M. (1987). Biflavonoids from the genus *Podocarpus*. Phytochemistry. 26, 1985 – 1987.
- Ruley, E.J. and Lisi, L.M. (1974). Interstitial nephritis and renal failure due to ampicillin. Journal of Pediatrics. 84, 878 – 881.
- Rweyemamu, M., Paskin, R., Benkirane, A., Martin, V., Roeder, P. and Wojciechowski, K. (2000). Emerging diseases of Africa and the Middle East. Annals of the New York Academy of Science. 916, 61 – 70.
- Rybak, M.J., Albrecht, L.M., Boike, S.C., and Chandrasekar, P.H. (1990). Nephrotoxicity of vancomycin, alone and with an aminoglycoside. Journal of Antimicrobial Chemotherapy. 25, 679 – 687.
- Rybalchenko, N.P., Prykhodko, V.A. , Nagorna, S.S. , Volynets, N.N. , Ostapchuk, A.N. , Klochko, V.V., Rybalchenko, T.V. and Avdeeva, L.V. (2009). *In vitro* antifungal activity of phenylheptatriyne from *Bidens cernua* L. against yeasts. Fitoterapia. 18, 336 – 338.
- Ryu, S.Y., Lee, C-K., Ahn, J.W., Lee, S.H. and Zee, O.P. (1993). Antiviral activity of triterpenoid derivatives. Archives of Pharmacal Research. 16, 4, 339 – 342.
- Sable, C.A. and Donowitz, G.R. (1994). Infections in bone marrow transplant recipients. Clinical Infectious Diseases. 18, 273 – 84.
- Sajduda, A., Dziadek, J., Dela, A., Zalewska-Schonhaler, N., Zwalska, Z. and Fadden, J.M.C. (1998). DNA finger printing as an indicator of active transmission of multi drug-resistant Tuberculosis in Poland. Internal Journal of Infectious Diseases. 3, 12 – 17.
- Samuelsson, G. (2004). Drugs of Natural Origin: a Textbook of Pharmacognosy, 5th Swedish Pharmaceutical Press, Stockholm.
- Sanglard, D., Ischer, F., Calabrese, D., De Micheli, M. and Bille, J. (1998). Multiple resistance mechanisms to azole antifungals in yeast clinical isolates. Drug Resistance Updates. 1, 255 – 265.
- Sanglard, D. (2002). Resistance of human fungal pathogens to antifungal drugs. Current Opinion in Microbiology. 5, 379 – 385.
- Sanglard, D. (2003). Resistance and tolerance mechanisms to antifungal drugs in fungal pathogens. Mycologist, 17, Cambridge University Press Printed in the United Kingdom. 17, 2, 74 – 78.
- Santos, M.R. and Mira, L. (2004). Protection by flavonoids against the peroxynitrite- mediated oxidation of dihydrorhodamine. Free Radical Research. 38, 1011 – 1018.
- Schaeffer, W.R. (1990). Terminology associated with cell, tissue and organ culture, molecular biology and molecular

genetics. *In vitro Cell Development Biology*. 26, 97 – 101.

Schwartz, B, Bell, D.M. and Hughes, J.M. (1997). Preventing the emergence of antimicrobial resistance: a call for action by clinicians, public health officials and patients. *JAMA*. 278, 944 – 945.

Selvam, C. and Jachak, S.M. (2004). A cyclooxygenase (COX) inhibitory biflavonoid from the seeds of *Semecarpus anacardium*, *Journal of Ethnopharmacology*, 95, 209 – 212.

Sendl, A., Chen, J. L., Jolad, S.D., Stoddart, C., Rozhon, E. and Kernan, M. (1996). Two new naphthoquinones with antiviral activity from *Rhinacanthus nasutus*. *Journal of Natural Products*. 59, 808 – 811.

Sheehan, D.J., Hitchcock, C.A. and Sibley, C.M. (1999). Current and emerging azole antifungal agents. *Clinical Microbiology Review*. 12, 40 – 79.

Shindo, Y., Witt, E. and Packer, L. (1993). Antioxidant defense mechanism in murine epidermis and dermis and their response to ultraviolet light. *Journal of Investigative Dermatology*. 100, 260 – 265.

Shlaes, D.M. (2003). The abandonment of antibacterials: why and wherefore? *Current Opinion in Pharmacology*. 3, 470 – 473.

Shoemaker, M., Cohen, I. and Campbell, M. (2004). Reduction of MTT by aqueous herbal extracts in the absence of cells. *Journal of Ethnopharmacology*. 93, 381 – 384.

Sinclair, W.T., Mill R.R., Gardner M.F., Woltz P., Jaffré T., Preston J., Hollingsworth M.L., Ponge A. and Möller M. (2002). Evolutionary relationships of the New Caledonian heterotrophic conifer, *Parasitaxus usta* (Podocarpaceae), inferred from chloroplast *trnL-F* intron/spacer and nuclear rDNA ITS2 sequences. *Plant Systematic and Evolution*, 233, 79–104.

Singh, N., Gayowski, T., Wagener, M.M. and Marino, I.R (1997). Clinical spectrum of invasive cryptococcosis in liver transplant recipients receiving tacrolimus. *Clinical Transplantation*. 11, 66 – 70.

Smith, C. J. (1996). Accumulation of phytoalexins: defence mechanism and stimulus response system. *New Phytologist*. 132, 1– 45.

Stahlmann, R. (2002). Clinical toxicological aspects of fluoroquinolones, *Toxicology Letters*. 127, 269 – 277.

Steinfeld, H., Gerber, P., Wassenaar, T., Castel, V., Rosales, M. and De Haan, C. (2006). *Livestock's Long Shadow*, first ed. FAO, Rome.

Stermitz, F. R., Beesona, T. D., Muellera, P. J., Hsiangb, J. and Lewisb, K. (2001). *Staphylococcus aureus* MDR efflux pump inhibitors from a *Berberis* and a *Mahonia* (sensu strictu) species. *Biochemical Systematics and Ecology*. 29, 793 – 798.

Stevens, D.A. (1990). Fungal infections in AIDS patients. *British Journal of Clinical Practice*. 71, 11 – 22.

Subbarayappa, B.V. (2001). The roots of ancient medicine: an historical outline. *Journal of Biosciences*. 26, 331 – 333.

Suffness, M and Douros, J. (1979). Drugs of plant origin. *Methods in Cancer Research*. 26, 73 – 126.

Summers, A.O. (2006) Genetic linkage and horizontal gene transfer, the roots of the antibiotic multi-resistance problem. *Animal Biotechnology*. 17, 125 – 135.

Swann Committee: Report of the Joint Committee on the Use of Antibiotics in Animal Husbandry and Veterinary Medicine. 1969. London: Her Majesty's Stationery Office.

Tadeg, H., Mohammed, E., Asres, K. and Gebre-Mariam, T. (2005). Antimicrobial activities of some selected traditional Ethiopian medicinal plants used in the treatment of skin disorders. *Journal of Ethnopharmacology*. 100, 168 – 175.

- Tang, S.Y., Whiteman, M., Jenner, A., Peng, Z.F. and Halliwell, B. (2004). Mechanism of cell death induced by an antioxidant extract of *Cratoxylum cochinchinense* (YCT) in Jurkat T cells: the role of reactive oxygen species and calcium. *Free Radical Biology and Medicine*. 36, 1588 – 1611.
- Temin, H.M., Pierson (Jnr), R.W., and Dulak, C. (1972). In *Growth, nutrition and metabolism of cells in culture*. Vol. 1, G. I. Rotblatt & V. J. Cristofalo, Academic press, New York, chapter 3.
- Tenover, F. C. (2006). Mechanisms of Antimicrobial Resistance in Bacteria. *The American Journal of Medicine*. 119, 3 – 10.
- The International Plant Names Index, 2008. <http://www.ipni.org> (accessed on 1st March, 2009).
- Thompson, D., Muriel, P., Russell, D., Osborne, P., Bromley, A., Rowland, M., Creigh-Tyte, S. and Brown, C. (2002). Economic costs of the foot and mouth disease outbreak in the United Kingdom in 2001. *Revue Scientifique et Technique Office Internationale. Epizootes*. 21, 675 – 687.
- Thyagarajan, S.P., Subramanian, S., Thiranasundaru, T., Venkateswaran, P.S. and Blumberg, B.S. (1988). Effect of *Phyllanthus amarus* on chronic carriers of hepatitis B virus. *Lancet*. 332, 764 – 766.
- Thyagarajan, S.P., Jayaram, S. and Valliammai, T. (1990). *Phyllanthus amarus* and hepatitis B (Letter). *Lancet*. 336, 49 – 50.
- Tipples, G.A., Ma, M.M., Fischer, K.P., Bain, V.G., Kneteman, N.M. and Tyrrell, D.L. (1996). Mutation in HBV RNA-dependent DNA polymerase confers resistance to lamivudine *in vivo*. *Hepatology*. 24, 714 – 717.
- Tolo, F. M., Rukunga, G. M., Muli, F. W., Njagi, E. N.M., Njue, W., Kumon, K., Mungai, G. M., Muthaura, C. N., Muli, J. M., Keter, L. K., Oishi, E. and Kofi-Tsekpo, M.W. (2006). Anti-viral activity of the extracts of a Kenyan medicinal plant *Carissa edulis* against herpes simplex virus. *Journal of Ethnopharmacology*. 104, 92 – 99.
- Torssander, J., Morfeldt-Manson, L., Biberfeld, G., Karlsson, A., Putkonen, P.O. and Wasserman, J. (1987). Oral *Candida albicans* in HIV infection. *Scandinavian Journal of Infectious Diseases*. 19, 291 – 295.
- Trease, G. and Evans, W. (1972). *Pharmacognosy*, University Press, Aberdeen, Great Britain. pp. 161 – 163.
- Tschida, S.J., Guay, D.R.P., Straka, R.J., Hoey, LL., Johanning R. and Vance-Bryan K. (1996). QTc-interval prolongation associated with slow intravenous erythromycin lactobionate infusions in critically ill patients: a prospective evaluation and review of the literature. *Pharmacotherapy*. 16, 663 – 674.
- Tulp, M. and Bohlin, L. (2002). Functional versus chemical diversity: is biodiversity important for drug discovery? *TRENDS in Pharmacological Sciences*. 23, 225 – 231.
- US Office of Technology Assessment, (1995). Chapter 1, 2, 7. In: *Impacts of antibiotic-resistant bacteria*. Washington (DC): US Government Printing Office.
- Van der Merwe, D., Swan, G.E., Botha, C.J. (2001). Use of ethnoveterinary medicinal plants in cattle by Setswana-speaking people in the Madikwe area of the North West Province of South Africa. *Journal of the South African Veterinary Association*. 72, 189 – 196.
- Van Tongeren, H.A. (1979). Rift Valley fever, a veterinary and medical problem (Dutch). *Tijdschr Diergeneeskd*. 104, 659 – 673.

Vanden Berghe, D.A.R., Haemers, A., and Vlietinck, A.J. (1993). Antiviral agents from higher plants and an example of structural-activity relationships of 3-methoxyflavones. In: Colegate, S.M., Molyneux, R.J.(Eds.), *Bioactive Natural Products*, 17, 405 – 440.

Vandevelde, M. and Zurbriggen, A. (2005). Demyelination in canine distemper virus infection: a review. *Acta Neuropathology*. 109, 56 – 68.

Venkateswaran, P.S., Millman, I. and Blumberg, B.S. (1987). Effects of an extract from *Phyllanthus niruri* on hepatitis B and Woodchuck hepatitis viruses: *in vitro* and *in vivo* studies. *Proceedings of the National Academy of Sciences of the USA*. 84, 274 – 278.

Wagner, E.K. and Hewlett, M.J. (1999). *Basic Virology* (1st ed.), Blackwell Science, Inc. 1-4051-0346 – 0349.

Walsh, C.T. (2003). *Antibiotics: Actions, Origins, Resistance*. ASM Press America

Watt, J.M. and Breyer-Brandwijk, M.G. (1962). *The Medicinal and Poisonous Plants of Southern and Eastern Africa*, 2nd ed. Livingstone, London.

Wee, L.M., Long, L.H., Whiteman, M. and Halliwell, B. (2003). Factors affecting the ascorbate- and phenolic-dependent generation of hydrogen peroxide in Dulbecco's Modified Eagles Medium. *Free Radical Research*. 37, 1123 – 1130.

Weniger, B., Vonthron-Se'ne'cheau, C., Kaiser, M., Brun, R. and Anton, R. (2006). Comparative antiplasmodial, leishmanicidal and antitrypanosomal activities of several biflavonoids. *Phytomedicine*. 13, 176 – 180.

White, T., Marr, K. and Bowden, R. (1998). Clinical, cellular and molecular factors that contribute to antifungal drug resistance. *Clinical Microbiology Reviews*. 11, 382 – 402.

White, T., Holleman, S., Dy, F., Mirels, L. and Stevens, D. (2002). Resistance mechanisms in clinical isolates of *Candida albicans*. *Antimicrobial Agents and Chemotherapy*. 46, 1704 – 1713.

Williams, R.J. and Heyman, D.L. (1998). Containment of antibiotic resistance. *Science*. 279, 1153 – 1154.

Witte, W. (1998). Medical consequences of antibiotic use in agriculture. *Science*. 279, 996 – 997.

World Health Organization (1984). Collaborating Centers for International Drug Monitoring. Geneva: WHO, Report no.: DEM/NC/84.159(E).

World Health Organization, (2001). *General Guidelines for Methodologies on Research and Evaluation of Traditional Medicine*. WHO, Geneva, 1.

World Health Organization (2002). *WHO report on infectious diseases. Overcoming antimicrobial resistance*. Geneva: WHO/CDS/2000.2; 2000.

World Organisation for Animal Health (2004). *Manual of Diagnostic Tests and Vaccines for Terrestrial Animals*, fifth ed. OIE, Paris, France.

Wright, G.D. (2005). Bacterial resistance to antibiotics: enzymatic degradation and modification. *Advanced Drug Delivery Reviews*. 57, 1451 – 1470.

Wright, G.D. (2007). The antibiotic resistome: the nexus of chemical and genetic diversity. *Nature Reviews Microbiology*. 5, 175 – 186.

Xia, M., Huang, R., Witt, K., Southall, N., Fostel, J., Cho, M., Jadhav, A., Smith, C., Inglese, J., Portier, C., Tice, R. and Austin, C. (2008). Compound cytotoxicity profiling using quantitative high-throughput screening. *Environmental Health*

Perspective. 116, 284 – 291.

Xu, H-X and Lee, S.F. (2001). Activity of plant flavonoids against antibiotic-resistant bacteria, *Phytotherapy Research*, 15, 39 – 43.

Yam, T.S., Hamilton-Miller, J.M.T. and Shah, S. (1998). The effect of a component of tea (*Camellia sinensis*) on methicillin resistance, PBP2 synthesis and b-lactamase production in *S. aureus*. *Journal of Antimicrobial Chemotherapy*. 42, 211 – 216.

Yamaguchi, L. F., Vassao, D. G., Kato, M. J. and Mascio, P. D (2005). Biflavonoids from Brazilian pine *Araucaria angustifolia* as potential protective agents against DNA damage and lipoperoxidation. *Phytochemistry* 66, 2238 – 2247.

Yang, P.C., Chu, R.M., Chung, W.B. and Sung, H.T. (1999). Epidemiological characteristics and financial cost of the 1997 foot and mouth disease epidemic in Taiwan. *Veterinary Records*. 145, 731 – 734.

Yenjai, C., Prasanphen, K., Daodee, S., Wongpanich, V., Kittakoop, P. (2004). Bioactive flavonoids from *Kaempferia parviflora*. *Fitoterapia*. 75, 89 – 92.

Yoon, S., Sejeong, S., Ho-Jae, L., Hyo-Kon, C. and Chung, A. (2006). Isoginkgetin inhibits tumor cell invasion by regulating phosphatidylinositol 3-kinase/Akt -dependent matrix metalloproteinase-9 expression. *Molecular Cancer Therapeutics* 5, 2666 – 2675.

Yust, I., Frisch, B., Goldscher, N., et al. (1982). Mechanism of immune haemolysis: cell-dependent destruction of autologous red blood cells in penicillin-induced haemolytic anaemia. *Scandinavian Journal of Haematology*. 28, 408 – 416.

Zai-Chang, Y., Wang, B., Xiao-Sheng, Y. and Qiang, W. (2005). Chemical composition of the volatile oil from *Cynanchum stauntonii* and its activities on anti-influenza virus. *Colloids and Surfaces B: Biointerfaces*. 43, 198 – 202.

Zara, G.P., Thompson, H.H., Pilot, M.A. and Ritchie, H.D. (1984). Effects of erythromycin on gastrointestinal tract motility. *Journal of Antimicrobial Chemotherapy*. 16, 175 – 179.

Zhang, Z.D. and Cox, G. (1996). MTT assay overestimates human airway smooth muscle cell number in culture. *Biochemistry and Molecular Biology International*. 38, 431 – 436.

Zhao, W., Hu, Z., Okubo, S., Hara, Y. and Shimamura, T. (2001). Mechanism of synergy between epigallocatechin gallate and b-Lactams against methicillin-resistant *Staphylococcus aureus*. *Antimicrobial Agents and Chemotherapy*. 45, 1737 – 1742.