

REFERENCES

- ACOCKS, J.P.H. 1975. Veld types of South Africa, 2nd Edn. *Mem. Bot. Surv. S.A. No. 40.* 1-128.
- ALEXANDER, G.J. 1984. A preliminary investigation into the relationships between geology, soils and vegetation in the eastern Tuli Block, Botswana. B.Sc. (Hons) Report, University of Natal, Durban.
- ALLEN, D.L. 1979. *Wolves of Minong.* Houghton Mifflin Co., Boston.
- ALLEN, J.R. 1987. Immunology, immunopathology and immunoprophylaxis of tick and mite infestations. In: *Immune responses in parasitic infections: Immunology, Immunopathology and immunoprophylaxis, Volume IV.* (Ed.) Soulsby, E.J.L. CRC Press Inc., Boca Raton. pp. 141-174.
- ANDELT, W.F. & GIPSON, P.S. 1979. Home range, activity and daily movements of coyotes. *J. Wildl. Mgmt.* 43: 944-951.
- ANDELT, W.F., KIE, J.G., KNOWLTON, F.F. & CARDWELL, K. 1987. Variation in coyote diets associated with season and successional changes in vegetation. *J. Wildl. Mgmt.* 51: 273-277.
- ANDERSON, J.L. 1965. Annual change in testis and kidney fat weight of impala (*Aepyceros m.melampus* Lichtenstein). *Lammergeyer* 3: 57-59.
- ANDREWS, R.D. & BOGGESS, E.K. 1978. Ecology of coyotes in Iowa. In: *Coyotes: Biology, behaviour, and management.* (Ed.) Bekoff, M. Academic Press, London. pp. 249-265.
- ANSELL, W.F.H. 1965. Standardization of field data on mammals. *Zool. Afr.* 1: 97-113.
- BEHNKE, R.A. 1978. Biology of coyotes in northern Minnesota.
- AVERY, G., AVERY, D.M., BRAINE, S. & LOUTIT, R. 1987. Prey of coastal black-backed jackals *Canis mesomelas* (Mammalia: Canidae) in the Skeleton Coast Park, Namibia. *J. Zool. Lond.* 213: 81-94.

- BARNARD, D.R. 1986. Aspects of bovine host - lone star tick interaction process in forage areas. In: *Morphology, physiology and behavioural biology of ticks*. (Eds) Sauer, J.R. & Hair, J.A. Ellis Horwood Ltd., Chichester. pp. 428-444.
- BEARDER, S.K. 1975. Inter-relationship between hyaenas and their competitors in the Transvaal Lowveld. *Publs Univ. Pretoria Nuwe Reeks* 97: 39-47.
- BEARDER, S.K. 1977. Feeding habits of spotted hyaenas in a woodland habitat. *E. Afr. Wildl. J.* 15: 263-280.
- BEARDER, S.K. & RANDALL, R.M. 1978. The use of fecal marking sites by spotted hyaenas and civets. *Carnivore* 1: 32-48.
- BEKOFF, M. 1975. Social behaviour and ecology of the African Canidae: A review. In: *The wild canids: Their systematics, behavioural ecology and evolution*. (Ed.) Bekoff, M. Van Nostrand, Reinhold Co, New York. pp. 120-142.
- BEKOFF, M. & WELLS, M.C. 1980. The social ecology of coyotes. *Scient. Am.* 242: 130-148.
- BELL, J.F., JELLISON, W.L. & OWEN, C.R. 1962. Effects of limb disability on lousiness in mice. I. Preliminary studies. *Expl Parasitol.* 12: 176-183.
- BELL, J.F. & CLIFFORD, C. 1964. Effects of limb disability on lousiness in mice. II. Intersex grooming relationships. *Expl Parasitol.* 15: 340-349.
- BENNETT, G.F. 1969. *Boophilus microplus* (Acarina: Ixodidae): Experimental infestations on cattle restrained from grooming. *Expl Parasitol.* 26: 323-328.
- BERG, W.E. & CHESNESS, R.A. 1978. Ecology of coyotes in northern Minnesota. In: *Coyotes: Biology, behaviour, and management*. (Ed.) Bekoff, M. Academic Press, New York. pp. 229-247.

- BERRY, M.P.S. 1978. Aspects of the ecology and behaviour of the bat-eared fox, *Otocyon megalotis* (Desmarest, 1822), in the upper Limpopo River valley. M.Sc. thesis, University of Pretoria.
- BODICKER, M.L. 1980. *Managing Rocky mountain furbearers - Training Manual*. Colorado Trappers Association, La Porte.
- BOEVER, W.J., HOLDEN, J. & KANE, K.K. 1977. Use of telazol (Cl-744) for chemical restraint and anaesthesia in wild and exotic carnivores. *Vet. Med./ Sm. Anim. Clin.* 72: 1722-1725.
- BOTHMA, J. DU P. 1966. Notes on the stomach contents of certain Carnivora (Mammalia) from the Kalahari Gemsbok Park. *Koedoe* 9: 37-39.
- BOTHMA, J. DU P. 1971. Food of *Canis mesomelas* in South Africa. *Zool. Afr.* 6: 195-203.
- BOWEN, W.D. 1981. Variation in coyote social organization: the influence of prey size. *Can. J. Zool.* 59: 639-652.
- BOWEN, W.D. 1982. Home range and spatial organization of coyotes in Jasper National Park, Alberta. *J. Wildl. Mgmt* 46: 201-216.
- BROOKS, P.M. 1978. Relationship between body condition and age, growth, reproduction and social status in impala, and its application in management. *S. Afr. J. Wildl. Res.* 8: 151-157.
- BROOKS, P.M., HANKS, J. & LUDBROOK, J.V. 1977. Bone marrow as an index of condition in African ungulates. *S. Afr. J. Wildl. Res.* 7: 61-66.
- BRYNUM, W.F., BROWNE, E.J. & PORTER, R. 1983. *Dictionary of the history of science*. MacMillan Press Ltd., London.
- BURT, W.H. 1943. Territoriality and home range concepts as applied to mammals. *J. Mammal.* 24: 346-359.
- CALE, W.G., HENEGBRY, G.M. & YEAKLEY, J.A. 1989. Inferring process from pattern in natural communities - can we understand what we see? *BioScience* 39: 600-605.

- CAMENZIND, F.J. 1978. Behavioural ecology of coyotes on the National Elk Refuge, Jackson, Wyoming. In: *Coyotes: Biology, behaviour, and management*. (Ed.) Bekoff, M. Academic Press, New York. pp. 267-294.
- CARBYN, L.N. & TROTTIER, T. 1987. Responses of bison on their calving grounds to predation by wolves in Wood Buffalo National Park. *Can. J. Zool.* 65: 2072-2078.
- CAUGHLEY, G. 1977. *Analysis of vertebrate populations*. John Wiley & Sons Ltd, Chichester.
- CAUGHLEY, G. 1981. Comments on natural regulation of ungulates and what constitutes a real wilderness. *Wildl. Soc. Bull.* 9: 232-233.
- CHAPMAN, R.N. 1931. *Animal ecology with especial reference to insects*. McGraw-Hill, New York.
- COATES PALGRAVE, K. 1977. *Trees of southern Africa*. Struik, Cape Town.
- COWLEY, R.E. 1975. A preliminary study of the female impala at Sengwa and its relevance to population dynamics. M.Sc. thesis, University of Rhodesia.
- CROFT, D.B. 1980. Behaviour of red kangaroos, *Macropus rufus* (Desmarest, 1822) in northwestern New South Wales, Australia. *Aust. Mammal.* 4: 5-58.
- CUMMING, D.H.M. 1982. A case history of the spread of rabies in an African country. *S. Afr. J. Sci.* 78: 443-447.
- CURIO, E. 1976. *The ethology of predation*. Springer-Verlag, Berlin.
- CURIO, E. & REGELMANN, K. 1986. Predator harassment implies a real deadly risk: a reply to Henessy. *Ethology* 72: 75-78.
- CUVIER, F. & ST. HILAIRE, G. 1825. Histoire naturelle des Mammiferes. *Bull. Mus. Hist. Nat., Paris*.
- DAPSON, R.W. 1980. Guidelines for statistical usage in age estimation technics. *J. Wildl. Manage.* 44: 541-548.
- DIXON, K.R. & CHAPMAN, J.A. 1980. Harmonic mean measure of animal activity areas. *Ecology* 61: 1040-1044.

- DREWEK, J. 1980. Behaviour, population structure, parasitism and other aspects of coyote ecology in southern Arizona. Ph.D. thesis, University of Arizona, University Microfilms International.
- DUBOST, G. 1970. Die umwandlung von Hinterfusskrallen zu Putzorganen bei Säugetieren. *Z. Säugetierk.* 35: 56-60.
- DUNHAM, K.M. & MURRAY, M.G. 1982. The fat reserves of impala, *Aepyceros melampus*. *Afr. J. Ecol.* 20: 81-87.
- EATON, R.L. 1969. Co-operative hunting by cheetah and jackal and a theory of domestication of the dog. *Mammalia* 33: 87-92.
- ERLINGE, S., GORANSSON, G., HOGSTEDT, G., JANSSON, G., LIBERG, O., LOMAN, J., NILSSON, I.N., VON SCHANTZ, T. & SYLVEN, M. 1984. Can vertebrate predators regulate their prey? *Am. Nat.* 123: 125-133.
- ERRINGTON, P.L. 1946. Predation and vertebrate populations. *Q. Rev. Biol.* 21: 144-177, 221-245.
- ESTES, R.D. 1967. Predators and scavengers. *Nat. Hist., New York.* 76: 38-46.
- ESTES, R.D. & GODDARD, J. 1967. Prey selection and hunting behaviour of the African wild dog. *J. Wildl. Mgmt* 31: 52 - 70.
- FAIRALL, N. 1983. Production parameters of the impala *Aepyceros melampus*. *S. Afr. J. Anim. Sci.* 13: 176-179.
- FERGUSON, J.W.H. 1980. Die ekologie van die rooijakkals *Canis mesomelas* Schreber, 1778 met spesiale verwysing na bewegings en sosiale organisasie. MSc. thesis, University of Pretoria.
- FERGUSON, J.W.H., GALPIN, J.S. & DE WET, M.J. 1988. Factors affecting the activity patterns of black-backed jackals *Canis mesomelas*. *J. Zool. Lond.* 214: 55-69.
- FERGUSON, J.W.H., NEL, J.A.J. & DE WET, M.J. 1983. Social organization and movement patterns of black-backed jackals *Canis mesomelas* in South Africa. *J. Zool. Lond.* 199: 487-502.

- FERRAR, A.A. & KERR, M.A. 1971. A population crash of the reedbuck *Redunca arundinum* (Bodaert) in Kyle National Park, Rhodesia. *Arnoldia* 5: 1-19.
- FITZGERALD, B.M. 1977. Weasel predation on a cyclic population of the montane vole (*Microtus montanus*) in California. *J. Anim. Ecol.* 46: 367-397.
- FOX, M.W. 1975. Editors' Conclusions. In: *The wild canids: Their systematics, behavioural ecology and evolution.* (Ed.) Fox, M.W. Van Nostrand Reinhold Co., New York. p. 460.
- FULLER, T.K., BIKNEVICIUS, A.R., KAT, P.W., VAN VALKENBURGH, B. & WAYNE, R.K. 1989. The ecology of three sympatric jackal species in the Rift Valley of Kenya. *Afr. J. Ecol.* 27: 313-323.
- GASAWAY, W.C., STEPHENSON, R.O., DAVIS, J.L., SHEPHERD, P.E.K. & BURRIS, O.E. 1983. Interrelationships of wolves, prey, and man in interior Alaska. *Wildl. Monogr.* 84: 1-50.
- GIBSON, D. 1989. The status and distribution of small carnivores. *Zimbabwe Wildlife* 57: 25-29.
- GITTLEMAN, J.L. & HARVEY, P.H. 1982. Carnivore home-range size, metabolic needs and ecology. *Behav. Ecol. Sociobiol.* 10: 57-63.
- GLINES, M.V. & SAMUEL, W.M. 1984. The development of the winter tick, *Dermacentor albipictus*, and its effect on the hair coat of moose, *Alces alces*, of Central Alberta, Canada. In: *Acarology VI, Vol 2.* (Eds) Griffiths, D.A. & Bowman, C.E. Ellis Horwood Ltd., Chichester. pp. 1208-1214.
- GOSS, R.A. 1986. *Maberly's mammals of southern africa a popular field guide.* Delta Books, Johannesburg.
- GOULD, S.J. & VRBA, E.S. 1982. Exaptation - a missing term in the science of form. *Paleobiology* 8: 4-15.

- GRAFTON, R.N. 1965. Food of the black-backed jackal: a preliminary report. *Zool. Afr.* 1: 41-53.
- HAIR, J.A. & BOWMAN, J.L. 1986. Behavioural ecology of *Amblyomma americanum* (L). In: *Morphology, physiology and behavioural biology of ticks*. (Eds) Sauer, J.R. & Hair, J.A. Ellis Horwood Ltd., Chichester. pp. 406-427.
- HALL-MARTIN, A.J. & BOTHA, B.P. 1980. A note on feeding habits, ectoparasites and measurements of the black-backed jackal *Canis mesomelas* from Addo Elephant National Park. *Koedoe* 23: 157-162.
- HANKS, J., CUMMING, D.H.M., ORPEN, J.L., PARRY, D.F. & WARREN, H.B. 1976. Growth, condition and reproduction in the impala ram (*Aepyceros melampus*). *J. Zool. Lond.* 179: 421-435.
- HARRISON, M.S.J. 1984. Note on the origins of the dry zone of the Limpopo valley. *S. Afr. J. Sci.* 80: 333-334.
- HARTHOORN, A.M. 1975. Review of wildlife capture drugs in common use. In: *The Capture and Care of Wild Animals, 2nd. edn.* (Ed.) Young, E. Human & Rousseau, Cape Town. pp. 14-34.
- HARVEY, M.J. & BARBOUR, R.W. 1965. Home range of *Microtus ochrogaster* as determined by a modified minimum area method. *J. Mammal.* 46: 398-402.
- HENSCHER, J.R. 1986. The socio-ecology of a spotted hyaena *Crocuta crocuta* clan in the Kruger National Park. D.Sc. thesis, University of Pretoria.
- HILTON, H. 1978. Systematics and ecology of the eastern coyote. In: *Coyotes: Biology, behaviour, and management.* (Ed.) Bekoff, M. Academic Press, New York. pp. 209-228.
- HISCOCKS, K. & PERRIN, M.R. 1987. Feeding observations and diet of black-backed jackals in an arid coastal environment. *S. Afr. J. Wildl. Res.* 17: 55-58.

- HISCOCKS, K. & PERRIN, M.R. 1988. Home range and movements of black-backed jackals at Cape Cross Seal Reserve, Namibia. *S. Afr. J. Wildl. Res.* 18: 97-100.
- HOPKINS, G.H.E. 1949. The host associations of the lice of mammals. *Proc. zool. Soc. Lond.* 119: 387-604.
- HORAK, I.G. 1978. Parasites of domestic and wild animals in South Africa: X. Helminths in impala. *Onderstepoort J. vet. Res.* 45: 221-228.
- HORAK, I.G. 1982. Parasites of domestic and wild animals in South Africa: XV. The seasonal prevalence of ectoparasites on impala and cattle in the northern Transvaal. *Onderstepoort J. vet. Res.* 49: 85-93.
- HORAK, I.G., DE VOS, V & BROWN, M.R. 1983. Parasites of domestic and wild animals in South Africa. XVI. Helminth and arthropod parasites of blue and black wildebeest (*Connochaetes taurinus* and *Connochaetes gnou*). *Onderstepoort J. vet. Res.* 50: 243-255.
- HUGHES, E. & MALL, R. 1958. Relation of the adrenal cortex to condition in deer. *Calif. Fish Game* 44: 191-196.
- JAKSIC, F.M. 1989. Opportunistic, selective and other often-confused terms in the predation literature. *Rev. Chil. Hist. Nat.* 62: 7-8.
- JANZEN, D.H. 1980. When is it coevolution? *Evolution* 34: 611-612.
- JENSEN, R.V. 1987. Classical chaos. *Am. Sci.* 75: 168-181.
- JOUBERT, S.C.J. 1984. Report on an ecological survey of the eastern Tuli Block. Unpubl. report, Northern Tuli Conservation Association, 1-36.
- KEOGH, H. 1983. A photographic reference system of the microstructure of the hair of southern African bovids. *S. Afr. J. Wildl. Res.* 13: 89-132.
- KIM, K.C. 1985. Parasitism and coevolution. In: *Coevolution of parasitic arthropods and mammals*. (Ed.) Kim, K.C. John Wiley & Sons, New York. pp. 661-682.

- KLEIMAN, D.G. & EISENBERG, J.F. 1973. Comparisons of canid and felid social systems from an evolutionary perspective. *Anim. Behav.* 21:637-659.
- KNIGHT, R.L. & SWANEY, D.P. 1981. In defence of ecosystems. *Am. Nat.* 117: 991-992.
- KRUUK, H. 1972. *The Spotted Hyena*. University of Chicago Press.
- KRUUK, H. 1975. Functional aspects of social hunting in carnivores. In: *Function and evolution in behaviour*. (Eds.) Baerends, G, Manning, A. & Beer, C. Oxford Univ. Press, Oxford. pp. 119-141.
- KRUUK, H. & TURNER, M. 1967. Comparative notes on predation by lion, leopard, cheetah and wild dog in the Serengeti area, East Africa. *Mammalia* 31: 1-27.
- LAMPRECHT, J. 1978a. On diet, foraging behaviour and interspecific food competition of jackals in the Serengeti National Park, East Africa. *Z. Saugetierk.* 43: 210-223.
- LAMPRECHT, J. 1978b. The relationship between food competition and foraging group size in some large carnivores. *Z. Tierpsychol.* 46: 337-343.
- LAMPRECHT, J. 1981. The function of social hunting in larger terrestrial carnivores. *Mammal Review* 11: 169-179.
- LAUNDRÉ, J.W. & KELLER, B.L. 1981. Home-range use by coyotes in Idaho. *Anim. Behav.* 29: 449-461.
- LE ROUX, P.G. 1988. Report on the 1988 aerial game census, Northern Tuli Game Reserve, N.E. Tuli Block, Botswana. Unpubl. report, Northern Tuli Game Reserve Association, 1-4.
- LE ROUX, P.G. 1989. Report on the 1989 aerial game census, Northern Tuli Game Reserve, N.E. Tuli Block, Botswana. Unpubl. report, Northern Tuli Game Reserve Association, 1-6.
- LEUTHOLD, W. 1977. *African ungulates a comparative review of their ethology and behavioural ecology*. Springer Verlag, Berlin.

- LIGHTFOOT, C.J. & NORVAL, R.A.I. 1981. Tick problems in wildlife in Zimbabwe. I. The effects of tick parasitism on wild ungulates. *S. Afr. J. Wildl. Res.* 11: 41-45.
- LIMA, S.L. & VALONE, T.J. 1986. Influence of predation risk on diet selection: A simple example in the grey squirrel. *Anim. Behav.* 34: 536-544.
- LIND, P. 1974. Shashi-Limpopo ranger's report, 1973/1974. Unpublished report, Shashi-Limpopo Conservation Syndicate, 1-111.
- LINDEMAN, R.L. 1942. The trophic-dynamic aspect of ecology. *Ecology* 23: 399-418.
- LOMBAARD, L.J. 1971. Age determination and growth curves in the black-backed jackal, *Canis mesomelas* Schreber, 1775 (Carnivora: Canidae). *Ann. TvI. Mus.* 27: 135-181.
- LOTKA, A.J. 1925. *Elements of physical biology*. Williams & Wilkens, Baltimore.
- LOVELOCK, J.E. 1982. *Gaia: a new look at life on Earth*. Oxford University Press, Oxford.
- MACCRACKEN, J.G. & HANSEN, R.M. 1987. Coyote feeding strategies in south eastern Idaho: optimal foraging by an opportunistic predator? *J. Wildl. Mgmt* 51:278-285.
- MACCRACKEN, J.G. & URESK, D.W. 1984. Coyote foods in the Black Hills, South Dakota. *J. Wildl. Mgmt* 48: 1420-1423.
- MACDONALD, D.W. 1976. Food caching by red foxes and some other carnivores. *Z. Tierpsychol.* 42: 170-185.
- MACDONALD, D.W. 1979. The flexible social system of the golden jackal, *Canis aureus*. *Behav. Ecol. Sociobiol.* 5: 17-38.
- MACDONALD, D.W. 1980. *Rabies and wildlife a biologist's perspective*. Oxford University Press, New York.

- MACDONALD, D.W. 1982. Studies on wildlife rabies in the northern hemisphere and their relevance to southern Africa. *S. Afr. J. Sci.* 78: 416-417.
- MACDONALD, D.W. 1983. The ecology of carnivore social behaviour. *Nature (Lond.)* 301: 379-384.
- MALCOLM, J.R. & VAN LAWICK, H. 1975. Notes on wild dogs hunting zebras. *Mammalia* 39: 231-240.
- MASON, D.R. 1982. Studies on the biology and ecology of the warthog *Phacocoerus aethiopicus sundevalli* Lönnberg, 1908 in Zululand. D.Sc. thesis, University of Pretoria.
- MAY, R. 1989. The chaotic rhythms of life. *New Scient.* 1689: 37-41.
- MCCABE, R.A. & KOZICKY, E.L. 1972. A position on predator management. *J Wildl. Mgmt* 36: 382-394.
- MCKENZIE, A.A. 1985. Year-end report: Veterinary and research. Unpublished report, Mashatu Game Reserve, 1-29.
- MCKENZIE, A.A. 1989a. Increased recovery of projectile syringes and of animals darted at night. *S. Afr. J. Wildl. Res.* 19: 85-86.
- MCKENZIE, A.A. 1989b. Humane modification of steel foothold traps. *S. Afr. J. Wildl. Res.* 19: 53-56.
- MCKENZIE, A.A. 1989c. Do spotted hyaenas possess a social memory? *IUCN Species Survival Commission, Hyaena Specialist Group Newsletter* No.4. pp. 11-15.
- MCKENZIE, A.A. 1990. The ruminant dental grooming apparatus. *Zool. J. Linn. Soc.* 99: 117-128.
- MCKENZIE, T.L. 1986. Pre-history of the Tuli Block - to the end of the stone age. *Mashatu News* 1(3): 4.
- MCKENZIE, T.L. 1987. The Leopard's Kopje 'A'. *Mashatu News* 2(1): 2.
- MCLEAN, E.B. & GODIN, J.J. 1989. Distance to cover and fleeing from predators in fish with different amounts of defensive armour. *Oikos* 55: 281-290.

- MCSHANE, T.O. & GRETTEMBERGER, J.F. 1984. Food of the golden jackal (*Canis aureus*) in central Niger. *Afr. J. Ecol.* 22: 49-53.
- MECH, L.D. 1970. *The wolf: The ecology and behaviour of an endangered species.* Natural History Press, New York..
- MECH, L.D., FRITTS, S.H. & PAUL, W.J. 1988. Relationship between winter severity and wolf deprecations on domestic animals in Minnesota. *Wildl. Soc. Bull.* 16: 269-272.
- MEREDITH, C.D. 1982. Wildlife rabies: past and present in South Africa. *S. Afr. J. Sci.* 78: 411-415.
- METCALFE, N.B. 1984. The effect of visibility on the vigilance of shorebirds: is visibility important? *Anim. Behav.* 32: 981-985.
- MILLS, M.G.L. 1985. Hyaena survey of Kruger National Park: August - October 1984. *IUCN Species Survival Commission, Hyaena Specialist Group Newsletter* No 2. pp. 15-25.
- MOEHLMAN, P.D. 1979. Jackal helpers and pup survival. *Nature (Lond.)* 277: 382-383.
- MOEHLMAN, P.D. 1983. Socioecology of silverbacked and golden jackals (*Canis mesomelas* and *Canis aureus*). In: *Advances in the study of mammalian behaviour.* (Eds.) Eisenberg, J.F. & Kleinman, D.G. *Am. Soc. Mammalogists. Spec. Publ.* No. 7. pp. 423-453.
- MOHR, C.O. 1947. Table of equivalent populations of North American small mammals. *Am. Midl. Nat.* 37: 223-249.
- MOLELU, G.B. 1985. The history of the Babirwa from pre-colonial times to early Ngwato rule 1820 - 1926. Unpubl. manuscript, University of Botswana, 1-27.
- MONRO, R. 1979. A study on the growth, feeding and body condition of impala *Aepyceros melampus*. M.Sc. thesis, University of Pretoria.

- MURRAY, M.G. 1980. Social structure of an impala population. D. Phil thesis, University of Rhodesia.
- MURRAY, M.G., 1982. Home range, dispersal and the clan system of impala. *Afr. J. Ecol.* 20: 253-269.
- NELSON, W.A., KEIRANS, J.E., BELL, J.F. & CLIFFORD, C.M. 1975. Host ectoparasite relationships. *J. Med. Ent.* 12: 143-166.
- NORVAL, R.A.I. 1977. Ecology of the tick *Amblyomma hebraeum* Koch in the eastern Cape Province of South Africa. I. Distribution and seasonal activity. *J. Parasitol.* 63: 734-739.
- NORVAL, R.A.I. & LIGHTFOOT, C.J. 1982. Tick problems in wildlife in Zimbabwe. Factors influencing the occurrence and abundance of *Rhipicephalus appendiculatus*. *Zimbabwe Vet. J.* 13: 11-20.
- OLSEN, G.H., LINHART, S.B., HOLMES, R.A., DASCH, G.J. & MALE, C.B. 1986. Injuries to coyotes caught in padded and unpadded steel foothold traps. *Wildl. Soc. Bull.* 14: 219-223.
- OLSEN, G.H., LINScombe, R.G., WRIGHT, V.L. & HOLMES, R.A. 1988. Reducing injuries to terrestrial furbearers by using padded foothold traps. *Wildl. Soc. Bull.* 16: 303-307.
- PACKER, C. & RUTTAN, L. 1988. The evolution of cooperative hunting. *Am. Nat.* 132: 159-198.
- PAINE, R.T., WOOTTON, J.T. & BOERSMA, P.D. 1990. Direct and indirect effects of peregrine falcon predation on seabird abundance. *The Auk* 107: 1-9.
- PARISH, T. 1981. A collapsible dipole antenna for radio tracking on 102 MHz. In: *Handbook on biotelemetry and radio tracking*. (Eds) Amlaner, C.J. & MacDonald, D.W. Pergamon Press, Oxford. pp. 263-266.
- PARKER, G.R. & MAXWELL, J.W. 1989. Seasonal movements and winter ecology of the coyote, *Canis latrans*, in northern New Brunswick. *Can. Field. Nat.* 103: 1-11.

- PATRICK, C.D. & HAIR, J.A. 1978. White tailed deer utilization of different habitats and its influence on lone star tick populations. *J. Parasitol.* 64: 1100-1106.
- PATTERSON, G.L. 1988. *Cry for the lions*. Frandsen Publishers, Johannesburg.
- PEARSON, O.P. 1966. The prey of carnivores during one cycle of mouse abundance. *J. Anim. Ecol.* 35: 217-233.
- PEARSON, O.P. 1971. Additional measurements of the impact of carnivores on Californian voles (*Microtus californicus*). *J. Mammal.* 52: 41-49.
- PERSON, C.D., SAMBORSKI, J. & ROHRINGER, R. 1962. The gene-for-gene concept. *Nature, Lond.* 194: 561-562.
- PETERSON, R.O. 1977. Wolf ecology and prey relationships on Isle Royale. *National Park Service Scientific Monograph Series No. 11*.
- PETERSON, R.O. 1989. Ecological studies of wolves on Isle Royale. Annual report 1988 - 1989, Michigan Technological University, Houghton, Michigan, 1-13.
- PETERSON, R.O., WOOLINGTON, J.D. & BAILEY, T.N. Wolves of the Kenai peninsula, Alaska. *Wildl. Monogr.* 88: 1-52.
- PIENAAR, U. DE V. 1969. Predator-prey relationships amongst the larger mammals of the Kruger National Park. *Koedoe* 12: 108-176.
- PIERCE, C.L. 1988. Predator avoidance, microhabitat shift, and risk sensitive foraging in larval dragonflies. *Oecologia (Berl.)* 77: 81-90.
- RAPPORT, D.J., REGIER, H.A. & HUTCHINSON, T.C. 1985. Ecosystem behaviour under stress. *Am. Nat.* 125: 617-640.
- REICH, A. 1981. The behaviour and ecology of the wild dog (*Lycaon pictus*) in the Kruger National Park. Ph.D. thesis, Yale University.
- REINECKE, R.K. 1984. Identification of helminths in ruminants at necropsy. *Jl. S. Afr. vet. med. Ass.* 55: 135-143.

- RICKLEFS, R.E., NAVEH, Z. & TURNER, R.E. 1984. Conservation of ecological processes. *The Environmentalist* 4: 1-16.
- RIEK, R.F. 1962. Studies on the reactions of animals to infestation with ticks. VI. Resistance of cattle to infestation with the tick *Boophilus microplus* (Canestrini). *Aust. J. agric. Res.* 13: 532-550.
- RINEY, T. 1955. Evaluating condition in free ranging red deer with special reference to New Zealand. *N.Z. Jl Sci. Technol.* 36B: 429-463.
- ROBERTS, D.H. 1986. Determination of predators responsible for killing small livestock. *S. Afr. J. Wildl. Res.* 16: 150-152.
- ROETTCHER, D. & HOFMANN, R.R. 1970. The ageing of impala from a population in the Kenya Rift Valley. *E. Afr. Wildl. J.* 8: 37-42.
- ROSE, K.D., WALKER, A. & JACOBS, L.L. 1981. Function of the mandibular tooth comb in living and extinct mammals. *Nature, Lond.* 289: 583-585.
- ROWE-ROWE, D.T. 1975. Predation by black-backed jackals in a sheep-farming region of Natal. *J. sth. Afr. Wildl. Mgmt. Ass.* 5: 79-81.
- ROWE-ROWE, D.T. 1976. Food of the black-backed jackal in nature conservation and farming areas in Natal. *E. Afr. Wildl. J.* 14: 345-348.
- ROWE-ROWE, D.T. 1982. Home range and movements of black-backed jackals in an African montane region. *S. Afr. J. Wildl. Res.* 12: 79-84.
- ROWE-ROWE, D.T. 1983. Black-backed jackal diet in relation to food availability in the Natal Drakensberg. *S. Afr. J. Wildl. Res.* 13: 17-23.
- ROY, L.D. & DORRANCE, M.J. 1985. Coyote movements, habitat use, and vulnerability in central Alberta. *J. Wildl. Mgmt* 49: 307-313.
- SCHALLER, B. 1972. *The serengeti lion*. University of Chicago Press.
- SHACKLETON, C.M. & GRANGER, J.E. 1989. Bone marrow fat index and kidney-fat index of several antelope species from Transkei. *S. Afr. J. Wildl. Res.* 19: 129-134.
- SHORTRIDGE, G.C. 1934. *The mammals of S.W. Africa, Vol 1*. Heineman, London.

- SKEAD, D.M. 1973. Incidence of calling in the black-backed jackal. *J. sth. Afr. Wildl. Mgmt Ass.* 3: 28-29.
- SKINNER, J.D. 1969. Lifetime production of an impala. *Afr. wild Life* 23:78-79.
- SLEICHER, C.A. 1973. An attack by jackals on an adult male Thomson's gazelle. *Bull. E. Afr. Nat. Hist. Soc.* July 1973: 99-100.
- SMITH, H.A., JONES, T.C. & HUNT, R.D. 1972. *Veterinary pathology.* Lea & Febiger, Philadelphia.
- SMITH, R.H., NEFF, D.J. & WOOLSEY, N.G. 1986. Pronghorn response to coyote control a benefit: cost analysis. *Wildl. Soc. Bull.* 14: 226-231.
- SMITHERS, R.H.N. 1971. The mammals of Botswana. *Mus. Mem. Natl. Mus. Monum. Rhod.* 4: 1-340.
- SMITHERS, R.H.N. 1983. *The mammals of the southern African subregion.* University of Pretoria, Pretoria.
- SMITHERS, R.H.N. & WILSON, V.J. 1979. Check list and atlas of the mammals of Zimbabwe Rhodesia. *Mus. mem. Natl. Mus. Monum. RHod.* 8: 1-184.
- SMUTS, G.L. 1982. *Lion.* MacMillan S.A., Johannesburg.
- SNOWBALL, G.J. 1956. The effect of self-licking by cattle on infestations of cattle tick, *Boophilus microplus* (Canestrini). *Aust. J. agric. Res.* 7: 227-232.
- SOULSBY, E.J.L. 1968. *Helminths, arthropods and protozoa of domesticated animals.* Bailliere, Tindall and Cassell, London.
- SPINAGE, C.A. 1969. Quantitative assessment of ectoparasites. *E. Afr. Wildl. J.* 7: 169-171.
- SPINAGE, C.A. 1971. Geratodontology and horn growth of the impala (*Aepyceros melampus*). *J. Zool. Lond.* 164: 209-225.
- SPINAGE, C.A. 1973. A review of the age determination of mammals by means of teeth, with especial reference to Africa. *E. Afr. Wildl. J.* 11: 165-187.

- SPRINGER, J.T. 1982. Movement patterns of coyotes in south-central Washington. *J. Wildl. Mgmt* 46: 191-200.
- STANDER, P.E. 1987. Predation on springbok lambs. *Madoqua* 15: 263-264.
- STEYN, E. 1987. Notuca. *Mashatu News* 2(1): 5.
- STUART, C.T. 1976. Diet of the black-backed jackal *Canis mesomelas* in the Central Namib Desert, South West Africa. *Zool. Afr.* 11: 193-205.
- STUART, C.T. & SHAUGHNESSY, P.D. 1984. Contents of *Hyaena brunnea* and *Canis mesomelas* scats from southern coastal Namibia. *Mammalia* 48: 611-612.
- TEMPLE, S.A. 1987. Do predators always capture substandard individuals disproportionately from prey populations? *Ecology* 68: 669-674.
- THOMSON, R. 1986. *On wildlife conservation*. United Publishers International, Cape Town.
- TIMM, R..M. & CLAUSON, B.L. 1985. Mammals as evolutionary partners. In: *Coevolution of parasitic arthropods and mammals*. (Ed.) Kim, K.C. John Wiley & Sons, New York. pp. 101-154.
- TLOU, T. & CAMPBELL, A. 1984. *History of Botswana*. MacMillan, Gaborone.
- VAN DER MERWE, N.J. 1953. The jackal. *Fauna and Flora, Pretoria* 4: 3-83.
- VAN DER WESTHUIZEN, M.C., HEWITT, P.H. & VAN DER LINDE, P.C. 1985. Physiological changes during colony establishment in the termite *Hodotermes mossambicus*, Haagen: Water balances and energy content. *J. Ins. Phys.* 31: 435-440.
- VAN JAARSVELD, A.S., MCKENZIE, A.A. & MELTZER, D.G.A. 1984. Immobilization and anaesthesia of spotted hyaenas, *Crocuta crocuta*. *S. Afr. J. Wildl. Res.* 14: 120-122.
- VAN LAWICK-GOODALL, H. 1970a. Golden jackals. In: *Innocent killers*. van Lawick-Goodall, H. & van Lawick-Goodall, J. Collins, London. pp. 105-148.
- VAN LAWICK-GOODALL, H. 1970b. Wild dogs. In: *Innocent killers*. van Lawick-Goodall, H. & van Lawick-Goodall, J. Collins, London. pp. 49-104.

- VAN ZYL, J.H.M., VON LA CHEVALLERIE, M. & SKINNER, J.D. 1969. A note on the dressing percentage in the springbok, (*Antidorcas marsupialis*) (Zimmermann) and impala, (*Aepyceros melampus*). *Proc. S. Afr. Soc. Anim. Prod.* 8:119-200.
- VOIGHT, E.A. 1983. Mapungubwe: an archaeological interpretation of an iron age community. *Transvaal Museum Monograph* No.1. 1-204.
- VOIGHT, E.A. & PLUG, I. 1981. Early Iron Age herders of the Limpopo valley. Report to the Human Science Research Council, Transvaal Museum, Pretoria.
- WAKELIN, D. 1984. *Immunity to parasites, how do animals control parasitic infection*. Edward Arnold, London.
- WALKER, B.H. 1983. Report to the Northern Tuli Conservation Association. September 1983 game count. Unpubl. report, 1-5.
- WAYNE, R.K., VAN VALKENBURGH, B., KAT, P.W., FULLER, T.K., JOHNSON, W.E. & O'BRIEN, S.J. 1989. Genetic and morphological divergence among sympatric canids. *J. Hered.* 80:447-454.
- WHITE, M. 1973. Description of remains of deer fawns killed by coyotes. *J. Mammal.* 54: 291-293.
- WOODROFFE, G.L., LAWTON, J.H. & DAVIDSON, W.L. 1990. The impact of feral mink *Mustela vison* on water voles *Arvicola terrestris* in the North Yorkshire Moors National Park. *Biol. Conserv.* 51: 49-62.
- WOLF N.G. & KRAMER, D.L. 1987. Use of cover and the need to breathe: the effects of hypoxia on vulnerability of dwarf gouramies to predatory snakeheads. *Oecologia (Berl.)* 73: 127-132.
- WYMAN, J. 1967. The jackals of the Serengeti. *Animals* 10: 79-83.