

## BIBLIOGRAFIE

**Acorn, S.** (1993). Head- injured survivors: caregivers and support groups. *Journal of Advanced Nursing*, 18: 39-45 in Sinnakaruppan, I., & Williams, D.M. (2001). Family carers and the adult head-injured: a critical review of carers' needs. *Brain Injury*, 15(8), 653- 672.

**Adamovich, B.B., Henderson, J.A. & Auerbach, S.** (1985). *Cognitive rehabilitation of closed head injured patients. A dynamic approach.* PRO-ED. Inc.

**Ally, A., Bhagwandeem, Y en Methar, Y.** (2003). Family members' perceptions regarding their role during speech-language therapy programmes for individuals with traumatic brain injury. *Unpublished B.Communication Pathology Dissertation.* University of Durban-Westville.

**Alpiner, J.G., Kaufman, M.S. & Hanavan, P.C.** (1993). Overview of rehabilitative audiology. In Alpiner, J.G. & McCarthy, P.A. (eds): *Rehabilitative Audiology: Children and Adults.* Baltimore: Williams & Wilkins.

**Alrichether H., Posh, P. & Somekh, B.** (1993). Teachers investigate their work. Routledge, London, UK, in Turnock, C. & Gibson, V. (2001). Validity in action research: a discussion on theoretical and practice issues encountered whilst using observation to collect data. *Journal of Advanced Nursing*, 36(3), 471– 477.

**Bailey, K.D.** (1994). *Methods of social research.* 4<sup>th</sup> ed. New York, The Free Press.

**Binder, G.M.** (1984). Aphasia: A societal and clinical appraisal of pragmatic and linguistic behaviours. *Masters dissertation,* University of California, Santa Barbara.

**Blanffeld, D. F & Holohan, C.J.** (1999). Social support, coping, and psychological adjustment among caregivers of head-injured patients. *Psychology and Health*, 14, 609-624.

**Bless, C. & Higson-Smith, C.** (1995). *Fundamentals of social research methods: An African Perspective*. 2<sup>nd</sup> ed. Kenwyn, Juta and Co, Ltd.

**Bloor, M., Frankland, J., Thomas, M. & Robson, K.** (2001). *Focus groups in social research. Introducing qualitative methods*. 1<sup>st</sup> ed. SAGE Publications Ltd.

**Bowling, A.** (1997). *Research methods in health*. Open University Press, Buckingham, UK, in Turnock, C. & Gibson, V. (2001). Validity in action research: a discussion on theoretical and practice issues encountered whilst using observation to collect data. *Journal of Advanced Nursing*, 36(3), 471 – 477.

**Brumfitt, S., Atkinson, J.A. en Greated, C.** (1994). The carer's response to written information about acquired communication problems. *Aphasiology*, 8, 583-590.

**Burns, N. & Grove, S.K.** (1993). *The practice of nursing research. Conduct, Critique & Utilization*. 2<sup>nd</sup> Edition. W.B. Sanders Company.

**Campbell, C.** (1988). Needs of relatives and helpfulness of support groups in severe head injury. *Rehabilitation Nursing*, 13, 320-325.

**Campbell, C.** (1988). Needs of relatives and helpfulness of support groups in severe head injury. *Rehabilitation Nursing*, 13: 320-325 in Sinnakaruppan, I., & Williams, D.M. (2001). Family carers and the adult head-injured: a critical review of carers' needs. *Brain Injury*, 15(8), 653- 672.

**Cooper, N.** (2001). *Quality of life and aphasia*. Unpublished B.Communication Pathology Dissertation. University of Pretoria.

**Dane, F.C.** (1990). *Research methods*. Pacific Grove, California: Brooks/Cole.

**Davis, J.R., Gemeinhardt, M., Gan, G., Anstey., K en Gargaro, J.** (2003). Crisis and its assessment after brain injury. *Brain Injury*, 17(5), 359-376.

**De Vos, A.S.** (1998). *Research at grass roots. A primer for caring professions*. 1<sup>st</sup> edition. JL van Schaik Publishers.

**Denscombe, M.** (1998). *The good research guide*. Open University Press, Buckingham, UK, In Turnock, C. & Gibson, V. (2001). Validity in Action Research: a discussion on theoretical and practice issues encountered whilst using observation to collect data. *Journal of Advanced Nursing*, 36(3), 471 – 477.

**Douglas, J.M & Spellacy, F.J.** (1996). Indicators of long-term family functioning following severe traumatic brain injury in adults. *Brain Injury*, 10, 819-839.

**Duffy, J.R.** (1995). Motor speech disorders. *Substrates, differential diagnosis, and management*. Mayo Foundation.

**Engli, M. & Kirsivali-Farmer, K.** (1993). Needs of Family members of critically ill patients with and without acute brain injury. *Journal of Neuroscience Nursing*, 25, 78-85.

**Freeman, L.J.** (2000). *Communication and quality of life after traumatic brain injury: A discourse analysis*. Unpublished BA Speech and Hearing therapy. Dissertation. University of the Witwatersrand.

**Galski, T., Tompkins, C. & Johnson., M.V.** (1998). Competence in discourse as a measure of social integration and quality of life in persons with traumatic brain injury. *Brain Injury*, 12(9), 769- 782.

**Gentleman, D.** (2001). Rehabilitation after traumatic brain injury. *Trauma*, 3, 193-204.

**Gleckman, A & Brill, S.** (1995). The impact of brain injury on family functioning: implications for subacute rehabilitation programmes. *Brain Injury*, 9, 385-393.

**Goldstein M.** (1990). Traumatic brain injury: A silent epidemic. *Annals of Neurology*, 27, 327.

**Grant, J.S & Bean, C.A.** (1992). Self-identified needs of informal caregivers of head-injured adults. *Family and Community Health, 15*, 49-58.

**Haley, W.E., Roth, D.L., Coleton, M.L., Ford, G.R., West, C.A.C., Collins, R.P & Isobe, T.L.** (1996). Appraisal, coping, and social support as mediators of well-being in Black and White family caregivers of patients with Alzheimer's disease. *Journal of Consulting and Clinical Psychology, 64*, 121-129.

**Jennette, B.** (1996). Epidemiology of head injury. *Journal of Neurological Neurosurgery Psychology, 60*, 362-369.

**Johnson, A.F & Jacobson. B.H.** (1998). *Medical speech-language pathology: A practitioner's guide*. Thieme Medical Publishers, Inc.

**Junque, C., Bruna, O & Mataro, M.** (1997). Information needs of the traumatic brain injury patient's family members regarding the consequences of the injury and associated perception of physical, cognitive, emotional and quality of life changes. *Brain Injury, 11*, 251-258.

**Knight, R.G., Devereux, R. & Godfrey, H.P.D.** (1998). Caring for a family member with a traumatic brain injury. *Brain Injury, 12 (6)*, 467-481.

**Kolakowsky-Hayner, S.A., Dawn-Miner, K. & Kreutzer, J.S.** (2001). Long-term life quality and family needs after traumatic brain injury. *Journal of Head Trauma Rehabilitation, 16(4)*, 374- 385.

**Kraus J.F.** (1993). Epidemiology of head injury. In: Cooper PR ed. *Head Injury*. Baltimore, MA: Williams & Wilkins, 1-25.

**Kreutzer, J.S., Gervasio, A.H. & Camplair, P.S.** (1994). Primary caregivers' psychological status and family functioning after traumatic brain injury. *Brain injury, 8(3)*, 197-210.

**Kreutzer, J.S., Serio, C.D & Bergquist, S.** (1994). Family needs after brain injury: a quantitative analysis. *Journal of Head Trauma Rehabilitation, 9*, 104 – 115.

**Laroi, F.** (2000). Treating families of individuals with traumatic brain injury: Presentation of clinical cases approached from a structural therapy perspective. *Journal of Family Psychotherapy*, 11(4), 69- 78.

**Latvala, E., Vuokila- Oikkonen, P. & Janhonen, S.** (2000). Videotaped recording as a method of participant observation in psychiatric nursing research. *Journal of Advanced Nursing*, 31(5), 1252-1257.

**Leedy, P.D. & Ormrod, J.E.** (2001). *Practical research planning and design*. 7<sup>th</sup> ed. New Jersey: Merrill Prentice Hall.

**Ley, P.** (1990). *Communication with patients: Improving communication satisfaction and compliance*. Chapman and Hall. London.

**Mackay, L.E., Chapman, P.E. & Morgan, A.S.** (1997). *Maximizing brain injury recovery. Integrating critical Care and Early Rehabilitation*. Aspen Publishers, Inc.

**Marsh, N.V., Kersel, D.A., Havill, J.H. & Sleigh, J.W.** (2002). Caregiver burden during the year following severe traumatic brain injury. *Journal of Clinical and Experimental Neuropsychology*, 24(4), 434 - 447.

**Marshall, C & Rossman, G. B.** (1995). *Designing qualitative research*. 2<sup>nd</sup> ed. Sage Publications: Thousand Oaks.

**Martin, C., Viguier, D., Deloche, G. & Dellatolas, G.** (2001). Subjective experience after traumatic brain injury. *Brain Injury*, 15(11), 947-959.

**Mathis, M.** (1984). Personal needs of families of critically ill patients with and without brain injury. *Journal of Neurosurgery Nursing*, 16, 36-44.

**Mauss-Clum, N. & Ryan, M.** (1981). Brain injury and the family. *Journal of Neurosurgery Nursing*, 13, 165-169.

**Morris, K.C.** (2001). Psychological distress in carers of head injured individuals: the provision of written information. *Brain Injury*, 15(3), 239-254.

**Moules, S., & Chandler, B.J.** (1999). A study of the health and social needs of carers of traumatically brain injured individuals served by one community rehabilitation team. *Brain Injury*, 13(12), 983- 993.

**Nel, S.** (2002). *Persone met disfagie as gevolg van kanker se persepsies van hul kwaliteit van lewe*. Ongepubliseerde M.Kommunikasiepatologie Verhandeling. Universiteit van Pretoria.

**Nell, V., & Brown, D.S.O.** (1990). Epidemiology of traumatic brain injury in Johannesburg: Morbidity, mortality and etiology. Health Psychology Unit: Technical Report No. 1: UNISA and HSRC.

**Neuman, B.** (1989). *The Neuman's System Model*. 2<sup>nd</sup> edition. Norwalk, CN: Appleton and Large.

**Neuman, W.L.** (1997). *Social research methods. Qualitative and quantitative approaches*. 3<sup>rd</sup> ed. Boston: Allyn and Bacon, Inc.

**Novack, T.A., Begquiat, T.F en Bennett, G.** (1991). Primary caregivers distress following severe head injury. *Journal of Head Trauma Rehabilitation*, 6, 69-77.

**O' Neil-Pirozzi, T.M., Momose, J.K., Mello, J., Lepak, P., McCabe, M., Connors, J.J en Lisiecki, D.J.** (2003). Feasibility of swallowing interventions for tracheostomized individuals with severely disordered consciousness following traumatic brain injury. *Brain Injury*, 17(5), 389-399.

**O'Keefe B.M.** (1996). *Communication disorders. Just minor inconveniences?* In: Renwick, R., Brown, I. & Nagler, M. (1996). *Quality of life in Health Promotion and Rehabilitation. Conceptual Approaches, Issues, and Applications*. 1<sup>st</sup> Ed. Sage Publications, Inc.

**Penn, C., Jones, D., Schmaman, L., Vyncke, O., Watt, N. & Fridjhon, P.** (1998). Return to work and communication disability: the development of a tool for South-Africa employment contexts. *Unpublished*.

**Ponsford, J.** (1995). *Traumatic brain injury: rehabilitation for everyday adaptive living*. United Kingdom: Lawrence Erlbaum Associates.

**Ponsford, J.** (1995a). *Mechanisms of recovery and sequelae of traumatic brain injury*. In J. Ponsford (Ed.), *Traumatic Brain Injury, Rehabilitation for Everyday Adaptive Living*. United Kingdom: Lawrence Erlbaum Associates.

**Pottas, L.** (1998). Oudiologie as wetenskap: Die waarde daarvan vir die onderwyser van die kind met 'n gehoorverlies. *Ongepubliseerde MKommunikasiepatologie Verhandeling*, Universiteit van Pretoria.

**Prutting, C.A. & Kirchner, D.M.** (1987). A clinical appraisal of the pragmatic aspects of language. *Journal of Speech and Hearing Disorders*, 52, 105-119.

**Robson, C.** (1993). *Real world research: a resource for social scientists and practitioner-researchers*. Oxford: Blackwell.

**Rollin, W.J.** (2000). *Counseling individuals with communication disorders: Psychodynamic and family aspects*. 2<sup>nd</sup> Edition. Butterworth-Heinemann Publications.

**Rosenthal, M., Bond, M., Griffith, E.R & Miller, J.D.** (1990). *Rehabilitation of the adult and child with traumatic brain injury*. Philadelphia: Davis.

**Sander, A.M., Caroselli, W.M., High, JR., Becker, C., Neese, L en Scheibel, R.** (2002). Relationship of family functioning to progress in a post-acute rehabilitation programme following traumatic brain injury. *Brain injury*, 16(8), 649-657.

**Serio, C.D., Kreutzer, J.S. & Witol, A.D.** (1997). Family needs after traumatic brain injury: a factor analytic study of the family needs questionnaire. *Brain Injury*, 11(1), 1-9.

**Shipley. K.G. & McAfee, J.G.** (1998). *Assessment in speech-language pathology: A resource manual*. 2<sup>nd</sup> Edition. Singular Publishing Group, Inc.

**Sinnakaruppan, I. & Williams, D.M.** (2001). Family carers and the adult head-injured: a critical review of carers' needs. *Brain Injury*, 15(8), 653-672.

**Smit, G.J.** (1985). *Navorsingsmetodes in Gedragwetenskappe*. RSA: HAUM Opvoedkundige Uitgewers.

**Sternberg, R. J.** (1995). *In Search of the Human Mind*. Harcourt Brace College Publishers: San Diego.

**Syron, M. & Shelley, E.** (2001). The needs of informal carers: a proposed assessment tool for use by public health nurses. *Journal of Nursing Management*, 9, 31-38.

**Toner, H. L.** (1987). Effectiveness of a written guide for carers of dementia sufferers. *British Journal of Clinical and Social Psychiatry*, 5, 24-26.

**Turnock, C. & Gibson, V.** (2001). Validity in action research: a discussion on theoretical and practice issues encountered whilst using observation to collect data. *Journal of Advanced Nursing*, 36(3), 471 – 477.

**Tyerman, A & Booth, J, (2001.** Family interventions after traumatic brain injury: a service example. *NeuroRehabilitation*, 16, 59-66.

**Tyerman, A.** (1990). Counseling in Head Injury. *Counseling and Communication in Health Care*, 115 – 128.

**Van der Merwe, J.** (1994). 'n Tipologie van navorsingsontwerpe. In: *Kursus in Navorsings-metodiek (Geesteswetenskappe)*. Aangebied deur: Navorsingadministrasie, Universiteit van Pretoria: 28- 31 Maart.

**Visagie, M.J.** (1993). The competitiveness of the South African clothing industry in a Post Sanctions era. *Unpublished MBL thesis*, University of Pretoria.



**Vyncke, I.O.** (1997). *Self perceptions of subjects with Parkinson's disease with regard to communication and swallowing difficulties*. Unpublished Masters dissertation, University of the Witwatersrand.

**Wallace, C.A., Bogner, J., Corrigan, J.D., Clinchot, D., Mysiw, W.J. & Fugate, L.P.** (1998). Primary caregivers of persons with brain injury: life change 1 year after injury. *Brain Injury*, 12(6), 483- 493.

**Wallace, L.M.** (1986). Communication variables in the design of pre-surgical preparatory information. *British Journal of Clinical Psychology*, 25, 111-118.

**Wedcliffe, T.** (1999). *The psychosocial effects of traumatic brain injury on the quality of life of a group of spouses/partners*. Unpublished B.A. Speech and Hearing therapy dissertation. University of the Witwatersrand. Johannesburg.

**Wethertell, M., Taylor, S. & Yates, S.J.** (2001). *Discourse as data: A guide for analysis*. Bath Press, Bath.

**White paper on An Integrated National Disability Strategy** (1997). Cape Town: *Office of the Deputy President*.

**Wiles, R., Pain, H en Buckland, S.** (1998). Providing appropriate information to patients and carers following a stroke. *Journal of Advanced Nursing*, 28, 794-801.

**Willis, C.J.** (1984). *More advanced quantity surveying*. London: Granada.

**Wisker, G.** (2001). *The post graduate research handbook: succeed with your MA, Mphil, EdD and PhD*. Basingstoke: Palgrave.

**Ylvisaker, M., & Feeney, T.** (1998). *Collaborative brain injury intervention. Positive everyday routines*. Singular: San Diego.

**Ylvisaker, M.S. & Urbanczyk, B.** (1990). The efficacy of speech-language pathology intervention: Traumatic brain injury. *Seminars in Speech and Language*, 11(4), 215-225.