

REFERENCES

- Aidley, D. J. 1998, *The physiology of excitable cells*, Cambridge University Press, Cambridge.
- Bacon, S. P. & Viemeister, N. F. 1985, "Temporal modulation transfer functions in normal-hearing and hearing-impaired listeners", *Audiology*, vol. 24, pp. 117-134.
- Baldi, P. & Heiligenberg, W. 1988, "How sensory maps could enhance resolution through ordered arrangements of broadly tuned receivers", *Biological Cybernetics*, vol. 59, pp. 313-318.
- Bialek, W., Rieke, F., de Ruyter van Steveninck, R. R., & Warland, D. 1991, "Reading a neural code", *Science*, vol. 252, pp. 1854-1857.
- Black, R. C., Clark, G. M., Tong, Y. C., & Patrick, J. F. 1983, "Current distributions in cochlear stimulation", *Annals of the New York Academy of Sciences*, vol. 405 , pp. 137-145.
- Blamey, P. J., Dooley, G. J., Parisi, E. S., & Clark, G. M. 1996, "Pitch comparisons of acoustically and electrically evoked auditory sensations", *Hearing Research*, vol. 99, pp. 139-150.
- Bower, J. M. 1990, "Reverse engineering the nervous system: an anatomical, physiological, and computer-based approach," in *An introduction to neural and electronic networks*, S.F. Zornetzer, L.L. Davis & C. Lau, eds., Academic Press, San Diego.
- Bremaud, P. 1981, *Point processes and cues*. Springer-Verlag, New York.
- Bruce, I. C. 1997, *Spatiotemporal coding of sound in the auditory nerve for cochlear implants*. PhD Thesis, University of Melbourne.
- Bruce, I. C., Irlicht, L. S., & Clark, G. M. 1998. A mathematical analysis of spatiotemporal summation of auditory nerve firings. *Information Sciences*, vol. 111, pp. 303-334.
- Bruce, I. C., Irlicht, L. S., White, M. W., O'Leary, S. J., Dynes, S., Javel, E., & Clark, G. M. 1999a, "A stochastic model of the electrically stimulated auditory nerve: single-pulse response", *IEEE Transactions on Biomedical Engineering*, vol. 46 no 6, pp. 617-629.
- Bruce, I. C., Irlicht, L. S., White, M. W., O'Leary, S. J., Dynes, S., Javel, E., & Clark, G. M. 1999b, "A stochastic model of the electrically stimulated auditory nerve: pulse-train response", *IEEE Transactions on Biomedical Engineering*, vol. 46 no 6, pp. 630-637.

- Bruce, I. C., Irlicht, L. S., White, M. W., O'Leary, S. J., & Clark, G. M. 2000, "Renewal process approximation of a stochastic threshold model for electrical neural stimulation", *Journal of Computational Neuroscience*, vol. 9, pp. 119-132.
- Brugge, J. F. 1992, "An overview of central auditory processing," in *The mammalian auditory pathway: neurophysiology*, A. N. Popper & R. R. Fay, eds., Springer-Verlag, New York, pp. 1-33.
- Busby, P. A., Whitford, L. A., Blamey, P. J., Richardson, L. M., & Clark, G. M. 1994, "Pitch perception for different modes of stimulation using the cochlear multiple-electrode prosthesis", *Journal of the Acoustical Society of America*, vol. 95 no 5, pp. 2658-2669.
- Burkitt, A.N. & Clark, G.M. 1999, "Analysis of integrate-and-fire neurons: synchronization of synaptic input and spike output", *Neural Computation*, vol. 11, pp. 871-901.
- Busby, P. A. & Clark, G. M. 1999, "Gap detection by early-deafened cochlear-implant subjects", *Journal of the Acoustical Society of America*, vol. 105 no 3, pp. 1841-1852.
- Chatterjee, M. & Shannon, R. V. 1998, "Forward masked excitation patterns in multielectrode electrical stimulation", *Journal of the Acoustical Society of America*, vol. 103 no 5, pp. 2565-2572.
- Chatterjee, M., Fu, Q.-J., & Shannon, R. V. 1998, "Within-channel gap detection using dissimilar markers in cochlear implant listeners", *Journal of the Acoustical Society of America*, vol. 103 no 5, pp. 2515-2519.
- Clark, G. M., Tong, Y. C., & Patrick, J. F. 1990, *Cochlear prostheses*, Churchill Livingstone, Edinburgh.
- Clark, G. M. 1993, "The development of the Nucleus multiple-channel cochlear implant", *Australian Journal of Otolaryngology*, vol. 1(4), pp. 310-316.
- Clark, G. M. 1996, "Electrical stimulation of the auditory nerve: the coding of frequency, the perception of pitch and the development of cochlear implant speech processing strategies for profoundly deaf people", *Clinical and Experimental Pharmacology and Physiology*, vol. 23, pp. 766-776.
- Colburn, H. S. 1973, "Theory of binaural interaction based on auditory nerve data. I. General strategy and preliminary results on interaural discrimination", *Journal of the Acoustical Society of America*, vol. 54 no 6, pp. 1458-1470.

References

- Collins, L. M., Zwolan, T. A., & Wakefield, G. H. 1997, "Comparison of electrode discrimination, pitch ranking, and pitch scaling data in postlingually deafened adult cochlear implant subjects", *Journal of the Acoustical Society of America*, vol. 101 no 1, pp. 440-455.
- Cook, E. P. & Johnston, D. 1999, "Voltage-dependent properties of dendrites that eliminate location-dependent variability of synaptic input", *Journal of Neurophysiology*, vol. 81, pp. 535-543.
- Cords, S. M., Reuter, G., Issing, P. R., Sommer, A., Kuzma, J., & Lenarz, T. 2000, "A silastic positioner for a modiolus-hugging position of intracochlear electrodes: Electrophysiologic effects", *American Journal of Otology*, vol. 21, pp. 212-217.
- Creelman, C. D. 1962, "Human discrimination of auditory duration", *Journal of the Acoustical Society of America*, vol. 34 no 5, pp. 582-593.
- Davis, M. H. A. 1976, "A note on the Poisson disorder problem", Proceedings of a conference, Zakopane, January 1974, *Mathematical Control Theory*, pp. 65-72.
- Delgutte, B. 1996, "Physiological models for basic auditory percepts.", in *Auditory Computation*, H. L. Hawkins et al., eds., Springer-Verlag, New York, pp. 157-220.
- Delgutte, B. 1997, "Auditory neural processing of speech," in *The handbook of phonetic sciences*, W. J. Hardcastle & J. Laver, eds., Blackwell Publishers, Oxford, pp. 507-538.
- Deutsch, S. & Deutsch, A. 1993, *Understanding the nervous system. An engineering perspective*, IEEE Press, New York.
- Divenyi, P. L. & Danner, W. F. 1977, "Discrimination of time intervals marked by brief acoustic pulses of various intensities and spectra", *Perception & Psychophysics*, vol. 21 no. 2, pp. 125-142.
- Divenyi, P. L. & Sachs, R. M. 1978, "Discrimination of time intervals bounded by tone bursts", *Perception & Psychophysics*, vol. 24 no. 5, pp. 429-436.
- Donaldson, G. S. & Nelson, D. A. 2000, "Place-pitch sensitivity and its relation to consonant recognition by cochlear implant listeners using the MPEAK and SPEAK speech processing strategies", *Journal of the Acoustical Society of America*, vol. 107 no. 3, pp. 1645-1658.

References

- Dorman, M. F., Smith, M., Smith, L., & Parkin, J. L. 1994, "The pitch of electrically presented sinusoids", *Journal of the Acoustical Society of America*, vol. 95 no. 3, pp. 1677-1679.
- Dye, R. H. & Hafter, E. R. 1980, "Just-noticeable differences of frequency for masked tones", *Journal of the Acoustical Society of America*, vol. 67 no. 5, pp. 1746-1753.
- Dynes, S. B. C. & Delgutte, B. 1992, "Phase-locking of auditory-nerve discharges to sinusoidal electric stimulation of the cochlea", *Hearing Research*, vol. 58, pp. 79-90.
- Dynes, S. B. C. 1996, *Discharge characteristics of auditory nerve fibers for pulsatile electrical stimuli*, Doctoral dissertation, Massachusetts Institute of Technology, MIT Press, Cambridge.
- Eddins, D. A. & Green, D. M. 1995, "Temporal integration and temporal resolution," in *Hearing*, B. C. J. Moore, ed., Academic Press, San Diego, pp. 207-242.
- Erell, A. 1988, "Rate coding model for discrimination of simple tones in the presence of noise", *Journal of the Acoustical Society of America*, vol. 84 no. 1, pp. 204-214.
- Evans, E. F. 1975, "Cochlear nerve and cochlear nucleus", in *Handbook of sensory physiology vol V/2*, W.D. Keidel & W.D. Neff, eds., Springer-Verlag, Berlin, pp. 1-108;
- Fayad, J., Linthicum, F. H. Jr., Otto, S. R., Galey, F. R., & House, W. F. 1991, "Cochlear implants: Histopathologic findings related to performance in 16 human temporal bones", *Annals of Otology, Rhinology and Laryngology (United States)*, vol. 100 no. 10, pp. 807-811.
- Finley, C. C., Wilson, B. S., & White, M. W. 1990, "Models of neural responsiveness to electrical stimulation," in *Cochlear Implants. Models of the electrically stimulated ear*, J. M. Miller & F. A. Spelman, eds., Springer-Verlag, New York, pp. 55-96.
- Fishman, P. M., Shannon, R. V., & Slattery, W. H. 1997, "Speech recognition as a function of the number of electrodes used in the SPEAK cochlear implant speech processor", *Journal of Speech and Hearing Research*, vol. 40, pp. 1201-1215.
- Fitzgibbons, P. J. 1983, "Temporal gap detection in noise as a function of frequency, bandwidth, and level", *Journal of the Acoustical Society of America*, vol. 74 no. 1, pp. 67-72.

References

- Fitzgibbons, P. J. 1984, "Temporal gap resolution in narrow-band noises with center frequencies from 6000-14000 Hz", *Journal of the Acoustical Society of America*, vol. 75 no. 2, pp. 566-569.
- Florentine, M. & Buus, S. 1984, "Temporal gap detection in sensorineural and simulated hearing impairments", *Journal of Speech and Hearing Research*, vol. 27, pp. 449-455.
- Formby, C. & Forrest, T. G. 1991, "Detection of silent temporal gaps in sinusoidal markers", *Journal of the Acoustical Society of America*, vol. 89 no. 2, pp. 830-837.
- Formby, C., Morgan, L. N., Forrest, T. G., & Raney, J. J. 1992, "The role of frequency selectivity in measures of auditory and vibrotactile temporal resolution", *Journal of the Acoustical Society of America*, vol. 91, pp. 293-305.
- Formby, C., Sherlock, L. P., & Forrest, T. P. 1996, "An assymmetric roex filter model for describing detection of silent temporal gaps in sinusoidal markers", *Auditory Neuroscience*, vol. 3, pp. 1-20.
- Forrest, T. G. & Formby, C. 1996, "Detection of silent temporal gaps in sinusoidal markers simulated with a single-channel envelope detector model", *Auditory Neuroscience*, vol. 3, pp. 21-33.
- Friesen, L.M., Shannon, R.V., Baskent, D., & Wang, X., "Speech recognition in noise as a function of the number of spectral channels: comparison of acoustic hearing and cochlear implants", *Journal of the Acoustical Society of America*, vol. 110, pp. 1150-1163.
- Frijns, J. H. M., de Snoo, S. L., & Schoonhoven, R. 1995, "Potential distributions and neural excitation patterns in a rotationally symmetric model of the electrically stimulated cochlea," in *Cochlear Implants. A Modelling Approach*, J. H. M. Frijns, ed., CIP-Data Koninklijke Bibliotheek, Den Haag, pp. 93-124.
- Fu, Q.-J., Shannon, R. V., Zeng, F.-G., & Chatterjee, M. 1996, "Electrode interactions measured by loudness summation in cochlear implant users", *Journal of the Acoustical Society of America*, vol. 100, p. 2631.
- Fu, Q.-J. 1997. "Comparison of electrode interaction measures in multichannel cochlear implants" in *Abstracts of the 1997 annual midwinter meeting, Association for Research in Otolaryngology*, Abstract #305.

- Fu, Q.-J. & Shannon, R. V. 1999, "Effects of electrode location and spacing on phoneme recognition with the Nucleus-22 cochlear implant", *Ear and Hearing*, vol. 20 no. 4, pp. 321-331.
- Fujita, S. & Ito, J. 1999, "Ability of nucleus cochlear implantees to recognize music", *Annals of Otology, Rhinology and Laryngology*, vol. 108, pp. 634-640.
- Gabbiani, F. & Koch, C. 1996, "Coding of time-varying signals in spike trains of integrate-and-fire neurons with random threshold", *Neural Computation*, vol. 8, pp. 44-66.
- Gal'chuk, L. I. & Rozovskii, B. L. 1971, "The "disorder" problem for a poisson process", *Theory of probability and its applications*, vol. 16, pp. 712-716.
- Gaumond, R. P., Molnar, C. E., & Kim, D. O. 1982, "Stimulus and recovery dependence of cat cochlear nerve fibre spike discharge probability", *Journal of Neurophysiology*, vol. 48 no. 3, pp. 856-873.
- Goldstein, J. L. & Srulovicz, P. 1977, "Auditory-nerve spike intervals as an adequate basis for aural frequency measurement," in *Psychophysics and physiology of hearing*, E. F. Evans & J. P. Wilson, eds., Academic Press, London, pp. 337-347.
- Green, D. M. & Swets, J. A. 1966, *Signal Detection Theory and Psychophysics*, John Wiley and Sons Inc., New York.
- Green, D. M. 1973, "Minimum integration time," in *Basic mechanisms in hearing*, A. R. Moller, ed., Academic Press, New York, pp. 829-843.
- Greenwood, D. D. 1990, "A cochlear frequency-position function for several species - 29 years later", *Journal of the Acoustical Society of America*, vol. 87 no. 6, pp. 2592-2605.
- Grill, W. M. & Mortimer, J. T. 1994, "Electrical properties of implant encapsulation tissue", *Annals of Biomedical Engineering*, vol. 22, pp. 23-33.
- Hall, J. W., Grose, J. H., & Joy, S. 1996, "Gap detection for pairs of noise bands: effects of stimulus level and frequency separation", *Journal of the Acoustical Society of America*, vol. 99 no. 2, pp. 1091-1095.
- Hanekom, J. J. & Shannon, R. V. 1996, "Place pitch discrimination and speech recognition in cochlear implant users", *South African Journal of Communication Disorders*, vol. 43, pp. 27-40.

- Hanekom, J. J. & Shannon, R. V. 1997. "Gap detection thresholds as a measure of spread of excitation in cochlear electrical stimulation" in *Abstracts of the 1997 annual midwinter meeting, Association for Research in Otolaryngology*, Abstract #307.
- Hanekom, J. J. & Shannon, R. V. 1998, "Gap detection as a measure of electrode interaction in cochlear implants", *Journal of the Acoustical Society of America*, vol. 104 no. 4, pp. 2372-2384.
- Hanekom, J. J. 1999, "A Model of frequency coding in the central auditory nervous system", *South African Journal of Communication Disorders*, vol. 46, pp. 81-89.
- Hanekom, J. J. 2000, "What do cochlear implants teach us about the encoding of frequency in the auditory system?", *South African Journal of Communication Disorders*, vol. 47, pp. 49-56.
- Hanekom, J. J. & Krüger, J. J. 2001, "A model of frequency discrimination with optimal processing of auditory nerve spike intervals", *Hearing Research*, vol. 151, pp. 188-204.
- Hanekom, T. 2001, "Three-dimensional spiraling finite element model of the electrically stimulated cochlea", *Ear and Hearing*, vol. 22, pp. 300-315.
- Hartmann, R., Topp, G., & Klinke, R. 1984, "Electrical stimulation of the cat cochlea - discharge pattern of single auditory fibres", *Advances in Audiology*, vol. 1, pp. 18-29.
- Heinz, M. G., Goldstein, M. H., & Formby, C. 1996, "Temporal gap detection in sinusoidal markers simulated with a multi-channel, multiresolution model of the auditory periphery", *Auditory Neuroscience*, vol. 3, pp. 35-56.
- Heinz, M. G., Colburn, H.S., & Carney, L.H. 2001, "Evaluating Auditory performance limits: I. One-parameter discrimination using a computational model for the auditory nerve", *Neural Computation*, vol. 13, pp. 2273-2316.
- Henry, B. A., McKay, C. M., McDermott, H. J., & Clark, G. M. 1997. The relationship between speech information perceived by cochlear implantees in different spectral regions and electrode discrimination. *Program and Abstracts of the 1997 Conference on implantable auditory prostheses*, p. 74.

References

- Hienz, R. D., Sachs, M. B., & Aleszczyk, C. M. 1993, "Frequency discrimination in noise: comparison of cat performances with auditory nerve models", *Journal of the Acoustical Society of America*, vol. 93 no 1, pp. 462-469.
- Hirsch, H. G. 1993, "Intelligibility improvements of noisy speech for people with cochlear implants", *Speech Communication*, vol. 12, pp. 261-266.
- Ifukube, T. & White, R. L. 1987, "Current distributions produced inside and outside the cochlea from a scala tympani electrode array", *IEEE Transactions on Biomedical Engineering*, vol. BME-34, pp. 883-890.
- Javel, E. & Mott, J. B. 1988, "Physiological and psychophysical correlates of temporal processes in hearing", *Hearing Research*, vol. 34, pp. 275-294.
- Javel, E. 1990, "Acoustic and electrical encoding of temporal information," in *Cochlear implants: models of the electrically stimulated ear*, J. M. Miller & F. A. Spelman, eds., Springer-Verlag, New York, pp. 247-295.
- Javel, E. & Viemeister, N. F. 2000, "Stochastic properties of cat auditory nerve responses to electric and acoustic stimuli and application to intensity discrimination", *Journal of the Acoustical Society of America*, vol. 107, pp. 908-921.
- Javel, E. & Shepherd, R. K. 2000, "Electrical stimulation of the auditory nerve. III. Response initiation sites and temporal fine structure", *Hearing Research*, vol. 140, pp. 45-76.
- Johnson, D. H. 1980, "The relationship between spike rate and synchrony in responses of auditory-nerve fibers to single tones", *Journal of the Acoustical Society of America*, vol. 68 no. 4, pp. 1115-1122.
- Johnson, D. H. & Swami, A. 1983, "The transmission of signals by auditory-nerve fiber discharge patterns", *Journal of the Acoustical Society of America*, vol. 74 no. 2, pp. 493-501.
- Johnson, D. H. 1996, "Point process models of single-neuron discharges", *Journal of Computational Neuroscience*, vol. 3, pp. 275-299.
- Johnston, D. & Wu, S. M. S. 1995, *Foundations of cellular neurophysiology*, MIT Press, Cambridge.
- Johnstone, B. M., Patuzzi, R., & Yates, G. K. 1986, "Basilar membrane measurements and the travelling wave", *Hearing Research*, vol. 22, pp. 147-153.

References

- Kalman, R. E. 1960, "A new approach to linear filtering and prediction problems", *Transactions of the ASME. Journal of Basic Engineering*, vol. 82, pp. 35-45.
- Kandel, E.R., Schwartz, J.H., & Jessell, T.M. 1991, *Principles of neural science*, third edition, Appleton and Lange, Norwalk.
- Karr, A. F. 1986, *Point processes and their statistical inference*, Marcel Dekker, New York, pp. 202-203.
- Kay, S. M. 1998, *Fundamentals of statistical signal processing. Volume 2. Detection Theory* Prentice Hall, Upper Saddle River.
- Keidel, W. D., Kallert, S., & Korth, M. 1983, *The Physiological Basis of Hearing*, Thieme-Stratton Inc., New York.
- Kiang, N. Y.-S., Watanabe, T., Thomas, E. C., & Clark, L. F. 1965, *Discharge patterns of single fibers in the cat's auditory nerve*, Research Monograph no. 35, MIT Press, Cambridge.
- Kileny, P. R., Zimmerman-Phillips, S., Zwolan, T. A., & Kemink, J. L. 1992, "Effects of channel number and place of stimulation on performance with the Cochlear Corporation multichannel implant", *American Journal of Otology*, vol. 13 no. 2, pp. 117-123.
- Kim, D. O. & Molnar, C. E. 1979, "A population study of cochlear nerve fibers: comparison of spatial distributions of average-rate and phase-locking measures of responses to single tones", *Journal of Neurophysiology*, vol. 42 no. 1, pp. 16-30.
- Kim, D. O. 1984, "Functional roles of the inner- and outer-hair-cell subsystems in the cochlea and brainstem," in *Hearing Science*, C. Berlin, ed., College-Hill Press, San Diego, pp. 241-262.
- Kim, D. O., Chang, S. O., & Sirianni, J. G. 1990, "A population study of auditory-nerve fibers in unanesthetized decerebrate cats: response to pure tones", *Journal of the Acoustical Society of America*, vol. 87 no. 4, pp. 1648-1655.
- Kim, D. O., Parham, K., Sirianni, J. G., & Chang, S. O. 1991, "Spatial response profiles of posteroventral cochlear nucleus neurons and auditory-nerve fibers in unanesthetized decerebrate cats: response to pure tones", *Journal of the Acoustical Society of America*, vol. 89 no. 6, pp. 2804-2817.

References

- Kim, D. O. & Parham, K. 1991, "Auditory nerve spatial encoding of high-frequency pure tones: population response profiles derived from d' measure associated with nearby places along the cochlea", *Hearing Research*, vol. 52, pp. 167-180.
- Kistler, W. M., Gerstner, W., & van Hemmen, J. L. 1997, "Reduction of the Hodgkin-Huxley equations to a single-variable threshold model", *Neural Computation*, vol. 9, pp. 1015-1045.
- Koch, C., Poggio, T., & Torre, V. 1982, "Retinal ganglion cells: a functional interpretation of dendritic morphology", *Philosophical Transactions of the Royal Society of London, part B*, vol. 298, pp. 227-264.
- Kou, B. S., Shipp, D. B., & Nedzelski, J. M. 1994, "Subject benefits reported by adult Nucleus 22-channel cochlear implant users", *Journal of Otolaryngology (Canada)*, vol. 23, no. 1, pp. 8-14.
- Kral, A., Hartmann, R., Mortazavi, D., & Klinke, R. 1998, "Spatial resolution of cochlear implants: the electrical field and excitation of auditory afferents", *Hearing Research*, vol. 121, pp. 11-28.
- Laming, D. 1986, *Sensory analysis*, Academic Press, London, chapter 4.
- Langner, G. 1992, "Periodicity coding in the auditory system", *Hearing Research*, vol. 60, pp. 115-142.
- Lawson, D., Wilson, B. S., & Finley, C. C. 1993, "New processing strategies for multichannel cochlear prostheses," in *Natural and Artificial Control of Hearing and Balance*, J. A. Allum et al., eds., Progress in Brain Research, vol. 97, Elsevier, Amsterdam, pp. 313-321.
- Lawson, D., Wilson, B. S., & Finley, C. C. 1996, *Speech processors for auditory prostheses*, Third Quarterly Progress Report, NIH Contract N01-DC-5-2103.
- Lecar, H. & Nossal, R. 1971, "Theory of threshold fluctuations in nerves. I. Relationships between electrical noise and fluctuations in axon firing", *Biophysical Journal*, vol. 11, pp. 1048-1067.
- Levitt, H. 2001, "Transformed up-down methods in psychoacoustics", *Journal of the Acoustical Society of America*, vol. 49, pp. 467-477.

References

- Lewis, E. R. 1996, "Further computations involving time," in *Auditory Computation*, H. L. Hawkins et al., eds., Springer-Verlag, New York, pp. 469-504.
- Lim, H. H., Tong, Y. C., & Clark, G. M. 1989, "Forward masking patterns produced by intracochlear electrical stimulation of one and two electrode pairs in the human cochlea", *Journal of the Acoustical Society of America*, vol. 86 no. 3, pp. 971-980.
- Linthicum, F. H. Jr., Fayad, J., Otto, S. R., Galey, F. R., & House, W. F. 1991, "Cochlear implant histopathology", *American Journal of Otology*, vol. 12, no. 4, pp. 245-311.
- Loizou, P. C. 1999, "Signal-processing techniques for cochlear implants", *IEEE Engineering in Medicine and Biology Magazine*, vol. 18 no. 3, pp. 34-46.
- Maron, M. E. 2001, "On cybernetics, information processing and thinking," in *Cybernetics of the nervous system*, N. Wiener & J. P. Schade, eds., Elsevier, Amsterdam, pp. 118-138.
- Maršálek, P., Koch, C. & Maunsell, J. 1997, "On the relationship between synaptic input and spike output jitter in individual neurons", *Proceedings of the National Academy of Science*, vol. 94, pp. 735-740.
- McDermott, H. 1989, "An Advanced Multiple Channel Cochlear Implant", *IEEE Transactions on Biomedical Engineering*, vol. 36, pp. 789-797.
- McDermott, H. J., McKay, C. M., Vandali, A. E., & Clark, G. M. 1992, "A comparison of speech perception of cochlear implant users using the Spectral Maxima Sound Processor (SMS) and the MSP (Multipeak) processor", *Acta Otolaryngologica (Stockholm)* no. 112, pp. 752-761.
- McDonough, R. N. & Whalen, A. D. 1995, *Detection of signals in noise*, 2 edn, Academic Press, San Diego.
- McKinney, M. F. & Delgutte, B. 1999, "A possible neurophysiological basis of the octave enlargement effect", *Journal of the Acoustical Society of America*, vol. 106 no. 5, pp. 2679-2692.
- McLaren, I. 1989, "The computational unit as an assembly of neurones: an implementation of an error correcting learning algorithm," in *The computing neuron*, R. Durbin, C. Miall, & G. Mitchison, eds., Addison-Wesley, Wokingham, pp. 160-179.
- Mendel, J. M. 1995, *Lessons in estimation theory for signal processing, communications and control*, Prentice Hall, Englewood Cliffs.

References

- Miller, J. M. & Spelman, F. A. 1990, *Cochlear Implants: models of the electrically stimulated ear*, Springer-Verlag, New York.
- Moller, A. R. 1999, "Review of the roles of temporal and place coding of frequency in speech discrimination", *Acta Otolaryngologica (Stockholm)*, vol. 119, pp. 424-430.
- Moore, B. C. J. 1973, "Frequency difference limens for short-duration tones", *Journal of the Acoustical Society of America*, vol. 54 no. 3, pp. 610-619.
- Moore, B. C. J. & Glasberg, B. R. 1986, "The role of frequency selectivity in the perception of loudness, pitch and time," in *Frequency selectivity in hearing*, B. C. J. Moore, ed., Academic Press, London, pp. 251-308.
- Moore, B. C. J. 1993, "Frequency analysis and pitch perception," in *Human psychophysics*, W. A. Yost, A. N. Popper, & R. R. Fay, eds., Springer-Verlag, New York, pp. 56-115.
- Moore, B. C. J. & Sek, A. 1996, "Detection of frequency modulation at low modulation rates: evidence for a mechanism based on phase locking", *Journal of the Acoustical Society of America*, vol. 100 no. 4, pp. 2320-2331.
- Moore, B. C. J. 1997, "Aspects of auditory processing related to speech perception," in *The handbook of phonetic sciences*, W. J. Hardcastle & J. Laver, eds., Blackwell Publishers, Oxford, pp. 539-565.
- Nelson, D. A., Van Tasell, D. J., Schroder, A. C., Soli, S., & Levine, S. 1995, "Electrode ranking of "place pitch" and speech recognition in electrical hearing", *Journal of the Acoustical Society of America* , vol. 98 no. 4, pp. 1987-1999.
- O'Leary, S. J., Tong, Y. C., & Clark, G. M. 1995, "Responses of dorsal cochlear nucleus single units to electrical pulse train stimulation of the auditory nerve with a cochlear implant electrode", *Journal of the Acoustical Society of America*, vol. 97 no. 4, pp. 2378-2393.
- Oxenham, A. J. 2000, "Influence of spatial and temporal coding on auditory gap detection", *Journal of the Acoustical Society of America*, vol. 107 no. 4, pp. 2215-2223.
- Palmer, A. R. & Russell, I. J. 1986, "Phase-locking in the cochlear nerve of the guinea pig and its relation to the receptor potential of inner hair-cells", *Hearing Research*, vol. 24, pp. 1-15.

References

- Patterson, R. D. & Moore, B. C. J. 1986, "Auditory filters and excitation patterns as representations of frequency resolution," in *Frequency selectivity in hearing*, B. C. J. Moore, ed., Academic Press, London, pp. 123-177.
- Penner, M. J. 1976, "The effect of marker variability on the discrimination of temporal intervals", *Perception & Psychophysics*, vol. 19 no. 466, p. 469.
- Penner, M. J. 1977, "Detection of temporal gaps in noise as a measure of the decay of auditory sensation", *Journal of the Acoustical Society of America*, vol. 61, pp. 552-557.
- Pfingst, B. E. 1988, "Comparisons of psychophysical and neurophysiological studies of cochlear implants", *Hearing Research*, vol. 34, pp. 243-252.
- Pfingst, B. E., Holloway, L. A., Zwolan, T. A., & Collins, L. M. 1999, "Effects of stimulus level on electrode-place discrimination in human subjects with cochlear implants", *Hearing Research*, vol. 134, pp. 105-115.
- Phillips, D. P., Taylor, T. M., Hall, S. E., Carr, M. M., & Mossop, J. E. 1997, "Detection of silent intervals between noises activating different perceptual channels: Some properties of "central" auditory gap detection", *Journal of the Acoustical Society of America*, vol. 101 no. 6, pp. 3694-3705.
- Phillips, D. P. & Hall, S. E. 2000, "Independence of frequency channels in auditory temporal gap detection", *Journal of the Acoustical Society of America*, vol. 108 no. 6, pp. 2957-2963.
- Plomp, R. 1964, "Rate of decay of auditory sensation", *Journal of the Acoustical Society of America*, vol. 36, pp. 277-282.
- Pollack, I. 1967, "Number of pulses required for minimal pitch", *Journal of the Acoustical Society of America*, vol. 40, p. 895.
- Pouget, A., Zhang, K., Deneve, S., & Latham, P. E. 1998, "Statistically efficient estimation using population coding", *Neural Computation*, vol. 10, pp. 373-401.
- Preece, J. P. & Tyler, R. S. 1989, "Temporal-gap detection by cochlear prosthesis users", *Journal of Speech and Hearing Research*, vol. 32, pp. 849-856.
- Prosen, C. A., Moody, D. B., Sommers, M. S., & Stebbins, W. C. 1990, "Frequency discrimination in the monkey", *Journal of the Acoustical Society of America*, vol. 88 no. 5, pp. 2152-2158.

References

- Rabiner, L. & Juang, B-H. 1993, *Fundamentals of speech recognition*, Prentice Hall, Englewood Cliffs.
- Raftery, A. E. & Akman, V. E. 1986, "Bayesian analysis of a Poisson process with a change-point", *Biometrika*, vol. 73 no. 1, pp. 85-89.
- Rattay, F. & Motz, H. 1986, "A study of the application of the Hodgkin-Huxley and the Frankenhauser-Huxley model for electrostimulation of the acoustic nerve", *Neuroscience*, vol. 18 no. 3, pp. 699-712.
- Rattay, F. 1990, *Electrical nerve stimulation. Theory, experiments and applications*, Springer-Verlag, Vienna.
- Rattay, F. 1999, "The basic mechanism for the electrical stimulation of the nervous system", *Neuroscience*, vol. 89, pp. 335-346.
- Rebscher, S. J., Snyder, R. L., Brasell, J., Bruszewski, W., Leake, P. A., & Merzenich, M. M. 1991, "Studies on pediatric auditory prosthesis implants", *Neuroprosthesis Contract NO-DC-0-2401*, 6th Quarterly Progress Report, pp. 1-26.
- Reza, A. M. & Doroodchi, M. 1996, "Cramer-Rao Lower Bound on locations of sudden changes in a steplike signal", *IEEE Transactions on Signal Processing*, vol. 44 no. 10, pp. 2551-2556.
- Rhode, W. S. & Greenberg, S. 1992, "Physiology of the cochlear nuclei," in *The mammalian auditory pathway: neurophysiology*, A. N. Popper & R. R. Fay, eds., Springer-Verlag, New York, pp. 94-152.
- Rieke, F., Warland, D., de Ruyter van Steveninck, R., & Bialek, W. 1997, *Spikes. Exploring the neural code*, MIT Press, Cambridge MA.
- Rose, J. E., Brugge, J. F., Anderson, D. J., & Hind, J. E. 1968, "Patterns of activity in single auditory nerve fibres of the squirrel monkey," in *Hearing mechanisms in vertebrates*, A. V. S. de Reuck & J. Knight, eds., J. & A. Churchill Ltd., London, pp. 144-157.
- Ross, S.M. 1983, *Stochastic processes*, John Wiley & Sons, New York.
- Rudemo, M. 1972, "Doubly stochastic poisson processes and process control", *Advances in Applied Probability*, vol. 4 no. 2, pp. 318-338.

References

- Ruggero, M. A. & Rich, N. C. 1989, " "Peak splitting": intensity effects in cochlear afferent responses to low frequency tones," in *Cochlear Mechanics: structure, function and models*, J. P. Wilson & D. T. Kemp, eds., Plenum Press, New York, pp. 259-267.
- Ruggero, M. A. 1992, "Physiology and coding of sound in the auditory nerve," in *The mammalian auditory pathway: neurophysiology* , A. N. Popper & R. R. Fay, eds., Springer-Verlag, New York, pp. 34-93.
- Sachs, M. B. & Miller, M. I. 1985, "Pitch coding in the auditory nerve: possible mechanisms of pitch sensation with cochlear implants," in *Cochlear Implants*, R. A. Schindler & M. M. Merzenich, eds., Raven Press, New York, pp. 185-194.
- Schindler, R. A. & Kessler, D. K. 1993, "Clarion cochlear implant: phase I investigational results", *American Journal of Otology*, vol. 14, pp. 263-272.
- Schroeder, M. R. 1968, "Period histogram and product spectrum: new methods for fundamental-frequency measurement", *Journal of the Acoustical Society of America*, vol. 43 no. 4, pp. 829-834.
- Sek, A. & Moore, B. C. J. 1995, "Frequency discrimination as a function of frequency, measured in several ways", *Journal of the Acoustical Society of America*, vol. 97 no. 4, pp. 2479-2486.
- Shadlen, M. N. & Newsome, W. T. 1994, "Noise, neural codes and cortical organization", *Current Opinion in Neurobiology*, vol. 4, pp. 569-579.
- Shailer, M. J. & Moore, B. C. J. 1983, "Gap detection as a function of frequency, bandwidth, and level", *Journal of the Acoustical Society of America*, vol. 74, pp. 467-473.
- Shailer, M. J. & Moore, B. C. J. 1987, "Gap detection and the auditory filter: phase effects using sinusoidal stimuli", *Journal of the Acoustical Society of America*, vol. 81 no. 4, pp. 1110-1117.
- Shannon, R. V. 1983a, "Multichannel electrical stimulation of the auditory nerve in man. I. Basic psychophysics", *Hearing Research*, vol. 11, pp. 157-189.
- Shannon, R. V. 1983b, "Multichannel electrical stimulation of the auditory nerve in man. II. Channel interaction", *Hearing Research*, vol. 12, pp. 1-16.

References

- Shannon, R. V. 1985, "Loudness summation as a measure of channel interaction in a cochlear prosthesis," in *Cochlear implants*, R. A. Schindler & M. M. Merzenich, eds., Raven Press, New York, pp. 323-334.
- Shannon, R. V. 1989, "Detection of gaps in sinusoids and pulse trains by patients with cochlear implants", *Journal of the Acoustical Society of America*, vol. 85 no. 6, pp. 2587-2592.
- Shannon, R. V. & Otto, S. R. 1990, "Psychophysical measures from electrical stimulation of the human cochlear nucleus", *Hearing Research*, vol. 47, pp. 159-168.
- Shannon, R. V., Adams, D. D., Ferrel, R. L., Palumbo, R. L., & Grandgenett, M. 1990, "A computer interface for psychophysical and speech research with the Nucleus cochlear implant", *Journal of the Acoustical Society of America*, vol. 87 no. 2, pp. 905-907.
- Shannon, R. V. 1992, "A model of safe levels for electrical stimulation", *IEEE Transactions on Biomedical Engineering*, vol. 39 no. 4, pp. 424-426.
- Shannon, R. V., Zeng, F.-G., Kamath, V., Wygonski, J., & Ekelid, M. 1995, "Speech recognition with primarily temporal cues", *Science*, vol. 270, pp. 303-304.
- Shepherd, R. K., Hatsushika, S., & Clark, G. M. 1993, "Electrical stimulation of the auditory nerve: the effect of electrode position on neural excitation", *Hearing Research*, vol. 66, pp. 108-120.
- Shepherd, R. K. & Javel, E. 1997, "Electrical stimulation of the auditory nerve. I. Correlation of physiological responses with cochlear status", *Hearing Research*, vol. 108, pp. 112-144.
- Shepherd, R. K. & Javel, E. 1999, "Electrical stimulation of the auditory nerve: II. Effect of stimulus waveshape on single fibre response properties", *Hearing Research*, vol. 130, pp. 171-188.
- Shofner, W. P. & Sachs, M. B. 1986, "Representation of a low-frequency tone in the discharge rate of populations of auditory nerve fibers", *Hearing Research*, vol. 21, pp. 91-95.
- Siebert, W. M. 1970, "Frequency discrimination in the auditory system: place or periodicity mechanisms?", *Proceedings of the IEEE*, vol. 58 no. 5, pp. 723-730.
- Skinner, M., Clark, G.M., Whitford, L., Seligman, P., Staller, S. 1994, "Evaluation of a new spectral peak coding strategy for the Nucleus 22 channel cochlear implant system", *American Journal of Otology*, vol. 15 (suppl. 2), pp. 15-27.

References

- Smith, R. L. 1988, "Encoding of sound intensity by auditory neurons," in *Auditory Function. Neurobiological Bases of Hearing*, G. M. Edelman, W. E. Gall, & W. M. Cowan, eds., College-Hill Press, San Diego, pp. 243-274.
- Snippe, H. P. & Koenderink, J. J. 1992, "Discrimination thresholds for channel-coded systems", *Biological Cybernetics*, vol. 66, pp. 543-551.
- Snyder, D. L. 1975, *Random point processes*, Wiley, New York.
- Spelman, F. A., Pfingst, B. E., Clopton, B. M., Jolly, C. N., & Rodenhiser, K. L. 1995, "Effects of electrical current configuration on potential fields in the electrically stimulated cochlea: field models and measurements", *Ann Otol Rhinol Laryngol Suppl*, vol. 104 no. 9 II, pp. 131-136.
- Spoendlin, H. & Schrott, A. 1989, "Analysis of the human auditory nerve", *Hearing Research*, vol. 43, pp. 25-38.
- Srulovicz, P. & Goldstein, J. L. 1983, "A central spectrum model: a synthesis of auditory-nerve timing and place cues in monaural communication of frequency spectrum", *Journal of the Acoustical Society of America*, vol. 73 no. 4, pp. 1266-1276.
- Stevens, K. N. & Halle, M. 1967, "Remarks on analysis by synthesis and distinctive features," in *Models for the perception of speech and visual form*, W. Wathen-Dunn, ed., MIT Press, Cambridge, Massachusetts, pp. 88-102.
- Sutter, M. L. 2000, "Shapes and level tolerances of frequency tuning curves in primary auditory cortex: quantitative measures and population codes", *Journal of Neurophysiology*, vol. 84, pp. 1012-1025.
- Todd, N. P. M., O'Boyle, D. J., & Lee, C. S. 1999, "A sensory-motor theory of rhythm, time perception and beat induction", *Journal of New Music Research*, vol. 28 no. 1, pp. 5-28.
- Tomlinson, R. W. W. & Langner, G. 1998. *Temporal processing in the auditory system: the functional significance of neural noise*, NATO Advanced Study Institute, pp. 123-128.
- Townshend, B. & White, R. L. 1987, "Reduction of Electrical Interaction in Auditory Prostheses", *IEEE Transactions on Biomedical Engineering*, vol. 34 no. 11, pp. 891-897.

References

- Townshend, B., Cotter, N., Van Compernolle, D., & White, R. L. 1987, "Pitch perception by cochlear implant subjects", *Journal of the Acoustical Society of America*, vol. 82 no. 1, pp. 106-115.
- van den Honert, C. & Stypulkowski, P. H. 1987a, "Temporal response patterns of single auditory nerve fibers elicited by periodic electrical stimuli", *Hearing Research*, vol. 29, pp. 207-222.
- van den Honert, C. & Stypulkowski, P. H. 1987b, "Single fiber mapping of spatial excitation patterns in the electrically stimulated auditory nerve", *Hearing Research*, vol. 29, pp. 195-206.
- van Wieringen, A. & Wouters, J. 1999, "Gap detection in single- and multiple-channel stimuli by LAURA cochlear implantees", *Journal of the Acoustical Society of America*, vol. 106 no. 4, pp. 1925-1939.
- Wakefield, G. H. & Nelson, D. A. 1985, "Extension of a temporal model of frequency discrimination: intensity effects in normal and hearing-impaired listeners", *Journal of the Acoustical Society of America*, vol. 77 no. 2, pp. 613-619.
- Wang, G., Vannier, M. W., Skinner, M. W., Kalender, W. A., Polacin, A., & Ketten, D. R. 1996, "Unwrapping cochlear implants by spiral CT", *IEEE Transactions on Biomedical Engineering*, vol. 43 no. 9, pp. 891-900.
- West, R. W. & Ogden, R. T. 1994. *Continuous-time estimation of a change-point in a Poisson process*. Technical Report no. 185, Dept of Statistics, University of South Carolina.
- Westerman, L. A. & Smith, R. L. 1984, "Rapid and short-term adaptation in auditory nerve responses", *Hearing Research*, vol. 15, pp. 249-260.
- Wever, E. G. 1949, *Theory of hearing*, Wiley, New York.
- Wiegredt, L. & Winter, I. M. 2000, "Psychophysics and physiology of regular-interval noise: critical experiments for current pitch models and evidence for a 1st order, temporal pitch code," in *Physiological and psychophysical bases of auditory function*, A. J. M. Houtsma et al., eds., Proceedings of the 12th International Symposium of Hearing, Mierlo, The Netherlands, pp. 106-112.

References

- Wier, C. C., Jesteadt, W., & Green, D. M. 1977, "Frequency discrimination as a function of frequency and sensation level", *Journal of the Acoustical Society of America*, vol. 61 no. 1, pp. 178-184.
- Wilson, B., Finley, C., Lawson, D., Wolford, R., Eddington, B., & Rabinowitz, B. 1991, "Better speech recognition with cochlear implants", *Nature*, vol. 352, pp. 236-238.
- Wolpert, D. M., Ghahramani, Z., & Jordan, M. I. 1995, "An internal model for sensorimotor integration", *Science*, vol. 269, pp. 1880-1882.
- Zhang, W., Salvi, R. J., & Saunders, S. S. 1990, "Neural correlates of gap detection in auditory nerve fibers of the chinchilla", *Hearing Research*, vol. 46, pp. 181-200.
- Zimmerman, C. E., Burgess, B. J., & Nadol, J. B. 1995, "Patterns of degeneration in the human cochlear nerve", *Hearing Research*, vol. 90, pp. 192-201.
- Zwicker, E. & Fastl, H. 1990, *Psychoacoustics. Facts and Models*. Springer-Verlag, Berlin.
- Zwolan, T. A., Collins, L. M., & Wakefield, G. H. 1997, "Electrode discrimination and speech recognition in postlingually deafened adult cochlear implant subjects", *Journal of the Acoustical Society of America*, vol. 102 no. 6, pp. 3673-3685.
- Zwolan, T. A., Kileny, P. R., Boerst, A. K., Collins, L. A., & Telian, S. A. 1997, "Electrode discrimination using monopolar and bipolar stimulation with the Nucleus multichannel cochlear implant," in *Abstracts of the 1997 annual midwinter meeting, Association for Research in Otolaryngology*, Abstract #231.