

- static effect of DL-alpha-difluoromethylornithine against *Plasmodium falciparum* and its reversal by diamines and spermidine. *Parasitol Res* **73**, 313–318.
- Bachrach, U. and Abu-Elheiga, L. (1990) Effect of polyamines on the activity of malarial alpha-like DNA polymerase. *Eur J Biochem* **191**, 633–637.
- Barnes, K. I., Durrheim, D. N., Little, F., Jackson, A., Mehta, U., Allen, E., Dlamini, S. S., Tsoka, J., Bredenkamp, B., Mthembu, D. J., White, N. J. and Sharp, B. L. (2005) Effect of artemether-lumefantrine policy and improved vector control on malaria burden in KwaZulu-Natal, South Africa. *PLoS Med* **2**, e330.
- Barnes, K. I., Lindegardh, N., Ogundahunsi, O., Olliaro, P., Plowe, C. V., Randrianarivelojosia, M., Gbotosho, G. O., Watkins, W. M., Sibley, C. H. and White, N. J. (2007) World Antimalarial Resistance Network (WARN) IV: clinical pharmacology. *Malar J* **6**, 122.
- Barnes, K. I., Watkins, W. M. and White, N. J. (2008) Antimalarial dosing regimens and drug resistance. *Trends Parasitol* **24**, 127–134.
- Barnum, D., Greene, J., Smellie, A. and Sprague, P. (1996) Identification of common functional configurations among molecules. *J Chem Inf Comput Sci* **36**, 563–571.
- Batchelor, K. W., Smith, R. A. and Watson, N. S. (1986) Dicyclohexylamine is not an inhibitor of spermidine synthase *Biochem J* **233**, 307–308.
- Biagini, G. A., O'Neill, P. M., Bray, P. G. and Ward, S. A. (2005) Current drug development portfolio for antimalarial therapies. *Curr Opin Pharmacol* **5**, 473–478.
- Birkholtz, L., van Brummelen, A. C., Clark, K., Niemand, J., Marechal, E., Llinas, M. and Louw, A. I. (2008a) Exploring functional genomics for drug target and therapeutics discovery in Plasmodia. *Acta Trop* **105**, 113–123.
- Birkholtz, L.-M., Bastien, O., Wells, G., Grando, D., Joubert, F., Kasam, V., Zimmermann, M., Ortet, P., Jacq, N., Saidani, N., Roy, S., Hofmann-Apitius, M., Breton, V., Louw, A. I. and Marechal, E. (2006) Integration and mining of malaria molecular, functional and pharmacological data: how far are we from a chemogenomic knowledge space? *Malar J* **5**, 110.
- Birkholtz, L.-M., Blatch, G., Coetzer, T. L., Hoppe, H. C., Human, E., Morris, E. J., Ngcete, Z., Oldfield, L., Roth, R., Shonhai, A., Stephens, L. and Louw, A. I. (2008b)

- Heterologous expression of plasmodial proteins for structural studies and functional annotation. *Malar J* **7**, 197.
- Birkholtz, L.-M., Wrenger, C., Joubert, F., Wells, G. A., Walter, R. D. and Louw, A. I. (2004) Parasite-specific inserts in the bifunctional S-adenosylmethionine decarboxylase/ornithine decarboxylase of *Plasmodium falciparum* modulate catalytic activities and domain interactions. *Biochem J* **377**, 439–448.
- Bissantz, C., Folkers, G. and Rognan, D. (2000) Protein-based virtual screening of chemical databases. 1. Evaluation of different docking/scoring combinations. *J Med Chem* **43**, 4759–4767.
- Bitonti, A. J., McCann, P. P. and Sjoerdsma, A. (1987) *Plasmodium falciparum* and *Plasmodium berghei*: effects of ornithine decarboxylase inhibitors on erythrocytic schizogony. *Exp Parasitol* **64**, 237–243.
- Bitonti, A. J., Sjoerdsma, A., McCann, P. P., Kyle, D. E., Oduola, A. M., Rossan, R. N., Milhous, W. K. and Davidson, D. E. (1988) Reversal of chloroquine resistance in malaria parasite *Plasmodium falciparum* by desipramine. *Science* **242**, 1301–1303.
- Blundell, T. L., Sibanda, B. L., Montalvao, R. W., Brewerton, S., Chelliah, V., Worth, C. L., Harmer, N. J., Davies, O. and Burke, D. (2006) Structural biology and bioinformatics in drug design: opportunities and challenges for target identification and lead discovery. *Philos Trans R Soc Lond B Biol Sci* **361**, 413–423.
- Blunt, J. W., Copp, B. R., Hu, W.-P., Munro, M. H. G., Northcote, P. T. and Prinsep, M. R. (2008) Marine natural products. *Nat Prod Rep* **25**, 35–94.
- Bohm, H. J. (1992) LUDI: rule-based automatic design of new substituents for enzyme inhibitor leads. *J Comput Aided Mol Des* **6**, 593–606.
- Bohm, H. J. (1994) The development of a simple empirical scoring function to estimate the binding constant for a protein-ligand complex of known three-dimensional structure. *J Comput Aided Mol Des* **8**, 243–256.
- Bourne, P. E. and Wiessig, H. (2003) *Structural Bioinformatics* John Wiley & Sons-VCH Verlag GmbH & Co. KGaA, Weinheim.
- Bowman, A. L., Lerner, M. G. and Carlson, H. A. (2007a) Protein flexibility and species specificity in structure-based drug discovery: dihydrofolate reductase as a test system.

- J Am Chem Soc* **129**, 3634–3640.
- Bowman, W. H., Tabor, C. W. and Tabor, H. (1973) Spermidine biosynthesis. Purification and properties of propylamine transferase from *Escherichia coli*. *J Biol Chem* **248**, 2480–2486.
- Breman, J. G. (2001) The ears of the hippopotamus: manifestations, determinants, and estimates of the malaria burden. *Am J Trop Med Hyg* **64**, 1–11.
- Brooks, B. R., Bruccoleri, R. E., Olafson, B. D., States, D. J., Swaminathan, S. and Karplus, M. (1983) CHARMM: a program for macromolecular energy, minimization, and dynamics calculations. *Journal of Computational Chemistry* **4**, 187–217.
- Brunger, A. T. (1992) Free R value: a novel statistical quantity for assessing the accuracy of crystal structures. *Nature* **355**, 472–475.
- Bryson, K. and Greenall, R. J. (2000) Binding sites of the polyamines putrescine, cadaverine, spermidine and spermine on A- and B-DNA located by simulated annealing. *J Biomol Struct Dyn* **18**, 393–412.
- Burger, P. B., Birkholtz, L.-M., Joubert, F., Haider, N., Walter, R. D. and Louw, A. I. (2007) Structural and mechanistic insights into the action of *Plasmodium falciparum* spermidine synthase. *Bioorg Med Chem* **15**, 1628–1637.
- Burgess, S. J., Selzer, A., Kelly, J. X., Smilkstein, M. J., Riscoe, M. K. and Peyton, D. H. (2006) A chloroquine-like molecule designed to reverse resistance in *Plasmodium falciparum*. *J Med Chem* **49**, 5623–5625.
- Bursulaya, B. D., Totrov, M., Abagyan, R. and Brooks, C. L. (2003) Comparative study of several algorithms for flexible ligand docking. *J Comput Aided Mol Des* **17**, 755–763.
- Byers, T. L., Bush, T. L., McCann, P. P. and Bitonti, A. J. (1991) Antitrypanosomal effects of polyamine biosynthesis inhibitors correlate with increases in *Trypanosoma brucei* S-adenosyl-L-methionine. *Biochem J* **274**, 527–533.
- Byers, T. L., Ganem, B. and Pegg, A. E. (1992) Cytostasis induced in L1210 murine leukaemia cells by the S-adenosyl-L-methionine decarboxylase inhibitor 5'-[(Z)-4-amino-2-butenyl]methylamino)-5'-deoxyadenosine may be due to hypusine depletion. *Biochem J* **287**, 717–724.
- Caffrey, C. R. and Steverding, D. (2008) Recent initiatives and strategies to developing

- new drugs for tropical parasitic disease *Expert Opinion in Drug Discovery* **3**, 173–186.
- Cambell, P., Butler, D., Clayton, J. and Jones, N. (2004) Malaria. The long road to a healthy Africa *Nature Outlook* **430**, 925–944.
- Caraglia, M., Budillon, A., Vitale, G., Lupoli, G., Tagliaferri, P. and Abbruzzese, A. (2000) Modulation of molecular mechanisms involved in protein synthesis machinery as a new tool for the control of cell proliferation. *Eur J Biochem* **267**, 3919–3936.
- Carlson, H. A., Masukawa, K. M., Rubins, K., Bushman, F. D., Jorgensen, W. L., Lins, R. D., Briggs, J. M. and McCammon, J. A. (2000a) Developing a dynamic pharmacophore model for HIV-1 integrase. *J Med Chem* **43**, 2100–2114.
- Carlson, H. A. and McCammon, J. A. (2000a) Accommodating protein flexibility in computational drug design. *Mol Pharmacol* **57**, 213–218.
- Casimiro, S., Coleman, M., Hemingway, J. and Sharp, B. (2006) Insecticide resistance in *Anopheles arabiensis* and *Anopheles gambiae* from Mozambique. *J Med Entomol* **43**, 276–282.
- Causton, H. C., Quackenbush, J. and Brazma, A. (2003) *Microarray Gene Expression Data Analysis* Blackwell Science Ltd.
- Chothia, C. and Lesk, A. M. (1986) The relation between the divergence of sequence and structure in proteins. *EMBO J* **5**, 823–826.
- Ciulli, A., Williams, G., Smith, A. G., Blundell, T. L. and Abell, C. (2006) Probing hot spots at protein-ligand binding sites: a fragment-based approach using biophysical methods. *J Med Chem* **49**, 4992–5000.
- Clarage, J. B., Romo, T., Andrews, B. K., Pettitt, B. M. and Phillips, G. N. (1995) A sampling problem in molecular dynamics simulations of macromolecules. *Proc Natl Acad Sci U S A* **92**, 3288–3292.
- Clark, R. L., White, T. E. K., Clode, S. A., Gaunt, I., Winstanley, P. and Ward, S. A. (2004) Developmental toxicity of artesunate and an artesunate combination in the rat and rabbit. *Birth Defects Res B Dev Reprod Toxicol* **71**, 380–394.
- Clement, O. O. and Mehl, A. T. (2000) HipHop: Pharmacophore based on multiple common-feature alignments *Pharmacophore Preception, Perception and Use in Drug Discovery*, Ed: O F Guner International University Line 69–87.

- Coleman, M., Casimiro, S., Hemingway, J. and Sharp, B. (2008) Operational impact of DDT reintroduction for malaria control on *Anopheles arabiensis* in Mozambique. *J Med Entomol* **45**, 885–890.
- Cruciani, G., editor (2006) *Molecular Interaction Fields* Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim.
- Damm, K. L. and Carlson, H. A. (2006) Gaussian-weighted RMSD superposition of proteins: a structural comparison for flexible proteins and predicted protein structures. *Biophys J* **90**, 4558–4573.
- Damm, K. L. and Carlson, H. A. (2007) Exploring experimental sources of multiple protein conformations in structure-based drug design. *J Am Chem Soc* **129**, 8225–8235.
- Damm, K. L., Ung, P. M. U., Quintero, J. J., Gestwicki, J. E. and Carlson, H. A. (2008) A poke in the eye: inhibiting HIV-1 protease through its flap-recognition pocket. *Biopolymers* **89**, 643–652.
- Davis, R. H. (1990) Management of polyamine pools and the regulation of ornithine decarboxylase. *J Cell Biochem* **44**, 199–205.
- de Beer, T. A. P., Louw, A. I. and Joubert, F. (2006) Elucidation of sulfadoxine resistance with structural models of the bifunctional *Plasmodium falciparum* dihydropterin pyrophosphokinase-dihydropteroate synthase. *Bioorg Med Chem* **14**, 4433–4443.
- de Souza, J. B., Todd, J., Krishegowda, G., Gowda, D. C., Kwiatkowski, D. and Riley, E. M. (2002) Prevalence and boosting of antibodies to *Plasmodium falciparum* glycosylphosphatidylinositols and evaluation of their association with protection from mild and severe clinical malaria. *Infect Immun* **70**, 5045–5051.
- Deng, J., Lee, K. W., Sanchez, T., Cui, M., Neamati, N. and Briggs, J. M. (2005) Dynamic receptor-based pharmacophore model development and its application in designing novel HIV-1 integrase inhibitors. *J Med Chem* **48**, 1496–1505.
- Deng, J., Sanchez, T., Neamati, N. and Briggs, J. M. (2006) Dynamic pharmacophore model optimization: identification of novel HIV-1 integrase inhibitors. *J Med Chem* **49**, 1684–1692.
- Dorofeyeva, L. V. (1975) Obtaining of measles virus haemagglutinin from strain L-16 grown in primary cell cultures. *Acta Virol* **19**, 497.

- Dror, O., Shulman-Peleg, A., Nussinov, R. and Wolfson, H. J. (2004) Predicting molecular interactions in silico: I. A guide to pharmacophore identification and its applications to drug design. *Curr Med Chem* **11**, 71–90.
- Dufe, V. T., Qiu, W., Muller, I. B., Hui, R., Walter, R. D. and Al-Karadaghi, S. (2007) Crystal Structure of *Plasmodium falciparum* Spermidine Synthase in Complex with the Substrate Decarboxylated S-adenosylmethionine and the Potent Inhibitors 4MCHA and AdoDATO. *J Mol Biol* **373**, 167–177.
- Duffy, P. E. and Mutabingwa, T. K. (2004) Drug combinations for malaria: time to ACT? *Lancet* **363**, 3–4.
- Dunkel, M., Fullbeck, M., Neumann, S. and Preissner, R. (2006) SuperNatural: a searchable database of available natural compounds. *Nucleic Acids Res* **34**, D678–D683.
- Egan, T. J. (2001) Structure-function relationships in chloroquine and related 4-aminoquinoline antimalarials. *Mini Rev Med Chem* **1**, 113–123.
- Egan, T. J. and Kaschula, C. H. (2007) Strategies to reverse drug resistance in malaria. *Curr Opin Infect Dis* **20**, 598–604.
- Ekins, S., Ring, B. J., Bravi, G., Winkel, J. H. and Wringhton, S. A. (2000) Predicting drug-drug interactions in silico using pharmacophores: A paradigm for the next generation *Pharmacophore Perceptions, Development, and Use in Drug Design Guner O F Ed; IUL Biotechnology Series* 269–293.
- Ellis, K. E., Clough, B., Saldanha, J. W. and Wilson, R. J. (2001) Nifs and Sufs in malaria. *Mol Microbiol* **41**, 973–981.
- Fanello, C. I., Karema, C., van Doren, W., Overmeir, C. V., Ngamiye, D. and D’Alessandro, U. (2007) A randomised trial to assess the safety and efficacy of artemether-lumefantrine (Coartem) for the treatment of uncomplicated *Plasmodium falciparum* malaria in Rwanda. *Trans R Soc Trop Med Hyg* **101**, 344–350.
- Fernandes, N. E. P., Cravo, P. and do Rosario, V. E. (2007) Sulfadoxine-pyrimethamine resistance in Maputo, Mozambique: presence of mutations in the dhfr and dhps genes of *Plasmodium falciparum* *Rev Soc Bras Med Trop* **40**, 447–450.
- Fidock, D. A., Rosenthal, P. J., Croft, S. L., Brun, R. and Nwaka, S. (2004) Antimalarial drug discovery: efficacy models for compound screening. *Nat Rev Drug Discov* **3**,

509–520.

- Flamigni, F., Stanic, I., Facchini, A., Cetrullo, S., Tantini, B., Borzi, R. M., Guarnieri, C. and Calderera, C. M. (2007) Polyamine biosynthesis as a target to inhibit apoptosis of non-tumoral cells. *Amino Acids* **33**, 197–202.
- Flemming, A. (2007) Malaria: New drug lead from Madagascar's rainforests *Nature Reviews Drug Discovery* **6**, 113.
- Foth, B. J., Ralph, S. A., Tonkin, C. J., Struck, N. S., Fraunholz, M., Roos, D. S., Cowman, A. F. and McFadden, G. I. (2003) Dissecting apicoplast targeting in the malaria parasite *Plasmodium falciparum*. *Science* **299**, 705–708.
- Freire, E. (1999) The propagation of binding interactions to remote sites in proteins: analysis of the binding of the monoclonal antibody D1.3 to lysozyme. *Proc Natl Acad Sci U S A* **96**, 10118–10122.
- Garcia-Sosa, A. T., Firth-Clark, S. and Mancera, R. L. (2005) Including tightly-bound water molecules in de novo drug design. Exemplification through the in silico generation of poly(ADP-ribose)polymerase ligands. *J Chem Inf Model* **45**, 624–633.
- Gardella, F., Assi, S., Simon, F., Bogreau, H., Eggelte, T., Ba, F., Foumane, V., Henry, M.-C., Kientega, P. T., Basco, L., Trape, J.-F., Lalou, R., Martelloni, M., Desbordes, M., Baragatti, M., Briolant, S., Almeras, L., Pradines, B., Fusai, T. and Rogier, C. (2008) Antimalarial drug use in general populations of tropical Africa. *Malar J* **7**, 124.
- Gardner, M. J., Hall, N., Fung, E., White, O., Berriman, M., Hyman, R. W., Carlton, J. M., Pain, A., Nelson, K. E., Bowman, S., Paulsen, I. T., James, K., Eisen, J. A., Rutherford, K., Salzberg, S. L., Craig, A., Kyes, S., Chan, M.-S., Nene, V., Shallom, S. J., Suh, B., Peterson, J., Angiuoli, S., Pertea, M., Allen, J., Selengut, J., Haft, D., Mather, M. W., Vaidya, A. B., Martin, D. M. A., Fairlamb, A. H., Fraunholz, M. J., Roos, D. S., Ralph, S. A., McFadden, G. I., Cummings, L. M., Subramanian, G. M., Mungall, C., Venter, J. C., Carucci, D. J., Hoffman, S. L., Newbold, C., Davis, R. W., Fraser, C. M. and Barrell, B. (2002) Genome sequence of the human malaria parasite *Plasmodium falciparum*. *Nature* **419**, 498–511.
- Gasteiger, E., Gattiker, A., Hoogland, C., Ivanyi, I., Appel, R. D. and Bairoch, A. (2003) ExPASy: The proteomics server for in-depth protein knowledge and analysis. *Nucleic*

- Acids Res* **31**, 3784–3788.
- Goda, H., Watanabe, T., Takeda, N., Kobayashi, M., Wada, M., Hosoda, H., Shirahata, A. and Samejima, K. (2004) Mammalian spermidine synthase—identification of cysteine residues and investigation of the putrescine binding site—. *Biol Pharm Bull* **27**, 1327–1332.
- Goede, A., Dunkel, M., Mester, N., Frommel, C. and Preissner, R. (2005) SuperDrug: a conformational drug database. *Bioinformatics* **21**, 1751–1753.
- Gohlke, H. and Klebe, G. (2002) Approaches to the description and prediction of the binding affinity of small-molecule ligands to macromolecular receptors. *Angew Chem Int Ed Engl* **41**, 2644–2676.
- Gonzalez, N. S., Huber, A. and Algranat, I. D. (2001) Spermidine is essential for normal proliferation of trypanosomatid protozoa. *FEBS Lett* **508**, 323–326.
- Goodford, P. (2005) *Molecular Interaction Fields: Applications in Drug Discovery and ADME Prediction* John Wiley & Sons Ltd.
- Goodsell, D. S., Morris, G. M. and Olson, A. J. (1996) Automated docking of flexible ligands: applications of AutoDock. *J Mol Recognit* **9**, 1–5.
- Greenwood, B. M., Fidock, D. A., Kyle, D. E., Kappe, S. H. I., Alonso, P. L., Collins, F. H. and Duffy, P. E. (2008) Malaria: progress, perils, and prospects for eradication. *J Clin Invest* **118**, 1266–1276.
- Guerra, C. A., Gikandi, P. W., Tatem, A. J., Noor, A. M., Smith, D. L., Hay, S. I. and Snow, R. W. (2008) The limits and intensity of *Plasmodium falciparum* transmission: implications for malaria control and elimination worldwide. *PLoS Med* **5**, e38.
- Gugliucci, A. (2004) Polyamines as clinical laboratory tools. *Clin Chim Acta* **344**, 23–35.
- Gund, P. (1977) Three-dimensional pharmacophoric pattern searching. *Progress in Molecular and Subcellular Biology* **5**, 117–143.
- Guner, O. F., editor (1999) *Pharmacophore Perception, Development, and Use in Drug Discovery* International University Line.
- Guner, O. F. (2002) History and evolution of the pharmacophore concept in computer-aided drug design. *Curr Top Med Chem* **2**, 1321–1332.
- Guo, K., Chang, W. T. and Newell, P. C. (1999) Isolation of spermidine synthase gene

- (spsA) of *Dictyostelium discoideum*. *Biochim Biophys Acta* **1449**, 211–216.
- Gupta, R. D., Krause-Ihle, T., Bergmann, B., Muller, I. B., Khomutov, A. R., Muller, S., Walter, R. D. and Luersen, K. (2005) 3-Aminoxy-1-aminopropane and derivatives have an antiproliferative effect on cultured *Plasmodium falciparum* by decreasing intracellular polyamine concentrations. *Antimicrob Agents Chemother* **49**, 7, 2857–2864.
- Ha, H. C., Sirisoma, N. S., Kuppusamy, P., Zweier, J. L., Woster, P. M. and Casero, R. A. (1998) The natural polyamine spermine functions directly as a free radical scavenger. *Proc Natl Acad Sci U S A* **95**, 11140–11145.
- Haider, N., Eschbach, M.-L., de Souza Dias, S., Gilberger, T.-W., Walter, R. D. and Luersen, K. (2005) The spermidine synthase of the malaria parasite *Plasmodium falciparum*: molecular and biochemical characterisation of the polyamine synthesis enzyme. *Mol Biochem Parasitol* **142**, 224–236.
- Hajduk, P. J. (2006) SAR by NMR: putting the pieces together. *Mol Interv* **6**, 266–272.
- Hajduk, P. J., Huth, J. R. and Fesik, S. W. (2005) Druggability indices for protein targets derived from NMR-based screening data. *J Med Chem* **48**, 2518–2525.
- Halperin, I., Ma, B., Wolfson, H. and Nussinov, R. (2002) Principles of docking: An overview of search algorithms and a guide to scoring functions. *Proteins* **47**, 409–443.
- Heby, O., Persson, L. and Rentala, M. (2007) Targeting the polyamine biosynthetic enzymes: a promising approach to therapy of African sleeping sickness, Chagas' disease, and leishmaniasis. *Amino Acids* **33**, 359–366.
- Heby, O., Roberts, S. C. and Ullman, B. (2003) Polyamine biosynthetic enzymes as drug targets in parasitic protozoa. *Biochem Soc Trans* **31**, 415–419.
- Henry, M., Alibert, S., Rogier, C., Barbe, J. and Pradines, B. (2008b) Inhibition of efflux of quinolines as new therapeutic strategy in malaria. *Curr Top Med Chem* **8**, 563–578.
- Hibasami, H., Tanaka, M., Nagai, J. and Ikeda, T. (1980) Dicyclohexylamine, a potent inhibitor of spermidine synthase in mammalian cells. *FEBS Lett* **116**, 99–101.
- Hillisch, A., Pineda, L. F. and Hilgenfeld, R. (2004) Utility of homology models in the drug discovery process. *Drug Discov Today* **9**, 659–669.
- Hoffman, R., Li, H. and Langer, T. (2000) Feature-Based Pharmacophores: Application to some Biological Systems *Pharmacophore Perception, Development and Use in Drug*

- Design Ed; O F Guner International University Line La Jolla California* 303–316.
- Hopkins, A. L., Witty, M. J. and Nwaka, S. (2007) Mission possible. *Nature* **449**, 166–169.
- Humphrey, W., Dalke, A. and Schulten, K. (1996) VMD: visual molecular dynamics. *J Mol Graph* **14**, 33–8, 27–8.
- Hyde, J. E. (2005) Drug-resistant malaria. *Trends Parasitol* **21**, 494–498.
- Igarashi, K., Sakamoto, I., Goto, N., Kashiwagi, K., Honma, R. and Hirose, S. (1982) Interaction between polyamines and nucleic acids or phospholipids. *Arch Biochem Biophys* **219**, 438–443.
- Ikeguchi, Y., Bewley, M. C. and Pegg, A. E. (2006) Aminopropyltransferases: function, structure and genetics. *J Biochem (Tokyo)* **139**, 1–9.
- Irwin, J. J. and Shoichet, B. K. (2005) ZINC—a free database of commercially available compounds for virtual screening. *J Chem Inf Model* **45**, 177–182.
- Jacobsson, M., Garedal, M., Schultz, J. and Karlen, A. (2008) Identification of *Plasmodium falciparum* spermidine synthase active site binders through structure-based virtual screening. *J Med Chem* **51**, 2777–2786.
- Jakus, J., Wolff, E. C., Park, M. H. and Folk, J. E. (1993) Features of the spermidine-binding site of deoxyhypusine synthase as derived from inhibitor studies *The Journal of Biological Chemistry* **268**, 13151–13159.
- Jin, Y., Bok, J. W., de Pena, D. G. and Keller, N. P. (2002) Requirement of spermidine for developmental transitions in *Aspergillus nidulans*. *Mol Microbiol* **46**, 801–812.
- Jones, G., Willett, P., Glen, R. C., Leach, A. R. and Taylor, R. (1997) Development and validation of a genetic algorithm for flexible docking. *J Mol Biol* **267**, 727–748.
- Kaiser, A., Gottwald, A., Maier, W. and Seitz, H. M. (2003) Targeting enzymes involved in spermidine metabolism of parasitic protozoa—a possible new strategy for anti-parasitic treatment. *Parasitol Res* **91**, 508–516.
- Kaiser, A., Gottwald, A., Wiersch, C., Lindenthal, B., Maier, W. and Seitz, H. M. (2001) Effect of drugs inhibiting spermidine biosynthesis and metabolism on the in vitro development of *Plasmodium falciparum*. *Parasitol Res* **87**, 963–972.
- Karyana, M., Burdarm, L., Yeung, S., Kenangalem, E., Wariker, N., Maristela, R., Umana, K. G., Vemuri, R., Okoseray, M. J., Penttinen, P. M., Ebsworth, P., Sug-

- iarto, P., Anstey, N. M., Tjitra, E. and Price, R. N. (2008) Malaria morbidity in Papua Indonesia, an area with multidrug resistant *Plasmodium vivax* and *Plasmodium falciparum*. *Malar J* **7**, 148.
- Khan, A. U., Mascio, P. D., Medeiros, M. H. and Wilson, T. (1992) Spermine and spermidine protection of plasmid DNA against single-strand breaks induced by singlet oxygen. *Proc Natl Acad Sci U S A* **89**, 11428–11430.
- Khedkar, S. A., Malde, A. K., Coutinho, E. C. and Srivastava, S. (2007) Pharmacophore modeling in drug discovery and development: an overview. *Med Chem* **3**, 187–197.
- Klayman, D. L. (1985) Qinghaosu (artemisinin): an antimalarial drug from China. *Science* **228**, 1049–1055.
- Knegtel, R. M., Kuntz, I. D. and Oshiro, C. M. (1997) Molecular docking to ensembles of protein structures. *J Mol Biol* **266**, 424–440.
- Kola, I. and Landis, J. (2004) Can the pharmaceutical industry reduce attrition rates? *Nat Rev Drug Discov* **3**, 711–715.
- Korolev, S., Ikeguchi, Y., Skarina, T., Beasley, S., Arrowsmith, C., Edwards, A., Joachimiak, A., Pegg, A. E. and Savchenko, A. (2002) The crystal structure of spermidine synthase with a multisubstrate adduct inhibitor. *Nat Struct Biol* **9**, 27–31.
- Krieger, E., Nielsen, J. E., Spronk, C. A. E. M. and Vriend, G. (2006) Fast empirical pKa prediction by Ewald summation. *J Mol Graph Model* **25**, 481–486.
- Krovat, E. M., Steindl, T. and Langer, T. (2005) Recent Advances in Docking and Scoring *Current Computer-Aided Drug Design* **1**, 93–102.
- Krudsood, S., Imwong, M., Wilairatana, P., Pukrittayakamee, S., Nonprasert, A., Snounou, G., White, N. J. and Looareesuwan, S. (2005) Artesunate-dapsone-proguanil treatment of falciparum malaria: genotypic determinants of therapeutic response. *Trans R Soc Trop Med Hyg* **99**, 142–149.
- Kuntz, I. D., Blaney, J. M., Oatley, S. J., Langridge, R. and Ferrin, T. E. (1982) A geometric approach to macromolecule-ligand interactions. *J Mol Biol* **161**, 269–288.
- Kurogi, Y. and Guner, O. F. (2001) Pharmacophore modeling and three-dimensional database searching for drug design using catalyst. *Curr Med Chem* **8**, 1035–1055.
- Lamb, M. L. and Jorgensen, W. L. (1997) Computational approaches to molecular recog-

- inition. *Curr Opin Chem Biol* **1**, 449–457.
- Laskowski, R. A. (2003) Structural quality assurance. *Methods Biochem Anal* **44**, 273–303.
- Laskowski, R. A., Moss, D. S. and Thornton, J. M. (1993) Main-chain bond lengths and bond angles in protein structures. *J Mol Biol* **231**, 1049–1067.
- Laufer, M. K., Djimde, A. A. and Plowe, C. V. (2007) Monitoring and deterring drug-resistant malaria in the era of combination therapy. *Am J Trop Med Hyg* **77**, 160–169.
- Leach, A. R. (2001) *Molecular Modelling* Prentice Hall.
- Lehane, A. M., Hayward, R., Saliba, K. J. and Kirk, K. (2008) A verapamil-sensitive chloroquine-associated H⁺ leak from the digestive vacuole in chloroquine-resistant malaria parasites. *J Cell Sci* **121**, 1624–1632.
- Lipinski, C. A. (2000) Drug-like properties and the causes of poor solubility and poor permeability. *J Pharmacol Toxicol Methods* **44**, 235–249.
- Ma, B., Kumar, S., Tsai, C. J. and Nussinov, R. (1999) Folding funnels and binding mechanisms. *Protein Eng* **12**, 713–720.
- Marrero-Ponce, Y., Iyarreta-Veitia, M., Montero-Torres, A., Romero-Zaldivar, C., Brandt, C. A., Avila, P. E., Kirchgatter, K. and Machado, Y. (2005) Ligand-based virtual screening and in silico design of new antimalarial compounds using nonstochastic and stochastic total and atom-type quadratic maps. *J Chem Inf Model* **45**, 1082–1100.
- McKie, J. H., Douglas, K. T., Chan, C., Roser, S. A., Yates, R., Read, M., Hyde, J. E., Dascombe, M. J., Yuthavong, Y. and Sirawaraporn, W. (1998) Rational drug design approach for overcoming drug resistance: application to pyrimethamine resistance in malaria. *J Med Chem* **41**, 1367–1370.
- Milne, G. W., Nicklaus, M. C. and Wang, S. (1998) Pharmacophores in drug design and discovery. *SAR QSAR Environ Res* **9**, 23–38.
- Moritz, E., Seidensticker, S., Gottwald, A., Maier, W., Hoerauf, A., Njuguna, J. T. and Kaiser, A. (2004) The efficacy of inhibitors involved in spermidine metabolism in *Plasmodium falciparum*, *Anopheles stephensi* and *Trypanosoma evansi*. *Parasitol Res* **94**, 37–48.

- Morris, G. M., Goodsell, D. S., Halliday, R. S., Huey, R., Hart, W. E., K, R., Belew and Olson, A. J. (1998) Automated Docking Using a Lamarckian Genetic Algorithm and an Empirical Binding Free Energy Function *J Computational Chemistry* **19**, 1639–1662.
- Muller, I. B., Gupta, R. D., Luersen, K., Wrenger, C. and Walter, R. D. (2008) Assessing the polyamine metabolism of *Plasmodium falciparum* as chemotherapeutic target. *Mol Biochem Parasitol* **160**, 1–7.
- Muller, S., Coombs, G. H. and Walter, R. D. (2001) Targeting polyamines of parasitic protozoa in chemotherapy. *Trends Parasitol* **17**, 242–249.
- Muller, S., Da'dara, A., Luersen, K., Wrenger, C., Gupta, R. D., Madhubala, R. and Walter, R. D. (2000) In the human malaria parasite *Plasmodium falciparum*, polyamines are synthesized by a bifunctional ornithine decarboxylase, S-adenosylmethionine decarboxylase. *J Biol Chem* **275**, 8097–8102.
- Muller, S., Liebau, E., Walter, R. D. and Krauth-Siegel, R. L. (2003) Thiol-based redox metabolism of protozoan parasites. *Trends Parasitol* **19**, 320–328.
- Nayeem, A., Sitkoff, D. and Krystek, S. (2006) A comparative study of available software for high-accuracy homology modeling: from sequence alignments to structural models. *Protein Sci* **15**, 808–824.
- Neamati, N. and Barchi, J. J. (2002) New paradigms in drug design and discovery. *Curr Top Med Chem* **2**, 211–227.
- N'Guessan, R., Corbel, V., Akogbeto, M. and Rowland, M. (2007) Reduced efficacy of insecticide-treated nets and indoor residual spraying for malaria control in pyrethroid resistance area, Benin. *Emerg Infect Dis* **13**, 199–206.
- Nielsen, J. E. and McCammon, J. A. (2003) On the evaluation and optimization of protein X-ray structures for pKa calculations. *Protein Sci* **12**, 313–326.
- Notredame, C., Higgins, D. G. and Heringa, J. (2000) T-Coffee: A novel method for fast and accurate multiple sequence alignment. *J Mol Biol* **302**, 205–217.
- Nwaka, S. and Hudson, A. (2006) Innovative lead discovery strategies for tropical diseases. *Nat Rev Drug Discov* **5**, 941–955.
- Olliaro, P. (2005) Drug resistance hampers our capacity to roll back malaria. *Clin Infect*

- Dis* **41 Suppl 4**, S247–S257.
- Oprea, T. I. and Tropsha, A. (2006) Target, chemical and bioactivity databases - integration is key. *Drug discovery Today: Technologies* **3**, 357–365.
- Palomer, A., Cabre, F., Pascual, J., Campos, J., Trujillo, M. A., Entrena, A., Gallo, M. A., Garcia, L., Mauleon, D. and Espinosa, A. (2002) Identification of novel cyclooxygenase-2 selective inhibitors using pharmacophore models. *J Med Chem* **45**, 1402–1411.
- Panagiotidis, C. A., Artandi, S., Calame, K. and Silverstein, S. J. (1995) Polyamines alter sequence-specific DNA-protein interactions. *Nucleic Acids Res* **23**, 1800–1809.
- Park, M. H., Wolff, E. C. and Folk, J. E. (1993) Hypusine: its post-translational formation in eukaryotic initiation factor 5A and its potential role in cellular regulation. *Biofactors* **4**, 95–104.
- Parkes, K. E. B., Ermert, P., Fassler, J., Ives, J., Martin, J. A., Merrett, J. H., Obrecht, D., Williams, G. and Klumpp, K. (2003) Use of a pharmacophore model to discover a new class of influenza endonuclease inhibitors. *J Med Chem* **46**, 1153–1164.
- Patel, Y., Gillet, V. J., Bravi, G. and Leach, A. R. (2002) A comparison of the pharmacophore identification programs: Catalyst, DISCO and GASP. *J Comput Aided Mol Des* **16**, 653–681.
- Pegg, A. E., Poulin, R. and Coward, J. K. (1995) Use of aminopropyltransferase inhibitors and of non-metabolizable analogs to study polyamine regulation and function. *Int J Biochem Cell Biol* **27**, 425–442.
- Pelta, J., Durand, D., Doucet, J. and Livolant, F. (1996) DNA mesophases induced by spermidine: structural properties and biological implications. *Biophys J* **71**, 48–63.
- Persson, K., Aslund, L., Grahn, B., Hanke, J. and Heby, O. (1998) *Trypanosoma cruzi* has not lost its S-adenosylmethionine decarboxylase: characterization of the gene and the encoded enzyme. *Biochem J* **333**, 527–537.
- Philippopoulos, M. and Lim, C. (1999) Exploring the dynamic information content of a protein NMR structure: comparison of a molecular dynamics simulation with the NMR and X-ray structures of Escherichia coli ribonuclease HI. *Proteins* **36**, 87–110.
- Phillips, J. C., Braun, R., Wang, W., Gumbart, J., Tajkhorshid, E., Villa, E., Chipot,

- C., Skeel, R. D., Kale, L. and Schulten, K. (2005) Scalable molecular dynamics with NAMD. *J Comput Chem* **26**, 1781–1802.
- Phillips, M. A. and Wang, C. C. (1987) A *Trypanosoma brucei* mutant resistant to alpha-difluoromethylornithine. *Mol Biochem Parasitol* **22**, 9–17.
- Poespoprodjo, J. R., Fobia, W., Kenangalem, E., Lampah, D. A., Warikar, N., Seal, A., McGready, R., Sugiarto, P., Tjitra, E., Anstey, N. M. and Price, R. N. (2008) Adverse pregnancy outcomes in an area where multidrug-resistant plasmodium vivax and *Plasmodium falciparum* infections are endemic. *Clin Infect Dis* **46**, 1374–1381.
- Price, R. N., Dorsey, G., Ashley, E. A., Barnes, K. I., Baird, J. K., d'Alessandro, U., Guerin, P. J., Laufer, M. K., Naidoo, I., Nosten, F., Olliaro, P., Plowe, C. V., Ringwald, P., Sibley, C. H., Stepniewska, K. and White, N. J. (2007) World Antimalarial Resistance Network I: clinical efficacy of antimalarial drugs. *Malar J* **6**, 119.
- Rabellotti, E., Sessa, A., Tunici, P., Bardocz, S., Grant, G., Pusztai, A. and Perin, A. (1998) Oxidative degradation of polyamines in rat pancreatic hypertrophy. *Biochim Biophys Acta* **1406**, 321–326.
- Ramachandran, G. N. (1963) Protein Structure and Crystallography. *Science* **141**, 288–291.
- Randrianarivelojosia, M., Raveloson, A., Randriamanantena, A., Juliano, J. J., Andrianjafy, T., Raharimalala, L. A. and Robert, V. (2008) Lessons learnt from the six decades of chloroquine use (1945-2005) to control malaria in Madagascar. *Trans R Soc Trop Med Hyg*.
- Rarey, M., Kramer, B., Lengauer, T. and Klebe, G. (1996) A fast flexible docking method using an incremental construction algorithm. *J Mol Biol* **261**, 470–489.
- Rec., W. E. (2007) Resistance to artemisinin derivatives along the Thai-Cambodian border *Wkly Epidemiol Rec* **82**, 360.
- Reeksting, S. (unpublished) *Metabolomic analyses of the malaria parasite after inhibition of polyamine biosynthesis* Master's thesis Natural and Agricultural Sciences, Department of Biochemistry, University of Pretoria.
- Reguera, R. M., Tekwani, B. L. and Balana-Fouce, R. (2005) Polyamine transport in parasites: a potential target for new antiparasitic drug development. *Comp Biochem*

- Physiol C Toxicol Pharmacol* **140**, 151–164.
- Roberts, S. C., Jiang, Y., Jardim, A., Carter, N. S., Heby, O. and Ullman, B. (2001) Genetic analysis of spermidine synthase from *Leishmania donovani*. *Mol Biochem Parasitol* **115**, 217–226.
- Rosenthal, P. J. (2003) Antimalarial drug discovery: old and new approaches. *J Exp Biol* **206**, 3735–3744.
- Ruiz-Chica, J., Medina, M. A., Sanchez-Jimenez, F. and Ramirez, F. J. (2001) Fourier transform Raman study of the structural specificities on the interaction between DNA and biogenic polyamines. *Biophys J* **80**, 443–454.
- Rulisa, S., Gatarayiha, J. P., Kabarisa, T. and Ndayisaba, G. (2007) Comparison of different artemisinin-based combinations for the treatment of *Plasmodium falciparum* malaria in children in Kigali, Rwanda, an area of resistance to sulfadoxine-pyrimethamine: artesunate plus sulfadoxine/pyrimethamine versus artesunate plus sulfamethoxypyrazine/pyrimethamine. *Am J Trop Med Hyg* **77**, 612–616.
- Ryall, J. C. (1987) Reversal of chloroquine resistance in falciparum malaria. *Parasitol Today* **3**, 256.
- Sali, A. and Blundell, T. L. (1993) Comparative protein modelling by satisfaction of spatial restraints. *J Mol Biol* **234**, 779–815.
- Sali, A., Potterton, L., Yuan, F., van Vlijmen, H. and Karplus, M. (1995) Evaluation of comparative protein modeling by MODELLER. *Proteins* **23**, 318–326.
- Sawyer, T. K. (2006) Smart drug discovery leveraging innovative technologies and predictive knowledge. *Nat Chem Biol* **2**, 646–648.
- Schafer, B., Hauber, I., Bunk, A., Heukeshoven, J., Dusedau, A., Bevec, D. and Hauber, J. (2006) Inhibition of multidrug-resistant HIV-1 by interference with cellular S-adenosylmethionine decarboxylase activity. *J Infect Dis* **194**, 740–750.
- Schlick (2002) *Molecular Modeling and Simulation An Interdisciplinary Guide* Springer.
- Schulz-Gasch, T. and Stahl, M. (2003) Binding site characteristics in structure-based virtual screening: evaluation of current docking tools. *J Mol Model* **9**, 47–57.
- Schwab, U., Allouche, A. and Doherty, J. F. (2005) Multidrug-resistant malaria from South Africa. *Clin Infect Dis* **40**, 493.

- Seiler, N., Delcros, J. G. and Moulinoux, J. P. (1996) Polyamine transport in mammalian cells. An update. *Int J Biochem Cell Biol* **28**, 843–861.
- Shahid, M., Ziegler, W., Kasam, V., Zimmermann, M. and Hofmann-Apitius, M. (2008) Virtual high throughput screening (vHTS) on an optical high speed testbed. *Stud Health Technol Inform* **138**, 125–134.
- Shirahata, A., Morohohi, T., Fukai, M., Akatsu, S. and Samejima, K. (1991) Putrescine or spermidine binding site of aminopropyltransferases and competitive inhibitors. *Biochem Pharmacol* **41**, 205–212.
- Shirahata, A., Takahashi, N., Beppu, T., Hosoda, H. and Samejima, K. (1993) Effects of inhibitors of spermidine synthase and spermine synthase on polyamine synthesis in rat tissues. *Biochem Pharmacol* **45**, 1897–1903.
- Sibley, C. H., Barnes, K. I., Watkins, W. M. and Plowe, C. V. (2008) A network to monitor antimalarial drug resistance: a plan for moving forward. *Trends Parasitol* **24**, 43–48.
- Smellie, A., Teig, S. L. and Towbin, P. (1995) Poling: Promoting conformational coverage *J Comp Chem* **16**, 171–187.
- Snow, R. W., Guerra, C. A., Mutheu, J. J. and Hay, S. I. (2008) International funding for malaria control in relation to populations at risk of stable *Plasmodium falciparum* transmission. *PLoS Med* **5**, e142.
- Snow, R. W., Guerra, C. A., Noor, A. M., Myint, H. Y. and Hay, S. I. (2005) The global distribution of clinical episodes of *Plasmodium falciparum* malaria. *Nature* **434**, 214–217.
- Sousa, S. F., Fernandes, P. A. and Ramos, M. J. (2006) Protein-ligand docking: current status and future challenges. *Proteins* **65**, 15–26.
- Spoel, D. V. D., Lindahl, E., Hess, B., Groenhof, G., Mark, A. E. and Berendsen, H. J. C. (2005) GROMACS: fast, flexible, and free. *J Comput Chem* **26**, 1701–1718.
- Stahl, M., Guba, W. and Kansy, M. (2006) Integrating molecular design resources within modern drug discovery research: the Roche experience. *Drug Discov Today* **11**, 326–333.
- Stevens, R. C. (2004) Long live structural biology *Nature Structural & Molecular Biology*

- 11**, 293–295.
- Sun, H. (2008) Pharmacophore-based virtual screening. *Curr Med Chem* **15**, 1018–1024.
- Sutter, J., Guner, O., Hoffman, R., Li, H. and Waldman, M. (2000) Effect of variable weights and tolerances on predictive model generation. Pharmacophore, Perception Development, and Use in Drug Design. *Ed; O Guner International University Line: La Jolla, CA, USA, 2000* 501–511.
- Swaan, P. W. and Ekins, S. (2005) Reengineering the pharmaceutical industry by crash-testing molecules. *Drug Discov Today* **10**, 1191–1200.
- Tabor, C. W. and Tabor, H. (1984) Methionine adenosyltransferase (S-adenosylmethionine synthetase) and S-adenosylmethionine decarboxylase. *Adv Enzymol Relat Areas Mol Biol* **56**, 251–282.
- Tangpukdee, N., Krudsood, S., Thanachartwet, V., Pengruksa, C., Phophak, N., Kano, S., Li, G., Brittenham, G. M., Looareesuwan, S. and Wilairatana, P. (2008) Efficacy of Artequick versus artesunate-mefloquine in the treatment of acute uncomplicated falciparum malaria in Thailand. *Southeast Asian J Trop Med Public Health* **39**, 1–8.
- Tarnchompoo, B., Sirichaiwat, C., Phupong, W., Intaraudom, C., Sirawaraporn, W., Kamchonwongpaisan, S., Vanichtanankul, J., Thebtaranonth, Y. and Yuthavong, Y. (2002) Development of 2,4-diaminopyrimidines as antimalarials based on inhibition of the S108N and C59R+S108N mutants of dihydrofolate reductase from pyrimethamine-resistant *Plasmodium falciparum*. *J Med Chem* **45**, 1244–1252.
- Tasanor, O., Ruengweerayut, R., Sirichaisinthop, J., Congpuong, K., Wernsdorfer, W. H. and Na-Bangchang, K. (2006) Clinical-parasitological response and in-vitro sensitivity of *Plasmodium vivax* to chloroquine and quinine on the western border of Thailand. *Trans R Soc Trop Med Hyg* **100**, 410–418.
- Taylor, M. C., Kaur, H., Blessington, B., Kelly, J. M. and Wilkinson, S. R. (2008) Validation of spermidine synthase as a drug target in African trypanosomes. *Biochem J* **409**, 563–569.
- Tjitra, E., Anstey, N. M., Sugiarto, P., Warikar, N., Kenangalem, E., Karyana, M., Lampah, D. A. and Price, R. N. (2008) Multidrug-resistant *Plasmodium vivax* associated with severe and fatal malaria: a prospective study in Papua, Indonesia. *PLoS Med* **5**,

- e128.
- Tracy, J. A. and Webster, L. T. (2001) *The Pharmacological basis of therapeutics: Chemotherapy of parasitic infections* McGraw Hill Inc.
- Tripathi, R. P., Mishra, R. C., Dwivedi, N., Tewari, N. and Verma, S. S. (2005) Current status of malaria control. *Curr Med Chem* **12**, 2643–2659.
- Urdiales, J. L., MA, M. and Sanchez-Jimenez, F. (2001) Polyamine metabolism revisited. *Eur J Gastroenterol Hepatol* **13**, 1015–1019.
- van Nieuwenhove, S., Schechter, P. J., Declercq, J., Bone, G., Burke, J. and Sjoerdsma, A. (1985) Treatment of gambiense sleeping sickness in the Sudan with oral DFMO (DL-alpha-difluoromethylornithine), an inhibitor of ornithine decarboxylase; first field trial. *Trans R Soc Trop Med Hyg* **79**, 692–698.
- van Schalkwyk, D. A., Walden, J. C. and Smith, P. J. (2001) Reversal of chloroquine resistance in *Plasmodium falciparum* using combinations of chemosensitizers. *Antimicrob Agents Chemother* **45**, 3171–3174.
- Venkatachalan, C. M., Kirchhoff, P. and Waldman, M. (2000) Receptor-Based Pharmacophore Perception and Modeling Molecular Simulations Inc., San Diego, California *Pharmacophore Perception, Development and Use in Drug Discovery Ed: OF Guner International University Line La Jolla California* 341–349.
- Verkhivker, G. M., Rejto, P. A., Bouzida, D., Arthurs, S., Colson, A. B., Freer, S. T., Gehlhaar, D. K., Larson, V., Luty, B. A., Marrone, T. and Rose, P. W. (2001) Parallel simulated tempering dynamics of ligand-protein binding with ensembles of protein conformations *Chemical Physics Letters* **337**, 181–189(9).
- Vriend, G. (1990) WHAT IF: a molecular modeling and drug design program. *J Mol Graph* **8**, 52–6, 29.
- Wagner, A. B. (2006) SciFinder Scholar 2006: an empirical analysis of research topic query processing. *J Chem Inf Model* **46**, 767–774.
- Wallace, A. C., Laskowski, R. A. and Thornton, J. M. (1995) LIGPLOT: a program to generate schematic diagrams of protein-ligand interactions. *Protein Eng* **8**, 127–134.
- Weina, P. J. (2008) Artemisinins from folklore to modern medicine—transforming an herbal extract to life-saving drugs. *Parassitologia* **50**, 25–29.

- Wemmer, D. E., Chou, S. H., Hare, D. R. and Reid, B. R. (1985) Duplex-hairpin transitions in DNA: NMR studies on CGCGTATACGCG. *Nucleic Acids Res* **13**, 3755–3772.
- Wernsdorfer, W. H. and Payne, D. (1991) The dynamics of drug resistance in *Plasmodium falciparum*. *Pharmacol Ther* **50**, 95–121.
- White, N. (1999) Antimalarial drug resistance and combination chemotherapy. *Philos Trans R Soc Lond B Biol Sci* **354**, 739–749.
- Wishart, D. S., Knox, C., Guo, A. C., Cheng, D., Shrivastava, S., Tzur, D., Gautam, B. and Hassanali, M. (2008) DrugBank: a knowledgebase for drugs, drug actions and drug targets. *Nucleic Acids Res* **36**, D901–D906.
- Withers-Martinez, C., Carpenter, E. P., Hackett, F., Ely, B., Sajid, M., Grainger, M. and Blackman, M. J. (1999) PCR-based gene synthesis as an efficient approach for expression of the A+T-rich malaria genome. *Protein Eng* **12**, 1113–1120.
- Wongsrichanalai, C., Sirichaisinthop, J., Karwacki, J. J., Congpuong, K., Miller, R. S., Pang, L. and Thimasarn, K. (2001) Drug resistant malaria on the Thai-Myanmar and Thai-Cambodian borders. *Southeast Asian J Trop Med Public Health* **32**, 41–49.
- Wrenger, C., Luersen, K., Krause, T., Muller, S. and Walter, R. D. (2001) The *Plasmodium falciparum* bifunctional ornithine decarboxylase, S-adenosyl-L-methionine decarboxylase, enables a well balanced polyamine synthesis without domain-domain interaction. *J Biol Chem* **276**, 29651–29656.
- Wright, P. S., Byers, T. L., Cross-Doersen, D. E., McCann, P. P. and Bitonti, A. J. (1991) Irreversible inhibition of S-adenosylmethionine decarboxylase in *Plasmodium falciparum*-infected erythrocytes: growth inhibition in vitro. *Biochem Pharmacol* **41**, 1713–1718.
- Wu, H., Min, J., Ikeguchi, Y., Zeng, H., Dong, A., Loppnau, P., Pegg, A. E. and Plotnikov, A. N. (2007) Structure and mechanism of spermidine synthases. *Biochemistry* **46**, 8331–8339.
- Xavier, D., Karl, G., Bernhard, J., Dieter, S., van Gunsteren Wilfred F and E, M. A. (1999) Peptide Folding: When Simulation Meets Experiment *Angewandte Chemie International Edition* **38**, 236 – 240.
- Xue, H. Y. and Forsdyke, D. R. (2003) Low-complexity segments in *Plasmodium falciparum*

- parum* proteins are primarily nucleic acid level adaptations. *Mol Biochem Parasitol* **128**, 21–32.
- Yeh, I. and Altman, R. B. (2006) Drug Targets for *Plasmodium falciparum*: a post-genomic review/survey. *Mini Rev Med Chem* **6**, 177–202.
- Yeung, S., Pongtavornpinyo, W., Hastings, I. M., Mills, A. J. and White, N. J. (2004) Antimalarial drug resistance, artemisinin-based combination therapy, and the contribution of modeling to elucidating policy choices. *Am J Trop Med Hyg* **71**, 179–186.
- Yuvaniyama, J., Chitnumsub, P., Kamchonwongpaisan, S., Vanichtanankul, J., Sirawaraporn, W., Taylor, P., Walkinshaw, M. D. and Yuthavong, Y. (2003) Insights into antifolate resistance from malarial DHFR-TS structures. *Nat Struct Biol* **10**, 357–365.