

References

References

- Ahn Y., Sanseverino J. and Sayler G.S. 1999. Analysis of polycyclic aromatic hydrocarbon-degrading bacteria isolated from polluted soils. *Biodegradation* **10**: 149-157.
- Anderson I.C., Campbell C.D. and Prosser J.I. 2003. Diversity of fungi in organic soils under a moorland – Scots pine (*Pinus sylvestris* L.) gradient. *New Phytologist* **158**: 569-578.
- Andreoni V., Cavalca L., Rao M.A., Nocerino G., Bernasconi S., Dell'Amico E., Colombo M. and Gianfreda L. 2004. Bacterial communities and enzyme activities of PAH polluted soils. *Chemosphere* **57**: 401-412.
- Anzai Y., Kudo Y. and Oyaizu H. 1997. The phylogeny of the genera *Chryseomonas*, *Flavimonas* and *Pseudomonas* supports synonymy of these three genera. *International Journal of Systematic Bacteriology* **47**: 249-251.
- Applied Biosystems MicroSeq® ID 16S rDNA Full Gene Library V1.0
<http://docs.appliedbiosystems.com/pebiodevdocs/00113462.pdf>.

Aprill W., Sims R.C., Sims J.L. and Matthews J.E. 1990. Assessing detoxification and degradation of wood preserving and petroleum wastes in polluted soil. *Waste Management and Research* **8**: 45-65.

Arber W. 2000. Genetic variation: molecular mechanisms and impact on microbial evolution. *Microbiology Reviews* **24**: 1-7.

Atlas R.M. 1981. Microbial degradation of petroleum hydrocarbons: an environmental perspective. *Microbiological Reviews* **45**: 180-209.

Bahme J.B., Schroth M.N., Van Gundy S.D., Weinhold A.R. and Tolentino D.M. 1988. Effect of inocula delivery systems on rhizobacterial colonisation of underground organs of potato. *Phytopathology* **78**: 534-542.

Banks M.K. and Alleman J. 2002. Microbial indicators of bioremediation potential and success. *Hazardous substance research centres*. Georgia Tech Research Corporation. <http://www.hsrc.org/mw-microbial.html>.

Beauchamp C.J., Lévesque G., Prévost D. and Chalifour F.P. 2006. Isolation of free-living dinitrogen-fixing bacteria and their activity in compost containing de-inking paper sludge. *Bioresource Technology* **97**: 1002-1011.

Blackwood C.B., Marsh T., Kim S.H. and Paul E.A. 2003. Terminal restriction fragment length polymorphism data analysis for quantitative comparison of

microbial communities. *Applied and Environmental Microbiology* **69**: 926-932.

Blagodatskaya E.V., Ermolaev A.M. and Myakshina T.N. 2004. Ecological strategies of soil microbial communities under plants of meadow ecosystems. *Biology Bulletin* **31**: 620-627.

Bodelier P.L.E., Meima-Franke M., Zwart G. and Laanbroek H.J. 2005. New DGGE strategies for the analysis of methanotrophic microbial communities using different combinations of existing 16S rRNA-based primers. *Microbiology Ecology* **52**: 163-174.

Bogan B.W., Lahner L.M., Trbovic V., Szajkovics A.M. and Paterek J.R. 2001. Effects of alkylphosphates and nitrous oxide on microbial degradation of polycyclic aromatic hydrocarbons. *Applied and Environmental Microbiology* **67**: 2139-2144.

Boon N., De Windt W., Verstraete W. and Top E.M. 2002. Evaluation of nested PCR-DGGE (denaturing gradient gel electrophoresis) with group-specific 16S rRNA primers for the analysis of bacterial communities from different wastewater treatment plants. *Microbiology Ecology* **39**: 101-112

Bredell J.H. 1987. South African coal reserves, explained and analysed. *Geological Survey of South Africa Internal Report*. Summarised from: De Jager F.S.J. 1983. Coal reserves of the Republic of South Africa - an evaluation

at the end of 1982. *Department of Mineral and Energy Affairs Geological Survey*. Bulletin 74: ISBN 0 621 08387 9.

Bundy J.G., Paton G.I. and Campbell. 2002. Microbial communities in different soil types do not converge after diesel contamination. *Journal of Applied Microbiology* 92: 276-288.

Chan Y.K. 2006. Utilization of simple phenolics for dinitrogen fixation by soil diazotrophic bacteria. *Plant and Soil* 90: 141-150.

Chang bioscience. 2004. Primo Melt 3.4: PCR primer design for DGGE and TGGE.
<http://www.changbioscience.com/primo/primomel.html>.

Coclin L., Manzano M., Cantoni C. and Comi G. 2001 Denaturing gradient gel electrophoresis analysis of the 16S rRNA gene V1 region to monitor dynamic changes in the bacterial population during fermentation of Italian sausages. *Applied and Environmental Microbiology* 67: 5113-5121.

Cottrell M.T. and Kirchman D.L. 2000. Community Composition of Marine Bacterioplankton Determined by 16S rRNA Gene Clone Libraries and Fluorescence In Situ Hybridization. *Applied and Environmental Microbiology* 66: 5116–5122.

Curtis T.P. and Craine N.G. 1998. The comparison of the diversity of activated sludge plants. *Water Science Technology* 37: 71-78.

Curtis T.P. and Sloan W.T. 2005. Microbiology: on microbial diversity. *Science* **301**: 1331.

D'Arcy Lameta A. and Jay M. 1987. Study of soybean and lentil root exudates. *Plant and Soil* **101**: 267-272.

Da Silva K.R.A., Salles J.F., Seldin L. and Van Elsas J.D. 2003a. Application of a novel *Paenibacillus*-specific PCR-DGGE method and sequence analysis to assess the diversity of *Paenibacillus* spp. in the maize rhizosphere. *Journal of Microbiological Methods* **54**: 213-231.

Da Silva M., Cerniglia C.E., Pothuluri J.V., Canhos V.P. and Esposito E. 2003b. Screening filamentous fungi isolated from estuarine sediments for the ability to oxidize polycyclic aromatic hydrocarbons. *World Journal of Microbiology and Biotechnology* **19**: 399-405.

Dauga C. 2002. Evolution of the *gyrB* gene and the molecular phylogeny of *Enterobacteriaceae*: a model molecule for molecular systematic studies. *International Journal of Systematic and Evolutionary Microbiology* **52**: 531-547.

Davidov Y., Huchon D., Koval S.F. and Jurkevitch E. 2006. A new α -proteobacterial clade of *Bdellovibrio*-like predators: implications for the mitochondrial endosymbiotic theory. *Environmental Microbiology* **8**: 2179-2188.

Davies J.I. and Evans W.C. 1964. Oxidative metabolism of naphthalene by soil pseudomonads. The ring fusion mechanism. *Journal of Biochemistry* **91**: 251-261.

Deacon J. 2004. The microbial world: the nitrogen cycle and nitrogen fixation. Institute of cell and molecular biology, University of Edinburgh.
<http://helios.bto.ed.ac.uk/bto/microbes/nitrogen.htm>.

Dejonghe W., Boon N., Seghers D., Top E.M. and Verstraete W. 2001. Bioaugmentation of soils by increasing microbial richness, missing links. *Environmental Microbiology* **3**: 649-657.

DME. March 2003. Integrated energy plan for the Republic of South Africa. Department of Minerals and Energy. Pp. 1-29.

Doran J.W. and Zeiss M.R. 2000. Soil health and sustainability: managing the biotic component of soil quality. *Applied Soil Ecology* **15**: 3-11.

Duineveld B.M., Kowalchuk G.A., Keijzer A., Van Elsas J.D. and Van Veen J.A. 2001. Analysis of bacterial communities in the rhizosphere of Chrysanthemum via denaturing gradient gel electrophoresis of PCR-amplified 16S rRNA as well as DNA fragments coding for 16S rRNA. *Applied and Environmental Microbiology* **67**: 172-178.

Eckford R., Cook F.D., Saul D., Aislabie J. and Foght J. 2002. Free-living heterotrophic nitrogen-fixing bacteria isolated from fuel-polluted antarctic soils. *Applied and Environmental Microbiology* **68**: 5181-5185.

England L.S., Vincent M.L., Trevors J.T. and Holmes S.B. 2004. Extraction, detection and persistence of extracellular DNA in forest litter microcosms. *Molecular and Cellular Probes* **18**: 313-319.

Ferris M.J. and Ward D.M. 1997. Seasonal distributions of dominant 16S rRNA-defined communities in a hot spring microbial mat examined by denaturing gradient gel electrophoresis. *Applied and Environmental Microbiology* **63**: 1375-1381.

Ferris M.J., Muyzer G. and Ward D.M. 1996. Denaturing gradient gel electrophoresis profiles of 16S rRNA-defined communities inhabiting a hot spring microbial mat community. *Applied and Environmental Microbiology* **62**: 340-346.

Fjellbirkeland A., Torsvik V. and Øvreås L. 2001. Methanotrophic diversity in an agricultural soil as evaluated by denaturing gradient gel electrophoresis profiles of *pmoA*, *mxaF* and 16S rDNA sequences. *Antonie van Leeuwenhoek* **79**: 209-217.

Foucher A.L.J.L., Bongers T., Noble L.R. and Wilson M.J. 2004. Assesment of nematode biodiversity using DGGE of 18S rDNA following extraction of nematodes from soil. *Soil Biology and Biochemistry* **36**: 2027-2032.

Fromin N., Hamelin J., Tarnawski S., Roesti D., Jourdain-Miserez K., Forestier N., Teyssier-Cuvelle S., Gillet F., Aragno M. and Rossi P. 2002. Statistical analysis of denaturing gel electrophoresis (DGE) fingerprinting patterns. *Environmental Microbiology* **4**: 634-643.

Garland J.L. and Mills A.L. 1991. Classification and characterisation of heterotrophic microbial communities on the basis of patterns of community-level-sole-carbon-source utilisation. *Applied and Environmental Microbiology* **57**: 2351-2359.

Gelsomino A., Keijzer-Wolters A.C., Cacco G. and Van Elsas J.D. 1999. Assessment of bacterial community structure in soil by polymerase chain reaction and denaturing gradient gel electrophoresis. *Journal of Microbiological Methods* **38**: 1-15.

Gibson D.T. and Parales R.E. 2000. Aromatic hydrocarbon dioxygenases in environmental biotechnology. *Current Opinions in Biotechnology* **11**: 236-243.

Gillan D.C. 2004. The effect of an acute copper exposure on the diversity of a microbial community in North Sea sediments as revealed by DGGE analysis – the importance of the protocol. *Marine Pollution Bulletin* **49**: 504-513.

Girvan M.S., Bullimore J., Pretty J.N., Osborn A.M. and Ball A.S. 2003. Soil type is the primary determinant of the composition of the total and active bacterial communities in arable soils. *Applied and Environmental Microbiology* **69**: 1800-1809.

Glass N.L. and Donaldson G.C. 1995. Development of primer sets designed for use with the PCR to amplify conserved genes from filamentous ascomycetes. *Applied and Environmental Microbiology* **61**: 1323-1330.

Glick B.R. 2003. Phytoremediation: synergistic use of plants and bacteria to clean up the environment. *Biotechnology Advances* **21**: 383-393.

Gold T. 1985. The origin of natural gas and petroleum, and the prognosis for future supplies. *Annual Reviews of Energy* **10**: 53-77.

Greer C., Masson L., Comeau Y., Brousseau R. and Samson R. 1993. Application of molecular biology techniques for isolating and monitoring pollutant degrading bacteria. *Canadian Journal of Water Pollution Research* **28**: 275-287.

Guerin T.F. 1999. Bioremediation of phenols and polycyclic aromatic hydrocarbons in creosote polluted soil using ex-situ land treatment. *Journal of Hazardous Materials* **B65**: 305-315.

Gussin G.N., Ronson C.W. and Ausubel F.M. 1986. Regulation of nitrogen fixation genes. *Annual Review of Genetics* **20**: 567-591.

Halden R.U., Tepp S.M., Halden B.G. and Dwyer D.F. 1999. Degradation of 3-phenoxybenzoic acid in soil by *Pseudomonas pseudoalcaligenes* POB310(pPOB) and two modified *Pseudomonas* strains. *Applied and Environmental Microbiology* **65**: 3354-3359.

Helms C. 1990. Method: denaturing gradient gel electrophoresis (DGGE).
http://hdklab.wustl.edu/lab_manual/dgge/dgge1.html.

Heuer H., Krsek M., Baker P., Smalla K., and Wellington E.M. 1997. Analysis of actinomycete communities by specific amplification of genes encoding 16S rRNA and gel-electrophoretic separation in denaturing gradients. *Applied and Environmental Microbiology* **63**: 3233-3241.

Hiltner L. 1904. Über neuere Erfahrungen und Probleme auf dem Gebiet der Bodenbakteriologie und unter besonderer Berücksichtigung der Grunddüngung und Brache. *Arb Deut Landw Gesell* **98**: 59-78.

Hugh R. and Leifson E. 1953. The taxonomic significance of fermentative versus oxidative metabolism of carbohydrates by various gram negative bacteria. *Journal of Bacteriology* **66**: 24-26.

International energy agency. 2006. 2003 energy balance for the world
<http://www.iea.org>.

Izaguirre-Mayoral M.L., Flores S. and Carballo O. 2002. Determination of acid phosphatase and dehydrogenase activities in the rhizosphere of nodulated legume species native to two contrasting savanna sites in Venezuela. *Biology and Fertility of Soils* **35**: 470-472.

Jackson C.R., Roden E.E. and Churchill P.F. 2000. Denaturing gradient gel electrophoresis can fail to separate 16S rDNA fragments with multiple base differences. *Molecular Biology Today* **2**: 49-51.

Janse I., Meima M., Kardinaal W.E.A. and Zwart G. 2003. High-resolution differentiation of cyanobacteria by using rRNA-internal transcribed spacer denaturing gradient gel electrophoresis. *Applied and Environmental Microbiology* **69**: 6634-6643.

Joner E.J., Corgié S.C., Amellal N. and Leyval C. 2002. Nutritional constraints to degradation of polycyclic aromatic hydrocarbons in a simulated rhizosphere. *Soil Biology and Biochemistry* **34**: 859-864.

Jordahl J.L., Foster L., Schnoor J.L. and Alvarez P.J.J. 1997. Effect of hybrid poplar trees on microbial communities important to hazardous waste bioremediation. *Environmental Toxicology and Chemistry* **16**: 1318-1321.

Kang H., Hwang S.Y., Kim Y.M., Kim E., Kim Y.S., Kim S.K., Kim S.W., Cerniglia C.E., Shuttleworth K.L. and Zylstra G.J. 2003. Degradation of phenanthrene and naphthalene by a *Burkholderia* species strain. *Canadian Journal of Microbiology* **49**: 139-144.

Kasai Y., Kishira H. and Harayama S. 2002. Bacteria belonging to the genus *Cycloclasticus* play a primary role in degradation of aromatic hydrocarbons released in a marine environment. *Applied and Environmental Microbiology* **68**: 5625-5633.

Kawai M., Matsutera E., Kanda H., Yamaguchi N., Tani K. and Nasu M. 2002. 16S ribosomal DNA-based analysis of bacterial diversity in purified water used in pharmaceutical manufacturing processes by PCR and denaturing gradient gel electrophoresis. *Applied and Environment Microbiology* **68**: 699-704.

Kaye J.P. and Hart S.C. 1997. Competition for nitrogen between plants and soil microorganisms. *Trends in Ecology and Evolution* **12**: 139-143.

Kent A.D. and Triplett E.W. 2002. Microbial communities and their interactions in soil and rhizosphere ecosystems. *Annual Reviews in Microbiology* **56**: 211-236.

Keyser M., Witthuhn R.C., Lamprecht C., Coetzee M.P.A. and Britz T.J. 2006. PCR-based DGGE fingerprinting and identification of methanogens detected in three different types of UASB granules. *Systematic and Applied Microbiology* **29**: 77-84.

Kim B.H., Park H.S., Kim H.J., Kim G.T., Chang I.S., Lee J. and Phung N.T. 2004. Enrichment of microbial community generating electricity using a fuel-cell-type electrochemical cell. *Applied Microbiology and Biotechnology* **63**: 672-681.

Kimura M. 1981. Estimation of evolutionary distances between homologous nucleotide sequences. *Proceedings of the National Academy of Sciences of the United States of America (PNAS)* **78**: 454-458.

Kirk J.L., Beaudette L.A., Hart M., Moutoglis P., Klironomos J.N., Lee H. and Trevors J.T. 2004. Methods of studying soil microbial diversity. *Journal of Microbiological Methods* **58**: 169-188.

Kitts C.L., Cunningham D.P. and Unkefer P.J. 1994. Isolation of three hexahydro-1,3,5-trinitro-1,3,5-triazine-degrading species of the family *Enterobacteriaceae* from nitramine explosive polluted soil. *Applied and Environmental Microbiology* **60**: 4608-4611.

Kleinsteuber S., Riis V., Fetzer I., Harms H. Müller S. 2006. Population dynamics within a microbial consortium during growth on diesel fuel in saline environments. *Applied and Environmental Microbiology* **72**: 3531-3542.

Koizumi Y., Kelly J.J., Nakagawa T., Urakawa H., El-Fanroussi S., Al-Muzaini S., Fukui M., Urushigawa Y. and Stahl D.A. 2002. Parallel characterisation of anaerobic toluene- and ethylbenzene-degrading microbial consortia by PCR-denaturing gradient gel electrophoresis, RNA-DNA membrane hybridisation, and DNA microarray technology. *Applied and Environmental Microbiology* **68**: 3215-3225.

Kowalchuk G.A., Gerards S. and Woldendorp J.W. 1997. Detection and characterization of fungal infections of *Ammophila arenaria* (Marram grass) roots by denaturing gradient gel electrophoresis of specifically amplified 18S rDNA. *Applied and Environmental Microbiology* **63**: 3858-3865.

Kozdrój J. and Van Elsas J.D. 2001. Structural diversity of microorganisms in chemically perturbed soil assessed by molecular and cytochemical approaches. *Journal of Microbiological Methods* **43**: 197-212.

Krebs C.J. 1994. *Ecology: The experimental analysis of distribution and abundance*. Harper Collins, New York.

Krieg N.R., Holt J.G., Murray R.G.E., Brenner D.J., Bryant M.P., Moulder J.W., Pfennig N., Sneath P.H.A. and Staley J.T. 1984. Bergey's manual of

systematic bacteriology. Volume 1. Williams and Wilkins, Baltimore, USA.

Pp 964.

Kuiper I. Lagendijk E.L. Bloemberg G. and Lugtenberg B.J.J. 2004.

Rhizoremediation: A beneficial plant-microbe interaction. *Molecular Plant Microbe Interaction* **17**: 6-15.

Lagacé L., Pitre M., Jacques M. and Roy D. 2004. Identification of the bacterial community of maple sap by using amplified ribosomal DNA (rDNA) restriction analysis and rDNA sequencing. *Applied and Environmental Microbiology* **70**: 2052-2060.

Lara E. 2005. Molecular analysis of the biodiversity of protists in hydrocarbon-polluted and pristine soils. PhD thesis. Université de Lausanne. Nationalité Espagnole, Lausanne.

Laurie A.D. and Lloyd-Jones G. 1999. The *phn* genes of *Burkholderia* sp. strain RP007 constitute a divergent gene cluster for polycyclic aromatic hydrocarbon catabolism. *Journal of Bacteriology* **181**: 531-540.

Lee K., Park J.W. and Ahn I.S. 2003. Effect of additional carbon source on naphthalene degradation by *Pseudomonas putida* G7. *Journal of Hazardous Materials* **B105**: 157-167.

Lee S.D., Kim E.S. and Hah Y.C. 2000. Phylogenetic analysis of the genera *Pseudonocardia* and *Actinobispora* based on 16S ribosomal DNA sequences. *Microbiology Letters* **182**: 125-129.

Leys N.M.E.J., Ryngaert A., Bastiaens L., Verstraete W., Top E.M. and Springael D. 2004. Occurrence and phylogenetic diversity of *Sphingomonas* strains in soils contaminated with polycyclic aromatic hydrocarbons. *Applied and Environmental Microbiology* **70**: 1944–1955.

Leys N.M., Ryngaert A., Bastiaens L., Wattiau P., Top E.M., Verstraete W. and Springael D. 2005. Occurrence and community composition of fast-growing *Mycobacterium* in soils polluted with polycyclic aromatic hydrocarbons. *Microbial Ecology* **51**: 375-388.

Li Z., Xu J., Tang C., Wu J., Muhammad A. and Wang H. 2006. Application of 16S rDNA-PCR amplification and DGGE fingerprinting for detection of shift in microbial diversity in Cu-, Zn-, and Cd-contaminated paddy soils. *Chemosphere* **62**: 1374-1380.

Liébecq C. 1992. *International Union of Pure and Applied Chemistry, International Union of Biochemistry and Molecular Biology, biochemical nomenclature and related documents*. 2nd edition. Portland Press, London.

Linderman R.G. 1988. Mycorrhizal interactions with the rhizosphere microflora: the mycorrhizosphere effect. *Phytopathology* **78**: 366-371.

Lindstrom J.E., Barry R.P. and Braddock J.F. 1999. Long-term effects on microbial communities after a subarctic oil spill. *Soil Biology and Biochemistry* **31**: 1677-1689.

MacNaughton S.J., Stephen J.R., Venosa A.D., Davis G.A., Chang Y.J. and White D.C. 1999. Microbial population changes during bioremediation of an experimental oil spill. *Applied and Environmental Microbiology* **65**: 3566-3574.

Maila M.P., Randima P. and Cloete T.E. 2005a. Multispecies and monoculture rhizoremediation of polycyclic aromatic hydrocarbons (PAHs) from the soil. *Journal of Phytoremediation* **7**: 87-98.

Maila M.P., Randima P., Surridge A.K.J., Drønen A.K. and Cloete T.E. 2005b. Evaluation of microbial diversity of different soil layers at a contaminated diesel site. *International Journal of Biodeterioration and Biodegradation* **55**: 39-44.

Manos J. and Belas R. 2006. The genera *Proteus*, *Providencia* and *Morganella*.
http://141.150.157.117:8080/prokPUB/chaphtm/333/01_00.htm.

Margesin R. and Schinner F. 2001. Bioremediation (natural attenuation and biostimulation) of diesel-oil-polluted soil in an Alpine Glacier skiing area. *Applied and Environmental Microbiology* **67**: 3127-3133.

Margesin R., Zimmerbauer A. and Schinner F. 2000. Monitoring of bioremediation by soil biological activities. *Chemosphere* **40**: 339-346.

Marshall M.N., Cocolin L., Mills D.A. and VanderGheynst J.S. 2003. Evaluation of PCR primers for denaturing gradient gel electrophoresis analysis of fungal communities in compost. *Journal of Applied Microbiology* **95**: 934-948.

McCaig A.E., Glover L.A. and Prosser J.I. 1999. Molecular analysis of bacterial community structure and diversity in unimproved and improved upland grass pastures. *Applied and Environmental Microbiology* **65**: 1721-1730.

Mehmannavaz R., Prasher S.O. and Ahmad D. 2002. Rhizospheric effects of alfalfa on biotransformation of polychlorinated biphenyls in a polluted soil augmented with *Sinorhizobium meliloti*. *Process Biochemistry* **37**: 955-963.

Meissner R., Nel P.C. and Beyers E.A. 1986. Allelopathic influence of *Tagetes*- and *Bidens*-infested soils on seedling growth of certain crop species. *South African Journal of Plant and Soil* **3**: 176-180.

Merkl N., Schultze-Kraft R. and Infante C. 2005. Phytoremediation in the tropics – influence of heavy crude oil on root morphological characteristics of graminoids. *Environmental Pollution* **138**: 86-91.

Meyer A.F. and Schmidt F.K. 2003. Discovery of new kingdom-level eukaryotic phylotypes from soil. Poster N-058 ASM General Meeting 2003. <http://www.colorado.edu/eeb/EEBprojects/schmidtlab/mo/newkings/newkings.htm>.

Milcic-Terzic J., Lopez-Vidal Y., Vrvic M.M. and Saval S. 2000. Biodegradation potential assessment of microbial consortia isolated from a diesel-polluted soil. *Water Science and Technology* 42: 403–406.

Milcic-Terzic J., Lopez-Vidal Y., Vrvic M.M. and Saval S. 2001. Detection of catabolic genes in indigenous microbial consortia isolated from a diesel-polluted soil. *Bioresource Technology* 78: 47-54.

Mishra S., Jyot J. Kuhad R.C. and Lal B. 2001. Evaluation of inoculum addition to stimulate in situ bioremediation of oily-sludge-polluted soil. *Applied and Environmental Microbiology* 67: 1675-1681.

Molobela I.P. 2005. Development of rhizoremediation as a treatment technology in the removal of polycyclic aromatic hydrocarbons (PAHs) from the environment. MSc dissertation, University of Pretoria.

Muratova A., Hübner T., Narula N., Wand H., Turkovskaya O., Kuschk P., Jahn R. and Merbach W. 2003. Rhizosphere microflora of plants used for the phytoremediation of bitumen-polluted soil. *Microbiological Research* 158: 151-161.

Muyzer G. 1999. DGGE/TGGE a method for identifying genes from natural ecosystems. *Current Opinions in Microbiology* **2**: 317-322.

Muyzer G., De Waal E.C. and Uitterlinden A.G. 1993. Profiling of complex microbial communities by denaturing gradient gel electrophoresis analysis of polymerase chain reaction-amplified genes coding for 16S rRNA. *Applied and Environmental Microbiology* **59**: 695-700.

NAAMSA. 2005. National association of automobile manufacturers of South Africa.
www.naamsa.co.za.

Nakatsu C.H., Torsvik V. and Øvreås L. 2000. Soil community analysis using DGGE of 16S rDNA polymerase chain reaction products. *American Journal of Soil Science* **64**: 1382-1388.

Nealson K. and Venter J.C. 2001. *The role of biotechnology in mitigating greenhouse gas concentrations*. U.S. Department of Energy, Office of Biological and Environmental Research.

Neimi R.M., Heiskanen I., Wallenius K. and Lindström K. 2001. Extraction and purification of DNA in rhizosphere soil samples for PCR-DGGE analysis of bacterial consortia. *Journal of Microbiological Methods* **45**: 155-165.

Norland S. 2004. Gel2K gel analysis software. University of Bergen, Norway.

<http://www.im.uib.no/~nimsn/program/>.

Nübel U., Garcia-Pichel F., Kühl M. and Muyzer G. 1999. Quantifying microbial diversity: morphotypes, 16S rRNA genes, and carotenoids of oxygenic phototrophs in microbial mats. *Applied and Environmental Microbiology* **65**: 422-430.

O' Callaghan M., Gerard E.M., Heilig G.H.J., Zhang H., Jackson T.A. and Glare T.R. 2003. Denaturing gradient gel electrophoresis – a tool for plant protection research. *New Zealand Plant Protection* **56**: 143-150.

O' Sullivan L.A. and Mahenthiralingam E. 2005. Biotechnological potential within the genus *Burkholderia*. *Letters in Applied Microbiology* **41**: 8-11.

Osborne C.A., Galic M., Sangwan P. and Panssen P.H. 2005. PCR-generated artefact from 16S rRNA gene-specific primers. *Microbiology Letters* **248**: 183-187.

Øvereås L. and Torsvik V. 1998. Microbial diversity and community structure in two different agricultural soil communities. *Microbial Ecology* **36**: 303-315.

Øvereås L., Forney L., Daae F.L. and Torsvik V. 1997. Distribution of bacterioplankton in meromictic lake Sælenvennet, as determined by denaturing gradient gel electrophoresis of PCR-amplified gene fragments

coding for 16S rRNA. *Applied and Environmental Microbiology* **63**: 3367-3373.

Palys T., Nakamura L.K. and Cohan F.M. 1997. Discovery and classification of ecological diversity in the bacterial world: the role of DNA sequence data. *International Journal of Systematic Bacteriology* **47**: 1145-1156.

Petersen D.G. and Dahllöf I. 2005. Improvements for comparative analysis of changes in diversity of microbial communities using internal standards in PCR-DGGE. *Microbiology Ecology* **53**: 339-348.

PetroNet SA. 2005. www.petronet.co.za.

Prenafeta-Boldú F.X., Vervoort J., Grotenhuis J.T.C. and Van Groenestijn J.W. 2002. Substrate interactions during the biodegradation of benzene, toluene, ethylbenzene, and xylene (BTEX) hydrocarbons by the fungus *Cladophialophora* sp. Strain T1. *Applied and Environmental Microbiology* **68**: 2660-2665.

Prescott L.M., Harley J.P. and Klein D.A. 1999. *Microbiology*. McGraw-Hill, Boston.

Purkhold U., Pommerening-Röser A., Juretschko S., Schmid M.C., Koops H.P. and Wagner M. 2000. Phylogeny of all recognised species of ammonia oxidizers based on comparative 16S rRNA and *amoA* sequence analysis: implications

for molecular diversity surveys. *Applied and Environmental Microbiology* **66**: 5368-5382.

Rahman K.S., Rahman T., Lakshmanaperumalsamy P. and Banat I.M. 2002. Occurrence of crude oil degrading bacteria in gasoline and diesel station soils. *Journal of Basic Microbiology* **42**: 284-291.

Reilley K.A., Banks M.K. and Schab A.P. 1996. Dissipation of polycyclic aromatic hydrocarbons in the rhizosphere. *Journal of Environmental Quality* **25**: 212-219.

Riis V., Kleinstuber S. and Babel W. 2003. Influence of high salinities on the degradation of diesel fuel by bacterial consortia. *Canadian Journal of Microbiology* **49**: 713-721.

Röling W.F.M., Milner M.G., Jones D.M., Lee K., Daniel F., Swannell R.J.P. and Head I.M. 2002. Robust hydrocarbon degradation and dynamics of bacterial communities during nutrient-enhanced oil spill bioremediation. *Applied and Environmental Microbiology* **68**: 5537-5548.

Rosado A.S., Duarte G.F., Seldin L. and Van Elsas J.D. 1998. Genetic diversity of *nifH* gene sequences in *Paenibacillus azotofixans* strains and soil samples analysed by denaturing gradient gel electrophoresis of PCR-amplified gene fragments. *Applied and Environmental Microbiology* **64**: 2770-2779.

Samanta S.K., Singh O.V. and Jain R.K. 2002. Polycyclic aromatic hydrocarbons: environmental pollution and bioremediation. *Trends in Biotechnology* **20**: 243-248.

Sanderson K.E. 1976. Genetic relatedness in the family Enterobacteriaceae. *Annual Review of Microbiology* **30**: 327-349.

Schneegurt M.A. and Kulpa C.F. 1998. The application of molecular techniques in environmental biotechnology for monitoring microbial systems. *Biotechnology and Applied Biochemistry* **27**: 73–79.

Schroth M.N. and Hildebrand D.C. 1964. Influence of plant exudates on root-infecting fungi. *Annual Review of Phytopathology* **2**: 101-132.

Schroth M.N. and Snyder W.C. 1961. Effect of host exudates on chlamydospore germination of the bean root rot fungus, *Fusarium solani* f. *phaseoli*. *Phytopathology* **51**: 389- 393.

Schwieger F. and Tebbe C.C. 1998. A new approach to utilize PCR-single-strand-conformation polymorphism for 16S rRNA gene-based microbial community analysis. *Applied and Environment Microbiology* **64**: 4870-4876.

Sei K., Mori K., Kohno T. and Maki H. 2003. Development and application of PCR primers for monitoring alkane-degrading bacteria in a seawater microcosm

during crude oil degradation process. *Journal of Chemical Engineering of Japan* **36**: 1185-1193.

Sekiguchi H., Watanabe M., Nakahara T., Xu B. and Uchiyama H. 2002. Succession of bacterial community structure along the Changjiang River determined by denaturing gradient gel electrophoresis and clone library analysis. *Applied and Environmental Microbiology* **68**: 5142-5150.

Sheffield V.C., Cox D.R., Lerman L.S. and Myers R.M. 1989. Attachment of a 40-base-pair G+C-rich sequence (GC-clamp) to genomic DNA fragments by the polymerase chain reaction results in improved detection of single base changes. *Proceedings of the National Academy of Sciences of the United States of America (PNAS)* **86**: 232-236.

Siciliano S.D., Germida J.J., Banks K. and Greer C.W. 2003. Changes in microbial community composition and function during a polycyclic aromatic hydrocarbon phytoremediation field trial. *Applied and Environmental Microbiology* **69**: 483-489.

Simonet P., Grosjean M.C., Misra A.K., Nazaret S., Cournoyer B. and Normand P. 1991. *Frankia*: a genus-specific characterisation by polymerase reaction. *Applied and Environmental Microbiology* **57**: 3278-3286.

Sjöling S. and Cowan D.A. 2003. High 16S rDNA bacterial diversity in glacial meltwater lake sediment, Bratina Island, Antarctica. *Extremophiles* **7**: 275-282.

Smalla K., Wachtendorf U., Heuer H., Lui W.T. and Forney L. 1998. Analysis of BIOLOG GN substrate utilisation patterns by microbial communities. *Applied and Environmental Microbiology* **64**: 1220-1225.

Smalla K., Wieland G., Buchner A., Zock A., Parzy J., Kaiser S., Roskot N., Heuer H. and Berg G. 2001. Bulk and rhizosphere soil bacterial communities studied by denaturing gradient gel electrophoresis: plant-dependent enrichment and seasonal shifts revealed. *Applied and Environmental Microbiology* **67**: 4742-4751.

Stamper D.M., Walch M. and Jacobs R.N. 2003. Bacterial population changes in a membrane bioreactor for Graywater treatment monitored by denaturing gradient gel electrophoretic analysis of 16S rRNA gene fragments. *Applied and Environmental Microbiology* **69**: 852-860.

Steffen K., Lang E., Wiesche C., Zadrazil F. and Hatakka A. 2003. Bioremediation potential of white-rot fungi: Treatment of PAH-polluted soil.
<http://www.nessling.fi/symposiot/Symposio2/steffen.htm>.

Stephen J.R., Chang Y.J., Gan Y.D., Peacock A., Pfiffner S.M., Barcelona M.J., White D.C. and McNaughton S.J. 1999. Microbial characterisation of a JP-4

fuel-contaminated site using a combined lipid biomarker/polymerase chain reaction-denaturing gradient gel electrophoresis (PCR-DGGE)- based approach. *Environmental Microbiology* **1**: 231-241.

Struthers J.K., Jayachandran K. and Moorman T.B. 1998. Biodegradation of atrazine by *Agrobacterium radiobacter* J14a and use of this strain in bioremediation of polluted soil. *Applied and Environmental Microbiology* **64**: 3368-3375.

Surridge A.K.J., Drønen A.K. and Cloete T.E. 2004. Analysis of microbial communities from polluted soils in South Africa based on Denaturing Gradient Gel electrophoresis profiles. South African Microbiology Society. Stellenbosch. 4-7 April 2004. Conference proceeding.

Swofford D.L. 2000. PAUP* Phylogenetic analysis using parsimony (*and Other Methods), Version 4.0b8. Sinauer Associates, Sunderland, Massachusetts, USA.

Tamarin R.H. 1996. *Principles of genetics*, 5th edition. Ed. Sievers E.M. Wm. C. Brown Publishers. Pp 246, 662.

Tan K.H. 2005. Soil sampling, preparation and analysis. Second edition. Taylor and Francis. CRC press. Pp 623.

Temmerman R., Scheirlinck I., Huys G. and Swings J. 2003. Culture-independent analysis of probiotic products by denaturing gradient gel electrophoresis. *Applied and Environmental Microbiology* **69**: 220-226.

Tesar M., Reichenauer T.G. and Sessitsch A. 2002. Bacterial rhizosphere communities of black poplar and herbal plants to be used for phytoremediation of diesel fuel. *Soil Biology and Biochemistry* **34**: 1883-1892.

Theunissen J., Britz T.J., Torriani S. and Witthuhn R.C. 2005. Identification of probiotic microorganisms in South African products using PCR-based DGGE analysis. *International Journal of Food Microbiology* **98**: 11-21.

Thompson J.D., Gibson T.J., Plewniak F., Jeanmougin F. and Higgins D.G. 1994. The CLUSTAL_X windows interface, flexible strategies for multiple sequence alignment aided by quality analysis tools. *Nucleic Acids Research* **25**: 4876-4882.

Throbäck I.N., Enwall K., Jarvis Å. and Hallin S. 2004. Reassessing PCR primers targeting *nirs*, *nirK* and *nosZ* genes for community surveys of denitrifying bacteria with DGGE. *Applied and Environmental Microbiology* **49**: 401-417.

Torsvik V., Goksøyr J. and Daal F.L. 1990a. High diversity in DNA of soil bacteria. *Applied and Environmental Microbiology* **56**: 782-787.

Torsvik V., Salte K., Sorheim R. and Goksoyr J. 1990b. Comparison of phenotypic diversity and DNA heterogeneity in a population of soil bacteria. *Applied and Environmental Microbiology* **56**: 776-781.

Torsvik V., Daae F.L., Sandaa R.A. and Øvereås L. 1998. Novel techniques for analysing microbial diversity in natural and perturbed environments. *Journal of Biotechnology* **64**: 53-62.

Torsvik V. and Øvereås L. 2002. Microbial diversity and function in soil: from genes to ecosystems. *Current Opinion in Microbiology* **5**: 240-245.

Tuma R.S., Beaudet M.P., Jin X., Jones L.J., Cheung C.Y., Yue S. and Singer V.L. 1999. Characterisation of SYBR gold nucleic acid gel stain: a dye optimised for use with 300-nm ultraviolet transilluminators. *Analytical Biochemistry* **268**: 278-288.

Ueda T., Suga Y. and Matsuguchi T. 1995. Molecular phylogenetic analysis of a soil microbial community in a soybean field. *European Journal of Soil Science* **46**: 415-421.

Vallaey T., Topp E., Muyzer G., Macheret V., Laguerre G., Rigaud A. and Soulard G. 1997. Evaluation of denaturing gradient gel electrophoresis in the detection of 16S rDNA sequence variation in rhizobia and methanotrophs. *Microbiology Ecology* **24**: 279-285.

- Van Hannen E.J., Mooij W., Van Agterveld M.P., Gons H.J. and Laanbroek H.J. 1999. Detritus-dependent development of the microbial community in an experimental system: qualitative analysis by denaturing gradient gel electrophoresis. *Applied and Environmental Microbiology* **65**: 2478-2484.
- Volossiuk T., Robb E.J. and Nazar R.N. 1995. Direct DNA extraction for PCR-mediated assays of soil organisms. *Applied and Environmental Microbiology* **61**: 3972-3976.
- Von Wintzingerode F., Göbel U.B. and Stackebrandt E. 1997. Determination of microbial diversity in environmental samples: pitfalls of PCR-based analysis. *Microbiology Reviews* **21**: 213-229.
- Von Wintzingerode F., Böcker S., Schlötelburg C., Chiu N.H., Storm N., Jurinke C., Cantor C.R., Göbel U.B. and Van den Boom D. 2002. Base-specific fragmentation of amplified 16S rRNA genes analysed by mass spectrometry: A tool for rapid bacterial identification. *Proceedings of the National Academy of Sciences of the United States of America (PNAS)* **99**: 7039-7044.
- Wamberg C., Christensen S., Jakobsen I., Müller A.K. and Sørensen S.J. 2003. The mycorrhizal fungus (*Glomus intraradices*) affects microbial activity in the rhizosphere of pea plants (*Pisum sativum*). *Soil Biology and Biochemistry* **35**: 1349-1357.

Waples R.S. and Gaggiotti O. 2006. What is a population? An empirical evaluation of some genetic methods for identifying the number of gene pools and their degree of connectivity. *Molecular Ecology* **15**: 1419-1439.

Ward D.M., Ferris M.J., Nold S.C. and Bateson M.M. 1998. A natural view of microbial biodiversity within hot spring cyanobacterial mat communities. *Microbiological Molecular Biology Reviews* **62**: 1353-1370.

Warwick S., Bowen T., McVeigh H. and Embley T.M. 1994. A phylogenetic analysis of the family *Pseudonocardiaceae* and the genera *Actinokineospora* and *Saccharothrix* with 16S rRNA sequences and a proposal to combine the genera *Amycolata* and *Pseudonocardia* in an emended genus *Pseudonocardia*. *International Journal of Systematic Bacteriology* **44**: 293-299.

Watve M.G. and Gangal R.M. 1996. Problems in measuring bacterial diversity and a possible solution. *Applied and Environmental Microbiology* **62**: 4299-4301.

White D.C., Flemming C.A, Leung K.T. and MacNaughton S.J. 1998. In situ microbial ecology for quantitative appraisal, monitoring, and risk assessment of population remediation in soils, the subsurface, the rhizosphere and in biofilms. *Journal of Microbiological Methods* **32**: 93-105.

White T.J., Bruns T., Lee S. and Taylor J. 1990. PCR protocols. Pp 315–322. In: *Amplification and direct sequencing of fungal ribosomal RNA genes for*

phylogenetics. (Eds Innis MA, Gelfand DH, Sninsky JJ, White TJ). Academic Press, London.

Whyte L.G., Goalen B., Hawari J., Labbé D., Greer C.W. and Nahir M. 2001. Bioremediation treatability assessment of hydrocarbon-polluted soils from Eureka, Nunavut. *Cold Regions Science and Technology* **32**: 121-132.

Widada J., Nojiri H., Kasuga K., Yoshida T., Habe H. and Omori T. 2002. Molecular detection and diversity of polycyclic aromatic hydrocarbon-degrading bacteria isolated from geographically diverse sites. *Applied Microbiology and Biotechnology* **58**: 202-209.

Widmer F., Seidler R.J., Gillevet P.M., Watrud L.S. and Di Giovanni G.D. 1998. A highly selective PCR protocol for detecting 16S rRNA genes of the genus *Pseudomonas* (sensu stricto) in environmental samples. *Applied and Environmental Microbiology* **64**: 2545-2553.

Widmer F., Shaffer B.T., Porteous L.A. and Seidler R.J. 1999. Analysis of *nifH* gene pool complexity in soil and litter at a douglas fir forest site in the Oregon Cascade mountain range. *Applied and Environmental Microbiology* **65**: 374-380.

Wikipedia The Free Encyclopedia, August 2005, <http://en.wikipedia.org/wiki/Petrol>.

Wikipedia the Free Encyclopedia, November 2005a, http://en.wikipedia.org/wiki/Polycyclic_aromatic_hydrocarbons.

Wikipedia the Free Encyclopedia, November 2005b, <http://en.wikipedia.org/wiki/Naphthalene>.

Wikipedia the Free Encyclopedia, November 2005c, <http://en.wikipedia.org/wiki/Toluene>.

Wikipedia The Free Encyclopedia, January 2006a, <http://en.wikipedia.org/wiki/Pollution>.

Wikipedia. The Free Encyclopedia, January 2006b, <http://en.wikipedia.org/wiki/Hydrocarbon>.

Wikipedia. The Free Encyclopedia, January 2007, http://en.wikipedia.org/wiki/Catalase_test.

Willison J.C. 2004. Isolation and characterisation of a novel sphingomonad capable of growth with chrysene as sole carbon and energy source. *Microbiology Letters* **241**: 143-150.

Wolfe B.E. and Klironomos J.N. 2005. Breaking new ground: soil communities and exotic plant invasion. *BioScience* **55**: 477-488.

Woese C.R. 2000. Interpreting the universal phylogenetic tree. *Proceedings of the National Academy of Sciences of the United States of America (PNAS)* **97**: 8392-8396.

Wu X., Lee W.J. and Tseng C. 2005. ESTmapper: Efficiently aligning DNA sequences to genomes. Proceedings of 19th IEEE International Parallel and Distributed Processing Symposium (IPDPS). *IEEE Computer Society*.

Wu Y., Hayes V.M., Osinga J., Mulder I.M., Looman M.W.G., Buys C.H.C.M. and Hofstra R.M.W. 1998. Improvement of fragment and primer selection for mutation detection by denaturing gradient gel electrophoresis. *Nucleic Acids Research* **26**: 5432-5440.

Wünsche L., Brüggemann L. and Babel W. 1995. Determination of substrate utilisation patterns of soil microbial communities: An approach to assess population changes after hydrocarbon pollution. *Microbiology Ecology* **17**: 295-306.

Yeager C.M., Northup D.E., Grow C.C., Barns S.M. and Kuske C.R. 2005. Changes in nitrogen-fixing and ammonia oxidizing bacterial communities in soil of a mixed conifer forest after wildfire. *Applied and Environmental Microbiology* **71**: 2713-2722.

Zehr J.P. and McReynolds L.A. 1989. Use of degenerate oligonucleotides for amplification of the *nifH* gene from the marine cyanobacterium

Trichodesmium thiebautii. *Applied and Environmental Microbiology* **55**:
2522-2526.

Zepp R.G., Callaghan T.V. and Erickson D.J. 2003. Interactive effects of ozone depletion and climate change on biogeochemical cycles. *Photochemical and Photobiological Sciences* **2**: 51-61.

Zhang H. 2003. Standard operating procedures for collecting and handling soil samples in Oklahoma. *Production Technology PT 2003-5*.

Zhou J., Xia B., Treves D.S., Wu L.Y., Marsh T.L., O'Neill R.V., Palumbo A.V. and Tiedje J.M. 2002. Spatial and resource factors influencing high microbial diversity in soil. *Applied and Environmental Microbiology* **68**: 326-334.

Zuccaro A., Schultz B. and Mitchell J.I. 2003. Molecular detection of ascomycetes associated with *Ficus serratus*. *Mycological Research* **107**: 1451-1466.