

LIST OF REFERENCES

- ABU-AWWAD, A.M., 1999. Irrigation water management for efficient water-use in mulched onion. *J. Agro. & Crop Sci.* 183, 1-7.
- ATKINSON, D. & PORTER, J. R., 1996. Temperature, plant development and crop yields. *Trends in Plant Sci.* 1(4), 119-124.
- AL-AHMADI, M.J. & KAFI, M., 2007. Cardinal temperatures for germination of *Kochia scoparia* (L.). *J. Arid Environ.* 68, 308-314.
- ALI, A.L., VAN LEEUWEN, H.M. & KOOPMANS, R.K., 2001. Benefits of draining agricultural land in Egypt results of five years' monitoring of drainage effect and impacts. *Water Resour. Dev.* 17, 633-646.
- ALLEN, R.G., PEREIRA, L.S., RAES, D. & SMITH, M., 1998. Crop evapotranspiration. Guidelines for computing crop water requirements. Irrigation and Drainage Paper No. 56. Food and Agriculture Organization of the United Nations, Rome, Italy.
- ANNANDALE, J.G., BENADÉ, N., JOVANOVIC, N.Z., STEYN, J.M. & DU SAUTOY, N., 1999. Facilitating irrigation scheduling by means of the Soil Water Balance model. *Water Research Commission (WRC) Report* No 753/1/99, Pretoria, South Africa.
- ANTONY, E. & SINGANDHUPE, R.B., 2004. Impact of drip and surface irrigation on growth, yield and WUE of capsicum (*Capsicum annuum* L.). *Agric. Water Manage.* 65, 121-132.
- AZOOZ, R.H. & ARSHAD, M.A., 1998. Effect of tillage and residue management on barely and canola growth and water use efficiency. *Can. J. Soil Sci.* 78, 649-656.
- BADINI, O. & DIONI, L., 2001. Application of rainfall analysis, biophysical modelling and GIS to agroclimatic decision support in Madiama commune, Mali (West Africa). Available on:

<http://www.sanrem.uga.edu/sanrem/conferences/nov2801/waf/RainAnalBiophysicMo>. (Accessed 23/6/2006).

- BALLARE, C.L., SANCHEZ, R.A., SCOPEL, A.L., CASAL, J.J. & GHERSA, C.M., 1987. Early detection of neighbour plants by phytochrome perception of spectral changes in reflected sunlight. *Plant Cell Environ.* 10, 551-557.
- BATAL, K.K. & SMITTLE, D.A., 1981. Response of bell pepper to irrigation, nitrogen, and plant population. *J. Am. Soc. Hort. Sci.* 106 (3), 259-262.
- BEESE, F., HORTON, R. & WIERINGA, P.J., 1982. Growth and yield response to chile pepper to trickle irrigation. *Agron. J.* 74, 556-561.
- BORDOVSKY, D.G., JORDAN, W.R., HILER, E.A. & HOWELL, T.A., 1974. Choice of irrigation timing indicator for narrow row cotton. *Agron. J.* 66, 88-91.
- BOSLAND, P.W., 1992. Chiles: A diverse crop. *HortTech.* 2, 6-10.
- BRAVDO, B. & NAOR, T.C., 1996. Effect of water regime on productivity and quality of fruit and wine. *Acta Hort.* 427, 15-26.
- BURNS, R.L., COOK, D.J. & PHILLIPS, R.E., 1971. Influence of no tillage on soil water. *Agron. J.* 73, 593-596.
- BYRD, G.T. & MAY II, P.A., 2000. Physiological comparisons of switch grass cultivars differing in transpiration efficiency. *Crop Sci.* 40, 1271-1277.
- CAMPBELL, G.S. & DIAZ, R., 1988. Simplified soil-water balance models to predict crop transpiration. In: F.R. Bidinger & C. Johansen (eds.). *Drought research priorities for the dryland tropics*. ICRISAT, India.
- CAMPBELL, G.S. & GEE, G.W., 1986. Water potential: Miscellaneous methods. p. 619-633. In: A. Klute (ed.). *Methods of soil analysis. Part 1. Agronomy monograph No. 9*. Am. Soc. Agron. & SSSA, Madison, Wisconsin.
- CAMPBELL, G.S. & Norman, J.M., 1998. An introduction to Environmental Biophysics. 2nd ed. Springer Science+Business Media, Inc. New York, USA.

- CAMPBELL, G.S. & VAN EVERT, F.K., 1994. Light interception by plant canopies: Efficiency and architecture. p. 35-52. In: J.L. Monteith, R.K. Scott & M.H. Unsworth (eds.). Resource Capture by Crops. Nottingham Univ. Press.
- CANTLIFFEE, D.J. & PHATAK, S.C., 1975. Plant population studies with pickling cucumbers grown for once-over harvest. *J. Am. Soc. Hort. Sci.* 106, 464-466.
- CANTORE, V., BOARI, F. & CALIANDRO, A., 2000. Effect of split-root-system water stress on physiology and morphological aspects of pepper (*Capsicum annuum* L.). *Acta Hort.* 537, 321-328.
- CAO, W. & MOSS, D.N., 1989. Temperature effect on leaf emergence and phyllochron in wheat and barely. *Crop Sci.* 29, 1018-1021.
- CASSEL, D.K. & KLUTE, A., 1986. Water potential: Tensiometry. p. 563-596. In: A. Klute (ed.). Methods of soil analysis. Part 1. Agronomy monograph No. 9. *Am. Soc. Agron. & SSSA*, Madison, Wisconsin.
- CASTILLA, N. & FERERES, E., 1990. Tomato growth and yield in unheated plastic greenhouse in a Mediterranean climate. *Agri. Med.* 120, 31-40.
- CAVERO, J.R., ORTEGA, R.G. & GUTIERREZA, M., 2001. Plant density affects yield, yield components, and color of direct-seeded paprika pepper. *HortSci.* 36, 76-79.
- CHARTZOULAKIS, K. & DROSOS, N., 1997. Water requirements of greenhouse grown pepper under drip irrigation. *Acta Hort.* 449, 179-180.
- CHAVES, M.M. & OLIVEIRA, M.M., 2004. Mechanisms underlying plant resilience to water deficits: prospects for water-saving agriculture. *J. Exp. Bot.* 55 (407), 2365-2384.
- CHITALE, M.A., 1987. Water management in drought prone areas. *Water supp.* 5, 121-130.
- CHRISTENSEN, N.B., JONES, T.L. & KAUTA, G.J., 1994. Infiltration characteristics under no-till and clean till furrow irrigation. *Soil Sci. Soc. Am. J.* 58, 1495-1500.

- COLLINO, D.J., DARDANELLI, J.L., SERENO, R. & RACCA, R.W., 2000. Physiological responses of argentine peanut varieties to water stress: Water uptake and water-use efficiency. *Field Crops Res.* 68, 133-142.
- CONDON, A.G., RICHARDS, R.A., REBETZKE, G.J. & FARQUHAR, G.P., 2004. Breeding for high water-use efficiency. *J. Exp. Bot.* 55 (407), 2447-2460.
- CORTES, P.M. & SINCLAIR, T.R., 1986. Water relations of field grown soybean under drought. *Crop Sci.* 26, 993-998.
- COSTA, L.D. & GIANQUINTO, G., 2002. Water stress and water table depth influence yield, water-use efficiency, and nitrogen recovery in bell pepper: lysimeter studies. *Aust. J. Agric. Res.* 53, 201-210
- CRAUFURD, P.Q., QI, A., ELLIS, R.H., SUMMERFIELD R.J., ROBERTS, E.H. & MAHALAKSHMI, V., 1998. Effect of temperature on time to panicle initiation and leaf appearance in sorghum. *Crop Sci.* 38, 942-947.
- CRESSWELL, H.P., PAINTER, D.J. & CAMERON, K.C., 1993. Tillage and water content effects on surface soil hydraulic properties and short-wave albedo. *Soil Sci. Soc. Am. J.* 57, 816-824.
- CROSBY, C.T., 1996. SAPWAT 1.0 – A computer program for estimating irrigation requirements of Southern Africa. *Water Research Commission (WRC) Report* No. 379/1/96. Pretoria, South Africa.
- CROSBY, C.T. & CROSBY, C.P., 1999. A computer programme for establishing irrigation and scheduling strategies in SA. *Water Research Commission (WRC) Report* No 624/1/99. Pretoria, South Africa.
- DE JAGER, J.M., 1994. Accuracy of vegetation evaporation ratio formulae for estimating final wheat yield. *Water SA* 20 (4), 307-317.
- DEBAEKE, P. & ABOUDRARE, A., 2004. Adaptation of crop management to water-limited environments. *Euro. J. Agron.* 21, 433-446.
- DECOTEAU, D.R. & GRAHAM, H.A., 1994. Plant spatial arrangement affects growth, yield, and fruit distribution of Cayenne peppers. *HortSci.* 29(3), 149-151.

- DELFINE, S., ALVINO, A., LORETO, F. & SANTARELLI, G., 2000. Effects of water stress on the yield and photosynthesis of field-grown sweet pepper (*Capsicum annuum* L.). *Acta Hort.* 537, 223-229.
- DEMERS, D.A. & GOSSELIN, A., 2002. Growing greenhouse tomato and sweet pepper under supplemental lighting: Optimal photoperiod, negative effects of long photoperiod and their causes. *Acta Hort.* 580, 83-88.
- DENG, X.P., SHAN, L., MA, Y. & INANAGA, S., 2000. Diurnal oscillation in the intercellular CO₂ concentration of spring wheat under the semi-arid conditions. *Photosynthetica* 38, 187-192.
- DENG, X.P., SHAN, L., ZHANG, H. & TURNER, N.C., 2006. Improving agricultural water use efficiency in arid and semi-arid areas of China. *Agric. Water Manage.* 80, 23-40.
- DIMITROV, Z & OVTCHAROV, A.A., 1995. The productivity of peppers and tomatoes in case of insufficient water supply. p. 245-263. In: Proceedings of ICID Special Technical Session on the Role of Advanced Technologies in Irrigation and Drainage System.
- DOMINGO, R., RUIZ-SÁNCHEZ, M.C., SÁNCHEZ-BLANCO, N.J. & TORRECILLAS, A., 1996. Water relations, growth and yield of Fino lemon trees under regulated deficit irrigation. *Irrig. Sci.* 16, 115-123.
- DOORENBOS, J. & KASSAM, A.H., 1979. Yield response to water. Irrigation and Drainage Paper No. 33. Food and Agriculture Organization of the United Nations, Rome, Italy.
- DOORENBOS, J. & PRUITT, W.O., 1992. Guidelines for predicting water requirements. Irrigation and Drainage No. 24 (4th eds). Food and Agriculture Organization of the United Nations, Rome, Italy.
- DORJI, K., HEHBOUDIAN, M.H. & ZEGBE-DOMINGUEZ, J.A., 2005. Water relations, growth, yield, and quality of hot pepper under deficit irrigation and partial root zone drying. *Sci. Hort.* 104, 137-149.

- ELLIADES, G., 1988. Irrigation of greenhouse-grown cucumber. *J. Hort. Sci.* 63 (2), 235-239.
- ENGLISH, M.J., MUSIC, J.T. & MURTY, V.V.N., 1990. Deficit irrigation. p. 631-663. In: G.J. Hoffman, J.A. Howell & K.H. Solomon (eds.). Management of Farm Irrigation Systems. ASAE Monograph, Michigan.
- ENGLISH, M. & RAJA, S.N., 1996. Perspectives of deficit irrigation. *Agric. Water Manage.* 32, 1-14.
- FAO, 1989. Arid Zone Forestry: A Guide for Field Technicians.
www.fao.org/docrep/T0122E/t0122e00.HTM (Accessed 13/11/2009)
- FAO, 2007. Production yearbook. Food and Agriculture Organization of the United Nations, Rome, Italy.
- FERERES, E. & EVANS, R.G., 2006. Irrigation of fruit trees and vines: an introduction. *Irrig. Sci.* 24, 55-57.
- FERERES, E. & SORIANO, M.A., 2007. Deficit irrigation for reducing agricultural water use. *J. Exp. Bot.* 58 (2), 147-159.
- FISHER, R.A., 1981. Optimizing the use of water and nitrogen through breeding of crops. *Plant Soil* 58, 249-278.
- FLÉNET, F., KINIRY, J.R., BOARD, J.E., WESTGATE, M.E. & REICOSKY, C., 1996. Row spacings effects on light extinction coefficients of corn, sorghum, soybean, and sunflower. *Agron. J.* 88, 185-190.
- FREEDICTIONARY, 2008. <http://www.thefreedictionary.com/>. (Accessed 19/5/2008).
- FUKAI, S., SEARLE, C., BAIQUNI, H., CHOENTHONG, S. & KYWE, M. 1990. Growth and grain-yield of contrasting barely cultivars under different plant densities. *Field Crops Res.* 23, 239-254.
- GAMO, M., 1999. Classification of arid regions by climate and vegetation. *J. Arid Land Stud.* 1, 9-17.
- GAN, Y., STULEN, I., VAN KEULEN, H. & KUIPER, P.J.C., 2002. Physiological response of soybean genotypes to plant density. *Field Crops Res.* 74 (3), 231-241.

- GARCIA, R., KANEMASU, E.T., BLAD, B.L., BAUER, A., HATFIELD J.L., MAJOR, D.J., REGINATO, R.J. & HUBBARD, K.G., 1988. Interception and use efficiency of light in winter wheat under different nitrogen frequencies. *Agric. For. Meteor.* 44, 175-186.
- GARDNER, W.H., 1986. Water content. p. 493-544. In: A. Klute (ed.). *Methods of soil analysis*. Part 1. Agronomy monograph No. 9. Am. Soc. Agro. and SSSA, Madison, Wisconsin.
- GEREMEW, E.B., 2008. modeling the soil water balance to improve irrigation management of traditional irrigation schemes in Ethiopia. Ph.D. Thesis, University of Pretoria, Pretoria.
- GILMORE, E.C. & ROGERS, J.S., 1958. Heat units as a method of measuring maturity in corn. *Agron. J.* 50, 611-615.
- GOLDHAMER, D.A. & VIVEROS, M., 2000. Effects of preharvest irrigation cutoff durations and postharvest water deprivation on almond tree performance. *Irrig. Sci.* 19, 125-131.
- GOUDRIAAN, J., 1977. Crop Meteorology. A Simulation Study. Pudoc, Wageningen.
- HAMMER, G.L., FARQUHAR, G.D. & BROAD, I.J., 1997. On the extent of genetic variation for transpiration efficiency in soybean. *Aust. Agric. Res.* 48, 649-655.
- HATFIELD, J.L., SAUER, T.J. & PRUEGER, J.H., 2001. Managing soils to achieve greater water use efficiency: A review. *Agron. J.* 93, 271-280.
- HILL, R.W. & ALLEN, R.G., 1996. Simple irrigation calendar: A foundation for water management. In: Irrigation scheduling: from theory to practice: Proceeding of the ICID/FAO Workshop on Irrigation Scheduling, Rome, Italy, 12-13 September 1995.
- HILLEL, D., 1990. Role of irrigation in agricultural systems. p. 5-29. In: Stewart et al. (eds.). *Irrigation of Agricultural Crops*. Agronomy monograph 30, 5-29. Am. Soc. Agro. and SSSA, Madison, Wisconsin.
- HILLEL, D. & VLEK, P., 2005. The sustainability of irrigation. *Adv. Agron.* 87, 55-84.

- HODGES, T., 1991. Temperature and water stress effects on phenology. p. 7-14. In: T. Hodges (ed.). Predicting Crop Phenology. CRC Press, Boston.
- HODGES, T., & RITCHIE, J.T., 1991. The CERES-wheat phenology. p. 113-141. In: T. Hodges (ed.). Predicting Crop Phenology. CRC Press, Boston.
- HOME, P.G., PANDA, R.K. & KAR, S., 2002. Effects of methods and scheduling of irrigation on water and nitrogen use efficiency of Okra (*Abelmoschus esculentus*). *Agric. Water Manage.* 55, 159-170.
- HOWELL, T.A., 2001. Enhancing water use efficiency in irrigated agriculture. *Agron. J.* 93: 281-289.
- INNES, P., BLACKWELL, R.D. & QUARRIE, S.A., 1984. Some effects of genetic variation in drought-induced abscisic acid accumulation on the yield and water use of spring wheat. *J. Agric. Sci.* 102, 341-351.
- ISMAIL, M.R. & DAVIES, W.J., 1997. Water relations of capsicum genotypes under water stress. *Biol. Plan.* 39, 293-297.
- ITIER, B., MARAUX, F., RUELLE, P. & DEUMIER, J. M., 1996. Applicability and limitations of irrigation scheduling methods and techniques. p.19-32. In: M. Smith, L.S. Pereria, J. Berengena, B. Ltier, J. Goussard, R. Ragab, L. Tollefson & P. Van Hofwegen (eds.). Proceedings of the ICID/FAO Workshop on Irrigation Scheduling. 12-13 September 1995, Rome, Italy.
- JAGTAP, W.S. & JONES, J.W., 1989. Stability of crop coefficients under different climate and irrigation management practices. *Irrig. Sci.* 10, 231-244.
- JAIMEZ, R.E., RADA, F. & GARCIA-NUNEZ, C., 1999. The effect of irrigation frequency on water and carbon relations in three cultivars of sweet pepper (*Capsicum chinense* Jacq), in a tropical semi-arid region. *Sci. Hort.* 81, 301-308.
- JOEL, G., GAMON, J.A. & FIELD, C.B., 1997. Production efficiency in sunflower: The role of water and nitrogen stress. *Remote Sens. Environ.* 62, 176-188.
- JOHNSON, M.D., LOWERY, B. & DANIEL, T.C., 1984. Soil water frequencies of three conservation tillage systems. *Trans. of the ASAE.* 27, 1385-1390.

JOHNSON, R.R., GREEN, D.E. & JORDAN, C.W., 1982. What is best soybean row width? A US perspective. *Crops Soils*. 43, 19-23.

JOHNSON, R.S. & HANDLEY, D.F., 2000. Using water stress to control vegetative growth and productivity of temperate fruit trees. *HortSci.* 35, 1048-1050.

JOLLIFFE, P.A., 1988. Evaluating the effects of competitive interference on plant performance. *J. Theor. Biol.*, 130: 447-459.

JOLLIFFE, P. A. & GAYE, M-M., 1995. Dynamic of growth and yield component responses of bell peppers (*Capsicum annuum* L.) to low covers and population density. *Sci. Hort.* 62, 153-164.

JONES, H.G., 1992. Plants and microclimate: A Quantitative Approach to Environmental Plant Physiology, 2nd edn, Cambridge Univ. Press, Cambridge.

JONES, H.G., 2004. Irrigation scheduling: advantages and pitfalls of plant-based methods. *J. Exp. Bot.* 55 (407), 2427-2436.

JONES, H.G., 2008. Irrigation scheduling- comparison of soil, plant and atmosphere monitoring approaches. p. 391-404. In: I. Goodwin & M.G. O'Connell (eds.). Proceedings of Vth IS on Irrigation of Horticultural Crops. *Acta Hort.* 792.

JOVANOVIC, N.Z. & ANNANDALE, J.G., 1997. A laboratory evaluation of Watermark electrical resistance and Campbell Scientific 229 heat dissipation matric potential sensors. *Water SA* 23(3), 227-232.

JOVANOVIC, N.Z. & ANNANDALE, J.G., 1999. An FAO type crop factor modification to the SWB model for inclusion of crops with limited data: Examples for vegetable crops. *Water SA* 25(2), 181-189.

JOVANOVIC, N.Z. & ANNANDALE, J.G., 2000. Crop growth model parameters for 19 summer vegetable cultivars for use in mechanistic irrigation scheduling models. *Water SA* 26 (1), 67-76.

JOVANOVIC, N.Z., ANNANDALE, J.G. & BENNIE, A.T.P., 2002. Calibration and validation of the SWB irrigation scheduling model for soybean [*Glycine max*. (L.) Merr., indeterminate cv. Wayne]. *S. Afr. J. Plant and Soil* 19 (4), 165-172.

JOVANOVIC, N.Z., ANNANDALE, J.G. & MHLAULI, N.C., 1999. Field water balance and SWB parameters determination of six winter vegetable species. *Water SA* 25 (2), 191-196.

JOVANOVIC, N.Z., ANNANDALE, J.G. & NEL, A.A., 2000. Calibration and validation of the SWB model for sunflower (*Helianthus annuus* L.). *S. Afr. J. Plant Soil* 17 (3), 117-123.

JOVANOVIC, N.Z., ANNANDALE, J.G, CLAASSENS, A.S., LORENTZ, S.A., TANNER, P.D., AKEN, M.E. & HODGSON, F.S.I., 2004. Commercial production of crops irrigated with gypsiferous mine water. *Water SA* 28 (4), 413-422.

JUMBA, J.N. & LINDSAY, W., 2001. Impact of irrigation in Africa: paddies paradox. *Med. & Vet. Entom.* 15, 1-11.

KAHN, B.A., J.R. COOKSEY & MOTES, J.E., 1997. Within-row spacings effects on traits of importance to mechanical harvest in paprika-type peppers. *Sci. Hort.* 69, 31-39

KANG, S., ZHANG, L., XIAOTAO, H., ZHIJUN, L. & PETER, J., 2001. An improved water use efficiency for hot pepper grown under controlled alternate drip irrigation on partial roots. *Sci. Hort.* 89, 257-267.

KARLEN, D.L., KASPERBAUER, M.J. & ZUBLENA, J.P., 1987. Row spacings effects on corn in south eastern U.S. *J. Appl. Agric. Res.* 2, 65-73.

KASHYAP, P.S. & PANDA, R.K., 2003. Effect of irrigation scheduling on potato crop parameters under water stressed conditions. *Agric. Water Manage.* 59, 49-66.

KATERJI, N., MASTRORILLI, M. & HAMDY, A., 1993. Effects of water stress at different growth stages on pepper yield. *Acta Hort.* 335, 165-171.

KELLY, W.T. & BOYHAN, G., 2006. Commercial Pepper Production Handbook. The University of Georgia, Cooperative Extension.). Available on: <http://pubs.caes.uga.edu/caespubs/pubcd/B1309.HTM>. (Accessed 23/6/2007).

KETRING, D.L., 1984. Root diversity among peanut genotypes. *Crop Sci.* 24, 229-232.

- KINIRY, J.R., JONES, C.A., O'TOOLE, J.C., BLANCHET, R., CABELGUENNE, M. & SPANEL, D.A., 1989. Radiation use efficiency in biomass accumulation prior to grain filling for five grain crop species. *Field Crops Res.* 20, 51-64.
- KINIRY, J.R., WILLIAMS, J.J.R., VANDERLIP, R.L., ATWOOD, J.D., REICOSKY, D.C., MULLIKEN, J., COX, W.J., MASCAGNI, H.J., HOLLINGER, S.H. & WIEBOLD, W.J., 1997. Evaluation of two maize models for nine U.S. locations. *Agron. J.* 89, 421-426.
- KNOTT, J.E., 1988. Kontt's Handbook for Vegetable Growers, 2nd edn, John Wiley & Sons, New York.
- KRAMER, P.J. & BOYER, J.S., 1995. Water Relations of Plants and Soils. Academic Press, San Diego.
- KRIEDEMANN, P.E. & DOWNTON, W.J.S., 1981. Photosynthesis. In: L.G. Paleg & D. Aspinall (eds.). The Physiology and Biochemistry of Drought Resistance in Plants. Academic Press, Sydney.
- LEWIS, G.J. & THURLING, N., 1994. Growth, development, and yield of three oilseed *Brassica* species in a water-limited environment. *Aust. J. Exp. Agric.* 34, 93-103.
- LOCASCIO, S. J. & STALL, W.M., 1994. Bell pepper yield as influenced by plant spacings and row arrangement. *J. Amer. Soc. Hort. Sci.* 119, 899-902.
- LORENZO, P. & CASTILLA, N., 1995. Bell pepper yield response to plant density and radiation in unheated plastic greenhouse. *Acta Hortic.* 412, 330-335.
- LOVELOCK, Y., 1973. Various herbs spices and condiments. The vegetable book. New York: St. Martin Press.
- MAYLAND, H.F., JOHSON, D.A., ASAY, K.H. & READ, J.J., 1993. Ash, carbon isotope discrimination, and silicon as estimators of transpiration efficiency in crested wheatgrass. *Aust. J. Plant Physiol.* 20, 361-369.
- MACCARTHY, M.G., LOVEYS, B.R., DRY, P.R. & STOLL, M., 2002. Regulated deficit irrigation and partial rootzone drying as irrigation management techniques for grapevines. In: Deficit Irrigation Practice. Water Report, 22.

Food and Agriculture Organization of the United Nations. Rome, Italy.
Available on: <http://www.fao.org/docrep/004/Y3655E/y3655e00.HTM>
(Accessed 21/11/2004).

MCINTYRE, G.I., 1987. The role of water in the regulation of plant development.
Can. J. Bot. 65, 1287-1298.

MCMASTER, G.S. & SMIKA, D.E., 1988. Estimation and evaluation of winter wheat phenology in the central Great Plains. *Agri. For. Meteor.* 43, 1-18.

MCMASTER, G.S. & WILHELM, W.W., 1997. Growing degree-days: one equation, two interpretations. *Agric. For. Meteor.* 87, 291-300.

MIRANDA, F.R., GONDIM, R.S. & COSTA C.A.G., 2006. Evapotranspiration and crop coefficients for Tabasco pepper (*Capscium frutescens* L.). *Agric. Water Manage.* 82, 237-246.

MONTEITH, J.L. & VIRMAMI, S.M., 1991. Quantifying risk in the semi-arid tropics: ICRISAT experience. p. 183-204. In: R.C. Muchow & J.A. Bellamy (eds.). *Climatic Risk in Crop Production*. CAB Int., Oxford, UK.

MONTEITH, J.L., 1977. Climate and efficiency of crop production in Britain. *Philos. Trans.R. Soc. London, Ser. B.* 281, 277-294.

MONTEITH, J.L., 1981. Climatic variation and the growth of crops. *Q.J.R. Meteor. Soc.* 107, 749-774.

MONTEITH, J.L., 1994. Validity of the correlation between intercepted radiation and biomass. *Agric. For. Meteor.* 68, 213-220.

MORSE, S.S., 1995. Factors in the emergence of infectious disease. *EID.* 1(1). Available on: <http://www.cdc.gov.innopac.up.ac.za/ncidod/eid/vol1no1/downmors.htm> (Accessed 12/11/2007).

MOTSENBOCKER, C.E., 1996. In-row plant spacings affects growth and yield of pepperoncini pepper. *HortSci.* 31(2), 198-200.

- MPELASOKA, B.S., BEHBOUDIAN, M.H. & MILLS, T.M., 2001. Effects of deficit irrigation on fruit maturity and quality of 'Braeburn' apple. *Sci. Hort.* 90, 279-290.
- NAGESWARA RAO, R.C. & WRIGHT, G.C., 1994. Stability of the relationship between specific leaf area and carbon isotope discrimination across environment in groundnuts in peanuts. *Crop Sci.* 34, 98-103.
- NAUTIYAL, P.C., JOSHI, Y.C. & DAYAL, D., 2002. Response of groundnut to deficit irrigation during vegetative growth. In: Deficit Irrigation Practice. Water Report, 22. Food and Agriculture Organization of the United Nations. Rome, Italy. <http://www.fao.org/docrep/004/Y3655E/y3655e00.HTM> (Accessed 21/11/2004).
- OGOLA J.B.O., WHEELER, L.P. & DAAMEN N.C., 2002. Effects of nitrogen and irrigation on water use of maize. *Field Crops Res.* 78, 105-117.
- OGOLA, J.B.O., WHEELER, T.R & HARRIS, P.M., 2005. Water use of maize in response to planting density and irrigation. *S. Afr. J. Plant Soil* 22(2), 116-121.
- OLIVIER, F.C. & ANNANDALE, J.G., 1998. Thermal time requirements for the development of green pea (*Pisum sativum* L.). *Field Crops Res.* 56, 301-307.
- OMANGA, P.A., SUMMERFIELD, R.J. & QI, A., 1995. Flowering of pigeonpea (*Cajanus cajan*) in Kenya: responses of early-maturing genotypes to location and date of sowing. *Field Crops Res.* 41, 25-34.
- ORTEGA, R.G., GUTIERREZ, A.M. & CAVERO, J., 2004. Plant density influences marketable yield of directly seeded 'Piquillo' pimiento pepper. *HortSci.* 39(7), 1584-1584.
- O'SULLIVAN, J., 1980. Irrigation, spacings and nitrogen effects on yield and quality of picking cucumbers grown for mechanical harvesting. *Can. J. Plant Sci.* 60, 923-928.
- O'TOOLE, J.C., TURNER, N.C., NAMUCO, O.P., DINGKUHN, M. & GOMEZ, K.A., 1984. Comparison of some crop water stress measurement methods. *Crop Sci.* 24, 1121-1128.

- OWEIS, T., PALA, M. & RAYAN, T., 1998. Stabilizing rainfed wheat yields with supplemental irrigation and nitrogen in Mediterranean-type climate. *Agron. J.* 90, 672-681.
- PARR, J.F., STEWART, B.A., HORNICK, S.B. & SINGH, R.P., 1990. Improving the sustainability of dryland farming systems: a global perspective. *Adv. Soil Sci.* 13, 1-7.
- PASSIOURA, J.B., 1977. Grain yield, harvest index and water use of wheat. *J. Aust. Inst. Agric. Sci.* 43, 117-120.
- PASSIOURA, J., 2006. Increasing crop productivity when water is scarce-from breeding to field management. *Agric. Water Manage.* 80, 176-196.
- PELLITERO, M., PARDO, A., SIMON, A., SUSO, M.L. & CERROLAZA, A., 1993. Effects of irrigation frequencies on yield and fruit composition of processing pepper (*Capiscum annuum* L.). *Acta Hort.* 335, 257-263.
- PIKUL, J.L. & AASE, J.K., 1995. Infiltration and soil properties as affected by annual cropping in the northern Great Plains. *Agron. J.* 87, 656-662.
- RAES, D., SAHLI, A., VAN LOOIJ, J. BEN MICHlia, N. & PERSOOONS, E., 2000. Charts for guiding irrigation in real time. *Irrig and Drain. Sys.* 14, 343-352.
- REBETZKE, G.J. & RICHARDS, R.A., 1999. Genetic improvement of early vigour in wheat. *Aust. J. Agric. Res.* 50, 291-301.
- RINALDI, M., 2001. Application of EPIC model for irrigation scheduling of sunflower in Southern Italy. *Agric. Water Manage.* 3, 185-196.
- RITCHIE, J.T., 1972. Model for predicting evaporation from a row crop with incomplete cover. *Water Resour. Res.* 24, 1121-1213.
- RITCHIE, J.T. & BASSO, B., 2008. Water use efficiency is not constant when crop water supply is adequate or fixed: The role of agronomic management. *Euro. J. Agron.* 28, 273-281.
- ROCKSTRÖM, P.F., 2003. Supplemental irrigation for dry-spell mitigation of rainfed agriculture in the Sahel. *Agric. Water Manage.* 61, 29-50.

- RUSSELLE, M.P., WILHEM, W.W., OLSON, R.A. & POWER, J.F., 1984. Growth analysis based on degree days. *Crop Sci.* 24, 28-32.
- RUSSELL, G., JARVIS, P.G. & MONTEITH, J.L., 1990. Absorption of radiation by canopies and stand growth. p. 21-38. In: G. Russell, B. Marshall & P.G. Jarvis (eds.). *Plant Canopies: Their Growth, Form and Function.* Soc. Exp. Bio. Seminar Series 31, Cambridge Univ. Press.
- RUSSO, V.M., 1991. Effects of fertilizer rate, application timing, and plant spacings on yield and nutrient content of bell pepper. *J. Plant Nutr.* 14, 1047-1056.
- SAEKI, T., 1960. Interrelationships between leaf amount, light distribution and total photosynthesis in a plant community. *Bot. Mag. Tokyo.* 73, 55-63.
- SAS, 2003. SAS Statistical computer software version 9.1. SAS Institute, Cary, NC, USA.
- SEZEN, S.M., YAZAR, A. & EKER, S., 2006. Effect of drip irrigation frequencies on yield and quality of field grown bell pepper. *Agric. Water Manage.* 81, 115-131.
- SHOCK, C.C. & FEIBERT, E.B.G., 2002. Deficit irrigation of potato. In: Deficit Irrigation Practice. Water Report, 22. Food and Agriculture Organization of the United Nations. Rome, Italy. <http://www.fao.org/docrep/004/Y3655E/y3655e00.HTM> (Accessed 21/11/2004).
- SINCLAIR, T.R. & MUCHOW, R.C., 1999. Radiation use efficiency. *Adv. Agron.* 65, 215-265.
- SIDDIQUE, K.H.M., LOSS, S.P., REGAN, K.L. & JETTNER, R., 1999. Adaptation of cool season grain legumes in Mediterranean-type environments of south-western Australia. *Austr. J. Agric. Res.* 50, 375-387.
- SINCLAIR, T.R. & SELIGMAN, N.G., 1996. Crop modelling: From infancy to maturity. *Agron. J.* 88, 698-704.
- SINGH, P., 1991. Influence of water deficits on phenology, growth and dry matter allocation in chickpea (*Cicer arietinum*). *Field Crops Res.* 28, 1-15.

- SMEDEMA, L.K. & SHIATI, K., 2002. Irrigation and salinity: a perspective review of the salinity hazards of irrigation development in the arid zones. *Irrig and Drain. Sys.* 16, 161-174.
- SMITH, M., 1992. CROPWAT- a computer program for irrigation planning and management. Irrigation and Drainage Paper No. 46. Food and Agriculture Organization of the United Nations. Rome, Italy.
- SMITH, M., 2000. The application of climatic data for planning and management of sustainable rainfed and irrigated crop production. *Agric. For. Meteor.* 103, 99-108.
- SMITH, R., HARTZ, T., AGUIAR, J. & MOLINAR, R., 1998. Chile pepper production in California, University of California, Division of Agriculture and Natural Resources, Publication 7244.
- SPREER, W., NAGLE, M., NEIDHART, S., CARLE, R., ONGPRASERT, S. & MÜLLER, J., 2007. Effects of regulated deficit irrigation and partial rootzone drying on the quality of mango fruits (*Mangifera indica* L., cv 'Chok Anan'). *Agric. Water Manage.* 88, 173-180.
- SRINIVASAN, A., TAKEDU, H. & SENBOUK, T. 1996. Heat tolerance in food legumes as evaluated by cell membrane thermostability and chlorophyll fluorescence techniques. *Euph.* 88, 35-45.
- STEYN, J.M., 1997. Response of potato genotypes to different water frequencies. Ph.D. Thesis, University of Pretoria, South Africa.
- STOCKLE, C.O. & KINIRY, J.R., 1990. Variability in crop radiation-use efficiency associated with vapor-pressure deficit. *Field Crops Res.* 25, 272-181.
- STOFFELLA, P.J. & BRYAN, H.H., 1988. Plant population influences growth and yields of bell pepper. *J. Am. Soc. Hort. Sci.* 113, 835-839.
- SUMMERFIELD, R.J., ROBERTS, E.H., ELLIS, R.H. & LAWN, R.J., 1991. Toward the reliable prediction of time flowering in six annual crops. I. The development of simple models for fluctuating field environments. *Exp. Agric.*, 27, 11-31.

- SUNDSTROM, F.J., THPMAS, C.H., EDWARD, R.L. & BASKIN, G.R., 1984. Influence of N and plant spacings on mechanically harvested 'Tabasco' pepper. *J. Hort. Sci.* 109, 642-645.
- TAN, C.S., FULTON, J.M. & NUTTALL, V.W., 1983. The influence of soil water stress and plant populations on the yield of pickling cucumbers. *Sci. Hort.* 21, 217-224.
- TANNER, C.B. & SINCLAIR, T.R., 1983. Efficient water-use in crop production: research or re-research? p. 1-27 In: K.M. Taylor, W.R. Jordan & T.R. Sinclair (eds.). Limitation to efficient water-use in crop production. *Am. Soc. Agron., Crop Sci. Soc. of Am., and Soil Sci. Soc. of Am.*, Madison, Wisconsin.
- TARDIEU, F., 1996. Drought perception by plants. Do cells of droughted plants experience water stress? *J. Plant growth regul.* 20, 93-104.
- TAYLOR, H.M., 1980. Soybean growth and yield as affected by row spacings and by seasonal water supply. *Agron. J.* 72, 543-547.
- TAYLOR, H.M., MASON, W.K., BENNIE, A.T.P. & ROWSE, H.R., 1982. Responses of soybeans to two row spacings and two soil water levels. I. An analysis of biomass accumulation, canopy development, solar radiation interception and components of seed yields. *Field Crops Res.* 5, 1-14.
- TESFAYE, K., WALKER, S. & TSUBO, M., 2006. Radiation interception and radiation use efficiency of three grain legume under water deficit conditions in semi-arid environment. *Euro. J. Agron.* 25, 60-70.
- TOLLENAAR, M., DAYNARD, T.B. & HUNTER, R.B., 1979. Effects of temperature on rate of leaf appearance and flowering date in maize. *Crop Sci.* 19, 363-366.
- THOMSON, B.D., SIDDIQUE, K.H.M., BARR, M.D. & WILSON, J.L., 1997. Grain legume species in low rainfall Mediterranean-type environments of south-western Australia. *Field Crops Res.* 54, 173-187.
- TURNER, N.C., 2004. Agronomic options for improving rainfall-use efficiency of crops in dryland farming system. *J. Exp. Bot.* 55, 2413-2425.

- TURNER, N.C., WRIGHT, G.C. & SIDDIQUE, K.H.M., 2001. Adaptation of grain legumes (pulses) to water-limited environments. *Adv. Agron.* 71, 193-231.
- ULLAH, I., RAHMAN, M-U, ASHRAF, M. & ZAFR, Y., 2008. Genotypic variation for drought tolerance in cotton (*Gossypium hirsutum* L.): Leaf gas exchange and productivity. *Flora* 203, 105-115.
- UN-WATER, 2007. Coping with water scarcity-challenge of the twenty-first century.
Available on: <http://www.worldwaterday07.org> (Accessed 23/11/2007).
- VILLALOBOS, F.J. & FERERES, E., 1990. Evaporation measurements beneath corn, cotton, sunflower canopies. *Agron. J.* 82, 1153-1159.
- VILLALOBOS, F.J., SADRAS, V.O., SORIANO, A. & FERERES, E., 1994. Planting density effects on dry matter partitioning and productivity of sunflower hybrids. *Field Crops Res.* 36, 1-11.
- WAGNER, T.L., WU, H., SHARPE, P.J.H., SCHOOLFIELD, R.M. & COULSON, R.N. 1987. Modeling insect development rates: A literature review and application of a biophysical model. *Ann. Entom. Soc. Am.* 77, 208-225.
- WALLACE, J.S. & BATCHELOR, C.H., 1997. Managing water resources for crop production. *Philos. Trans. R. Soc. London Ser. B* 352:937-947.
- WALTER, H., 1986. Green leaf pepper breeding. p. 690. In: Breeding Vegetable Crops. Westport, Connecticut: AVI Publishing, Co.
- WANG, H., LIU, C. & ZHANG, L., 2002. Water-saving agriculture in China: An overview. *Adv. Agron.* 75, 135-171.
- WEIN, H.C., 1998. Pepper. p. 259-293. In: H.C. Wein (ed.). Physiology of Vegetable Crops. CAB International, USA.
- WESTGATE, M.E., SCHUSSLER, J.R., REICOSKY, D.C. & BRENNER, M.L. 1989. Effects of water deficits on seed development in soybeans. II. Conservation of seed growth rate. *Plant Physiol.* 91, 980-985.
- WILLMOTT, C.J., 1982. Some comment on the evaluation of model performance. *Bull. Am. Meteor. Soc.* 63, 1309-1313.

- WILSON, P.J., THOMPSON, K. & HODGSON, J.G., 1999. Specific leaf area and leaf dry matter content as alternative predictors of plant strategies. *New Phytologist*. 143 (1), 155-162.
- WOLFF, P. & STEIN, T. M., 1999. Efficient and Economic use of water in agriculture-possibilities and limits. *Nat. Res. Dev.* 49/50, 151-159.
- WRIGHT, G.C., HUBICK, K.T. & FARQUHAR, G.D., 1991. Physiological analysis of peanut cultivar response to timing and duration of drought stress. *Aust. J. Agric. Res.* 42, 453-470.
- XIE, J., CARDENAS, E.S., SAMMIA, T.W., WALL, M. M., LINDSEY, L.D. & MURRAY, L.W., 1999. Effects of irrigation methods on chile pepper yield and Phytophthora root rot incidence. *Agric. Water Manage.* 42, 127-142.
- XIE, Y., KINIRY, J.R., NEDBALEK, V. & ROSENTHAL, W.D., 2001. Maize and sorghum simulations with CERES-Maize, SORKAM, and ALMANAC under water-limiting conditions. *Agron. J.* 93, 1148-1155.
- YAN, W. & HUNT, L.A., 1999. An equation for modeling the temperature response of plants using only the cardinal temperatures. *Ann. Bot.* 84, 607-614.
- YIN, F.W., KROPFF, M.J., MCLAREN, G. & VISPERAS, R.M., 1995. A nonlinear model for crop development as a function of temperature. *Agric. For. Meteor.* 77, 1-16.
- ZHANG, X., PEI, D., LI, Z., LI, J. & WANG, Y., 2002. Management of supplemental irrigation of winter wheat for maximum profit. In: Deficit Irrigation Practice. Water Report, 22. United Nations Food and Agriculture Organization. Rome, Italy. <http://www.fao.org/docrep/004/Y3655E/y3655e00.HTM> (Accessed 21/11/2004).

APPENDICES



Figure A1 The automatic weather station at Hatfield Experimental Farm, Pretoria.



Figure A2 The Hydro probe neutron water meter, model 503DR CPN, used in the Experiments.



Figure A3 The sunfleck ceptometer, model AccuPAR, used to measure PAR.



Figure A3 Partial view of the open field experiment 1 (Outdoor irrigation regime study).



Figure A4 Partial View of the open field experiment 2 (Outdoor row spacing study).



Figure A2 Partial view of the rainshelter experiment.

Table A1 Weather data (Hatfield Experimental Farm, Pretoria) 2004/05 growing season

	RF (mm)	T _a _{max} (°C)	T _a _{min} (°C)	Solar (MJ m ⁻² day ⁻¹)	U (m s ⁻¹)	VPD (kPa)	RH _{min} (%)	RH _{max} (%)
2004/11/01	0	30	11.2	33.7	1.9	0.9	18	76
2004/11/02	0	30.2	13.2	33.4	1.8	0.8	16	58
2004/11/03	0	31.8	15	29.2	2.5	1	18	58
2004/11/04	0	29.3	15	31.3	2.3	1.3	27	85
2004/11/05	0	31.6	16.6	30.6	2.6	1.3	27	73
2004/11/06	0	30.1	17.2	26.6	3.4	1.7	33	92
2004/11/07	2	30.4	15.5	26.2	2.4	1.6	31	100
2004/11/08	0	31.4	18.2	27.1	3.3	1.6	30	89
2004/11/09	0.2	31.9	14.4	32.5	1.8	1.6	27	100
2004/11/10	0	33	16.6	30.9	2	1.5	25	86
2004/11/11	24.5	30.1	15.9	24.2	3.6	2	48	100
2004/11/12	4	27	15.5	26.6	2.1	2	57	100
2004/11/13	0	27.7	18.4	19.8	2.3	2.1	40	100
2004/11/14	0.5	28.1	17.3	25.1	2.5	2	48	100
2004/11/15	10	29.2	16.8	27.2	2.5	2.1	48	100
2004/11/16	0	30.4	15.5	26.2	2.4	1.6	31	100
2004/11/17	0.6	24.8	23.6	0	1.6	2.2	69	78
2004/11/18	8.5	29.2	16.8	27.2	2.5	2.1	48	100
2004/11/19	0	31.9	19.3	21.4	3.3	1.6	30	89
2004/11/20	0	33.2	21.8	20.3	1.8	1.6	27	100
2004/11/21	18.5	30.2	20.3	19	2	1.5	25	86
2004/11/22	0.3	28.2	16.9	20.3	3.6	2	48	100
2004/11/23	0	29.8	16.3	22.2	2.1	2	57	100
2004/11/24	0	28.4	20	36.4	1.9	1.7	33	89
2004/11/25	0	31.2	20.8	43.9	2.1	1.7	32	91
2004/11/26	0	31.9	18.6	31.7	2.1	1.7	28	78
2004/11/27	4	31.7	18.3	30.6	3.1	2.1	40	100
2004/11/28	0	28.6	18.8	30.2	3.4	1.9	43	85
2004/11/29	1.1	26.5	17.7	16.3	2.4	1.9	51	93
2004/11/30	22.3	28.4	16.2	22.4	2.3	1.9	47	100
2004/12/01	0	21.7	16.2	16.3	2.3	2.1	69	100
2004/12/02	0	29.7	17.6	21.2	2	1.5	25	86
2004/12/03	7.4	30	19.3	19.9	3.6	2	48	100
2004/12/04	0	29.7	19.3	19.7	2.1	2	57	100
2004/12/05	0.1	30	21.2	18.1	1.9	1.7	33	89
2004/12/06	1.5	29.7	19.3	19.7	2.1	1.7	32	91
2004/12/07	4.5	30.6	18.5	21.2	2.1	1.7	28	78
2004/12/08	28.5	29.3	18.9	19.7	3.3	2.1	58	100
2004/12/09	5	33.7	16.5	25.4	2.3	2.1	48	100
2004/12/10	0	23.2	13.9	18.7	1.8	2.1	51	100
2004/12/11	0	19.5	17.9	7.7	1.6	2	45	100
2004/12/12	0	28.1	16.5	20.8	2.7	2	57	100
2004/12/13	0	28.8	18.8	24.9	3.2	1.8	47	83
2004/12/14	4	30.6	15.4	25.1	1.6	1.9	40	100
2004/12/15	0	29.8	17.4	31.5	2.7	2.1	37	100
2004/12/16	4.5	27.3	17	26.8	2.5	2.1	61	100
2004/12/17	0	26.1	17.1	21.7	1.6	2.2	69	100
2004/12/18	11.5	30.2	18.1	24.7	2	2.1	40	100



2004/12/19	0	26.5	17.3	25.3	3.3	2.1	58	100
2004/12/20	41	27.3	16	25.2	2.3	2.1	48	100
2004/12/21	0.4	27.3	15.6	24.6	1.8	2.1	51	100
2004/12/22	2	28.9	16.1	33	1.6	2	45	100
2004/12/23	5	26.8	15.8	21.9	2.7	2	57	100
2004/12/24	11.5	26.6	15.7	26.1	2.7	2	62	100
2004/12/25	0	27.1	14.3	24.6	1.8	2.2	61	100
2004/12/26	0	31.4	18.1	32.9	2.3	2.1	34	100
2004/12/27	9.5	31.6	18.9	34.5	2.1	2.3	44	100
2004/12/28	21.5	28.9	17.1	27.4	2.7	2.2	54	100
2004/12/29	0	28.9	17.2	30.3	2	2.1	52	100
2004/12/30	0	31.5	18.3	32.6	2	2.1	42	94
2004/12/31	0	30.7	18.7	23.4	0.9	2.3	53	100
2005/01/01	0.4	30.8	20.4	33.4	1.5	2.3	46	97
2005/01/02	0	30.4	19.4	31.3	2	2.3	46	100
2005/01/03	21.2	30.6	18.2	32.9	2.1	2.1	41	100
2005/01/04	0	30.5	14.6	33.9	1.6	2.2	43	100
2005/01/05	0	32.4	19.5	32.7	1.9	2.4	37	100
2005/01/06	0	31.9	18	32	1.4	2.3	48	97
2005/01/07	0.5	32.9	20.7	31.5	1.7	2.3	43	94
2005/01/08	25.5	32.1	17.6	27.2	2	2.3	45	100
2005/01/09	2.7	26.9	16.8	24.1	1.9	2.2	64	100
2005/01/10	0	26.8	17.2	24.6	1.7	2.2	62	100
2005/01/11	0	28.2	17.7	28.1	1.1	2.3	54	100
2005/01/12	0.5	30	18.3	27.7	3.3	2.2	47	100
2005/01/13	0	29.5	18	29.3	3	2.3	54	100
2005/01/14	29.7	22	17.1	6	2	2.2	93	100
2005/01/15	1.1	27	16.8	16.1	1	2.2	64	100
2005/01/16	0	24.3	18.1	12.8	1.9	2.2	73	100
2005/01/17	0	24.1	16.1	16.6	1.2	2.1	74	100
2005/01/18	67.4	27.6	16.4	26.4	1.2	2.2	60	100
2005/01/19	0	25.1	16.9	17.9	1.3	2.3	75	100
2005/01/20	27.5	23.8	18	11.5	0.7	2.3	84	100
2005/01/21	28.9	21.1	17.7	7	1.3	2.2	100	100
2005/01/22	0	27.8	17.6	25	1.1	2.4	66	100
2005/01/23	12.5	28.9	17.1	22	1.2	2.4	62	100
2005/01/24	0	29	15.6	33.3	1.1	2.3	54	100
2005/01/25	0	29.5	18.7	25.4	1.1	2.4	51	100
2005/01/26	0	30.9	17.7	28.9	1.4	2.4	44	100
2005/01/27	0	28.2	17.9	21.9	2	2.3	63	100
2005/01/28	0	30.3	15.8	33.1	1.9	2.3	52	100
2005/01/29	0	29.8	18.8	29.3	2.7	2.2	47	100
2005/01/30	0	29.3	18.7	24.3	2.1	2.3	51	100
2005/01/31	0	26.9	19.3	20.2	1.9	2.3	60	100
2005/02/01	0	31.1	17.4	27.4	1.9	2.1	41	100
2005/02/02	0	30.5	17.9	29.7	2.2	2.1	40	100
2005/02/03	0	31.9	17.7	33.1	1.4	1.9	30	95
2005/02/04	0	34	15.9	31	1.5	1.9	29	95
2005/02/05	0	28.7	18.6	25.7	3.3	2.3	59	100
2005/02/06	0	25.1	17.3	14.3	2.4	2.1	71	100
2005/02/07	0	29.1	14.1	31.9	1.5	1.9	43	100
2005/02/08	0.7	30.6	16.8	27.7	2.2	2.1	42	100
2005/02/09	0	29.2	18.1	28.1	2	2.1	51	100
2005/02/10	0	30.6	15.3	29.6	1.5	2	43	100



2005/02/11	3.7	32.7	16.5	26.4	1.2	2	34	100
2005/02/12	0	27.8	17.7	16.9	2.6	2.1	56	100
2005/02/13	0	29.3	17.6	29.5	1.5	2.1	51	100
2005/02/14	0	31.6	16.1	30.5	2.1	1.7	30	100
2005/02/15	0	30.8	18.1	29.6	2.5	1.8	28	100
2005/02/16	0	29.2	17	32.3	2.9	1.7	36	90
2005/02/17	0	29.7	16.1	31.2	1.7	1.8	33	95
2005/02/18	0	29.9	18.2	27.9	1.9	1.9	42	86
2005/02/19	0.5	30.1	19.3	24.6	1.8	2.1	44	98
2005/02/20	25	24.9	18.1	7.7	2	2.2	72	100
2005/02/21	15.7	21.8	17.1	7.3	0.7	2.1	92	100
2005/02/22	0	27.2	16.6	20.3	1.3	2.3	67	100
2005/02/23	0.3	28.5	16.4	22.1	1.9	2.2	55	100
2005/02/24	0	29.4	15.1	27.1	1	2.1	42	100
2005/02/25	0	30.2	17.7	26.1	2	2	41	100
2005/02/26	3.4	29.2	17.4	24.6	2	2.2	56	100
2005/02/27	0	28.6	17.3	25.5	1.7	2.2	48	100
2005/02/28	0.5	27.8	17.6	22	2	2.2	63	100
2005/03/01	0	28.5	14.7	27.2	1.2	2	49	100
2005/03/02	0	28.8	17	27	2.9	2	45	97
2005/03/03	7	27.7	16.1	26	2	1.9	46	100
2005/03/04	0	25.9	15.1	25.3	2.2	1.9	56	100
2005/03/05	0	26.7	15.3	21.6	1.3	2	60	100
2005/03/06	0	27.9	15.9	26.9	2.1	1.9	47	100
2005/03/07	0	28.3	14.2	29.5	2.1	1.5	33	95
2005/03/08	0	31.5	15.2	28	1.8	1.5	28	91
2005/03/09	0	32.4	15.9	28.6	1.5	1.4	27	70
2005/03/10	0	30.1	18.1	22.5	1.8	2.3	57	100
2005/03/11	0.2	26.3	14.8	20.5	4.1	1.9	65	100
2005/03/12	0	23.2	14.1	14.7	2.3	1.7	66	99
2005/03/13	0	24.6	13.4	18.9	1.1	1.8	54	100
2005/03/14	0	23.7	14.5	16.1	1.3	1.8	61	100
2005/03/15	0	26.3	13.4	20.4	2.3	1.8	49	100
2005/03/16	19.5	25.7	14.6	22.4	2.4	1.9	56	100
2005/03/17	0	26.3	13.9	22.1	1.4	2	56	100
2005/03/18	0.7	26.6	14.8	25.2	2.3	1.9	45	100
2005/03/19	0	25.9	14.3	23.5	1.8	1.8	42	100
2005/03/20	0	26.2	14.3	18.7	1	1.9	53	100
2005/03/21	0	25.8	15.8	19.9	2.6	1.9	59	100
2005/03/22	17.9	21.3	14.7	4.5	2.7	1.9	82	100
2005/03/23	0	22.7	14.9	14.2	3.4	1.9	67	100
2005/03/24	0	24.8	14.5	24.1	2	1.9	61	100
2005/03/25	0	24.5	13	16.4	1.2	1.9	63	100
2005/03/26	0	27.9	14.6	21.1	1.3	1.9	49	100
2005/03/27	0	24.8	17.4	15.8	1.7	2.2	73	100
2005/03/28	0	28.5	14.4	25.8	1.9	1.6	28	100
2005/03/29	1	26.7	16.5	16	2.1	2.1	59	100
2005/03/30	1	26.3	16.2	19.3	1	2	54	100
2005/03/31	0	28.4	13.5	24	0.8	1.9	46	100
2005/04/01	0	28.1	17.5	21.1	1.9	2	52	100
2005/04/02	1	23.3	17.9	8.7	1	2.2	77	100
2005/04/03	43.8	18.2	14.1	2.6	2.3	1.8	100	100
2005/04/04	4.5	24.3	14.3	18.9	1	1.9	70	100
2005/04/05	0	23.6	15.4	19.8	2.7	2	73	100



2005/04/06	0	23.3	13.5	21.3	1.8	1.7	56	100
2005/04/07	0	19	12.7	9.8	1.7	1.6	74	100
2005/04/08	0	24.2	13.8	19.7	1.6	1.7	51	100
2005/04/09	0	24.2	12.1	18.8	0.8	1.7	52	100
2005/04/10	0	25	14.1	19.6	1.5	1.8	57	100
2005/04/11	0	26	12.7	19.3	0.8	1.7	49	100
2005/04/12	0	26.6	12.7	19.6	1.3	1.6	46	100
2005/04/13	0	27.9	13.9	21.6	2.3	1.4	38	88
2005/04/14	0	22.4	15.6	9	1.6	1.9	78	100
2005/04/15	2.5	23.5	14	13.1	1.8	1.9	68	100
2005/04/16	5	18.4	13	4.1	0.9	1.7	91	100
2005/04/17	0	24.3	10.3	21.1	0.9	1.8	61	100
2005/04/18	0	27.5	12.3	21.3	0.9	1.8	44	100
2005/04/19	0	28	13.6	20.3	1.4	1.8	43	100
2005/04/20	1.5	23.2	15.2	11.4	1.9	1.9	66	100
2005/04/21	0	25.1	11.7	20.2	1.8	1.7	54	100
2005/04/22	13.4	20.9	12.2	7.5	1.7	1.7	79	100
2005/04/23	0.5	18.3	10.4	7.9	0.7	1.6	89	100
2005/04/24	0	22.7	10.7	17	1.4	1.8	76	100
2005/04/25	0	24.6	10.8	20.1	2	1.5	36	100
2005/04/26	0	22.6	10.2	16.8	2	1.4	45	100
2005/04/27	0	21.1	11.4	16.7	3.2	1.4	47	100
2005/04/28	0	21.3	9.1	16.9	1.4	1.3	46	100
2005/04/29	0	21.6	8.3	18.3	1.5	1.3	44	100
2005/04/30	0	21.8	7.5	17.6	1.1	1.3	47	100
2005/05/01	0	21.3	9.8	14.6	0.8	1.3	50	100
2005/05/02	0	23.5	8.1	19.2	0.6	1.2	34	100
2005/05/03	0	22.6	9.2	16.7	1.5	1.3	43	100
2005/05/04	0	23.2	11.1	18.9	1.7	1.4	48	100
2005/05/05	0	24.7	11.5	18.3	1.8	1.5	46	100
2005/05/06	0	26.1	9.8	18.7	1.6	1.3	36	100
2005/05/07	0	27.1	12.3	15.8	2.3	1.1	35	82
2005/05/08	0	25.5	11	18.7	1.7	1.4	43	94
2005/05/09	0	25	12	16.3	1.1	1.6	45	100
2005/05/10	0	24.5	9.9	18.3	0.8	1.5	46	100
2005/05/11	0	23.4	8.8	18	0.7	1.4	46	100
2005/05/12	0	22	10.2	18.2	1.2	1.2	41	100
2005/05/13	0	23	7.3	18.3	0.8	1.1	31	100
2005/05/14	0	24.1	8.3	17.9	3.1	1.2	35	95
2005/05/15	0	22	12.2	15.5	1.6	1.6	60	100
2005/05/16	0	22.5	9	16.5	1.8	1.3	49	100
2005/05/17	0	24.4	7.1	17.7	0.8	1	21	100
2005/05/18	0	26.1	6	17.2	0.9	0.9	24	92
2005/05/19	0	26.2	8.8	14	1.5	1	30	88
2005/05/20	0	22.9	11.5	17.2	2.8	1.4	44	100
2005/05/21	0	20.2	10.1	9.5	0.4	1.5	67	100
2005/05/22	0	22.5	7.3	16.9	0.5	1.3	41	100
2005/05/23	0	21.9	7.3	16.8	0.8	1.2	34	100
2005/05/24	0	24.3	8.3	16	1.9	1.1	31	93
2005/05/25	0.5	19.9	9.2	14.6	2.7	1.3	50	100
2005/05/26	0	19.5	8.2	17	1.3	1.2	46	100
2005/05/27	0	21.2	4.8	16.8	0.6	1.1	41	100
2005/05/28	0	24.4	6.1	15.8	0.7	1.1	30	100
2005/05/29	0	23.4	9	14.8	2	0.9	32	77

Table A2 Penman-Monteith reference grass evapotranspiration (ETo) for Pretoria, Hatfield Experimental Farm, during field experiment execution period

Date	ETo	Date	ETo	Date	ETo
2004/11/11	0	2004/12/25	6.51	2005/02/07	6.53
2004/11/12	5.56	2004/12/26	6.81	2005/02/08	6.9
2004/11/13	5.6	2004/12/27	6.61	2005/02/09	6.15
2004/11/14	5.09	2004/12/28	6.54	2005/02/10	5.76
2004/11/15	4.94	2004/12/29	6.63	2005/02/11	5.27
2004/11/16	7.14	2004/12/30	6.68	2005/02/12	2.37
2004/11/17	8.69	2004/12/31	6.13	2005/02/13	1.86
2004/11/18	7.2	2005/01/01	4.91	2005/02/14	3.63
2004/11/19	6.94	2005/01/02	4.69	2005/02/15	4.36
2004/11/20	6.7	2005/01/03	5.29	2005/02/16	5.1
2004/11/21	4.14	2005/01/04	5.92	2005/02/17	5.37
2004/11/22	4.94	2005/01/05	5.95	2005/02/18	5.03
2004/11/23	3.05	2005/01/06	1.76	2005/02/19	4.98
2004/11/24	4.95	2005/01/07	3.12	2005/02/20	4.42
2004/11/25	5.45	2005/01/08	2.81	2005/02/21	5.1
2004/11/26	4.91	2005/01/09	3.3	2005/02/22	5.8
2004/11/27	4.94	2005/01/10	4.8	2005/02/23	5.2
2004/11/28	5.32	2005/01/11	3.49	2005/02/24	4.7
2004/11/29	5.48	2005/01/12	2.4	2005/02/25	5.37
2004/11/30	5.09	2005/01/13	1.66	2005/02/26	5.03
2004/12/01	6.06	2005/01/14	4.44	2005/02/27	4.98
2004/12/02	3.73	2005/01/15	4.37	2005/02/28	4.42
2004/12/03	1.68	2005/01/16	6.18	2005/03/01	5.12
2004/12/04	4.35	2005/01/17	4.91	2005/03/02	5.42
2004/12/05	5.93	2005/01/18	5.77	2005/03/03	5.14
2004/12/06	5.49	2005/01/19	4.61	2005/03/04	4.73
2004/12/07	6.39	2005/01/20	6.27	2005/03/05	4
2004/12/08	5.37	2005/01/21	6.01	2005/03/06	5.09
2004/12/09	4.24	2005/01/22	5.13	2005/03/07	5.84
2004/12/10	5.21	2005/01/23	4.25	2005/03/08	5.77
2004/12/11	5.15	2005/01/24	5.74	2005/03/09	5.93
2004/12/12	4.91	2005/01/25	6.21	2005/03/10	4.67
2004/12/13	4.76	2005/01/26	6.66	2005/03/11	4.52
2004/12/14	6.19	2005/01/27	6.62	2005/03/12	3.2
2004/12/15	4.61	2005/01/28	5.41	2005/03/13	3.36
2004/12/16	5.01	2005/01/29	3.35	2005/03/14	3.02
2004/12/17	4.53	2005/01/30	5.9	2005/03/15	3.93
2004/12/18	6.55	2005/01/31	5.61	2005/03/16	4.06
2004/12/19	7.05	2005/02/01	5.71	2005/03/17	3.93
2004/12/20	5.74	2005/02/02	5.92	2005/03/18	4.57
2004/12/21	5.98	2005/02/03	5.41	2005/03/19	4.31
2004/12/22	6.67	2005/02/04	4.17	2005/03/20	3.45
2004/12/23	4.95	2005/02/05	5.68		
2004/12/24	6.72	2005/02/06	6.55		