

References

AfroAIDSinfo (2004) The demographic Impact of HIV/AIDS in South Africa: National indicators for 2004. www.afroaidsinfo.org.

AIDS Bulletin (2005) What are anti-retroviral drugs? Aids Bulletin 14(3): 109.

Altman PM, Einstein R, Goodman AH & Thomas RE (1988) Inotropic activity of digitoxigenin-glucoside and related glycosides. *Arzneimittel-Forschung* 38(8): 1115-1119.

American Tissue Culture Collection: Hep G₂, MCF-7, and VERO cell lines information sheets. www.atcc.org.

Anderson C & Wilkie P (1992) Reflective helping in HIV and AIDS. Open University Press. USA. ISBN 0 335 15632 0

Anjaneyulu ASR & Narayana RM (1980) Elaeodendrol and Elaeodendradriol, new nor-triterpenes from *Elaeodendron glaucum*. *Phytochemistry* 19: 1163-1169.

Archer RH & Van Wyk AE (1998) A taxonomic revision of *Elaeodendron* Jacq. (Cassinioideae: Celastraceae) in Africa. *South African Journal of Botany* 64(2): 93-109.

Balick MJ & Cox PA (1996) Plants, people and culture. The science of ethnobotany. Scientific American library, New York. ISBN 0-7167-5061-9.

Barre-Sinoussi F, Chermann JC & Rey F (1983) Isolation of a T-lymphotropic retrovirus from a patient at risk for acquired immune deficiency syndrome (AIDS). *Science* 220: 868-871.

Biagi GL, Guerra MC, Barbaro AM & Sapore A (1991) Lipophilic character of cardiac glycosides: correlation between R_m values and acute toxicity data in different animal species. *Journal of Chromatography* 547: 523 – 530.

De Oliveira T (2005) Bioinformatics Unit for HIV research. BioAfrica network.

[Http://bioafrica.mrc.ac.za](http://bioafrica.mrc.ac.za)

Bremner P, Tang S, Birkmayer H, Fiebich BL, Munoz E, Marquez N, Rivera D & Heinrich M (2004) Phenylpropanoid NF- κ B inhibitors from *Bupleurum fruticosum*. *Plant Medica* 70: 914 – 918.

Brown L, Boutagy J & Thomas R (1981) Cardenolide Analogues. Improved method for the use of Fetizon's reagent in the synthesis of cardiac glycosides. *Arzneimittel-Forschung* 31(7): 1059-1064.

Brown L & Thomas R (1984) Comparison of the inotropic effects of some 5 α -cardenolides on guinea pig left atria. *Arzneimittel-Forschung* 38(8): 1115 - 1119.

Budavari S, O'Neill MJ, Smith A & Heckelman PE (1989) *The Merck Index. An Encyclopedia of chemicals, drugs and biologicals.* Eleventh Edition. Merck & Co., Inc. ISBN 911910-28-X.

Cheung HTA, Brown L, Boutagy J & Thomas R (1981) Cardenolide Analogues. Part 12. ^{13}C -NMR of semi-synthetic glycosides and side-chain modified genins. *Journal of the Chemical Society, Perkin Transactions 1: Organic and Bio-Organic Chemistry* (6): 1773-1778.

Dictionary of Natural Products (2005) Hampden data services Ltd. 2004. Chapman & Hall/CRC, USA. ISBN 0-412-49150-8.

Drewes SE & Mashimbye MJ (1993) Flavonoids and triterpenoids from *Cassine papillosa* and the absolute configuration of 11,11-dimethyl-1,3,8,10-tetrahydroxy-9-methoxypeltogynan. *Phytochemistry* 32: 1041-1044.

Drewes SE, Mashimbye MJ, Field JS & Ramesar N (1991) 11,11-dimethyl-1,3,8,10-tetrahydroxy-9-methoxypeltogynan and three pentacyclic triterpenes from *Cassine transvaalensis*. *Phytochemistry* 30(10): 3490 – 3493.

Fernando HC & Gunatilaka AAL (1989) Studies on terpenoids and steroids – 18 balaenonol, balaenol and isobalaendiol: three new 14(25)-ene-quinone-methide triterpenoids from *Cassine balae*. *Tetrahedron* 45 (18): 5867 – 5876.

Fernando HC, Gunatilaka AAL, Kumar V & Weertuga G (1988) Two new quinone-methides from *Cassine balae*: revised structure of balaenonol. *Tetrahedron letters* 29(3) 387 – 390.

Gallo RC, Salahuddin SZ & Popovic M (1984). Frequent detection and isolation of cytopathic retroviruses (HTLV-III) from patients with AIDS and at risk of AIDS. *Science* 224: 500-503.

Haslett C, Chilvers ER, Hunter JAA & Boon NA (1999) DAVIDSON'S Principles and Practice of Medicine. Eighteenth Edition. Harcourt Publishers Limited. UK. ISBN 0443 159446

Hedberg, I (1987) Research on medicinal and poisonous plants of the tropics – past, present and future. Medicinal and poisonous plants of the tropics. Proceedings of symposium 5-35 of the 14th

international botanical congress, Berlin. Centre for agricultural publishing and documentation. Netherlands. ISBN 90-220-0921-1.

Heuntelman MJ (2003) HIV-1 based viral vector development for gene transfer to the cardiovascular system. Dissertation Doctor of philosophy. University of Florida.

HIV/AIDS case studies in South Africa (2002) Published by the department of Social Development. Pretoria. South Africa.

Hochhauser H & Rothenberger R (1992) AIDS education. Wm. C. Brown Publishers. Dubuque. United States of America.

Humber DC, Phillips GH, Dodds MG, Dolamore PG & Machin I (1983) Synthesis and biological activity of some cardiotonic compounds related to digitoxigenin. *Steroids* 42(2): 189-202.

Ikegami N, Kinoshita S, Kanasaki T, Uno K, Akatani K & Kishida T (1996) Evaluation of long-term treatment glycyrrhizin and of combination therapy with glycyrrhizin and AZT or DDI on HIV-1 carriers. *Antiviral research* 30(1) PA33.

Iwu MM & Wootten JC (2002) Ethnomedicine and drug discovery. *Advances in phytomedicine*. Volume 1. Elsevier.

Kawaguchi K, Hirotsu M, Yoshikawa T & Furuya T (1989) Biotransformation of digitoxigenin by ginseng hairy root cultures. *Phytochemistry* 29(3): 837 – 843.

Kubo I & Fukuhara K (1990) *Journal of Natural Products* 53, 968.

Levy JA, Hoffman AD, Kramers SM, Landis JA, Shimabukuro JM & Oshiro LS (1984) Isolation of lymphocytopathic retroviruses from San Francisco patients with AIDS. *Science* 225: 840-842.

Mims C, Playfair J, Roitt I, Wakelin D & Williams R (1999) *Medical microbiology* second edition. Mosby. ISBN 0 7234 2781 X.

Plotkin MJ (2000) *Medicine quest. In search of nature's healing secrets.* Viking Penguin, New York. ISBN 0-670-86937-6.

Population reference bureau (2002) World population data sheet. [Http://www.prb.org](http://www.prb.org)

Rathore H, From AHL, Khalil A & Fullerton DS (1986) Cardiac glycosides: 7. Sugar Stereochemistry and cardiac glycoside activity. *Journal of Medicinal Chemistry* 29(10): 1945 – 1952.

Rathore H, Hashimoto T, Igarashi K, Nuyaka H & Fullerton DS (1985) Cardiac glycosides: 5. Stereoselective synthesis of digitoxigenin α -D, β -D, α -L and β -L glucosides. *Tetrahedron* 41(23): 5427 – 5438.

Roche Applied Science Manual (2004).

Sancho R, Medarde M, Sanchez-Palmino S, Madrigal B M, Alcamí J, Muñoz & Feliciano AS (2004) Anti-HIV activity of some synthetic lignanolides and intermediates. *Short communications. Bioorganic & Medicinal Chemistry Letters* 14(17): 4483-4486.

Sanders DA (2002) No false start for novel pseudotyped vectors. *Current opinion in Biotechnology* 13: 437-442.

Shimada K, Kyuno T, Nambara T & Uchida I (1985) Structures of Elaeodendrosides B,C,F,G,K and L, a series of cardiac glycosides isolated from *Elaeodendron glaucum*. *Phytochemistry* 24(6): 1345-1350.

Sigma-Aldrich Cell Culture Manual (2005-2006).

Singh B & Rastogi RP (1970) Cardenolides, glucosides and genins. Review article. *Phytochemistry* 9(2): 315-331.

Smith GL, Irving WL, McCauley JW & Rowlands DJ (2001) *New challenges to health: the threat of virus infection*. Cambridge University Press. Cambridge. UK. ISBN 0 521 80614 3.

Statistics South Africa (2002) *Causes of death in South Africa 1997-2001: Advance release of recorded causes of death (P0309.2)*.

Steyn PS & Van Heerden FR (1998) Bufadienolides of plant and animal origin. *Natural Product Reports*: 397 – 413.

Takiura K, Hidetaka Y, Okamoto Y, Takai H & Honda S (1974) Studies of oligosaccharides. XIV. Structure activity relationship of variations in the sugar moiety of digitoxin. *Chemical & Pharmaceutical Bulletin* 22(10): 2263-2269.

Tezuka Y, Kikuchi T, Fernando HC & Gunatilaka AAL (1993) ^1H and ^{13}C NMR spectral assignments of some ene-quinonemethide nortriterpenoids. *Phytochemistry* 32(6): 1531 – 1534.

Thunberg CP (1794) *Travels in Europe, Africa and Asia*. Richardson, London.

Torsell KBG (1997) *Natural Product Chemistry. A mechanistic, biosynthetic and ecological approach*. Kristianstads Boktryckeri, Sweden.

Tsanuo MK, Hassanali A, Jondiko IJ & Torto B (1993) Mutangin, a dihydroagarofuranoid sesquiterpene insect antifeedant from *Elaeodendron buchananii*. *Phytochemistry* 34(3): 665-667.

Tsujino Y, Ogoche JIJ, Tazaki H, Fujimori T & Mori K (1995) Buchaninoside, a steroidal glycoside from *Elaeodendron buchananii*. *Phytochemistry* 40(3): 753 – 756.

Underwood JCE (2000) *General and systematic pathology*. Third edition. Harcourt Publishers Limited. UK. ISBN 0 443 06285 4.

UNAIDS (2004) AIDS epidemic update. www.UNAIDS.org.

Van Wyk AE, Van Wyk P & Van Wyk B-E (2000) *Photographic guide to trees of southern Africa*. Pretoria: Briza. ISBN 1 875093 24 9.

Van Wyk B-E & Gericke N (2000) *Peoples plants. A guide to useful plants of Southern Africa*. Briza publications. ISBN 1 875093 19 2.

Von Breytenbach J, De Winter B, Poynton R, Van den Bergh E, Van Wyk AE & Van Wyk E (2002) *Saklys van inheemse bome van Suider-Afrika*. Pretoria: Briza. ISBN 1 875093 31 1.

Watt JM & Breyer-Brandwijk MG (1962) *The medicinal and poisonous plants of Southern and Eastern Africa*. E. & S. Livingstone Ltd., Edinburgh and London.

Weeratunga G, Bohlin L, Sandberg F & Kumar V (1984) A muscle-relaxant catechin derivative from *Elaeodendron balae* (Celastraceae). *Acta Pharm Suec.* 21(1) 73-76.

Weeratunga G, Bohlin L, Verpoorte R & Kumar V (1985) Flavonoids from *Elaeodendron balae* root bark. *Phytochemistry* 24(9) 2093-2095.

Weeratunga G & Kumar V (1985) D: B-Friedoolean-5-ene-3 β ,29-diol, an angular methyl oxygenated D:B-Friedooleanene from *Elaeodendron balae*. *Phytochemistry* 24(10) 2369-2372.