

## REFERENCES

---

- Abrams C. C., King A. M. Q. & Belsham G. J. (1995) Assembly of foot-and-mouth disease virus empty capsids synthesized by a vaccinia virus expression system. *J. Gen. Virol.* 76, 3089-3098.
- Acharya R., Fry E., Stuart D. I., Fox G., Rowlands D. & Brown F. (1989) The three-dimensional structure of foot-and-mouth disease virus at 2.9Å. *Nature* 337, 709-716.
- Acharya R., Fry E., Stuart D., Fox G., Rowlands D. & Brown F. (1990) The structure of foot-and-mouth disease virus: implications for its physical and biological properties. *Vet. Microbiol.* 23, 21-34.
- Ada G. (1997) Overview of vaccines. *Molec. Biotech.* 8, 123-134.
- Agricultural News, Official News Letter of the National Department of Agriculture, Republic of South Africa, September 21, 1998, p.10.
- Allaire M., Cheraia M. M., Malcolm B. A. & James M. N. G. (1994) Picornaviral 3C cysteine proteinases have a fold similar to chymotrypsin-like serine proteinases. *Nature* 369, 72-76.
- Almeida M. R., Rieder E., Chinsangaram J., Ward G., Beard C., Grubman M. J. & Mason P. W. (1998) Construction and evaluation of an attenuated vaccine for foot-and-mouth disease: difficulty adapting the leader proteinase-deleted strategy to the serotype O1 virus. *Virus Res.* 55, 49-60.
- Ansardi D. C., Porter D. C., Anderson M. J. & Morrow C. (1996) Poliovirus assembly and encapsidation of genomic RNA. *Adv. Virus Res.* 46, 1-68.
- Babiuk L. A. (1999) Broadening the approaches to developing more effective vaccines. *Vaccine* 17, 1587-1595.
- Bachrach H. L., Moore D. M., McKercher P. D. & Polatnick J. (1975) Immune and antibody responses to an isolated capsid protein of foot-and-mouth disease virus. *J. Immunol.* 115, 1636-1641.
- Bachrach H. L., Morgan D. O. & Moore D. M. (1979) Foot-and-mouth disease virus immunogenic capsid protein VPT: N-terminal sequences and immunogenic peptides obtained by CNBr and tryptic cleavages. *Intervirology* 12, 65-72.
- Bahnemann H. G. (1973) The inactivation of foot-and-mouth disease virus by ethylenimine and propylenimine. *Zentralbl. Vet. Med. B.* 20, 356-360.
- Bahnemann H. G. (1975) Binary ethylenimine as an inactivant for foot-and-mouth disease virus and its application for vaccine production. *Arch. Virol.* 47, 47-56.
- Barteling S. J. & Vreeswijk J. (1991) Developments in foot-and-mouth disease vaccines. *Vaccine* 9, 75-88.
- Barteling S. J. & Woortmeijer R. (1984) Formaldehyde inactivation of foot-and-mouth disease virus. Conditions for the preparation of safe vaccine. *Arch. Virol.* 80, 103-117.
- Bastos A. D. S. (1998) Detection and characterization of foot-and-mouth disease virus in sub-Saharan Africa. *Onderstepoort J. Vet. Res.* 65, 37-47.
- Bastos A. D. S., Bertschinger H. J., Cordel C., Van Vuuren C. de W. J., Keet D., Bengis R. G., Grobler D.G. & Thomson G. R. (1999) Possibility of sexual transmission of foot-and-mouth disease from African buffalo to cattle. *Vet. Rec.* 145, 77-79.

- Bastos A. D. S., Boshoff C. I., Keet D. F., Bengis R. G. & Thomson G. R.** (2000) Natural transmission of foot-and-mouth disease virus between African buffalo (*Syncerus caffer*) and impala (*Aepyceros melampus*) in the Kruger National Park, South Africa. *Epidemiol. Infect.*, 124, 591-598.
- Bastos A. D. S., Haydon D. T., Forsberg R., Knowles N. J., Anderson E. C., Bengis R. G., Nel L. H. & Thomson G. R.** (2001) Genetic heterogeneity of SAT-1 type foot-and-mouth disease viruses in southern Africa. *Archives of Virology, in press.*
- Bauman M. & Esterhuysen J.J.** (2000) The antigenic relationships between foot-and-mouth disease viruses isolated from southern African buffalo populations and vaccine strains. South African Association of Veterinary Technologists Meeting 2000, Berg-en-Dal, Kruger National Park, South Africa.
- Baxt B., Vakharia V., Moore D. M., Franke A. J. & Morgan D. O.** (1989) Analysis of neutralizing antigenic sites on the surface of type A<sub>12</sub> foot-and-mouth disease virus. *J. Virol.* 63, 2143-2151.
- Bazan J. F. & Fletterick R. J.** (1988) Viral cysteine proteases are homologous to the trypsin-like family of serine proteases: Structural and functional implications. *Proc. Natl. Acad. Sci. USA* 85, 7872-7876.
- Beard C. W. & Mason P. W.** (1998) Out on the farm with DNA vaccines. *Nature Biotech.* 16, 1325-1328.
- Beard C. W. & Mason P. W.** (2000) Genetic determinants of altered virulence of Taiwanese foot-and-mouth disease virus. *J. Virol.* 74, 987-991.
- **Beard C., Ward G., Ricder E., Chinsangaram J., Grubman M. J. & Mason P. W.** (1999) Development of DNA vaccines for foot-and-mouth disease, evaluation of vaccines encoding replicating and non-replicating nucleic acids in swine. *J. Biotech.* 73, 243-249.
- Beck E. & Strohmaier K.** (1987) Subtyping of European foot-and-mouth disease virus strains by nucleotide sequence determination. *J. Virol.* 61, 1621-1629.
- Belsham G. J. & Brangwyn J. K.** (1990) A region of the 5' noncoding region of foot-and-mouth disease virus RNA directs efficient internal initiation of protein synthesis within cells: involvement with the role of L protease in translation control. *J. Virol.* 64, 5389-5395.
- Belsham G. J.** (1993) Distinctive features of foot-and-mouth disease virus, a member of the picornavirus family: aspects of virus protein synthesis, protein processing and structure. *Prog. Biophys. Molec. Biol.* 60, 241-260.
- Belsham G. J., Abrams C. C., King A. M. Q., Roosien J. & Vlak J. M.** (1991) Myristoylation of foot-and-mouth disease virus capsid protein precursors is independent of other viral proteins and occurs in both mammalian and insect cells. *J. Gen Virol.* 72, 747-751.
- Belsham G. J., McInerney G. M. & Ross-Smith N.** (2000) Foot-and-mouth disease virus 3C protease induces cleavage of translation initiation factors eIF4A and eIF4G within infected cells. *J. Virol.* 74, 272-280.
- Bergmann E. M., Mosimann S. C., Chernai M. M., Malcolm B. A. & James M. N. G.** (1997) The refined crystal structure of the 3C gene product from hepatitis A virus: Specific proteinase activity and RNA recognition. *J. Virol.* 71, 2436-2448.
- Berinstein A., Roivainen M., Hovi T., Mason P. W. & Baxt B.** (1995) Antibodies to the vitronectin receptor (integrin  $\alpha_v\beta_3$ ) inhibit binding and infection of foot-and-mouth disease virus to culture cells. *J. Virol.* 69, 2664-2666.

- Berinstein A., Tami C., Taboga O., Smitsaart E. & Carrillo E.** (2000) Protective immunity against foot-and-mouth disease virus induced by a recombinant vaccinia virus. *Vaccine* 18, 2231-2238.
- Bittle J. L., Houghten R. A., Alexander H., Shinnick T. M., Sutcliffe J. G., Lerner R. A., Rowlands D. J. & Brown F.** (1982) Protection against foot-and-mouth disease by immunization with a chemically synthetic peptide predicted from the viral nucleotide sequence. *Nature* 298, 30-33.
- Black D. N., Stephenson P., Rowlands D. J. & Brown F.** (1979) Sequence and location of the poly(C) tract in aphtho- and cardiovirus RNA. *Nucleic Acids Res.* 6, 2381-2390.
- Blanco E., McCullough K., Summerfield A., Fiorini J., Andreu D., Chiva C., Borrás E., Barnett P. & Sobrino F.** (2000) Interspecies major histocompatibility complex-restricted Th cell epitope on foot-and-mouth disease virus capsid protein VP4. *J. Virol.* 74, 4902-4907.
- Boom, R., Sol, C. J., Salimans, M. M. M., Jansen, C. L., Wertheim-van Dillen, P. M. E. & van der Noordaa, J.** (1990). Rapid and simple method for purification of nucleic acids. *J. Clin. Microbiol.* 28, 495-503.
- Boothroyd J. C., Highfield P. E., Cross G. A. M., Rowlands D. J., Lowe P. A., Brown F. & Harris T. J. R.** (1981) Molecular cloning of foot-and-mouth disease virus genome and nucleotide sequences in the structural genes. *Nature*, 290, 800-802.
- Broekhuijsen M. P., Van Rijn M. M., Blom A. J. M., Pouwels P. H., Enger-Valk B. E., Brown F. & Francis M. J.** (1987) Fusion proteins with multiple copies of the major antigenic determinant of foot-and-mouth disease virus protect both the natural host and laboratory animals. *J. Gen. Virol.* 68, 3137-3143.
- Brooksby J. B.** (1982) Portraits of viruses: Foot-and-mouth disease virus. *Intervirology* 18, 1-23.
- Brown C. C., Piccone M. E., Mason P. W., McKenna T. S.-C. & Grubman M. J.** (1996) Pathogenesis of wild-type and Leaderless foot-and-mouth disease virus in cattle. *J. Virol.* 70, 5638-5641.
- Brown F.** (1986) Foot-and-mouth disease – one of the remaining great plaques. *Proc. R. Soc. Lond.* B229, 215-226.
- Brown F.** (1992) New approaches to vaccination against foot-and-mouth disease. *Vaccine* 10, 1022-1026.
- Brown F.** (1999) Control of foot-and-mouth disease by vaccination. *Dev. Biol. Stand.* 100, 131-135.
- Brown F.** (1994) The Leeuwenhoek Lecture, 1993. Peptide vaccines: dream or reality? *Philos. Trans. R. Soc. Lond. B. Biol. Sci.* 344, 213-219.
- Brown F., Hyslop N. S. G, Crick J. & Morrow A. W.** (1963) The use of acetyl-ethyleneimine in the production of inactivated foot-and-mouth disease vaccines. *J. Hyg.* 61, 337-344.
- Bulloch W.** (1927) Foot-and-mouth disease and the 16<sup>th</sup> century. *J. Comp. Path. Ther.* 40, 75-76.
- Cao, X., Bergman, I. E., Fullkrieger, R. & Beck, E.** (1995). Functional analysis of the two alternative initiation sites of foot-and-mouth disease virus. *J. Virol.* 69, 560-563.
- Capstick P. B., Telling R. C., Chapman W. G. & Stewart D. L.** (1962) Growth of a cloned strain of hamster kidney cells in suspended cultures and their susceptibility to the virus of foot-and-mouth disease. *Nature* 195, 1163-1164.

- Carrillo C., Wigdorovitz A., Oliveros J. C., Zamorano P. I., Sadir A. M., Gómez N., Salinas J., Escribano J. M. & Borca M. V.** (1998) Protective immune response to foot-and-mouth disease virus with VP1 expressed in transgenic plants. *J. Virol.* 72, 1688-1690.
- Chinsangaram J., Beard C., Mason P. W., Zellner M. K., Ward G. & Grubman M. J.** (1998a) Antibody response in mice inoculated with DNA expressing foot-and-mouth disease virus capsid proteins. *J. Virol.* 72, 4454-4457.
- Chinsangaram J., Mason P. W. & Grubman M. J.** (1998b) Protection of swine by live and inactivated vaccines prepared from a leader proteinase-deficient serotype A12 foot-and-mouth disease virus. *Vaccine* 16, 1516-1522.
- Chow M., Newman J. F. E., Filman D., Hogle J. M., Rowlands D. J. & Brown F.** (1987) Myristylation of picornavirus capsid protein VP4 and its structural significance. *Nature* 327, 482-486.
- Clarke B. E., Brown A. L., Currey K. M., Newton S. E., Rowlands D. J. & Carroll A. R.** (1987a) Potential secondary and tertiary structure in the genomic RNA of foot-and-mouth disease virus. *Nucleic Acids Res.* 15, 7067-7079.
- Clarke B. E., Newton S. E., Carroll A. R., Francis M. J., Appleyard G., Syred A. D., Highfield P. E., Rowlands D. J. & Brown F.** (1987b) Improved immunogenicity of a peptide epitope after fusion to hepatitis B core protein. *Nature* 330, 381-384.
- **Cleland J. L.** (1999) Single-administration vaccines: controlled-release technology to mimic repeated immunizations. *TibTech* 17, 25-29.
- Condy J. B., Hedger R. S., Hamblin C. & Barnett L. T. R.** (1985) The duration of the foot-and-mouth disease virus carrier state in African buffalo: (I) In the individual animal and (ii) in a free-living herd. *Comp. Immunol. Micro. Infect. Dis.* 8, 259-265.
- Condy J. B., Herniman K. A. L. & Hedger R. S.** (1969) Foot-and-mouth disease in wildlife in Rhodesia and other African territories. *J. Comp. Path.* 79, 27-31.
- Crowther J. R., Farias S., Carpenter W. C. & Samuel A. R.** (1993a) Identification of a fifth neutralizable site on type O foot-and-mouth disease virus following characterization of single and quintuple monoclonal antibody escape mutants. *J. Gen. Virol.* 74, 1547-1553.
- Crowther J. R., Rowe C. A. & Butcher R.** (1993b) Characterization of monoclonal antibodies against a type SAT 2 foot-and-mouth disease virus. *Epidemiol. Infect.* 111, 391-406.
- Curry S., Fry E., Blakemore W., Abu-Ghazaleh R., Jackson T., King A., Lea S., Newman J. & Stuart D.** (1997) Dissecting the roles of VP0 cleavage and RNA packaging in picornavirus capsid stabilization: the structure of empty capsids of foot-and-mouth disease virus. *J. Virol.* 71, 9743-9752.
- Dawe P. S., Flanagan F. O., Madekurozwa R. L., Sorenson K. J., Anderson E. C., Foggin C. M., Ferris N. P. & Knowles N. J.** (1994) Natural transmission of foot-and-mouth disease from African buffalo (*Syncerus caffer*) to cattle in a wildlife area of Zimbabwe. *Vet. Rec.* 134, 230-232.
- Devaney M. A., Vakharia V. N., Lloyd R. E., Ehrenfeld E. & Grubman M. J.** (1988) Leader protein of foot-and-mouth disease virus is required for cleavage of the p220 component of the cap-binding complex. *J. Virol.* 62, 4407-4409.
- Dever T. E., Glynias M. J. & Merrick W. C.** (1987) GTP-binding domain: three consensus sequence elements with distinct spacing. *Proc. Natl. Acad. Sci.* 84, 1814-1818.
- **DiMarchi R., Brooke G., Gale C., Cracknell V., Doel T. & Mowat N.** (1986) Protection of cattle against foot-and-mouth disease by a synthetic peptide. *Science* 232, 639-641.

- **Doel T. R.** (1999) Optimisation of the immune response to foot-and-mouth disease vaccines. *Vaccine* 17, 1767-1771.
- Domingo E., Mateu M. G., Martinez M. A., Dopazo J., Moya A. & Sobrino F.** (1990) Genetic variability and antigenic diversity of foot-and-mouth disease virus in *Applied Virology Research* vol. 2, Kurstak E., Marusyk R., Murphy S. & Van-Regenmortel M. (eds) Plenum Publishing Corp., New York, p233.
- Donaldson A. I.** (1979) Airborne foot-and-mouth disease. *Vet. Bull.* 49, 653-659.
- Dunn C. S. & Donaldson A. I.** (1997) Natural adaptation to pigs of a Taiwanese isolate of foot-and-mouth disease virus. *Vet. Rec.* 141, 174-175.
- Ellard F. M., Drew J., Blakemore W. E., Stuart D. I. & King A. M. Q.** (1999) Evidence for the role of His-142 of protein 1C in the acid-induced disassembly of foot-and-mouth disease virus capsids. *J. Gen. Virol.* 80, 1911-1918.
- Escarmis C., Toja M., Medina M. & Domingo E.** (1992) Modification of the 5' untranslated region of foot-and-mouth disease virus after prolonged persistence in cell culture. *Virus Res.* 26, 113-125.
- Esterhuysen J. J.** (1994) The antigenic variation of foot-and-mouth disease viruses and its significance in the epidemiology of the disease in Southern Africa. M.Sc-thesis, University of Pretoria, South Africa.
- Falk M. M., Grigera P. R., Bergmann I. E., Zibert A., Multhaup G. & Beck E.** (1990) Foot-and-mouth disease virus protease 3C induces specific proteolytic cleavage of host cell histone H3. *J. Virol.* 64, 748-756.
- Falk M. M., Sobrino F. & Beck E.** (1992) VPg gene amplification correlates with infective particle formation in foot-and-mouth disease virus. *J. Virol.* 66, 2251-2260.
- Fogedby E. G., Malinquist W. A., Osteen O. L. & Johnson M. L.** (1960) Airborne transmission of foot-and-mouth disease virus. *Nord. Vet.* 12, 490-498.
- Fox G., Parry N. R., Barnett P. V., McGinn B., Rowlands D. J. & Brown F.** (1989) The cell attachment site on foot-and-mouth disease virus includes the amino acid sequence RGD (Arginine-Glycine-Aspartic Acid). *J. Gen. Virol.* 70, 625-637.
- Freund J. & Thompson K. J.** (1945) A simple, rapid technic of preparing water-in-oil emulsions of penicillin, drugs and biologicals. *Science* 101, 2627-2628.
- Fry E., Logan D., Acharya R., Fox G., Rowlands D., Brown F & Stuart D.** (1990) Architecture and topology of an aphthovirus. *Sem. Virol.* 1, 439-451.
- **Garland A. J. M.** (1999) Vital elements for the successful control of foot-and-mouth disease by vaccination. *Vaccine* 17, 1760-1766.
- Gillespie J. H. & Frenkel H. S.** (1955) Research on foot-and-mouth disease. VIII. Titration of foot-and-mouth disease virus making use of surviving tongue epithelium from vaccinated cattle. *Am. J. Vet. Res.* 16, 505-510.
- Girard, H. C., Sütcü M., Erdom H. & Gürhan I.** (1979) Monolayer culture of animal cells with the gyrogen equipped with tubes. *Dev. Biol. Stand.* 42, 127-131.
- Giraud A. T., Gomes I., De Mello P. A., Beck E., La Torre J., Scodeller E. A. & Bergmann I. E.** (1988) Behavior of intertypic recombinants between virulent and attenuated aphthovirus strains in tissue culture and cattle. *J. Virol.* 62, 3789-3794.

- Gloster J., Sellers R. F. & Donaldson A. I.** (1982) Long distance transport of foot-and-mouth disease virus over the sea. *Vet. Rec.* 110, 47-52.
- Gorbalenya A. E., Blinov V. M., Donchenko A. P. & Koonin E. V.** (1989a) An NTP-binding motif is the most conserved sequence in a highly diverged monophyletic group of proteins involved in positive-strand RNA viral replication. *J. Molec. Evol.* 28, 256-268.
- Gorbalenya A. E., Donchenko A. P., Blinov V. M. & Koonin E. V.** (1989b) Cysteine proteases of positive strand RNA viruses and chymotrypsin-like serine proteases. A distinct protein superfamily with a common structural fold. *FEBS Lett.* 243, 103-114.
- Gorbalenya A. E., Donchenko A. P., Koonin E. V. & Blinov V. M.** (1989c) Two related superfamilies of putative helicases involved in replication, recombination, repair and expression of DNA and RNA genomes. *Nucleic Acids Res.* 17, 4713-4730.
- Gorbalenya, A. E., Koonin, E. V. & Lai, M. M-C** (1991). Putative papain-related thiol protease of positive strand RNA viruses: Identification of rubi- and aphthovirus proteases and delineation of a novel conserved domain associated with proteases of rubi-, alpa- and coronaviruses. *FEBS Lett.* 288, 201-205.
- Grubman M. J., Lewis S. A. & Morgan D. O.** (1993) Protection of swine against foot-and-mouth disease with viral capsid proteins expressed in heterologous systems. *Vaccine* 11, 825-829.
- Grubman M. J., Morgan D. O., Kendall J. & Baxt B.** (1985) Capsid intermediates assembled in a foot-and-mouth disease virus genome RNA programmed cell-free translation system and in infected cells. *J. Virol.* 56, 120-126.
- Grubman M. J., Zellner M., Bablanian G., Mason P. W. & Piccone M. E.** (1995) Identification of the active-site residues of the 3C proteinase of foot-and-mouth disease virus. *Virology* 213, 581-589.
- Guarné, A., Tormo, J., Kirchweger, R., Pfistermueller, D., Fita, I. & Skern, T.** (1998). Structure of the foot-and-mouth disease virus leader protease: a papain-like fold adapted for self-processing and eIF4G recognition. *EMBO J.* 17, 7469-7479.
- Harley E. H.** (1998) DAPSA – a program for DNA and protein sequence analysis, version 4.31, Department of Chemical Pathology, University of Cape Town, South Africa.
- Harris T. J. R. & Brown F.** (1976) The location of the poly(C) tract in the RNA of foot-and-mouth disease virus. *J. Gen. Virol.* 33, 493-501.
- Hedger R. S. & Condy J. B.** (1985) Transmission of foot-and-mouth disease from African buffalo carriers to bovines. *Vet. Rec.* 117, 205.
- Hedger R. S.** (1972) Foot-and-mouth disease and the African buffalo (*Syncerus caffer*). *J. Comp. Path.* 82, 19-28.
- Hedger R. S., Forman A. J. & Woodford M. H.** (1973) Foot-and-mouth disease in East African buffalo. *Bull. Epiz. Dis. Afr.* 21, 99-101.
- Herbert W. J.** (1965) Multiple Emulsions: A new form of mineral-oil antigen adjuvant. *Lancet* 11, 771.
- Hilbert A. K., Fritzsche U. & Kissel T.** (1999) Biodegradable microspheres containing influenza A vaccine: immune response in mice. *Vaccine* 17, 1065-1073.
- Hodgman T. C.** (1988) A new superfamily of replicative proteins. *Nature* 333, 22-23.
- Holland J. J., Spindler K., Horodyski F., Grabau E., Nichol S. & VandePol S.** (1982) Rapid evolution in RNA genomes. *Science* 215, 1577-1585.

- **Hunter P.** (1998) Vaccination as a means of control of foot-and-mouth disease in sub-Saharan Africa. *Vaccine* 16, 261-264.
- Hynes R. O.** (1992) Integrins: versatility, modulation, and signaling in cell adhesion. *Cell* 69, 11-25.
- Jackson R. J., Howell M. T. & Kaminski A.** (1990) The novel mechanism of initiation of picornavirus RNA translation. *Trends Biochem. Sci.* 15, 477-483.
- Jackson T., Blakemore W., Newman J. W. I., Knowles N.J., Mould A. P., Humphries M. J. & King A. M. Q.** (2000a) Foot-and-mouth disease virus is a ligand for the high-affinity binding conformation of integrin  $\alpha_5\beta_1$ : influence of the leucine residue within the RGDL motif on selectivity of integrin binding. *J. Gen. Virol.* 81, 1383-1391.
- Jackson T., Ellard F. M., Abu-Ghazaleh R., Brookes S. M., Blakemore W. E., Corteyn A. H., Stuart D. I., Newman J. W. I. & King A. M. Q.** (1996) Efficient infection of cells in culture by type O foot-and-mouth disease virus requires binding to cell surface heparan sulfate. *J. Virol.* 70, 5282-5287.
- Jackson T., Sharma A., Abu-Ghazaleh R., Blakemore W. E., Ellard F. M., Simmons D. L., Newman J. W. I., Stuart D. I. & King A. M. Q.** (1997) Arginine-glycine-aspartic acid-specific binding by foot-and-mouth disease virus to the purified integrin  $\alpha_v\beta_3$  in vitro. *J. Virol.* 71, 8357-8361.
- Jackson T., Sheppard D., Denyer M., Blakemore W. & King A. M. Q.** (2000b) The epithelial integrin is  $\alpha_v\beta_6$  a receptor for foot-and-mouth disease virus. *J. Virol.* 74, 4949-4956.
- Kamer G. & Argos P.** (1984) Primary structural comparison of RNA-dependant polymerases from plant, animal and bacterial viruses. *Nucleic Acids Res.* 12, 7269-7282.
- King A. M. Q.** (1988) Preferred sites of recombination in poliovirus RNA: an analysis of 40 intertypic cross-over sequences. *Nucl. Acid Res.* 16, 11705-11723.
- King A. M. Q., McCahon D., Saunders K., Newman J. W. I. & Slade W. R.** (1985) Multiple sites of recombination within the RNA genome of foot-and-mouth disease virus. *Virus Res.* 3, 373-384.
- King A. M. Q., Underwood B. O., McCahon D., Newman J. W. I. & Brown F.** (1981) Biochemical identification of viruses causing the 1981 outbreaks of foot-and-mouth disease in the UK. *Nature* 293, 479-480.
- Kirchweger, R., Ziegler, E., Lamphear, B. J., Waters, D., Liebig, H.-D., Sommergruber, W., Sobrino, F., Hohenadl, C., Blaas, D., Rhoads, R. E. & Skern, T.** (1994). Foot-and-mouth disease virus leader proteinase: purification of the Lb form and determination of its cleavage site on eIF4G. *J. Virol.* 68, 5677-5684.
- **Kitching R. P.** (1999) Foot-and-mouth disease: current world situation. *Vaccine* 17, 1772-1774.
- **Kitching R. P.** (1998) A recent history of foot-and-mouth disease. *J. Comp. Path.* 118, 89-108.
- Kitson J. D. A., McCahon D. & Belsham G. J.** (1990) Sequence analysis of monoclonal antibody resistant mutants of type O foot-and-mouth disease virus: evidence for the involvement of the three surface exposed capsid proteins in four antigenic sites. *Virology* 179, 26-34.
- Kleid D. G., Yansura D., Small B., Dowbenko D., Moore D. M., Grubman M. J., McKercher P. D., Morgan D. O., Robertson B. H. & Bachrach H. L.** (1981) Cloned viral protein vaccine for foot-and-mouth disease: Responses in cattle and swine. *Science* 214, 1125-1129.
- Knipe T., Rieder E., Baxt B., Ward G. & Mason P. W.** (1997) Characterization of synthetic foot-and-mouth disease virus provirions separates acid-mediated disassembly from infectivity. *J. Virol.*, 71, 2851-2856.

**Kodihalli S., Haynes J. R., Robinson H. J. & Webster R. G.** (1997) Cross-protection among lethal H5N2 influenza viruses induced by DNA vaccine to the hemagglutinin. *J. Virol.* 71, 3391-3396.

**Kumar S. K., Tamura K. & Nei M.** (1993) MEGA: Molecular evolutionary genetics analysis, version 1.0. Pennsylvania State University.

**Küpper H., Keller W., Kurz C., Forss S., Schaller H., Franze R., Strohmaier K., Marquardt O., Zaslavsky V. G. & Hofschneider P. H.** (1981) Cloning of cDNA of major antigen of foot-and-mouth disease virus and expression in *E.coli*. *Nature* 189, 555-559.

→ **Kurstak E.** (1999) Towards new vaccines and modern vaccinology: introductory remarks. *Vaccine* 17, 1583-1586.

**Laskowski R. A., MacArthur M. W., Moss D. S. & Thornton J. M.** (1993) PROCHECK: A program to check the stereochemical quality of protein structures. *J. Appl. Cryst.* 26, 283-291.

**Lea S., Hernández J., Blakemore W., Brocchi E., Curry S., Domingo E., Fry E., Abu-Ghazaleh R., King A., Newman J., Stuart D. & Mateu M. G.** (1994) The structure and antigenicity of a type C foot-and-mouth disease virus. *Structure* 2, 123-139.

**Ledinko N.** (1963) Genetic recombination with poliovirus type 1. Studies of crosses between a normal horse serum-resistant mutant and several guanidine-resistant mutants of the same strain. *Virology* 20, 107-119.

**Lee Y. F., Nomoto A., Detjen B. M. & Wimmer E.** (1977) The genome-linked protein of picornaviruses: a protein covalently linked to poliovirus genome RNA. *Proc. Natl. Acad. Sci. USA* 74, 59-63.

**Lecuw P. W. de, Tiessink J. W. A. & Frenkel S.** (1979) Vaccination of pigs with formaldehyde inactivated aluminum hydroxide foot-and-mouth disease vaccines, potentiated with diethylaminoethyl dextran (DEAE-D). *Zentralbl. Vet. Med.B.* 26, 98-109.

**Leforban Y.** (1999) Prevention measures against foot-and-mouth disease in Europe in recent years. *Vaccine* 17, 1755-1759.

**Lei J. C.** (1978) Comparative investigation of virus content in samples of foot-and-mouth disease virus from BHK 21 suspension cells by sedimentation rate and density equilibrium ultracentrifugation. Research Group of the Standing Technical Committee of the European Commission for the Control of Foot-and-mouth Disease. Animal Production and Health Division, FAO, Rome (Italy), p.67-77.

**Lewis S. A., Morgan D. O. & Grubman M. J.** (1991) Expression, processing and assembly of foot-and-mouth disease virus capsid structures in heterologous systems: Induction of a neutralizing antibody response in guinea pigs. *J. Virol.* 65, 6572-6580.

**Li F., Browning G. F., Studdert M. J. & Crabb B. S.** (1996) Equine rhinovirus 1 is more closely related to foot-and-mouth disease virus than to other picornaviruses. *Proc. Natl. Acad. Sci.* 93, 990-995.

**Logan D., Abu-Ghazaleh R., Blakemore W., Curry S., Jackson T., King A., Lea S., Lewis R., Newman J., Parry N., Rowlands D., Stuart D. & Fry E.** (1993) Structure of a major immunogenic site on foot-and-mouth disease virus. *Nature* 362, 566-568.

**Lomax N. B. & Yin F. H.** (1989) Evidence for the role of the P2 protein of human rhinovirus in its host range change. *J. Virol.* 63, 2396-2399.

**Manickan E., Karem K. L. & Rouse B. T.** (1997) DNA vaccines – A modern gimmick or a boon to vaccinology? *Crit. Rev. Immunol.* 17, 139-154.



- Mason P. W., Piccone M. E., McKenna T. St.-C., Chinsangaram J. & Grubman M. J.** (1997) Evaluation of a live-attenuated foot-and-mouth disease virus as a vaccine candidate. *Virology* 227, 96-102.
- Mason P. W., Rieder E. & Baxt, B.** (1994) RGD sequence of foot-and-mouth disease virus is essential for infecting cells via the natural receptor but can be bypassed by an antibody-dependent enhancement pathway. *Proc. Natl. Acad. Sci.* 91, 1932-1936.
- Mateu M. G.** (1995) Antibody recognition of picornaviruses and escape from neutralization: a structural view. *Virus Res.* 38, 1-24.
- Mateu M. G., Martinez M. A., Rocha E., Andreu D., Parejo J., Giralt E., Sobrino F. & Domingo E.** (1989) Implications of a quasispecies genome structure: effect of frequent, naturally occurring amino acid substitutions on the antigenicity of foot-and-mouth disease virus. *Proc. Natl. Acad. Sci. USA* 86, 5883-5887.
- Mateu M. G., Martinez M. A., Capucci L., Andreu D., Giralt E., Sobrino F., Brocchi E. & Domingo E.** (1990) A single amino acid substitution affects multiple overlapping epitopes in the major antigenic site of foot-and-mouth disease viruses of serotype C. *J. Gen. Virol.* 71, 629-637.
- Mathews D. A., Smith W. W., Ferre R. A., Condon B., Budahazi G., Sisson W., Villafranca J. E., Jason C. A., McElroy H. E., Gribskov C. L. & Worland S.** (1994) Structure of human rhinovirus 3C protease reveals a trypsin-like polypeptide fold. RNA-binding site, and means for cleaving precursor polyprotein. *Cell* 77, 761-771.
- Mayr G., Chinsangaram J. & Grubman M. J.** (1999) Development of replication-defective adenovirus serotype 5 containing the capsid and 3C protease coding regions of foot-and-mouth disease virus as a vaccine candidate. *Virology* 263, 496-506.
- McCullough K. C., De Simone F., Brocchi E., Capucci L., Crowther J. R. & Kihm U.** (1992) Protective immune response against foot-and-mouth disease. *J. Virol.* 66, 1835-1840.
- McKenna T. S.-C., Lubroth J., Rieder E., Baxt B. & Mason P. W.** (1995) Receptor binding site-deleted foot-and-mouth disease (FMD) virus protects cattle from FMD. *J. Virol.* 69, 5787-5790.
- McKercher P. D. & Graves J. H.** (1977) A review of the current status of oil adjuvants in foot-and-mouth disease vaccines. *Dev. Biol. Stand.* 35, 107-112.
- Medina, M., Domingo, E., Brangwyn, J. K. & Belsham, G. J.** (1993). The two species of the foot-and-mouth disease virus leader protein, expressed individually, exhibit the same activities. *Virology* 194, 355-359.
- Messing J.** (1983) New M13 vectors for cloning. *Methods Enzymol.* 101, 20-78.
- Meyer K., Petersen M., Niepmann M. & Beck E.** (1995) Interaction of eukaryotic initiation factor 4B with a picornaviral internal translation initiation site. *J. Virol.* 69, 2819-2824.
- Mowat G. N. & Chapman W. G.** (1962) Growth of foot-and-mouth disease virus in a fibroblastic cell line derived from hamster kidneys. *Nature* 194, 253-255.
- Moxon E. R.** (1990) The scope of immunisation. *Lancet* 335, 448-451.
- Nargi F., Kramer E., Mezencio J., Zamparo J., Whetstone C., Van Regenmortel M. H. V., Briand J. P., Muller S. & Brown F.** (1999) Protection of swine from foot-and-mouth disease with one dose of an all-D retro peptide. *Vaccine* 17, 2888-2893.

- Neff S., Sa-Carvalho D., Rieder E., Mason P. M., Blystone S. D., Brown E. J. & Baxt B.** (1998) Foot-and-mouth disease virus virulent for cattle utilizes the integrin  $\alpha_v\beta_3$  as its receptor. *J. Virol.* 72, 3587-3594.
- Newton S. E., Carroll A. R., Campbell R. O., Clarke B. E. & Rowlands D. J.** (1985) The sequence of foot-and-mouth disease virus RNA to the 5' side of the poly (C) tract. *Gene* 40, 331-336.
- Niepmann M.** (1996) Porcine polypyrimidine tract-binding protein stimulates translation initiation at the internal ribosome entry site of foot-and-mouth disease virus. *FEBS Lett.* 388, 39-42.
- Niepmann M., Petersen A., Meyer K., Beck E.** (1997) Functional involvement of polypyrimidine tract-binding protein in translation initiation complexes with the internal ribosome entry site of foot-and-mouth disease virus. *J. Virol.* 71, 8330-8339.
- Ohlmann T., Pain V. M., Wood W., Rau M. & Morley S. J.** (1997) The proteolytic cleavage of eukaryotic initiation factor (eIF) 4G is prevented by eIF4E binding protein (PHAS-1; 4E-BP1) in the reticulocyte lysate. *EMBO J.* 16, 844-855.
- Ohlmann T., Rau M., Morley S. J. & Pain V. M.** (1995) Proteolytic cleavage of initiation factor eIF-4G in the reticulocyte lysate inhibits translation of capped mRNAs but enhances that of uncapped mRNAs. *Nucleic Acids Res.* 23, 334-340.
- Ohlmann T., Rau M., Pain V. M. & Morley S. J.** (1996) The C-terminal domain of eukaryotic protein synthesis initiation factor (eIF) 4G is sufficient to support cap-dependent translation in the absence of eIF4E. *EMBO J.* 15, 1371-1382.
- Palmenberg A. C., Kirby E. M., Janda M. R., Drake N. L., Duke G. M., Potratz K. F. & Collett M. S.** (1984) The nucleotide and deduced amino acid sequences of the encephalomyocarditis viral polyprotein coding region. *Nucleic Acids Res.* 12, 2969-2985.
- Palmenberg, A.** (1989) Molecular Aspects of Picornavirus Infection and Detection in Semler B.L. and Ehrenfeld E. (eds.) ASM, Washington, DC, p. 211.
- Pelletier J., Flynn M. E., Kaplan G., Racaniello V. R. & Sonenberg N.** (1988) Mutational analysis of upstream AUG codons of poliovirus RNA. *J. Virol.* 62, 4486-4492.
- Pereira H. G.** (1981) Foot-and-mouth disease in *Virus Diseases of Food Animals Vol II*. Gibbs E.P.J. (ed). Disease Monographs. London, New York, Academic Press Inc.
- Piccone M. E., Rieder E., Mason P. W. & Grubman M. J.** (1995a) The foot-and-mouth disease virus leader proteinase gene is not required for viral replication. *J. Virol.* 69, 5376-5382.
- Piccone, M. E., Zellner, M., Kumosinski, T. E., Mason, P. W. & Grubman, M. J.** (1995b). Identification of the active-site of L protease of foot-and-mouth disease virus. *J. Virol.* 69, 4950-4956.
- ➔ **Plotkin S. A.** (1993) Vaccination in the 21th century. *J. Infect. Dis.* 168, 29-37.
- Pringle C.R.** (1965) Evidence of genetic recombination in foot-and-mouth disease virus. *Virology* 25, 48-54.
- Putnak J. R. & Phillips B. A.** (1981) Picornaviral structure and assembly. *Microbiol. Rev.* 45, 287-315.
- Rieder E., Baxt B., Lubroth J. & Mason P.W.** (1994) Vaccines prepared from chimeras of foot-and-mouth disease virus (FMDV) induce neutralizing antibodies and protective immunity to multiple serotypes of FMDV. *J. Virol.* 68, 7092-7098.

- Rieder E., Berinstein A., Baxt B., Kang A. & Mason P. W.** (1996) Propagation of an attenuated virus by design: Engineering a novel receptor for a noninfectious foot-and-mouth disease virus. *Proc. Natl. Acad. Sci. USA* 93, 10428-10433.
- Rieder E., Bunch T., Brown F. & Mason P. W.** (1993) Genetically engineered foot-and-mouth disease viruses with poly(C) tracts of two nucleotides are virulent in mice. *J. Virol.* 67, 5139-5145.
- Roberts, P.J. & Belsham, G.** (1995). Identification of the critical amino acids with the foot-and-mouth disease Leader protein, a cysteine protease. *Virology* 213, 140-146.
- Robertson B. H., Grubman M. J., Weddell G. N., Moore D. M., Welsh J. D., Fischer T., Dowbenko D. J., Yansura D. G., Small B. & Klein D. G.** (1985) Nucleotide and amino acid sequence coding for polypeptides of foot-and-mouth disease virus type A<sub>12</sub>. *J. Virol.* 54, 651-660.
- Robinson H. L., Hunt L. A. & Webster R. G.** (1993) Protection against a lethal influenza virus challenge by immunization with a haemagglutinin-expressing plasmid DNA. *Vaccine* 11, 957-960.
- Roosien J., Belsham G. J., Ryan M. D., King A. M. Q. & Vlak J. M.** (1990) Synthesis of foot-and-mouth disease virus capsid proteins in insect cells using baculovirus expression vectors. *J. Gen. Virol.* 71, 1703-1711.
- Rowlands D. J., Harris T. J. R. & Brown F.** (1978) More precise location of the polycytidylic acid tract in foot-and-mouth disease virus RNA. *J. Virol.* 26, 335-343.
- Rueckert R. R.** (1996) Picornaviridae: The viruses and their replication in *Fields Virology*. Fields B.N., Knipe D.M. and Howley P.M. (eds) Lippincott – Raven Publishers, Philadelphia, p.609.
- Ruoslahti E. & Pierschbacher M. D.** (1987) New perspectives in cell adhesion: RGD and integrins. *Science* 238, 491-497.
- Ryan, M. D & Flint, M.** (1997). Virus-encoded proteases of the picornavirus super-group. *J. Gen. Virol.* 78, 699-723.
- Ryan, M. D., King, A. M. Q. & Thomas, G. P.** (1991). Cleavage of foot-and-mouth disease virus polyprotein is mediated by residues located within a 19 amino acid sequence. *J. Gen. Virol.* 72, 2727-2732.
- Sa-Carvalho D., Rieder E., Baxt B., Rodarte R., Tanuri T. & Mason P. W.** (1997) Tissue culture adaptation of foot-and-mouth disease viruses that bind to heparin and are attenuated in cattle. *J. Virol.* 71, 5115-5123.
- Sali A & Blundell T.L.** (1993) Comparative protein modelling by satisfaction of spatial restraints. *J. Mol. Biol.* 234, 779-815.
- Samuel A. R., Knowles N. J. & Mackay D. K.** (1999) Genetic analysis of type O viruses responsible for epidemics of foot-and-mouth disease in North Africa. *Epidemiol. Infect.* 122, 529-538.
- Sangar, D. V., Newton, S. E., Rowlands, D. J. & Clarke, B. E.** (1987). All FMDV serotypes initiate protein synthesis at two separate sites. *Nuc. Acids Res.* 15, 3305-3315.
- Sanz-Parra A., Vázquez B., Sobrino F., Cox S. J., Ley V. & Salt J. S.** (1999) Evidence of partial protection against foot-and-mouth disease in cattle immunized with a recombinant adenovirus vector expressing the precursor polypeptide (P1) of foot-and-mouth disease virus capsid proteins. *J. Gen. Virol.* 80, 671-679.
- Seipelt J., Guarné A., Bergmann E., James M., Sommergruber W., Fita I. & Skern T.** (1999) The structures of picornaviral proteinases. *Virus Res.* 62, 159-168.

- Sellers R. F.** (1971) Quantitative aspects of the spread of foot-and-mouth disease. *Vet. Bull.* 41, 431-439.
- Sobrinho F., Blanco E., García-Briones M. & Ley V.** (1999) Synthetic peptide vaccines: Foot-and-mouth disease virus as a model. *Dev. Biol. Stand.* 101, 39-43.
- Spier R. E. & Whiteside J. P.** (1976) The production of foot-and-mouth disease virus from BHK 21 C 13 cells grown on the surface of glass spheres. *Biotech. Bioeng.* 18, 649-657.
- Stanway G., Brown F., Christian P. D., Hovi T., Hyypiä T., King A. M. Q., Knowles N. J., Lemon S. M., Minor P. D., Pallansch M. A., Palmenberg A. C. & Skern T.** (2000) Taxonomy of the *Picornaviridae*: Species designations and three new genera. EUROPIC 2000, Baia delle Zagare, Mattinata, Italy.
- Stanway G., Hughes P. J., Mountford R. C., Minor P. D. & Almond J. W.** (1984) The complete nucleotide sequence of a common cold virus: human rhinovirus 14. *Nucleic Acids Res.* 12, 7859-7875.
- Strebel, K. & Beck, E.** (1986). A second protease of foot-and-mouth disease virus. *J. Virol.* 58, 893-899.
- Taboga O., Tami C., Carrillo E., Núñez J. I., Rodríguez A., Sáiz J. C., Blanco E., Valero M., Roig X., Camarero J. A., Andreu D., Mateu M. G., Giralte E., Domingo E., Sobrinho F. & Palma E. L.** (1997) A large-scale evaluation of peptide vaccines against foot-and-mouth disease: Lack of solid protection in cattle and isolation of escape mutants. *J. Virol.* 71, 2606-2614.
- Tang X., Nakata Y., Li H., Zhang M., Fujita A., Sakatsume O., Ohta T. & Yokoyama K.** (1994) The optimization of preparations of competent cells for transformation of *E. coli*. *Nucl. Acid. Res.* 22, 2857-2858.
- Tesar M. & Marquardt O.** (1990) Foot-and-mouth disease virus protease 3C inhibits cellular transcription and mediates cleavage of histone H3. *Virology* 174, 364-374.
- Thomas A. A. M., Woortmeijer R. J., Puijk W. & Barteling S. J.** (1988) Antigenic sites on foot-and-mouth disease virus type A10. *J. Virol.* 62, 2782-2789.
- Thomson G. R.** (1994) Foot-and-mouth disease in *Infectious Diseases of Livestock with special reference to Southern Africa*. Coetzer J.A.W., Thomson G.R. and Tustin R.C. (eds) Oxford University Press, Cape Town. p.825.
- Thomson G. R.** (1996) The role of carrier animals in the transmission of foot-and-mouth disease. *O.I.E. Comp. Rep. Tech.* Items presented to the International Committee or the Regional Commissions. 87-103.
- Thomson G. R.** (1999) Alternatives for controlling animal diseases resulting from interaction between livestock and wildlife in southern Africa. *SA. J. Sci.* 95, 71-76.
- Thomson G. R., Vosloo W., Esterhuysen J. J. & Bengis R. G.** (1992) Maintenance of foot-and-mouth disease viruses in buffalo (*Syncerus caffer*) in southern Africa. *Rev. Sci. Tech. Off. Int. Epiz.* 11, 1097-1107.
- Van Bekkum J. G., Frenkel H. S., Frederiks H. H. J. & Frenkel S.** (1959) Observations on the carrier state of cattle exposed to foot-and-mouth disease virus. *Tijdschr. Diergeneesk.* 84, 1159-1164.
- Van Lierop M. J., Wagenaar J. P., Van Noort J. M. & Hensen E. J.** (1995) Sequences derived from the highly antigenic VP1 region 140 to 160 of foot-and-mouth disease virus do not prime for a bovine T-cell response against intact virus. *J. Virol.* 69, 4511-4514.

- **Van Oirschot J. T.** (1999) Bovine viral vaccines, diagnostics, and eradication: past, present and future. *Adv. Vet. Med.* 41, 197-216.
- Van Wezel A. L.** (1967) Growth of cell-strains and primary cells on micro-carriers in homogenous culture. *Nature* 216, 64-65.
- Villaverde A., Feliu J. X., Harbottle R. P., Benito A & Coutelle C.** (1996) A recombinant, arginine-glycine-aspartic acid (RGD) motif from foot-and-mouth disease virus binds mammalian cells through vitronectin and, to a lower extent, fibronectin receptors. *Gene* 180, 101-106.
- Vosloo W.** (1992) Phylogenetic relationships between foot-and-mouth disease virus isolates from southern Africa as a means of studying the epidemiology of the disease. M. Sc-thesis, University of Pretoria, South Africa.
- Vosloo W., Bastos A. D., Kirkbride E., Esterhuysen J. J., Janse van Rensburg D., Bengis R. G., Keet D. F. & Thomson G. R.** (1996) Persistent infection of African buffalo (*Syncerus caffer*) with SAT-type foot-and-mouth disease viruses: rate of fixation of mutations, antigenic change and interspecies transmission. *J. Gen. Virol.* 77, 1457-1467.
- Vosloo W., Kirkbride E., Bengis R. G., Keet A. F. & Thomson G. R.** (1995) Genome variation in the SAT types of foot-and-mouth disease viruses prevalent in buffalo (*Syncerus caffer*) in the Kruger National Park and other regions of southern Africa, 1986-1993. *Epidemiol. Infect.* 114, 203-218.
- Vriend G.** (1990) WHAT IF: a molecular modeling and drug design program. *J. Mol. Graph.* 8, 52-56.
- Ward G., Rieder E. & Mason P. W.** (1997) Plasmid DNA encoding replicating foot-and-mouth disease virus genomes induces antiviral immune responses in swine. *J. Virol.* 71, 7442-7447.
- Weber S., Granzow H., Weiland F. & Marquardt O.** (1996) Intracellular membrane proliferation in *E. coli* induced by foot-and-mouth disease virus 3A gene products. *Virus Genes* 12, 5-14.
- Whalen R. G.** (1996) DNA Vaccines for emerging infectious diseases: What if? *Emer. Infect. Dis.* 2, 168-175.
- Wigdorovitz A., Carrillo C., Dus Santos M. J., Trono K., Peralta A., Gómez M. C., Ríos R. D., Franzone P. M., Sadir A. M., Escribano J. M. & Borca M. V.** (1999a) Induction of a protective antibody response to foot-and-mouth disease virus in mice following oral or parental immunization with alfalfa transgenic plants expressing the viral structure protein VP1. *Virology* 255, 347-353.
- Wigdorovitz A., Pérez Filgueira D. M., Robertson N., Carrillo C., Sadir A. M., Morris T. J. & Borca M. V.** (1999b) Protection of mice against challenge with foot-and-mouth disease virus (FMDV) by immunization with foliar extracts from plants infected with recombinant tobacco mosaic virus expressing the FMDV structural protein VP1. *Virology* 264, 85-91.
- Winther M. D., Allen G., Bomford R. H. & Brown F.** (1986) Bacterially expressed antigenic peptide from foot-and-mouth disease virus capsid elicits variable immunologic responses in animals. *J. Immunol.* 136, 1835-1840.
- Xiang Z. Q., Spitalnik S. L., Cheng J., Erikson J., Wojezyk B. & Ertl H. C.** (1995) Immune responses to nucleic acid vaccines to rabies virus. *Virology* 209, 569-579.
- Yagasaki T.** (1999) Preventing and preparing for animal health emergencies in the Far East. *Rev. Sci. Tech. Off. Int. Epiz.* 18, 52-58.
- Yang P. C., Chu R. M., Chung W. B. & Sung H. T.** (1999) Epidemiological characteristics and financial costs of the 1997 foot-and-mouth disease epidemic in Taiwan. *Vet. Rec.* 145, 731-734.

**Zibert A., Maass G., Strebel K., Falk M.M & Beck E.** (1990) Infectious foot-and-mouth disease virus derived from a cloned full-length cDNA. *J. Virol.* 64, 2467-2473.

**Ziegler E., Borman A. M., Kirchweger R., Skern T. & Kean K. M.** (1995) Foot-and-mouth disease virus Lb proteinase can stimulate rhinovirus and enterovirus IRES-driven translation and cleave several proteins of cellular and viral origin. *J. Virol.* 69, 3465-3474.

## LIST OF CONGRESS CONTRIBUTIONS

---

**H.G. van Rensburg**, F. Joubert & L.H. Nel. Genetic heterogeneity in the leader and 3C proteinases of foot-and-mouth disease virus. EUROPIC 2000, Baia delle Zagare, Mattinata, Italy, 25-31 May 2000. (Talk)

**H.G. van Rensburg** & P.W. Mason. Construction of a chimeric virus between serotypes A and SAT 2 of foot-and-mouth disease virus. EUROPIC 2000, Baia delle Zagare, Mattinata, Italy, 25-31 May 2000. (Poster)

L. Heath, **H.G. van Rensburg**, W Vosloo & L.H. Nel. Genetic characterisation of the structural-protein-coding region of several South African type Foot-and-Mouth Disease viruses. 11th Biennial congress of the South African Society for Microbiology BioY2k Combined Millennium meeting, Grahamstown, 23-28 January 2000. (Talk)

→ **H.G. van Rensburg**, L.E. Heath, L.H. Nel & P.W. Mason. Important aspects in the development of recombinant vaccines against foot-and-mouth disease. 80<sup>th</sup> Annual Meeting of the Conference of research workers in Animal Diseases, Chicago, United States of America, 7 – 9 November, 1999. (Poster)

**H.G. van Rensburg**, L.H. Nel & L.E. Heath. Towards the development of a recombinant vaccine against foot-and-mouth disease. Xith International Congress of Virology, Sydney, Australia, 9-13 August, 1999. (Poster)

**H. G. van Rensburg** & L.H. Nel. Characterization of the structural-protein-coding region of foot- and-mouth disease virus serotype SAT2. 2nd FASBMB/15<sup>th</sup> SASBMB, Potchefstroom, 30 September - 3 October 1998. (Poster)

**H.G. van Rensburg** & L.H. Nel. Amino acid sequence comparison of foot-and-mouth disease viral proteases from different serotypes. 2nd FASBMB/15<sup>th</sup> , SASBMB, Potchefstroom, 30 September - 3 October 1998. (Poster)

**H.G. van Rensburg** & L.H. Nel. Characterization of the structural-protein-coding region of foot- and-mouth disease virus serotype SAT2. EUROPIC '98, Jena, Germany, 5- 11 September 1998. (Poster)

## LIST OF PUBLISHED PAPERS

---

**H.G. van Rensburg & L.H. Nel** (1999) Characterization of the structural-protein-coding region of SAT2 type foot-and-mouth disease virus. **Virus Genes** 19 (3), 229 – 233.