

## List of references

ANIMAL CARE AND USE COMMITTEE (1988); American Society of Mammalogists (ASM; <http://www.mammalogy.org/committees/index.asp>; for the guidelines on capture, handling, and care of mammals. *Journal of Mammalogy* **79**:1416-1431.

ANSELL, W.H.F. (1978). The mammals of Zambia. The National Park and Wildlife Service. Chilanga, Zambia.

BAUMAN, J. (1981). Basal body temperature: unreliable method of ovulation detection. *Fertility and Sterility* **36**: 729-733.

BEGALL, S. & BURDA, H. (1998). Reproductive biology (behaviour, breeding and postnatal development) in subterranean mole-rats, *Cryptomys hottentotus* (Bathyergidae). *Zeitschrift für Säugetierkunde* **54**:360-376.

BENNETT, N.C. (1988). The trend towards sociality in three species of southern African mole-rats (Bathyergidae): causes and consequences. Cape Town: University of Cape Town.

BENNETT, N.C. (1989). The social structure and reproductive biology of the common mole-rat, *Cryptomys hottentotus* and remarks on the trends in reproduction and sociality in the family Bathyergidae. *Journal of Zoology, London* **219**: 45-59.

BENNETT, N.C. (1994). Reproductive suppression in social *Cryptomys damarensis* colonies:- a lifetime of socially-induced sterility in males and females. *Journal of Zoology*, London **234**: 25-39.

BENNETT, N.C. & AGUILAR, G.H. (1995). The reproductive biology of the giant Zambian mole-rat *Cryptomys mechowii* (Rodentia, Bathyergidae). *South African Journal of Zoology* **30**: 1-4.

BENNETT, N.C., AGUILAR, G.H., JARVIS, J.U.M., & FAULKES, C.G. (1994). Thermoregulation in three species of Afrotropical subterranean mole-rats (Rodentia: Bathyergidae) from Zambia and Angola and scaling with the genus *Cryptomys*. *Oecologia* **97**:222-227.

BENNETT, N.C., COTTERILL, F.P.D. & SPINKS, A.C. (1996). Thermoregulation in two populations of the Matabeleland mole-rat, *Cryptomys hottentotus nimrodi* and remarks on the general thermoregulatory trends within the genus *Cryptomys* (Rodentia: Bathyergidae). *Journal of Zoology*, London **239**: 17-27.

BENNETT, N.C., GUTJAHR, G.H. & FAULKES, C.G. (2007). The reproductive physiology and endocrinology of the African mole-rats with special reference to Southern African species. . In *News from Underground*. Eds. Begall S., Burda H. and Schleich C Springer, German. pp. 61-78.

BENNETT, N.C. & FAULKES, C.G. (2000). African mole-rats: ecology and eusociality. Cambridge: Cambridge University Press.

BENNETT, N.C., FAULKES, C.G. & MOLTENO, A.J. (2000). Reproduction in Subterranean rodents. In Life Underground. Eds. Cameron G.N., Lacey A.E. and Patton, J. University of Chicago Press, Chicago.

BENNETT, N.C. & JARVIS, J.U.M. (1988a). The reproductive biology of the Cape mole-rat, *Georychus capensis* (Rodentia, Bathyergidae). Journal of Zoology, London **214**: 95–106.

BENNETT, N.C. & JARVIS, J.U.M. (1988b). The social structure and reproductive biology of colonies of the mole-rat *Cryptomys damarensis* (Rodentia: Bathyergidae), Journal of Mammalogy **69**: 293–302.

BENNETT, N.C., JARVIS, J.U.M., AGUILAR, G.H. & McDAID, E.J. (1991). Growth rates and development in six species of African mole-rats (Family: Bathyergidae). Journal of Zoology, London **225**: 13–26.

BENNETT, N.C., JARVIS, J.U.M. & COTTERILL, F.P.D. (1994). The colony structure and reproductive biology of the Afrotropical Mashona mole-rat, *Cryptomys darlingi* from Zimbabwe. Journal of Zoology, London **234**: 477–487.

BENNETT, N.C., JARVIS, J.U.M., FAULKES, C.G. & MILLAR, R.P. (1993). L.H. responses to single doses of exogenous GnRH by freshly captured Damaraland mole-rats, *Cryptomys damarensis*. *Journal of Reproductive Fertility* **99**: 81-86.

BENNETT, N.C., JARVIS, J.U.M. & WALLACE, E. (1990). The relative age structure and body masses of complete wild-captured colonies of the social mole-rats, the common mole-rat, *Cryptomys hottentotus hottentotus* and the Damaraland mole-rat, *Cryptomys damarensis*. *Journal of Zoology, London* **220**:469-485.

BENNETT, N.C., MOLTENO, A.J. & SPINKS, A.C. (2000). Pituitary sensitivity to exogenous GnRH in giant Zambian mole-rats, *Cryptomys mechowii* (Rodentia: Bathyergidae): support for the “socially-induced infertility continuum”. *Journal of Zoology, London* **252**: 447-452.

BISHOP, J.M., JARVIS, J.U.M., SPINKS, A.C., BENNETT, N.C. & O’RYAN, C. (2004). Molecular insight into patterns of colony composition and paternity in the common mole-rat *Cryptomys hottentotus hottentotus*. *Molecular Ecology* **13**: 1217–1229.

BLOCK, A., VONBLOH, W. & SCHNELLHUBER, H.J. (1990). Efficient box-counting determination of generalized fractal dimension. *Physical Review A* **42**: 1869–1874.

BOONEY, R.C., WOOD, D.J. & KLEINMAN, D.G. (1982). Endocrine correlates of behavioural oestrus in the female giant panda (*Ailuropoda melanoleuca*) and associated hormonal changes in the male. *Journal of Reproductive Fertility* **64**: 209-215.

BRAUDE, S.(1991). The behaviour and demographics of the naked mole-rat, *Heterocephalus glaber*. Ph.D. Thesis, University of Michigan, USA.

BRETT, R.A. (1986) The ecology and behaviour of the naked mole-rat *Heterocephalus glaber* (Rü ppell) (Rodentia: Bathyergidae). PhD dissertation, University of London, United Kingdom, 391pp.

BURDA, H. (1989). Relationships among rodent taxa as indicated by reproductive biology. *Zeitschrift für Zoologische Systematik und Evolutionsforschung* **27**: 49–57.

BURDA, H. (1995). Individual recognition and incest avoidance in eusocial common mole-rats rather than reproductive suppression by parents. *Eperientia* **51**:411-413.

BURDA, H. & KAWALIKA, M. (1993). Evolution of eusociality in the bathyergidae – the case of the giant mole rats (*Cryptomys mechowii*). *Naturwissenschaften* **80**: 235–237.

BURDA, H., HONEYCUTT, R.L., BEGALL, S., LOCKER\_ GRUTJEN, O.& SCHARFF, A. (2000). Are naked and common mole-rats eusocial and if so, why? *Behavioral Ecology and Sociobiology* **47**: 293–303.

BURLAND, T.M., BENNETT, N.C., JARVIS, J.U.M. & FAULKES, C.G. (2002). Eusociality in African mole-rats: new insights from patterns of genetic relatedness in the Damaraland mole-rat (*Cryptomys damarensis*). *Proceedings Biological Sciences* **269**: 1025–1030.

BURLAND, T.M., BENNETT, N.C., JARVIS, J.U.M. & FAULKES, C.G. (2004). Colony structure and parentage in wild colonies of co-operatively breeding Damaraland mole-rats suggests a role for reproductive suppression. *Molecular Ecology* **13**: 2371–2379.

CHAPLIN, R.E. & WHITE, R.W.G. (1969). The use of tooth eruption and wear, body weight and antler characteristics in the age estimation of male wild and park fallow deer (*Dama dama*). *Journal of Zoology, London* **157**:125-132.

CHIMIMBA, C.T., & DIPPENAAR, N.J. (1994). Non-geographic variations in *Aethomys chrysophilus* (De Winton 1987) and *Aethomys namaquensis* (A. Smith, 1834) (Rodentia: Muridae) from southern Africa. *South African Journal of Zoology* **29**:107-117.

CREDNER, S., BURDA, H. & LUDESCHER, F.(1997). Acoustic communication underground: vocalization characteristics in subterranean social mole-rats (*Cryptomys* sp., Bathyergidae). *Journal of comparative physiology. A* **180**: 245-255.

DAVIES, K.C. & JARVIS, J.U.M. (1986). The burrow systems and burrowing dynamics of the mole-rats *Bathyergus suillus* and *Cryptomys hottentotus* in the fynbos of the south western Cape, South Africa. *Journal of Zoology*, London **209**: 125-147.

DIPPENAAR, N.J. & RAUTENBACH, I.L. (1986). Morphometrics and karyology of the southern African species of the genus *Acomys I.* (Geoffroy Saint-Hillaire, 1838) (Rodentia: Muridae). *Annals of the Transvaal Museum* **34**:129-183.

EBENSPERGER, L.A. & BLUMSTAIN, D.T. (2006). Sociality in new world hystricognath rodents is linked to predators and burrow digging. *Behavioral Ecology*. **17**: 410–418.

ESPEY, L.I. & LIPNER, H. (1994). Ovulation. In *The physiology of reproduction*. 2<sup>nd</sup> Edition. Eds. Knobil, E., Neill, J.D. editors **1**: 725-780. New York: Raven Press.

FAULKES, C.G., ABBOT, D.H. & JARVIS, J.U.M. (1990). Social suppression of ovarian cyclicity in captive and wild colonies of naked mole-rats, *Heterocephalus glaber*. *Journal of Reproductive Fertility* **88**: 559-568.

FAULKES, C.G. & BENNETT, N.C. (2007). African mole-rats: behavioural and ecological diversity. In *Rodent societies: an ecological and evolutionary perspective*. Eds. Wolff J. & Sherman P.W. 427–437. Chicago: University of Chicago Press



FAULKES, C.G., BENNETT, N.C., BRUFORD, M.W., O'BRIEN, H.P., ANGUILAR, G.H., BENNETT, N.C. & JARVIS, J.U.M. (1997). Ecological constraints drive social evolution in the African mole-rats. *Proceedings Biological Sciences* **264**: 1619–1627.

FAULKES, C.G., VERHEYEN, E., VERHERYEN, W., JARVIS, J.U.M. & BENNETT, N.C. (2004). Phylogeography and speciation in African mole-rats (Family: Bathyergidae). *Molecular Ecology* **13**: 613-629.

FOLIN, O. (1914). Determination of creatinine in the urine. *Journal of Biological Chemistry* **17**: 469-473.

GABRIEL, K.R. & SOKAL, R.R. (1969). A new statistical approach to geographic variation analysis. *Systematic Zoology* **18**:259-278.

GAYLAND, A., HARRISSON, Y., & BENNETT, N.C. (1998). Temporal changes in the social structure of a captive colony of the Damaraland mole-rat, *Cryptomys damarensis*: the relationship of sex and age to dominance and burrow maintenance activity. *Journal of Zoology, London* **244**: 313-321.

GILBERT, F.F. & STOLT, S.L. (1970). Variability in aging Maine white-tailed deer by tooth-wear characteristics. *Journal of Wildlife Management* **34**:532-535.

GREENWOOD, P.J.(1980). Mating systems, philopatry and dispersal in birds and mammals. *Animal Behaviour* **25**:1140-1162.

HAGEN, U. (1985). Metrischce untersuchungen an *Heterocephalus glaber* (Ruppell 1812) einer sozialen Nagetierart. M.S. thesis, University of Kiel, Kiel, West Germany.

HALL, J.S., CLOUTER, J.R. & GRIFFIN, D.R. (1957). Longevity records and notes on tooth-wear of bats. *Journal of Mammalogy* **38**:407-409.

HART, L., CHIMIMBA, C.T., JARVIS, J.U.M., O'RIAN, M.J. & BENNETT, N.C. (2007). Craniometric sexual dimorphism and age variation in the South African Cape dune mole-rat (*Bathyergus suillus*). *Journal of Mammalogy* **88**(3):657-666.

HART, L., O'RIAN, M.J., JARVIS, J.U.M. & BENNETT, N.C. 2006. Is the Cape dune mole-rat, *Bathyergus suillus* a seasonal or aseasonal breeder? *Journal of Mammalogy* **87**: 1078–1085

HERBST, M. & BENNETT, N.C. (2006). Burrow architecture and burrowing dynamics of the endangered Namaqua dune mole rat (*Bathyergus janetta*) (Rodentia: Bathyergidae). *Journal of Zoology, London* **270**: 420–428.

HERBST, M., JARVIS, J.U.M. & BENNETT, N.C. (2004). A field assessment of reproductive seasonality in the Red data listed wild namaqua dune mole-rat, *Bathyergus janetta*. *Journal of Zoology*, London **263**: 259-268.

HESS, J. (2004). A population genetic study of the eusocial naked mole-rat (*Heterocephalus glaber*). Unpublished PhD Thesis, Washington University, USA.

HICKMAN, G.C.(1977). Burrow system structure of *Pappogeomys-Castanops* (Geomyidae) in Lubbock-County, Texas.*Am. Midl. Naturwissenschaften* **97**: 50–58.

INGRAM, C., BURDA, H. & HONEYCUTT, R.L. (2004). Molecular Phylogenetics and taxonomy of the African mole-rats, Genus *Cryptomys* and the new genus *Coetomys* Gray, 1864. *Molecular Phylogenetics and Evolution* **31**: 997–1014.

JACKSON, C.R. & BENNETT, N.C. (2005). Is the Natal mole-rat (*Cryptomys hottentotus natalensis*) a spontaneous or induced ovulator? *Journal of Mammalogy* **86**: 1-6.

JACOBS, D.S., BENNETT, N.C., JARVIS, J.U.M. & CROWE, T.M. (1991). The colony structure and dominance hierarchy of the Damaraland mole-rat, *Cryptomys damarensis* (Rodentia: Bathyergidae) from Namibia. *Journal of Zoology*, London **224**:553-576.

JANSE VAN RENSBURG, L., BENNETT, N.C., VANDER MERWE, M., SHOEMAN, A.S. (2002). Seasonal reproduction in the highveld mole-rat, *Cryptomys hottentotus pretoriae* (Rodentia: Bathyergidae). *Canadian Journal of Zoology* **80**: 810–820.

JANSE VAN RENSBURG, L., BENNETT, N.C., VANDER MERWE, M., SHOEMAN, A.S. & BRINDERS, J. (2003). Are non reproductive male highveld mole-rats *Cryptomys hottentotus pretoriae* physiologically suppressed while in the confines of the natal colony? *Journal of Zoology, London* **260**: 73-78.

JANSE VAN RENSBURG, L., CHIMIMBA, C.T., VANDER MERWE, M., SHOEMAN, A.S. & BENNETT, N.C. (2004). Relative age and reproductive status in *Cryptomys hottentotus Pretoria* (Rodentia: Bathyergidae) from South Africa. *Journal of Mammalogy* **85**: 58-65.

JARVIS, J.U.M. (1978). Energetics of survival in *Heterocephalus glaber* (Ruppell), the naked mole-rat (Rodentia: Bathyergidae). *Bulletin of. Carnegie Museum. Natural History* **6**: 81–87.

JARVIS, J.U.M. (1979). Ecological studies on *Heterrocephalus glaber*, the naked mole-rats in Kenya. *National Geographic Research reports 1979 Projects*, 429-437.

JARVIS, J.U.M. (1991a). Reproduction. In *The biology of the naked mole-rat*. Eds. Sherman, P.W., Jarvis, J.U.M. & Alexander, R.D. pp. 384-425. Princeton: Princeton University Press, USA.

JARVIS, J.U.M. (1991b). Appendix: methods for capturing, transporting and maintaining naked mole-rats in captivity. In *The biology of the naked mole-rat*. Eds. Sherman, P.W., Jarvis, J.U.M. & Alexander, R.D. Princeton: Princeton University Press. USA.

JARVIS, J.U.M. & BENNETT, N.C. (1990). The evolutionary history, population biology and social structure of African mole-rats: Family Bathyergidae, pp 97-128. In: *Evolution of subterranean mammals at the organismal and molecular levels*. Eds. Nevo, E., Reig, O.E. and Alan, R. Liss, and Wiley-Liss. New York.

JARVIS, J.U.M. & BENNETT, N.C. (1991). Ecology and behaviour of the family Bathyergidae, pp 66-96. In: *The biology of the naked mole-rat*. Eds. Sherman P. W., Jarvis J. M. U. and Alexander R. F. Princeton University Press, Princeton, New Jersey.

JARVIS, J.U.M. & BENNETT, N.C. (1993). Eusociality has evolved independently in two genera of bathyergid mole-rats - but occurs in no other subterranean mammal. *Behavioral Ecology and Sociobiology* **33**: 353–360.

JARVIS, J.U.M., BENNETT, N.C. & SPINKS, A.C. (1998). Food availability and foraging by wild colonies of Damaraland mole-rats (*Cryptomys damarensis*): implications for sociality. *Oecologia* **113**: 290–298.

]

JARVIS, J.U.M., O'RIAN, M.J., BENNETT, N.C. & SHERMAN, P.W. (1994). Mammalian eusociality - a family affair. *Trends in Ecological . Evolution* **9**: 47-51.

KEISS, R.E. (1969). Comparison of eruption-wear patterns and cementum annuli as age criteria in elk. *Journal of Wildlife Management* **33**:175-180.

KOCK, D., INGRAM, C.M., FRABOTTA, L.J., HONEYCUTT, R.L. & BURDA, H. (2006). On the Nomenclature of Bathyergidae and *Fukomys* N. Gen. (Mammalia : Rodentia). *Zootaxa* **1142**: 51–55.

LEAMY, L. (1983). Variance partitioning and effects of sex and age on morphometrics traits in random bred house mice. *Journal of Mammalogy* **64**:55-61.

LE COMBER, S.C., SEABLOOM, E.W. & ROMAÑACH , S.S. (2006). Burrow fractal dimension and foraging success in subterranean rodents: a simulation. *Journal of Behavioral Ecology* **17**: 188–195.

LE COMBER, S.C., SPINKS, A.C., BENNETT, N.C., JARVIS, J.U.M. & FAULKES, C.G (2002). Fractal dimension of African mole-rat burrows. *Canadian Journal of Zoology* **80**: 436–441.

LOVEGROVE, B.G. (1991). The evolution of eusociality in mole-rats (Bathyergidae) – a question of risks, numbers, and costs. *Journal of Behavioral Ecology and Sociobiology* **28**: 37–45.

LOVEGROVE, B.G. & WISSEL, C. (1988). Sociality in mole-rats –metabolic scaling and the role of risk sensitivity. *Oecologia* **74**:600–606.

MACHOLAN, M., BURDA, H., ZIMA, J., MISEK, I. & KAWALIKA, M. (1993). Karyotype of the giant mole-rat, *Cryptomys mechowii* (Rodentia; Bathyergidae). *Cytogenetics and cell Genetics* **64**: 261-263.

MALHERBE, G., BENNETT, N.C., & SCHOEMAN, A.S., (2004a). Is the highveld mole-rat, *Cryptomys hottentotus pretoriae* an induced or spontaneous ovulator? *Journal of Zoology, London* **263**: 159-165.

MALHERBE, G., BENNETT, N.C. & SCHOEMAN, A.S. (2004b). The reproductive biology and postnatal development of the highveld mole-rat, *Cryptomys hottentotus pretoriae* (Rodentia: Bathyergidae). *African Zoology* **38**:161–167.

MANKIN, P.C. & GETZ, L.L. (1994). Burrow morphology as related to social organization of *Microtus ochrogaster*. *Journal of Mammalogy* **75**:492–499.

MILLIGAN, S.R. (1972). Endocrine control of the timing of endometrial sensitivity to a decidual stimulus. *Biological Reproduction* **7**: 82-86

MILLIGAN, S.R. (1980). Pheromones and rodent reproductive physiology. Symposium of Zoological Society London **45**: 251-275.

MOLTENO, A.J. & BENNETT, N.C. (2002). Relaxation of socially-induced reproductive inhibition in colonies of the eusocial Damaraland mole-rat: the effect of aridity as an ecological constraint promoting philopatry. *Journal of Zoology, London* **256**: 445-448.

MORRIS, P. (1972). A review of mammalian age determination methods. *Mammal Review*, **2**:69-94.

MULLIN, S.K., PILLAY, N. & TAYLOR, P.J. (2004). Cranial variation and geographic patterns within the *Dasymys rufulus* complex (Rodentia: Muridae). *Journal of Mammalogy* **85**(5):911-923.

O'RIAN, M.J. & FAULKES, C.G. (2008). African mole-rats: eusociality, relatedness and ecological constraints. In *Ecology of social evolution*: 205–220. Eds. Heinze J. & Korb J. . Berlin: Springer-Verlag.



O'RIAN, M.J., JARVIS, J.M.U. & FAULKES, C.G. (1996). A dispersive morph in the naked mole-rat. *Nature* **380**:619-621.

OOSTHUIZEN, M.K. & BENNETT, N.C. (2007). LH responses to single doses of exogenous GnRH in the Cape mole-rat, *Georchus capensis*: the pituitary potential for opportunistic breeding. *Journal of Zoology, London* **271**: 196–202.

PARAG, A., BENNETT, N.C., FAULKES, C.G. & BATEMAN, P.W. (2006). Penile morphology of African mole-rats (Bathyergidae): structural modification in relation to mode of ovulation and degree of sociality. *Journal of Zoology, London* **270**: 323-329.

PETERS, W. (1881). *Sitz Ber Ges Nturf Freude Berlin*, 133.

POWELL, R.A. & FRIED, J.J. (1992). Helping by juvenile pinevoles (*Microtus pinetorum*), growth and survival of younger siblings, and the evolution of pine vole sociality. *Behavioral Ecology* **3**: 325–333.

RICKARD, C.A. & BENNETT, N.C. (1997). Recrudescence of sexual activity in a reproductively quiescent colony of the Damaraland mole-rat, by the introduction of a genetically unrelated male - a case of incest avoidance in "queenless" colonies. *Journal of Zoology, London* **241**: 185-202.

ROMAÑACH, S.S. & LE COMBER, S.C. (2004). Measures of pocket gopher (*Thomomys bottae*) burrow geometry: correlates of fractal dimension. *Journal of Zoology*, London **262**: 399–403.

ROMAÑACH, S.S., REICHMAN, O.J., ROGERS, W.E. & CAMERON, G.N. (2005). Effects of species, gender, age and habitat on pocket gopher foraging tunnel geometry. *Journal of Mammalogy* **86**: 750-756.

ROSI, M.I., CONA MI VIDELA, F., PUIG, S. & ROIG, V.G. (2000). Architecture of *Ctenomys mendocinus* (Rodentia) burrows from two habitats differing in abundance and complexity of vegetation. *Acta Theriol.* **45**, 491–505.

VAN SANDWYK, J.D.T. & BENNETT, N.C. (2005). Do solitary, seismic signaling Cape mole-rats, *Georychus capensis* demonstrate spontaneous or induced ovulation? *Journal of Zoology*, London **267**: 75-80.

SCANTLEBURY, M., SPEAKMAN, J.R., OOSTHUIZEN, M.K., ROPER, T.J. & BENNETT, N.C. (2006). Energetics reveals physiologically distinct castes in a eusocial mammal. *Nature* **440**: 795–797.

SCHARFF, A., BEGALL, S., GRUTCHEN, O. & BURDA, H. (1999). Reproductive characteristics and growth of Zambian giant mole-rats, *Cryptomys mehowi* (Rodentia: Bathyergidae). *Mammalia* **63**:217-230.

SCHARFF, A., BURDA, H., TENORA, F., KAWALIKA, M. & BARUS, V. (1997). Parasites in social subterranean Zambian mole-rats *Cryptomys* spp., (Bathyergidae; Rodentia). *Journal of Zoology, London* **241**: 571-577.

SCHARFF, A., LOCKER-GRUTJEN, O., KAWALIKA, M. & BURDA, H. (2001). Natural history of the giant mole-rat, *Cryptomys mechowi* (Rodentia: Bathyergidae), from Zambia. *Journal of Mammalogy* **82**: 1003–1005.

SHANAS, U., HETII, G., NEVO, E., SHALGI, R. & TERKEL, J. (1995). Reproductive behaviour in the female blind mole-rat (*Spalax ehrenbergi*). *Journal of Zoology, London* **237**:195-210.

SHULTE-HSTEDDE, A.I., MILLAR, J.S. & HICKLING, G.J. (2001). Sexual dimorphism in body composition of small mammals. *Canadian Journal of Zoology* **79**:1016-1020.

SICHILIMA, A.M., ZULU, M.S. & LEIRS, H. (2002). The effects of *Tephrosia vogelii* and land preparation methods on mole rat activity in cassava fields. In *Rats, mice and people: rodent biology and management*: pp. Eds. Singleton, G.R., Hinds, L.A., Krebs, C.J. and Spratt, D.M. 254–255. Australian Centre for International Agricultural Research.

SICHILIMA, A.M., BENNETT, N.C., FAULKES, C.G. & LE COMBER, S.C. (2008) Evolution of African mole-rat sociality: Burrow architecture, Rainfall and Foraging in colonies of the cooperatively breeding *Fukomys mechowii*. *Journal of Zoology*, London **275** (2008) 276-282.

SPINKS, A.C. (1998). Sociality in the common mole-rat *Cryptomys hottentotus hottentotus*. The effects of aridity. PhD thesis, University of Cape Town, Cape Town, South Africa.

SPINKS, A.C., BENNETT, N.C. & JARVIS, J.U.M. (1999). Regulation of reproduction in female common mole-rats, *Cryptomys hottentotus hottentotus*, the effects of breeding season and reproductive status. *Journal of Zoology*, London **248**: 161–168.

SPINKS, A.C., BENNETT, N.C. & JARVIS, J.U.M. (2000a). A comparison of the ecology of two populations of the common mole-rat, *Cryptomys hottentotus hottentotus*: the effect of aridity on food, foraging and body mass. *Oecologia* **125**: 341–349.

SPINKS, A.C., JARVIS, J.U.M. & BENNETT, N.C. (2000b). Comparative patterns of philopatry and dispersal in two common mole-rat populations: implications for the evolution of mole-rat sociality. *Journal of Animal Ecology* **69**: 224–234.

SPINKS, A.C. & PLAGANYI, E.E. (1999). Reduced starvation risks and habitat constraints promote cooperation in the common mole-rat, *Cryptomys hottentotus hottentotus*: a computer-simulated foraging model. *Oikos* **85**, 435–444.

SPINKS, A.C., VAN DER HORST, G. & BENNETT, N.C. (1997). Influence of breeding season and reproductive status on male reproductive characteristics in the common mole-rat, *Cryptomys hottentotus hottentotus*. *Journal of Reproduction and Fertility* **109**: 78–86.

ŠUMBERA, R., BURDA, H. & CHITAUKALI, W.N. (2003a). Reproductive biology of a solitary subterranean bathyergid rodent, the silvery mole-rat, *Heliophobius argenteocinereus*. *Journal of Mammalogy* **84**: 278–287.

ŠUMBERA, R., BURDA, H., CHITAUKALI, W.N. & KUBOVA, J. (2003c). Silvery mole-rats (*Heliophobius argenteocinereus*, Bathyergidae) change their burrow architecture seasonally. *Naturwissenschaften* **90**, 370–373.

SNEATH, P.H.A., & SOKAL, R.R. (1973). *Numerical taxonomy*. W. H. Freeman and Company, San Francisco, California.

SNYMAN, P.C., JACKSON, C.R. & BENNETT, N.C. (2006). Do dispersing female Damaraland mole-rats, *Cryptomys damarensis* (Rodentia: Bathyergidae) exhibit spontaneous or induced ovulation? *Physiology & Behaviour*. **87**: 88-94.

SOKAL, R.L. & ROHLF, F.J. (1981). *Biometry*. 2<sup>nd</sup>ed. W.H. Freeman and Company, San Francisco, California.

STATSOFT INC. (2008). *Statistica*. Version 8. Statsoft, Inc., Tulsa, Oklahoma.

TAYLOR, P.J., JARVIS, J.U.M., CROWE, T.M. & DAVIES, K.C. (1985). Age determination in the Cape mole-rat *Georychus capensis*. *South African Journal of Zoology*, **20**:261-267.

VLECK, D. (1979). The energy cost of burrowing by the pocket gopher *Thomomys bottae*. *Physiological Zoology*, London **244**:51-61.

WALLACE, E. & BENNETT, N.C. (1998). The colony structure and social organisation of the giant Zambian mole-rat, *Cryptomys mehowi*. *Journal of Zoology*, London **244**: 51–61.

WEIR, B.J. (1974). Reproductive characteristics of hystricomorph rodents. *Symposium of Zoological Society London* **34**: 265-301.

WILLIG, M.R., OWEN, R.D. & COLBERT, R.L. (1986). Assessment of morphometrics variation in natural populations: The inadequacy of the univariate approach. *Systemic Zoology* **35**:195-203.

YU, H-T. & LIN, Y-S. (1999). Age, reproduction and demography of the spiny rat (Muridae: *Niviventer coxingi*) in subtropical central Taiwan. *Zoological Studies* **38**:153-163.

ZAR, J.H. (1996). *Biostatistical analysis*. 3<sup>rd</sup> ed. Prentice Hall Incorporated, New Jersey.

ZARROW, M.X., & CLARK, J.H. (1968). Ovulation following vaginal stimulation in a spontaneous ovulator and its implications. *Journal of Endocrinol.* **40**: 343-352.

ZENUTO, R.R., MALIZIA, A.I. & BUSCH, C. (1999). Sexual dimorphism and mating systems in two populations of *Ctenomys talarrum* (Rodentia: Octodontidae). *Journal of Natural history* **33**:305-314.

ZURI, I. & TERKEL, J. (1996). Locomotor patterns, territory, and tunnel utilization in the mole-rat *Spalax ehrenbergi*. *Journal of Zoology, London* **240**, 123–140.