

## **CHAPTER 6: REFERENCES**

- Abadias, M., Usall, J., Oliveira, M., Alegre, I., & Vinas, I. 2008. Efficacy of neutral electrolyzed water (NEW) for reducing microbial contamination on minimally–processed vegetables. *International Journal of Food Microbiology* 123, 151–158.
- Adams, M. R., Hartley, A.D. & Cox, L. J. 1989. Factors affecting the efficacy of washing procedures used in the production of prepared salads. *Food Microbiology* 6, 69–77.
- Ailes, E.C., Leon, J.S., Jaykus, I. & Johnston, L.M. 2008. Microbial concentrations on fresh produce are affected by postharvest processing, importation and season. *Journal of Food Protection* 71, 2389–2397.
- Ait, A. & Hassani, L., 1999. *Salmonella* infection in children from the wastewater spreading zone of Marrakesh city (Morocco). *Journal of Applied Microbiology* 87, 536–539.
- Allen, E.A., Hoch, H.C., Steadman, J.R. & Stavely, R.J. 1990. Influence of leaf surface features on spore deposition and the epiphytic growth of phytopathogenic fungi. In: *Microbial ecology of leaves*. Andrews, J.H., Hirano, S.S. & Madison, R. (eds). Wis.
- Allende, A., Tomas-Barberan, F.A. & Gil, G.I. 2006. Minimal processing for healthy traditional foods. *Trends in Food Science & Technology* 17, 513-519
- Altekruse, S.F. & Swerdlow, D.L. 1996. The changing epidemiology of foodborne diseases. *American Journal of Medical Science* 311, 23–29.



- Alzamora, S.M., Lopez-Malo, A. & Tapla, M.S. 2000. Overview In: *Minimally processed fruits and vegetables: Fundamental aspects and applications.*Alzamora, S.M., Tapia M.S. & Lopez-Malo, A. (eds). Galthersburg, Md: Aspen.
- Amoah, P., Drechsel, P., Abaidoo, R.C. & Ntow, W.J. 2006. Pesticide and pathogen contamination of vegetables in Ghana's urban markets.

  \*Archives of Environmental Contamination and Toxicology 50, 1–6.
- Andrews, J.M. 2005. BSAC standardized disc susceptibility testing method (version 4). *Journal of Antimicrobial Chemotherapy* 56, 60–6.
- APHA. 2001. Standard methods for examination of water and wastewater. 20<sup>th</sup> edition. Washington, DC.
- Aruscavage, D. 2007. Effect of bacterial phytopathogen damage on the survival and proliferation of Escherichia coli 0157 in the phyllosphere of lettuce and tomato plants. PhD thesis. Ohio State University, USA.
- Ashbolt, N.J. 2004. Microbial contamination of drinking water and disease outcomes in developing regions. *Toxicology* 198, 229–238.
- Austin, J.W. 1998. *Determination of aerobic and anaerobic sporeformers*. Quebec, Canada: Polyscience Publications (1–6).
- Badham, J. 2010. "5-a-Day" eating programme i.e., consumption of least 5 portions of vegetables and fruit every day.

  http://www.ifava.org/about\_member\_details.asp?id=12&member\_contact=1. Accessed 13 August 2010.
- Balsevich, F., Berdegue, J.A., Flores, L., Manville, D. & Reardon, T. 2003.

  Supermarkets and produce quality and safety standards in Latin

  America. *American Journal of Agricultural Economics* 85, 1147–1154.



- Barak, J.D., Whitehand, L.C. & Charkowski, A.O. 2002. Differences in attachment of *Salmonella* enteric Serovars E. coli 0157:H7 to Alfalfa Sprouts. *Applied and Environmental Microbiology* 68, 4758–4763.
- Barnes, J.M. 2003. The impact of water pollution from formal and informal urban development along the Plankenbrug River on water quality and health risk. PhD thesis, University of Stellenbosch, South Africa.
- Bartz, J. A. 2006. Internalization and infiltration. In: *Microbiology of Fruits and Vegetables*. Sapers, G.M., Gorny, J. & Yousef, A.E. (eds). Boca Raton, USA: CRC Press.
- Beans, N.H., Goulding, J.S., Daniel, M.T. & Angelo, F.J. 1997. Surveillance for foodborne disease outbreaks: United States, 1997–1992. *Journal of Food Protection* 60, 1265–1286.
- Berdegué, J.A., Balsevich, F., Flores, L. & Reardon, T. 2005. Central American supermarkets' private standards of quality and safety in procurement of fresh fruits and vegetables. *Food Policy* 30, 254–269.
- Bernagozzi, M., Bianucci, F., Sacchetti, R. & Bisbini, P. 1994. Study of the prevalence of *Listeria* spp in surface water. *International Journal of Hygiene and Environmental Health* 196, 237–244.
- Beuchat, L.R. 1996. Pathogenic microorganisms associated with fresh produce. *Journal of Food Protection* 59, 204–206.
- Beuchat, L.R. 1998. Surface decontamination of fruits and vegetables eaten raw: A review. Food Safety Unit, World Health Organization. WHO/FSF/FOS/98.2.



- Beuchat, L.R. 1999. Survival of Enterohemorrhagic *Escherichia coli* O157:H7 in bovine faeces applied to lettuce and the effectiveness of chlorinated water as a disinfectant. *Journal of Food Protection* 62, 845–849.
- Beuchat, L.R. 2002. Ecological factors influencing survival and growth of human pathogens on raw fruits and vegetables. *Microbes and Infection* 4, 413–423.
- Beuchat, L.R. 2006. Vectors and conditions for pre-harvest contamination of fruits and vegetables with pathogens capable of causing enteric diseases. *British Food Journal* 108, 38–53.
- Beuchat, L.R. & Brackett, R.E. 1991. Behaviour of *Listeria monocytogenes* inoculated into raw tomatoes and processed tomato products. *Applied Environmental Microbiology* 57, 1367–1371.
- Beuchat, L.R., Nail, B.V., Alder, B.B. & Clavero, M.R. 1998. Efficacy of spray application of chlorinated water in killing pathogenic bacteria on raw apples, tomatoes, and lettuce. *Journal of Food Protection* 61, 1305–1311.
- Beuchat, L.R. & Ryu, J. 1997. Produce handling and processing practices. *Emerging Infectious Disease* 3, 1–9.
- Bhagwat, A.A. 2006. Microbiological safety of fresh-cut produce: Where are we now? In: *Microbiology of fresh produce*. Matthews, K.R. (ed.). Washington, DC: ASM Press.
- Bihn, E.A. & Gravani, R.B. 2006. Role of good agricultural practices in fruit and vegetable safety. In: *Microbiology of fresh produce*. Matthews, K.R. (ed.). Washington DC: ASM Press.



- Bleve, G., Rizzotti, L., Dellaglio, F. & Torriani, S. 2003. Development of reverse transcription (RT)-PCR and real time RT-PCR assays for rapid detection and quantification of viable yeasts and molds contaminating yoghurts and pasteurized food products. *Applied and Environmental Microbiology* 46, 4116–4122.
- Bowen, A., Fry, A., Ruchards, G. & Beuchat, L.R. 2006. Infections associated with cantaloupe consumption: A public health concern. *Epidemiology* and *Infection Control* 134, 675–685.
- Brackett, R.E. 1999. Incidence, contributing factors, and control of bacterial pathogens in produce. *Postharvest Biology and Technology* 15, 305–311.
- Brackett, R.E. 2009. Ensuring food safety: Tracking and resolving the *E. coli* spinach outbreak.

  http://www.fda.gov/NewsEvents/Testimony/ucm110926.htm. Accessed 17 December 2009.
- Brandl, M.T. 2006. Fitness of human enteric pathogens on plants and implications for food safety. *Annual Review of Phytopathology* 44, 367–392.
- Bresee, J.S., Widdowson, M.A., Monroe, S.S. & Glass, R.I. 2002. Foodborne viral gastroenteritis: Challenges and opportunities. *Clinical Infectious Diseases* 35, 748–753.
- Britz, T.J. 2005. Impact of polluted irrigation water on agricultural products.

  Invited speaker. Imbizo of the Cape Winelands District Municipality. April 2005, Wellington, Western Cape Province, South Africa.



- Britz, J.T., Barnes, J., Buys, E.M., Ijabadeniyi, O.A., Minnaar, A., Potgieter, N., Sigge, G.O., Ackerman, A., Lotter, M., Taylor, M.B., van Zyl, W., Venter, I. & Netshikweta, R. 2007. *Quantitative investigation into the link between irrigation water quality and food safety: A review.* WRC Report (K51773). http://academic.sun.ac.za/foodsci/pub\_books.htm. Accessed 18 July 2010.
- Bruhn, C. 2006. Consumer handling of fresh produce from supermarket to table. In: *Microbial hazard identification in fresh fruits and vegetables*. J. James. (ed.). New Jersey: John Wiley.
- Buck, J.W., Walcott, R. & Beuchat, L.R. 2003. Recent trends in microbiological safety of fruits and vegetables. http://www.apsnet.org/online/feature/safety/. Accessed 18 December 2009.
- Bumos, M. 2003. Foodborne illness from produce on the rise. Http://www.marlerclack.com/case\_news/detail/food. Accessed 16 December 2009.
- Burnett, S.L. & Beuchat, L.R. 2001. Foodborne pathogens: Human pathogens associated with raw produce and unpasteurized juices and difficulties in decontamination. *Journal of Industrial Microbiology and Biotechnology* 27, 104–110.
- Butot, S., Putallaz, T. & Sánchez, G. 2007. Procedure for the rapid concentration and detection of enteric viruses from berries and vegetables. *Applied and Environmental Microbiology* 73, 186–192.



- Calvin, L. 2003. Produce, food safety and international trade: Response to US foodborne illness outbreaks associated with imported produce. In:

  International trade and food safety economic theory and case studies.

  Buzby, J.C. (ed.). USDA Agricultural Economic Report No 823 (74–96).
- Carr, R.M., Blumenthal, U.J. & Mara, D.D. 2004. Health guidelines for the use of wastewater in agriculture: Developing realistic guidelines. In: *Waste water use in irrigated agriculture: Confronting the livelihood and environmental realities.* C.A. Scott, N.I. Faruqui & L. Raschid-Sally. (eds). Oxfordshire: CABI Publishing.
- Carter, M.J. 2005. Enterically infecting viruses: pathogenicity, transmission and significance for food and waterborne infection. *Journal of Applied Microbiology* 98, 1354–1380.
- CDC. 2006. Surveillance for foodborne-disease outbreaks in US, 1998–2002. Http://www.cdc.gov/mmwr/preview/mmwrhtml/ss5510a1.htm?\_cid=ss55 10a1\_e. Accessed 17 November 2009.
- Chada, M.L. & Oluoch, M.O. 2003. Home-based vegetable gardens and other strategies to overcome micronutrient malnutrition in developing countries. *Food, Nutrition and Agriculture* 32, 17–21.
- Chang, J. & Fang, T. J. 2007. Survival of *E. coli* 0157: H7 and *Salmonella* enteric serovars Typhimurium in iceberg lettuce and the antimicrobial effect of rice vinegar against *E. coli* 0157: H7. *Food Microbiology* 24, 745–751.
- Chiba, S., Nakata, S., Numata-Kinoshita, K. & Honman, S. 2000. Sapporo Virus: History and recent findings. *The Journal of Infectious Diseases* 181, 303–308.



- Christensen, D., Crawford, C. & Szabo, R. 2002. Enumeration of coliforms, faecal coliforms and *E. coli* in foods using the MPN methods. http://www.hc-sc.gc.ca/food-aliment. Accessed 14 June 2007.
- Clasen, T. & Edmondson, P. 2006. Sodium dichloroisocynnurate (NaDCC) tablets as an alternative to sodium hypochlorite for the routine treatment of drinking water at the household level. *International Journal of Hygiene and Environmental Health* 209, 173–181.
- Combarro, M.P., Gonzalez, M., Aranjo, M., Amezaga, A.C., Sueiro, R.A. & Garrido, M.J. 1997. *Listeria* species incidence and characterisation in a river receiving town sewage from a sewage treatment plant. *Water Science Technology* 35, 201–204.
- Cowling, R. 1991. Option for rural land use in Southern Africa; an ecological perspective. In: *A harvest of discontent: The land question in South Africa*. De Klerk, M. (ed.). Cape Town: IDASA.
- DEAT see South Africa. Department of Environmental Affairs and Tourism.
- De Roever, C. 1998. Microbiological safety of evaluations and recommendations on fresh produce. *Food Control* 9, 321–347.
- Doyle, M.P., & Erickson, M.C. 2008. The problems with fresh produce: An overview. *Journal of Applied Microbiology* 105, 317–330.
- Duffy, E.A., Lucia, L.M., Kells, J.M., Castillo, A., Pillai, S.D. & Acuff, G.R. 2005. Concentration of *E. coli* and genetic diversity and antibiotic resistance profiling of *Salmonella* isolated from irrigation water, packing shed equipment, and fresh produce in Texas. *Journal of Food Protection* 68, 70–79.
- DWAF. 1996a see South Africa. Department of Water Affairs and Forestry.



DWAF. 1996b see South Africa. Department of Water Affairs and Forestry.

DWAF. 1996c see South Africa. Department of Water Affairs and Forestry.

DWAF. 1996d see South Africa. Department of Water Affairs and Forestry.

- ECSCF (European Commission Scientific Committee on Food). 2002. Risk profile on the microbiological contamination of fruits and vegetables eaten raw. European Commission Scientific Committee on Food. http://ec.europa.eu/food/fs/sc/scf/out125\_en.pdf. Accessed 18 May 2007.
- Elif, D., Gurakan, G.C. & Bayindirli, A. 2006. Effect of controlled atmosphere storage, modified atmosphere packaging and gaseous ozone treatment on the survival of *Salmonella* Enteridis on cherry tomatoes. *Food Microbiology* 23, 430–438.
- Elizaquivel, P. & Aznar, R. 2008. A multiplex RT–PCR reaction for simultaneous detection of *E. coli* 0157:H7, *Salmonella* spp and *S. aureus* on fresh minimally processed vegetables. *Food Microbiology* 25, 705–713.
- Ells, T.C. & Hansen, T.L. 2006. Isolate and growth temperature influence Listeria spp. attachment to intact and cut cabbage. *International Journal* of Food Microbiology 111, 34–42.
- EPA (Environmental Protection Agency). 2000. Optimisation of a new method for detection of viruses in groundwater. National groundwater and contained land centre project NC/99/40/2000. http://aem.asm.org/cgi/content/full/74/10/2990. Accessed 18 May 2010.



- EWTSIM (European Work Team on Sustainable Irrigation Management).

  2005. Irrigation management transfer in European countries of transition.

  http://www.zalf.de/icid/countryreport\_imt\_germany.pdf. Accessed 15

  June 2006.
- FAO (Food and Agricultural Organization). 2004. Key statistics of Food and Agricultural External Trade. http://www.fao.org/es/ess/toptrade/trade.asp. Accessed 17 May 2007.
- FAO (Food and Agricultural Organization). 2005. AQUASTAT. Country profile South Africa.

  http://www.fao.org/ag/agl/aglw/aquastat/countries/index.stm. Accessed December 17, 2009.
- FAO (Food and Agricultural Organization). 2006. Spotlight on fruit and vegetable. www.fao.org/ag/magazine/0606sp2.htm. Accessed 3 August 2010.
- FAO/WHO. 2006. The use of microbiological risk assessment outputs to develop practical risk management strategies: Metrics to improve food safety. A joint FAO/WHO Expert Meeting Report, Kiel Germany, 3–7 April.
- Fatoki, O.S., Gogwana, P. & Ogunfowokan, A.O. 2003. Pollution Assessment in the Keiskamma River and in the impoundment downstream. *Water SA* 29, 183–187.
- Fayer, R., Gamble, H.R., Lichtenfels, J.R. & Bier, J.W. 1992. Waterborne and foodborne parasites. In: *Compendium of methods for the microbiological examination of foods.* Vanderzant, C. & Splittstoesser, D.F. (eds). Washington DC.



- FDA (Food and Drug Administration). 2001. Secondary direct food additives permitted in food for human consumption. *Federal Register* 66, 33929–33930.
- FDA (2009). Safe Practices for food processors.

  http://www.fda.gov/Food/ScienceResearch/ResearchAreas/SafePractice
  sfor FoodProcesses/ucm091265.htm. Accessed 16 December, 2009.
- FDA/CFSAN. 2001. Production practices as risk factors in microbial food safety of fresh and fresh—cut produce.

  http://ucgaps.ucdavis.edu/documents/Preharvest\_Factors\_and\_Risk204
  1.pdf. Accessed 15 April 2007.
- FDA/CFSAN. 2008. Draft compliance policy guide on *Listeria monocytogenes* in ready-to-eat (RTE) foods. Docket No. Fda–2008–D–0058. http://www.cfsan.fad.gov/~comm/registe8.html. Accessed 13 March 2008.
- Fergusson, C.M., Coote, B.G., Ashbolt, N.J. & Stevenson, M.I. 1996.

  Relationship between indicators, pathogens and water quality in an estuarine system. *Water Research* 30, 2045–2054.
- Flynn, D. 2009. Cantaloupe recalled for *Salmonella*.

  http://www.foodsafetynews.com/2009/10/cantaloupe-recalled-for-salmonella/. Accessed 16 December 2009.
- Fonseca, J.M. 2006. Postharvest handling and processing: Sources of microorganisms and impact of sanitizing procedures. In: *Microbiology of fresh produce*. Matthews, K.R. (ed.). Washington, DC: ASM Press.
- Fournnelle, H.J. 1967. Soil and water bacteria in the Alaska Subarctic Tunda water. www.pubs.aina.ucalgary.ca. Accessed 25 June 2009.



- Francis, G.A., Thomas, C. & O'Beirne, D. 1999. The microbiological safety of minimally processed vegetables. *International Journal of Food Science and Technology* 34, 1–22.
- Frazier, W.C. & Westhoff, D.C. 1988. *Food microbiology*. 4<sup>th</sup> edition. Singapore: McGraw-Hill.
- Fujiki, H. 1999. Green tea as a cancer preventive. Paper presented at the Food and Cancer Prevention 111 Symposium, Norwich, UK, 5–8 September.
- Gandhi, M. & Chikindas, M.L. 2007. *Listeria*: A foodborne pathogen that knows how to survive. *International Journal of Food Microbiology* 113, 1–15.
- Garcia, A., Mount, J.R. & Davidson, P.M. 2003. Ozone and chlorine treatments of minimally processed lettuce. *Journal of Food Science* 68, 2747–2751.
- Garcia, A.T. & Servais, P. 2007. Respective condition of point and non-point sources of *E. coli* and enterococci in a large urbanized watershed (the Seine River, France). *Journal of Environmental Management* 82, 512–518.
- Garcia-Villanova, R.B., Cueto, E.A. & Bolanos, M.J. 1987. A comparative study of strains of *Salmonella* isolated from irrigation waters, vegetables and human infections. *Journal of Epidemiology of Infection* 98, 271–276.
- Geuenich, H.H., Mueller, H.E., Schretten-Brunner, A. & Seeliger, H.P.R. 1985.

  The occurrence of different species in municipal wastewater.

  Bacteriology Microbiology Hygiene 81, 563–565.



- Gil, M.I. & Selma, M.V. 2006. Overview of hazards in fresh-cut produce production: Control and management of food safety hazards. In: *Microbial hazard identification in fresh fruits and vegetables*. James, J. (ed.). New Jersey: John Wiley.
- Gildreich, E. E. & Kenner, B.A. 1969. Concepts of faecal streptococci in stream pollution. *Journal of Water Pollution and Control Feeding* 41, 336–352.
- Gjessing, E.T. & Kaellgust, T. 1991. Chemical effects of U. V. radiation of water containing humic substances. *Water Research* 25, 491–494.
- Gorski, L., Palumbo, J.D. & Nguyen, K.D. 2004. Strain-specific differences in the attachment of *Listeria monocytogenes* to alfalfa sprouts. *Journal of Food Protection* 67, 2488–2495.
- Grabow, W.K., Mullar-Gauss, V., Prozesky, O.W & Deinhardt, F. 1983.

  Inactivation of Hepatitis A Virus and indicator organisms in water by free chlorine residuals. *Applied and Environmental Microbiology* 46, 619–624.
- Graham, J.L., Striebich, R., Patterson, C.L., Radha Krishnan, E. & R.C. Haught, R.C. 2004. MTBE oxidation byproducts from the treatment of surface waters by ozonation and UV-ozonation. *Chemosphere* 54, 1011–1016.
- Greene, S.K., Daly, E.R., Talbot, E.A., Demma, L.J., Holzbauer, S., Patel, N.J., Hill, T.A., Walderhaug, M.O., Hoekstra, R.M., Lynch, M.F. & Painter, J.A. 2008. Recurrent multistate outbreak of *Salmonella* Newport associated with tomatoes from contaminated fields. *Epidemiology and Infection* 136, 157–165.



- Guévremont, E., Brassard, J., Houde, A., Simard, C. & Trottier, Y.L. 2006.

  Development of an extraction and concentration procedure and comparison of RT-PCR primer systems for the detection of hepatitis A virus and norovirus GII in green onions. *Journal of Virological Methods* 134, 130–135.
- Hagenmaier, R.D. & Baker, R.A. 1998. Microbial population of shredded carrot in modified atmosphere packaging as related to irradiation treatment. *Journal of Food Science* 63, 162–164.
- Hall-Stoodley, L. & Stoodley, P. 2005. Biofilm formation and dispersal and the transmission of human pathogens. *Trends in Microbiology* 13, 300–301.
- Hardie, J.M. & Whiley, R.A. 1997. Classification and overview of the genera Streptococcus and Enterococcus. *Journal of Applied Microbiology* 83, 1 –11.
- Harris, L.J., Farber, J.N., Beuchat, L.R., Parish, M.E., Suslow, T.V., Garrett,
  E.H. & Busta, F.F. (2003). Outbreaks associated with fresh produce:
  Incidence, growth and survival of pathogens in fresh and fresh-cut
  produce. Comprehensive Reviews in Food Science and Food Safety 2,
  78–141.
- Harwood, V.J., Levine, A.D., Scott, T.M., Chivukula, M., Lukasik, J., Farrah, S.R. & Roses, J.B. 2005. Validity of the indicator organism paradigm for pathogen reduction in reclaimed water and public health protection.
  Applied and Environmental Microbiology 71, 3163–3170.
- Havelaar, A.H. and Melse, J.M. 2001. *Quantifying public health risks in the WHO Guidelines for drinking water quality: A burden of disease approach.* RIVM Report 734301022/2003. Bilthoven, The Netherlands: National Institute for Public Health and the Environment.



- Hayes, P.R. 1992. *Food microbiology and hygiene*. 2<sup>nd</sup> edition. England: Elsevier Science Publishers.
- Heaton, J.C. & Jones, K. 2008. Microbial contamination of fruit and vegetables and the behaviour of enteropathogens in the phyllosphere: A review. *Journal of Applied Microbiology* 104, 613–626.
- Hedberg, C.W., MacDonald, K.L. & Osterholm, M.T. 1999. Changing epidemiology of foodborne disease: A Minnesota perspective. *Clinical Infection Disease* 18, 671–682.
- Henneberry, S.R., Piewthongngam, K. & Qiang, H. 1999. Consumer food safety concerns and fresh produce consumption. *Journal of Agricultural and Resource Economics* 24, 98–113.
- Henson, S., Masakure, O. & Boselie, D. 2005. Private food safety and quality standards for fresh produce exporters: The case of Hortico Agrisystems, Zimbabwe. *Food Policy* 30, 371–384.
- Herrington, D.A., Hall, R. H., Lsansky, G., Mekalanos, J.J., Taylor, R.K. & Levine, M.M. 1988. Toxin, toxin-coregulated pili and the toxR regulon are essential for *Vibrio cholera* pathogenesis in humans. *Journal of Experimental Medicine* 168, 1487–1492.
- Hidaka, T., Kirigaya, T., Kamijo, M., Kikawa, H., Kawamura, T. & Kawauchi,
  S. 1992. Disappearance of residual chlorine and formation of chloroform in vegetables treated with sodium hypochlorite. *Journal of the Food Hygienic Society of Japan* 33, 267–273.



- Horman, A., Rimhanen-Finne, R., Maunula, L., Von Bonsdorff, C., Torvela, N., Heikinheimo, A. & Hanninen, M. 2004. *Campylobacter* spp., *Giardia* spp., *Cryptosporidium* spp., noroviruses, and indicator organisms in surface water in south-western Finland, 2000–2001. *Applied and Environmental Microbiology* 70, 87–95.
- Huang, Y., Hung, Y., Hsu, S. & Hwang, D. 2008. Application of electrolyzed water in the food industry. *Food Control* 19, 329 345
- Hurst, C.J., Crawford, R.L., Knudsen, G.R., McInerney, M.J. & Stetzenbach,L.D. 2002. *Manual of environmental microbiology*. 2nd edition.Washington, DC: ASM Press (As cited by Savichtcheva & Okabe, 2006).
- Ibenyassine, K., Aitmhand, R., Karamoko, Y., Cohen, N. & Ennaji M.M. 2006. Use of repetitive DNA sequences to determine the persistence of enteropathogenic *Escherichia coli* in vegetables and in soil grown in fields treated with contacted irrigation water. *Letters in Applied Microbiology* 43, 528–533.
- IFT. 2007. Food Forecast 2007. Institute of Food Technologists.

  http://www.ift.org/cms/?pid=1001537 &printable=1. Accessed 4 April 2007.
- Ijabadeniyi A.O., Minnaar, A. & Buys, E.M. 2008. Microbiological quality of surface water used for irrigation of fresh vegetable in Mpumalanga, South Africa. Poster presented at International Association for Food Protection meeting, Hyatt Regency, Columbus, Ohio, USA, 3–6 August 2008.
- Ijabadeniyi A.O., Minnaar, A. & Buys, E.M. 2009. The effect of irrigation water quality on the bacteriological quality of broccoli and cauliflower in Mpumalanga. Poster presented at Society for General Microbiology Conference, Harrogate, UK, 1–2 April 2009.



- Insulata, W.F., Witzeman, J.S. & Sunya, F.C. 1969. Faecal Streptococci in industrially processed foods: An incidence study. *Food Technology* 10, 1316–1318.
- Islam, M., Doyle, M.P., Phatak, S.C., Millner, P. & Jiang, X. 2004. Persistence of Enterohemorrhagic *Escherichia coli* O157:H7 in soil and on leaf lettuce and parsley grown in fields treated with contaminated manure composts or irrigation water. *Journal of Food Protection* 67, 1365–1370.
- Islam, M., Doyle, M.P., Phatak, S.C., Millner, P. & Jiang, X. 2005. Survival of *Escherichia coli* O157:H7 in soil and on carrots and onions grown in fields treated with contaminated manure composts or irrigation water. *Food Microbiology* 22, 63–70.
- ISO. 1991. International Organisation for Standardization. General guidance for the enumeration of microorganisms. Case Postale 56. CH–1211 Geneva, Switzerland. (1–5).
- ISO. 1993. International Organisation for Standardization. General guidance on methods for the detection of *Salmonella*. Case Postale 56. CH-1211 Geneva 20, Switzerland. (1–16).
- ISO. 1999. International Organisation for Standardization. Horizontal method for the enumeration of coagulase-positive *Staphylococci*. Case Postale 56. CH-1211 Geneva, Switzerland. (1–15).
- ISO. 2000. International Organisation for Standardization. Detection and enumeration of intestinal enterococci. Case Postale 56. CH-1211 Geneva, Switzerland. (1–11).
- ISO. 2004. International Organisation for Standardization. Horizontal method for the detection and enumeration of *Listeria monocytogenes*. Case Postale 56. CH-1211 Geneve 20, Switzerland. (1–13).



- Iturriaga, M.H., Escartín, E.F., Beuchat, L.R. & Martinez-Peniche, R. 2003. Effect of inoculum size, relative humidity, storage temperature, and ripening stage on the attachment of *Salmonella* Montevideo to tomatoes and tomatillos. *Journal of Food Protection* 66, 1756–1761.
- Jablasone, J., Warriner, & Griffiths, M. 2005. Interaction of *E.coli* 0157:H7, *Salmonella* Typhimurium and *Listeria monocytogenes* in plants cultivated in a gnotobiotic system. *International Journal of Food Microbiology* 88, 7–18.
- Jamieson, R., Joy, D.M., Lee, H., Kostaschuk, R. & Gordon, R. 2005.

  Transport and deposition of sediment-associated *Escherichia coli* in natural streams. *Water Research* 39, 2665–2675.
- Jay, J.M. 1997. Do background microorganisms play a role in the safety of fresh foods? *Trends in Food Science & Technology* 8, 421–424.
- Jay, J.M. 2000. *Modern food microbiology*. 6th edition. Gaithersburg, Maryland: Aspen.
- Jedrzejas, M.J. 2001. Pneumococcal virulence factors: Structure and function. *Microbiology and Molecular Biology Reviews* 65, 187–207.
- Johannessen, G.S., Loncarevic, S. & Kruse, H. 2002. Bacteriological analysis of fresh produce in Norway. *International Journal of Microbiology* 77, 199–204.
- Johnson, D.C., Enriquez, C.E., Pepper, I.L., Davis, T.L., Gerba, C.P. & Rose, J.B. 1997. Survival of *Giardia, Cryptosporidium*, Poliovirus and *Salmonella* in marine waters. *Water Science Technology* 35, 261–268.



- Johnston, L.M., Moe, C.L., Moll, D. & Jaykus, L. 2006. The epidemiology of produce-associated outbreaks of foodborne disease. In: *Microbial hazard identification in fresh fruits and vegetables*. J. James. (ed.). John Wiley.
- Jones, T.F., McMillian, M.B., Scallan, E., Frenzen, P.D., Cronquist, A.B., Thomas, S. & Angulo, F.J. 2006. A population-based estimate of the substantial burden of diarrhoeal disease in the United States: Foodnet, 1996–2003. *Epidemiology and Infection* 135, 293–301.
- Jothikumar, N., Cromeans, T.L., Sobsey, M.D. & Robertson, B.H. 2005.

  Development and evaluation of a broadly reactive TaqMan assay for rapid detection of hepatitis A virus. *Applied and Environmental Microbiology* 71, 3359–3363.
- Kalmokoff, M.L., Austin, J.W., Wan, X.D., Sanders, G., Banerjee, S. & Farber, J.M. 2008. Adsorption, attachment and biofilm formation among isolates of *Listeria monocytogenes* using model conditions. *Journal of Applied Microbiology* 91, 725–734.
- Kautter, D.A., Solomon, H.M., Lake, D.E., Bernard, D.T. & Mills, D.C. 1992.
   Clostridium botulinum and its toxins. In: Compendium of methods for the microbiological examination of foods. Vanderzant, C. & Splittstoesser, D.F. (eds). Washington DC: American Public Health Association.
- Kaysner, C.A., Tamplin, M.L. & Twedt, R.M. 1992. Vibrio. In: Compendium of methods for the microbiological examination of foods. Vanderzant, C. & Splittstoesser, D.F. (eds). Washington DC: American Public Health Association.



- Kenney, S.J. & Beuchat, L.R. 2002. Comparison of aqueous cleaners for effectiveness in removing *Escherichia coli* 0157: H7 and *Salmonella* Muenchen from the surfaces of apples. *International Journal of Food Microbiology* 74, 47–55.
- Khetarpaul, N., (2006). Food Microbiology. Tri Nagar, New Delhi. 552pp.
- Kim, J.B., Yousef, A.E. & Chism, G.W. 1998. Use of ozone to inactivate microorganisms on lettuce. *Journal of Food Safety* 19, 17–34.
- Koopmans, M. & Duizer, E. 2004. Foodborne viruses: An emerging problem. International Journal of Food Microbiology 90, 23–41.
- Koseki, S., Yoshida, K., Kamitani, Y., Isobe, S. & Itoli, K. 2004. Effect of mild heat pre-treatment with alkaline electrolyzed water on the efficacy of acidic electrolyzed water against E. coli O157: H7 and Salmonella on lettuce. *Food Microbiology* 21, 559- 566
- Lambertini, E., Spencer, S.K., Bert, P.D., Loge, F.J., Kieke, B.A. & Borchadt, M.A. 2008. Concentration of enteroviruses, adenoviruses and noroviruses from drinking water by use of glass wool filters. *Applied Environmental Microbiology* 78, 2990–2996.
- Legnani, P.P. & Leoni, E. 2004. Effect of processing and storage conditions on the microbiological quality of minimally processed vegetables.

  International Journal of Food Science and Technology 39, 1061–1068.
- Lemon, K.P., Higgins, D.E. & Kolter, R. 2007. Flagella motility is critical for *Listeria monocytogenes* biofilm formation. *Journal of Bacteriology* 189, 4418–4424.



- Lerici, C.R., Nicoli, M.C. & Anese, M. 2000. The "weight given" to food processing at the food and cancer prevention 111 Symposium. *Italian Journal of Food Science* 12, 3–7.
- Li, R.E., Brackett, J.C. & Beuchat, L.R. 2002. Mild heat treatment of lettuce enhances growth of *Listeria monocytogenes* during subsequent storage at 5 °C or 15 ° C. *Journal of Applied Microbiology* 92, 269–275.
- Liao, C.H. & Cooke, P.H. 2001. Response to trisodium phosphate treatment of *Salmonella* Chester attached to fresh-cut green pepper slices. *Canadian Journal of Microbiology* 47, 25–32.
- Li-Cohen, A.E. & Bruhn, C.M. 2002. Safety of consumer handling of fresh produce from the time of purchase to the plate: A comprehensive consumer survey. *Journal of Food Protection* 65, 1287–1296.
- Lund, B.M. 1983. Bacterial spoilage. In: *Post-harvest pathology of fruits and vegetables.* Dennis, C. (ed.). London: Academic Press.
- Lyautey, E., Lapen, D.R., Wilkes, G., Mccleary, K., Pagotto, F., Tyler, K., Hartmann, A., Piveteau, P., Rieu, A., Robertson, W.J., Medeiros, D.T., Edge, T.A., Gannon, V. & Topp, E. 2007. Distribution and characteristics of *Listeria monocytogenes* isolates from surface waters of the South Nation River watershed, Ontario, Canada. *Applied and Environmental Microbiology* 73, 5401–5410.
- MacGowan, A.P., Bowker, K., McLauchlin, J., Bennet, P.M. & Reeves, D.S. 1994. The occurrence and seasonal changes in the isolation of *Listeria* sp in shop bought food stuffs, human feces, sewage and soil from urban sources. *International Journal of Food Microbiology* 21, 325–334.



- Maciorowski, K.G., Herrera, P., Jones, F.T., Pillai, S.D. & Ricke, S.C. 2007. Effects on poultry and livestock of feed contamination with bacteria and fungi. *Animal Feed Science and Technology* 133, 109–136.
- Madden, R.H. & Gilmour, A. 2008. Impedance as an alternative to MPN enumeration of coliforms in pasteurized milks. *Letters in Applied Microbiology* 21, 387–388.
- Mahbub, I., Michael, P.D., Sharad, C.P., Patricia, M. & Xiuping, J. 2004. Persistence of enterohemorrhagic *Escherichia coli* 0157:H7 in soil and on leaf lettuce and parsley grown in fields treated with contaminated manure composts or irrigation water. *Journal of Food Protection* 67, 1365–1370.
- Mandrell, R.E., Gorski, L. & Brandl, M.T. 2006. Attachment of microorganisms to fresh produce. In: *Microbiology of fruits and vegetables*. Sapers, G.M., Gorny, J.R & Yousef, A.E. (eds). Boca Raton, USA: CRS Press.
- Martínez, M.A., Alcalá, A.C., Carruyo, G., Botero, L., Liprandi, F. & Ludert, J.E. 2006. Molecular detection of porcine enteric caliciviruses in Venezuelan farms. *Veterinary Microbiology* 116, 77–84.
- Marx, F.E. 1997. *Detection of human astroviruses in South Africa*. PhD dissertation. Pretoria: University of Pretoria.
- Matthews, K.R. 2006. Microorganisms associated with fruits and vegetables. In: *Microbiology of fresh produce*. Matthews, K.R. (ed). Washington DC: ASM Press.
- Mazollier, J. (1988). IVe`me gamme. Lavage-de´sinfection des salades. *Infos-Ctifl*, 41, 20–23.



- McCabe-Sellers, B. & Beattie, S. 2004. Emerging trends in foodborne illness: Surveillance and prevention. *Journal of the American Dietetic Association* 104, 1708–1717.
- McMahon, A.S. & Wilson, I.G. 2001. The occurrence of enteric pathogens and *Aeromonas* species in organic vegetables. *International Journal of Food Microbiology* 70, 155–162.
- Meyer, W.N. 2007. *The economics of water: Water for life; sanitation for dignity.* Hatfield, Pretoria: Van Schaik.
- Milillo, S.R., Badamo, J.M., Boor, K.J. & Wiedmann, M. 2008. Growth and persistence of *Listeria monocytogenes* isolates on the plant model *Arabidopsis thuliana. Food Microbiology* 25, 698–708.
- Molongoski, J.J & Klug, M.J. 1976. Characterization of anaerobic heterotrophic bacteria isolated from freshwater lake sediments. *Applied Environmental Microbiology* 31, 83–90.
- Moreno-Espinosa, S., Farkas, T. & Jiang, X. 2004. Human calicivirus and pediatric gastroenteritis. *Pediatric Infectious Diseases* 15, 237–245.
- Moriyama, K., Matsufuji, H., Chino, M. & Takeda, M. 2004. Identification and behaviour of reaction products formed by chlorination of ethynylestradiol. *Chemosphere* 55, 839–847.
- NACMCF (National Advisory Committee on Microbiological Criteria for Foods). 1999. Microbiological safety evaluations and recommendations on fresh produce. *Food Control* 10, 117–143.



- Nakano, K., Suyama, K., Fukazawa, H., Uchida, M., Wakabayashi, K., Shiozawa, T. & Terao, Y. 2000. Chlorination of harman and norharman with sodium hypochlorite and co-mutagenicity of the chlorinated products. *Mutation Research* 470, 141–146.
- Ndiame, D. & Jaffee, S.M. 2005. Fruits and vegetables: Global trade and competition in fresh and processed product markets. In: *Global agricultural trade and developing countries*. Aksoy, M.A & Beghin, J.C. (eds). World Bank (237–257).
- Nguyen-the, C. & Carlin, F. 1994. The microbiology of minimally processed fresh fruits and vegetables. *Critical Review of Food Science and Nutrition* 34, 371–401.
- Nozomi, K., Masatsume, M. &. Kenji, I. 2006. Efficiency of sodium hypochlorite, fumaric acid and mild heat in killing nature microflora and *E. coli* O157:H7, *Salmonella Typhimurium* DT 104 and *S. aureus* attached to fresh cut lettuce. *Journal of Food Protection* 69, 323–329.
- Nukaya, H., Shiozawa, T., Tada, A., Terao, Y., Obe, T., Watanabe, T., Asanoma, M., Sawanishi, H., Katsahara, T., Soyimura, T. & Wakebayashi, K. 2001. Identification of 2- (2-acetylamino)-4-amino-5-methoxy phenyl)- 5 amino-7-bromo-4 chloro-2H-benzotriazole (PBTA-4) as a potent mutagen in river water in Kyoto and Aichi prefectures, Japan. *Mutation Research* 492, 73–80.
- Nuorti, J.P., Niskanen, T., Hallanvuo, S. & Mikkola, J. 2004. A widespread outbreak of *Yersinia pseudotuberculosis* 0:3 infection from iceberg lettuce. *The Journal of Infectious Diseases* 189, 766–774.



- NWRS, National Water Resource Strategy. 2004. South Africa's water situation and strategies to balance supply and demand. http://www.dwaf.gov.za/Documents/Policies/NWRS/Default.htm. Accessed 16 June 2007.
- Ortega, Y.R., Roxas, C.R., Gilman, R.H., Miller, N.J., Cabrera, L., Taquiri, C. & Sterling, C.R. 1997. Isolation of *Cryptosporidium parvum* and *Cyclospora cayetanensis* from vegetables collected in markets of an endemic region in Peru. *American Journal of Tropical Medicine and Hygiene* 57, 683–686.
- Palumbo, S.A., Rajkowski, K.T. & Miller, A.J. 1997. Current approaches for reconditioning process water and its use in food manufacturing operations. *Trends in Food Science and Technology* 8, 69–74.
- Parashar, U.D. & Monroe, S.S. 2001. 'Norwalk-like viruses' as a cause of foodborne disease outbreaks. *Reviews in Medical Virology* 11, 243–252.
- Parish, M.E. 1997. Public health and nonpasteurized fruit juices. *Critical Review of Microbiology* 23, 109–119.
- Pautshwa, M.J., Van der Walt, A.M., Cilliers, S.S. & Bezuidenhont, C.C. 2009. Investigation of faecal pollution and occurrence of antibiotic resistant bacteria in the Mooi River system as a function of a changed environment. Http://www.ewisa.co.za/literature/files/2008\_137.pdf. Accessed 13 August 2009.
- Pezzoli, L., Elson, R., Little, C.L. & Yip, H. 2008. Packed with *Salmonella*: Investigation of an intestinal outbreak of *Salmonella* infection linked to contamination of pre-packed basil in 2007. *Food borne Pathogens and Disease* 5, 661–668.



- Polo, F., Figueras, M.J., Laza, I., Sala, J., Flesher, J.M. & Guarro, J. 1998.

  Relationship between presence of *Salmonella* and indicators of faecal pollution in aquatic habitats. *FEMS Microbiology Letters* 160, 253–256.
- Postel, S.L. 2000. Water and world population growth. *Journal of the American Water Works Association* 92, 131–138.
- Potter, J. 1999. Diet and cancer: Epidemiology and biology. Paper presented at the Food and Cancer Prevention 111 Symposium, Norwich, UK, September 5–8.
- Prazak, A.M., Murano, E.A., Mercado, I. & Acuff, G.R. 2002. Prevalence of Listeria monocytogene during production and post–harvest processing of cabbage. Journal of Food Protection 65, 1728–1734.
- Quadt-Hallman, A., Benhamou, N. & Kloepper. 1997. Bacterial endophytes in cotton: Mechanisms of entering the plant. *Canadian Journal of Microbiology* 43, 577–582.
- Reinders, F. 2000. Water use in South Africa. South Africa: Institute for Agricultural Engineering (ARC) (5–15).
- Richards, G.P. 2005. Food and waterborne enteric viruses. In: *Foodborne pathogens microbiology and molecular biology*. Fratamico, P.M., Bhunia, A.K. & Smith, J.L. (eds). Norfolk: Caister Academic Press (121–143).
- Robertson, L.J. & Gjerde, B. 2001. Occurrence of parasites on fruits and vegetables in Norway. *Journal of Food Protection* 64, 1793–1798.
- Robinson, I. & Adams, R.P. 1978. Ultra-violet treatment of contaminated irrigation water and its effect on the bacteriological quality of celery at harvest. *Journal of Applied Bacteriology* 45, 83–90.



- Rodgers, S.L., Cash, J.N., Siddiq, M. & Ryser, E.T. 2004. A comparison of different chemical sanitizers for inactivating *Escherichia coli* O157:H7 and *Listeria monocytogenes* in solution and on apples, lettuce, strawberries, and cantaloupe. *Journal of Food Protection* 67, 721–731.
- Romantschuk, M. 1992. Attachment of plant pathogenic bacteria to plant surfaces. *Annual Review of Phytopathology* 30, 225–243.
- Romijn, H.J., Van Uum, J.F., Breedijk, I., Emmering, I.R. & Pool, C.W. 1999.

  Double immunolabeling of Neuropeptides in the human hypothalamus as analysed by confocal laser scanning fluorescence microscopy. *Journal of Histochemistry and Cytochemistry* 47, 229–236.
- Rompre, A., Servais, P., Bandart, J., De-Robin, M. & Laurent, P. 2002.

  Detection and enumeration of coliforms in drinking water: Current methods and emerging approaches. *Journal of Microbiological Methods* 49, 31–54.
- Ross, T., Dalgaard, P. & Tienungoon, S. 2000. Predictive modelling of the growth and survival of *Listeria* in fishery products. *International Journal of Food Microbiology* 62, 231–245.
- Roy, S. L., Delong, S. M., Sterizel, S. A. & Shiferwa, B., (2004). Risk factors for sporadic cryptosporidiosis among immunocompetent persons in the United States from 1999 to 2001. *American Journal of Clinical Microbiology* 42, 2944-2951.
- Ruiz, B.G., Vargas, R.G. & Garcia-Villanova, R. 1987. Contamination on fresh vegetables during cultivation and marketing. *International Journal of Food Microbiology* 4, 285–291.



- Runia, W.T. 1995. A review of possibilities for disinfection of recirculation water from soiless cultures.

  http://www.actahort.org/books/382/382\_25.html. Accessed 16
  December 2009.
- Ryu, S.L., Delong, S.M., Sterizel, S.A. & Shiferwa, B. 2004. Risk factors for sporadic cryptosporidiosis among immunocompetent persons in the United States from 1999 to 2001. *American Journal of Clinical Microbiology* 42, 2944–2951.
- Sadovski, A. & Ayala, F. 1980. *Streptococcus faecalis* and *Streptococcus faecium* in frozen vegetables: Incidence and survival after treatments commonly used at the vegetable freezing plants. *Journal of Food Safety* 2, 59–73.
- Sadovski, A., Fattal, Y.B. & Goldberg, D. 1978. Microbial contamination of vegetables irrigated with sewage effluent by the drip method. *Journal of Food Protection* 41, 336–340.
- Santo-Domingo, J.W. & Ashbolt, N.J. 2008. Fecal pollution of water.

  Http://www.eoeart.org/article/fecal-pollution-of-water. Accessed 9

  November 2009.
- Sapers, G.M. 2001. Efficacy of washing and sanitizing methods for disinfectants of fresh fruit and vegetable products. *Food Technology Biotechnology* 39, 305–311.
- Sapers, G.M., Garzarella, L. & Pilizota, V. 1990. Application of browning inhibitors to cut apple and potato by vacuum and pressure infiltration. *Journal of Food Science* 55, 1049–1053.
- Satcher, D. 2000. Food safety: A growing global health problem. *Journal of the American Medical Association* 283, 1817–1823.



- Sauer, F.G., Mulvey, M.A., Schilling, J.D., Martinez, J.J. & Hultgren, S.J. 2000. Bacterial Pili: Molecular mechanisms of pathogenesis. *Current Opinion in Microbiology* 3, 65–72.
- Savichtcheva, O. & Okabe, S. 2006. Alternative indicators of fecal pollution: Relations with pathogens and conventional indicators: Current methodologies for direct pathogen monitoring and future application perspectives. *Water Research* 40, 2463–2476.
- SAWQG .South African Water Quality Guidelines., (1996). Agricultural Water Use: Irrigation. 2nd Edition. 180pp.
- Schreck, S. 2009. Cantaloupe recalled for possible *Salmonella* contamination. Http://www.foodpoisonjournal.com/admin/trackback/134463. Accessed 16 December 2009.
- Scott, T.M., Rose, J. B, Jenkins, T., Farrah, S.R. & Lukasik, J. 2002. Microbial source tracking: current methodology and future directions. *Applied and Environmental Microbiology* 68, 5796–5803.
- Settani, L. & Corsetti, A. 2007. The use of multiplex PCR to detect and differentiate food and beverage associated microorganisms: A review. *Journal of Microbiological Methods* 69, 1–22.
- Seymour, I.J., Burfoot, D., Smith, R.L, Cox, L.A. & Lockwood, A. 2002.

  Ultrasound decontamination of minimally processed fruits and vegetables. *International Journal of Food Science and Technology* 37, 547–557.
- Sigge, G. &. Fitchet, T. 2009. Food safety in the limelight. *South African Food Review* 36, 14–16.



- Simpson, G., Miller, R.F., Laxton, G.D. & Clement, W.R. (2000). A focus on chlorine dioxide: The 'ideal' biocide. www.clo2.com/reading /waste/corrosion.html. Accessed 16 June 2009.
- Sivapalasingam, S., Friedman, C.R., Cohen, L. & Tauxe, R.V. 2004. Fresh produce: A growing cause of foodborne illness in the United States, 1973 through 1997. *Journal of Food Protection* 67, 2342–2353.
- Smith, J.L. & Buchanan, R.L. 1992. Shigella. In: Compendium of methods for the microbiological examination of foods. Vanderzant, C. & Splittstoesser, D.F. (eds). Washington DC: American Public Health Association.
- Solomon, E.B., Brandl, M.T. & Mandrell, R.E. 2006. Biology of foodborne pathogens In: *Microbiology of fresh produce*. Karl, R.M. (ed.). Washington, DC: ASM Press.
- Solomon, E.B., Potenski, C.J., Matthews, K.R. 2002. Effect of irrigation method on transmission to and persistence of *Escherichia coli* O157:H7 on lettuce. *Journal of Food Protection* 65, 673–676.
- Somers, E.B., Schoeni, J.L. & Wong, A.C. 1994. Effect of trisodium phosphate on biofilm and planktonic cells of *Campylobacter jejuni, Escherichia coli* 0157:H7, *Listeria monocytogenes* and *Salmonella typhimurium*. *International Journal of Food Microbiology* 22, 269–276.
- South Africa. Department of Environmental Affairs and Tourism. 2006.

  Environment outlook: A report on the state of the environment. Pretoria:

  Government Printer.
- South Africa. Department of Water Affairs and Forestry. 1996a. *South African water quality guidelines*. 2<sup>nd</sup> edition. Volume 1: *Domestic use*. Pretoria: Government Printer.



- South Africa. Department of Water Affairs and Forestry. 1996b. *South African water quality guidelines*. 2<sup>nd</sup> edition. Volume 4: *Agricultural use: Irrigation*. Pretoria: Government Printer.
- South Africa. Department of Water Affairs and Forestry. 1996c. *South African water quality guidelines*. 2<sup>nd</sup> edition. Volume 5: *Agricultural use: Livestock watering*. Pretoria: Government Printer.
- South Africa. Department of Water Affairs and Forestry. 1996d. *South African water quality guidelines*. 2<sup>nd</sup> edition. Volume 7: *Aquatic ecosystems*.

  Pretoria: Government Printer.
- Spotts, R.A. 1992. Effect of ozonated water on postharvest pathogens of pear in laboratory and packinghouse tests. *Plant Disease* 76, 256–259.
- Steele, M., Mahdi, A. & Odumeru, J. 2005. Microbial assessment of irrigation water used for production of fruit and vegetables in Ontario, Canada. *Journal of Food Protection* 68, 1388–1392.
- Steele, M. & Odumeru, J. 2004. Irrigation water as source of foodborne pathogens on fruit and vegetables. *Journal of Food Protection* 67, 2839–2849.
- Stine, S.W. 2004. Survival of enteric pathogens on the surface of fresh produce. PhD dissertation, University of Arizona, USA.
- Stine, S.W., Inhong, S., Choi, C.Y. & Gerba, C.P. 2005. Application of microbial risk assessment to the development of standards for enteric pathogens in water used to irrigate fresh produce. *Journal of Food Protection* 68, 913–918.



- Stopforth J.D., Ikeda, J.S., Kendall, P.A. & Sofos, J.N. 2004. Survival of acidadapted or nonadapted *Escherichia coli* O157:H7 in apple wounds and surrounding tissue following chemical treatments and storage. *International Journal of Food Microbiology* 90, 51–61.
- Stuijt, A. 2008. South Africa asked to declare state of emergency over dangerous water pollution. http://www.digitaljournal.com/article/263078. Accessed May 2010.
- Suarez, R. 2009. TB thrives among South Africa's HIV population.

  http://www.pbs.org/newshour/bb/africa/jan-june09/southafricatb\_0324.html. Accessed May 2010.
- Suslow, T. 2007. Salad Washing.

  Http://www.eatsafe.co.za/site/index.php?option=com\_content&view=artic le&id=91:salad-washing&catid=40:articles&itemd=74. Accessed Jan 2011
- Takeuchi, K., Matute, C.M., Hassan, A.N. & Frank, J.F. 2000. Comparison of the attachment of *Escherichia coli* 0157:H7, *Listeria monocytogenes*, *Salmonella* Typhimurium and *Pseudomonas fluorescens* to lettuce leaves. *Journal of Food Protection* 63, 1433–1437.
- Tauxe, R., Kruse, H., Hadberg, C., Potter, C.M., Madden, J. & Wachsmuth, K.
  1997. Microbial hazards and emerging issues associated with produce.
  A preliminary report to the National Advisory Committee on
  Microbiological Criteria for Foods. Journal of Food Protection 60, 1400–1408.
- Taylor, M.B., Cox, N., Very, M.A. & Grabow, W.O.K. 2001. The occurrence of hepatitis A and astroviruses in selected river and dam waters in South Africa. *Water Research* 35, 2653–2660.



- Taylor, M.B., Schildhauer, C.I., Parker, S., Grabow, W.O.K., Jiang, X., Estes, M.K. & Cubitt, W.D. 1993. Two successive outbreaks of SRSV-associated gastroenteritis in South Africa. *Journal of Medical Virology* 41, 18–23.
- Teltsch, B. & Katzenelson, E. 1978. Airborne enteric bacteria and viruses from spray irrigation with wastewater. *Applied and Environmental Microbiology* 35, 290–296.
- Teltsch, B., Shuval, H.I. & Tadmor, J. 1980. Die-away kinetics of aerosilized bacteria from sprinkler irrigation of wastewater. *Applied Environmental Microbiology* 39, 1191–1197.
- Thompson, M.W. 1999. South African natural land cover database project by CSIR. http://www.sac.co.za. Accessed 12 December 2009.
- Thurston-Enriquez, J.A., Watt, P., Dowd, S.E., Enriquez, R., Pepper, I.L. & Gerba, C.P. 2002. *Journal of Food Protection* 65, 378–382.
- Timothy, C.E. & Hansen, L.T. 2006. Strain and growth temperature influence *Listeria* spp attachment to intact and cut cabbage. *International Journal of Food Microbiology* 111, 34–42.
- Tshivhandekano, I. 2006. Water quality in the city of Tshwane, South Africa and its role in food safety for vegetable production. M.Inst.Agric. thesis, University of Pretoria, South Africa.
- Turantas, F. 2002. Incidence of faecal streptococci as an indicator of sanitation in ice cream and frozen vegetables. *International Journal of Food Science and Technology* 37, 239–243.



- Tymczyna, L., Chmielowiec, K.A. & Saba, L. 2000. Bacteriological and parasitological pollution of the natural environment in the vicinity of a pig farm. *Polish Journal of Environmental Studies* 9, 209–214.
- Ukuku, D.O. & Fett, W. 2002. Behaviour of *Listeria monocytogenes* inoculated on cantaloupe surfaces and efficacy of washing treatments to reduce transfer from rind to fresh-cut pieces. *Journal of Food Protection* 65, 924–930.
- Ukuku, D.O., Liao, C. & Gembeh, S.V. 2005. *Attachment of bacterial human pathogens on fruit and vegetable surfaces*. Atlanta, USA: CRC Press.
- Ukuku, D.O. & Sapers, G.M. 2001. Effects of sanitizer treatments on Salmonella Stanley attached to the surface of cantaloupe and cell transfer to fresh-cut tissues during cutting practices. Journal of Food Protection 64, 1286–1291.
- Unnevehr, L.J. 2000. Food safety issues and fresh food product exports from less developed Countries. *Agricultural Economics* 23, 231–240.
- USDA (United States Department of Agriculture). 1998. The 1998 farm and ranch irrigation survey: Census of agriculture.

  http://www.nass.usda.gov.innopac.up.ac.za:80/census/census97/fris/fris.

  htm. Accessed 20 May 2007.
- Van Elfen, J. 2001. Cholera. In: *Dokter in die Huis.* Du Toit, D. (ed.). Cape Town: Tafelberg.
- Van Zyl, W.B., Page, N.A., Grabow, W.O.K., Steele, A.D. & Taylor, M.B. 2006. Molecular epidemiology of group A rotaviruses in water sources and selected raw vegetables in southern Africa. *Applied and Environmental Microbiology* 72, 4554 –4560.



- Vazda, S.M., Mara, D.D. & Vargas-Lopez, C.E. 1991. Residual faecal contamination on effluent-irrigated lettuce. *Water Science and Technology* 24, 89–94.
- Velazquez, L.C., Barbini, N.B., Escudero, M.E., Estrada, C.L. & Guzman, A.S. 2009. Evaluation of chlorine, benzalkonium chloride and lactic acid as sanitizers for reducing *Escherichia coli* O157:H7 and *Yersinia enterocolitica* on fresh vegetables. *Food control* 20, 262–268.
- Vuuren, L. 2009a. New water framework counts every drop. *The Water Wheel* 8, 28–30.
- Vuuren, L. 2009b. The state of water in South Africa: Are we heading for a crisis? *The Water Wheel* 8, 31–33.
- Vuuren, L. 2010. Time running out as Africa sprints towards MDG deadline. *The Water Wheel* 9, 25–27.
- Walderhaug, M.O., Edelson-Mammel, S.G, Dejesus, A.J, Eblen, B.S, Miller, A.J. & Buchanan, R.L. 1999. Preliminary studies on the potential for infiltration, growth and survival of *Salmonella enterica* serovar Hartford and *Escherichia coli* 0157: H7 within oranges. http://www.file://C:\Documents and settings\user\My Documents\orange1.htm Accessed on 23 April 2007.
- Walmsley, R.D., Walmsley, J.J. & Silberbauer, M. 1999. Freshwater systems and resources. In: *National State of the Environment Report*.

  Department of Environmental Affairs and Tourism, South Africa.

  Pretoria: Government Printer.
- Wang, G., Zhao, T. & Doyle, M.P. 1996. Fate of enterohemorrhagic Escherichia coli O157:H7 in bovine feces. Applied Environmental Microbiology 62, 2567–2570.



- Warriner, K., Ibrahim, F, Dickinson, M., Wright, C. & Waites, W.M. 2003.

  Internalization of human pathogens within growing salad vegetables.

  Biotechnology Genetical Engineering Review 20, 117–134.
- Watchtel, M.R., Whitehand, L.C. & Mandrell, R.E. 2002. Association of *E. coli* 0157: H7 with pre-harvest leaf lettuce upon exposure to contaminated irrigation water. *Journal of Food Protection* 65, 18–25.
- Water Research Commission. 2002. *State of River Report. Umgeni River and Neighbouring Rivers and Streams.* Water Research Commission Report No. TT 200/02. Pretoria, South Africa.
- Weiss, J. & Seeliger, H.P. 1975. Incidence of *Listeria monocytogenes* in nature. *Applied Microbiology* 29, 29–32.
- Weissinger, W.R., Chantarapanont, W. & Beuchat, L.R. 2000. Survival and growth of *Salmonella* Baildon in shredded lettuce and diced tomatoes and effectiveness of chlorinated water as a sanitizer. *International Journal of Food Microbiology* 62, 123–131.
- WESGRO. 2006. Fruit processing sector brief. Western Cape Trade and Investment Promtion Agency: 36–40.
- Westcot, D.W. 1997. Quality control of wastewater for irrigated crop production. *Water Reports no. 10*. Rome, Italy: Food Agricultural Organization.
- WHO (World Health Organisation). 1989. Health guidelines for the use of wastewater in agriculture and aquaculture. Technical Report Series 778. Geneva, Switzerland: World Health Organisation.



- WHO (World Health Organisation). 2006. WHO guidelines for the safe use of wastewater, excreta and greywater. Volume II, Wastewater use in agriculture. Geneva, Switzerland: World Health Organization (1–176).
- WHO (World Health Organization). 2003. The present state of foodborne disease in QECDcountries.http://www.who.int/foodsafety/publications/foodborne disease/en/ OECD%20Final%20for%20WEB.pdf. Accessed 13 May 2007.
- Wood, R.C., Hedberg, C. & White, K. 1991. A multistate outbreak of *Salmonella* Javiana infections associated with raw tomatoes. In: CDC Epidemic Intelligence Service, 40th Annual Conference, Atlanta, USA (69–200).
- Yiannas, F. 2009. Food safety culture. In: *Creating a behavior-based food safety management system*. Doyle, M. P. (ed.). New York: Springer Science.
- Zhao, T., Zhao, P. & Doyle, M.P. 2009. Inactivation of *Salmonella* and *Escherichia coli* O157:H7 on lettuce and poultry skin by combinations of levulinic acid and sodium dodecyl sulfate. *Journal of Food Protection* 72, 928–936.
- Zhu, Y., Gu, L., Yu, J., Yang, J. & Zhai, X. 2009. Analysis on the Epidemiological characteristics of *E. coli* 0157: H7 infection in Xuzhou, Jiangsu, China. *Journal of Nanjing Medical University* 23, 20–24.
- Zimmerman, F.J. 2000. Barriers to participation of the poor in South Africa's land redistribution. *World Development* 28, 1439–1460.